

## REPORT

OF

## THE SUPERINTENDENT

OF THE

## COAST SURVEY,

SHOWING

## THE PROGRESS OF THE SURVEY

DURING

THE YEAR 1859.

---

WASHINGTON:  
THOMAS H. FORD, PRINTER.  
1860.

8373

QB  
296  
.45  
1859

# **National Oceanic and Atmospheric Administration**

## **Annual Report of the Superintendent of the Coast Survey**

### **ERRATA NOTICE**

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages  
Faded or light ink  
Binding intrudes into the text

This has been a co-operative project between the NOAA Central Library, the Office of Coast Survey and the National Geodetic Survey. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or [www.reference@nodc.noaa.gov](mailto:www.reference@nodc.noaa.gov).

**Please Note:**

This project currently includes the imaging of the full text of each volume up to the "List of Sketches" (maps) at the end. Future online links, by the National Ocean Service, located on the Historical Map and Chart Project webpage (<http://historicals.ncd.noaa.gov/historical/histmap.asp>) will include these images.

LASON  
Imaging Contractor  
12200 Kiln Court  
Beltsville, MD 20704-1387  
January 13, 2003

This Book is the property of the  
U. S. GEOLOGICAL SURVEY,  
and is loaned to you for inventory  
of the collection. It is to be returned  
to the National Library.

LETTER  
FROM THE  
SECRETARY OF THE TREASURY,

COMMUNICATING

*The Report of the Superintendent of the United States Coast Survey.*

---

IN THE HOUSE OF REPRESENTATIVES, *June 13, 1860.*

*Resolved*, That there be printed five thousand extra copies of the Report of the Superintendent of the Coast Survey for the year 1859 ; three thousand of which shall be for distribution by the Superintendent, and two thousand shall be for the use of the members of the House.

JOHN W. FORNEY, *Clerk.*

---

TREASURY DEPARTMENT, *February 6, 1860.*

SIR : I have the honor to present, for the information of the House of Representatives, a report made to the Department by Professor A. D. Bache, Superintendent of the United States Coast Survey, stating the progress in that work during the year ending November 1, 1859, accompanied by an engraved map showing the general progress made in the survey of the Atlantic, Gulf, and Pacific coasts, and also the manuscript map prepared at the Coast Survey Office, in accordance with an act of Congress approved March 3, 1853.

With great respect, your obedient servant,

HOWELL COBB,  
*Secretary of the Treasury.*

HON. WM. PENNINGTON,  
*Speaker of the House of Representatives.*





# ABSTRACT OF CONTENTS OF REPORT.

---

Division and arrangement, p. 1. Estimates of progress and completion of field-work in geographical sections, pp. 2-4. General statement of progress, pp. 4-6. Progress of year, pp. 6-11. Maps and charts, p. 11. List of sketches accompanying report, p. 12. Photography, p. 13. Estimates for fiscal year 1860-'61, pp. 13-20. Developments and discoveries, pp. 20, 21. Remarks on surveys on the Western Coast, p. 21. On tide tables for navigators, pp. 21, 22. On table of depths, p. 22. On geographical positions, p. 22. On list of topographical and hydrographic sheets, p. 22. On information furnished, p. 22. On field and office statistics, p. 23. Distribution of reports and maps, p. 23. Extract from report of committee of American Association for the Advancement of Science, pp. 24-26. Telegraphic longitudes, p. 26. Epping base of verification, p. 26. Magnetic observations, p. 27. Further discussion of Gulf Stream observations, p. 28. Tides and currents, pp. 28, 29. On publication of records and results, p. 29. On projection tables for maps, p. 29. Notices of instruments and apparatus, p. 30. Officers of the army, p. 30. Officers of the navy, p. 31. Hydrographic division, pp. 31, 32. Aids to navigation, p. 32. Obituaries, p. 32.

*Field and Office.* Progress in:

SECTION I.—*Summary.* *Field-work*, p. 33. *Office-work*, p. 34. *Geodetic and astronomical observations* at stations Howard, Western Ridge, and Chamcook, pp. 34-36. *Magnetic observations* at Howard and Western Ridge, p. 36. *Reconnaissance* near northeastern boundary, pp. 36, 37. *Triangulation* connected with Epping base, p. 37. *Triangulation* of Penobscot bay, Maine, p. 38. *Triangulation* over Muscongus bay and sound, Maine, pp. 38, 39. *Topography* of Wiscasset bay, Maine, p. 39. *Topography* of Merrymeeting bay and Bath, Maine, p. 39. *Topography* of Casco bay, Maine, pp. 39, 40. *Plane-table survey* of Saco bay and vicinity, Maine, p. 40. *Topography* of Barnstable harbor and vicinity, Massachusetts, pp. 40, 41. *Verification* of topography, p. 41. *Hydrography* of the approaches to Sheepscoot bay and Kennebeck river, Maine, p. 41. *Hydrography* of Casco bay Maine, p. 42. *In-shore hydrography* between Cape Elizabeth and Cape Porpoise, coast of Maine, pp. 42, 43. *Off-shore hydrography*, coast of Maine, New Hampshire, and Massachusetts, pp. 43, 44. *Examination* of Salem harbor, Massachusetts, p. 44. *Resurvey* in Boston harbor, pp. 44, 45. Rock in Hyannis harbor, Massachusetts, p. 45. *Magnetic observations*, pp. 45, 46. *Tidal observations*, p. 46.

SECTION II.—*Summary*, p. 46. *Office-work*, p. 46. *Triangulation* of the Hudson river, pp. 46, 47. *Topography* of South Jamaica, vicinity of Brooklyn and Williamsburg, High Bridge, Yonkers, and Morrisania, and of Hudson City, New Jersey, pp. 47, 48. *Topography* of Hudson river, New York, pp. 48, 49. *Resurvey* of part of Hempstead harbor, Long Island sound, p. 49. *Examination* of the Battery shoal, New York harbor, p. 49. *Hydrography* of Hudson river, New York, pp. 49, 50. *Tides and currents* in New York harbor and its approaches, p. 50. *Magnetic observations*, pp. 50, 51. *Tidal observations*, p. 51.

SECTION III.—*Summary*, p. 51. *Office-work*, pp. 51, 52. *Examination* of stations on Chesapeake bay, p. 52. *Triangulation* of the Potomac river, Virginia, pp. 52, 53. *Triangulation* of Hampton Roads, Virginia, p. 53. *Triangulation and topography* of Chincoteague and Sinepuxent bays, Maryland and Virginia, pp. 53, 54. *Plane-table survey* of the Patuxent river, Maryland, p. 54. *Topography* of St. Mary's river, Maryland, pp. 54, 55. *Topography* of Milford haven and Horn and Winter harbors and vicinity, Chesapeake bay, Virginia, p. 55. *Shore-line survey* of James river, Virginia, pp. 55, 56. *Hydrography* of the Patuxent river, Maryland, p. 56. *Hydrography* of the St. Mary's river, Maryland, p. 56. *Hydrography* of James river, Virginia, pp. 56, 57. *Hydrography* of Big Annemessix and Little Annemessix rivers, Maryland, p. 57. *Tidal observations*, p. 57.

SECTION IV.—*Office-work*, p. 57. *Triangulation* of Pamlico sound, North Carolina, pp. 57, 58. *Verification* of triangles in the vicinity of Cape Fear, North Carolina, pp. 58, 59. *Topography* between Cape Henry, Virginia, and Currituck sound, North Carolina, pp. 59, 60. *Hydrographic office-work*, p. 60. *In-shore hydrography* between Bogue and New River inlet, coast of North Carolina, p. 60. *Off-shore soundings*, from Cape Lookout, North Carolina, pp. 60, 61.

SECTION V.—*Summary*, p. 61. *Office-work*, p. 61. *Latitude observations* at Smithville, North Carolina, pp. 61, 62. *Azimuth*, p. 62. *Magnetic observations* at Smithville, North Carolina, p. 62. *Triangulation and topography* westward of Tubb's inlet, North Carolina, pp. 62, 63. *Astronomical and magnetic observations* at St. Helena Island, South Carolina, pp. 63, 64. *Primary triangulation*, coast of South Carolina, p. 64. *Triangulation* of Beaufort, Chechessee, and Colleton rivers, South

- Carolina, pp. 64, 65. *Triangulation* of Doboy and Altamaha sounds, Georgia, pp. 65, 66. *Shore-line survey* from St. Helena sound, South Carolina, to Savannah river entrance, pp. 66, 67. *Topography* of St. Catherine's sound, Georgia, pp. 67, 68. *In-shore hydrography* from Cape Fear westward to Tubb's Inlet, North Carolina, pp. 68, 69. *Off-shore hydrography* from Cape Fear to Charleston harbor, p. 69. *Hydrography* of Bull's bay, South Carolina, pp. 69, 70. *Hydrography* of Port Royal entrance, South Carolina, pp. 70, 71. *Hydrography* of the Chechessee and Colleton rivers, South Carolina, p. 71. *Hydrography* of Sapelo bar and its approaches, Georgia, pp. 71, 72. *Tidal observations*, p. 72.
- SECTION VI.—*Summary*, p. 72. *Office-work*, p. 73. *Air-line triangulation* across the Florida peninsula, p. 73. *Triangulation* of St. Augustine harbor and North river, Florida, pp. 73, 74. *Triangulation* of Indian River inlet, Florida, pp. 74, 75. *Triangulation* of the Florida keys, p. 75. *Triangulation* of Charlotte harbor, Florida, pp. 75, 76. *Topography* of Key Biscayne bay, Card's sound, and Florida keys, near Cape Sable, pp. 76, 77. *Topography* of Charlotte harbor, Florida, pp. 77, 78; Blind Pass, Captiva Pass, and Boca Grande, p. 78. *Hydrography* of the Florida reef, pp. 78, 79. *Tidal observations*, pp. 79, 80.
- GULF STREAM.—*Depth and temperature* in Strait of Florida, p. 80. *Deep-sea soundings*, p. 80.
- SECTION VII.—*Summary*, p. 81. *Field-work*, p. 81. *Office-work*, p. 81. *Coast triangulation* south of Homosassa river, Florida, pp. 81, 82. *Triangulation* east and west from St. Mark's, Florida, pp. 82, 83. *Triangulation* of Santa Rosa sound, Florida, p. 83. *Topography* north and south of Homosassa entrance, West Florida, pp. 83, 84. *Topography* of Ocklokonec bay and St. James's island, Florida, pp. 84, 85. *Topography* of Santa Rosa sound, Florida, p. 85. *Re-examination* of the Cedar keys channels, Florida, pp. 85, 86. *Hydrography* of St. George's sound, Florida, p. 86. *Tidal observations*, pp. 86, 87.
- SECTION VIII.—*Summary*, p. 87. *Office-work*, p. 87. *Triangulation and topography* of Isle au Breton sound, Louisiana, pp. 87, 88. *Triangulation* of the Mississippi delta, Louisiana, pp. 88, 89. *Triangulation* of West Côte Blanche bay, Louisiana, pp. 89, 90. *Topography* of Lake Pontchartrain, Louisiana, p. 90. *Topography* of the Mississippi delta, Louisiana, pp. 90, 91. *Topography* of West Côte Blanche bay, Louisiana, p. 91. *Soundings* in the Rigolets, Louisiana, pp. 91, 92. *Hydrographic reconnaissance* of Passe à Loutre, Mississippi delta, p. 92. *Hydrography* of Atchafalaya and Côte Blanche bays, Louisiana, pp. 92, 93.
- SECTION IX.—*Summary*, p. 93. *Office-work*, p. 93. *Triangulation* of Espiritu Santo, San Antonio, and Aransas bays, Texas, pp. 93, 94. *Topography* of Espiritu Santo and San Antonio bays, Texas, pp. 94, 95. *Hydrography* of Matagorda bay, Texas, pp. 95, 96.
- SECTION X.—*Summary*, p. 96. *Office-work*, p. 96. *Primary triangulation* near San Pedro, California, pp. 96, 97. *Triangulation* of Santa Rosa island, California, p. 97. *Triangulation and topography* of San Pedro harbor, California, p. 97. *Primary and secondary triangulation* north of San Francisco, California, pp. 97, 98. *Latitude and azimuth*, pp. 98, 99. *Triangulation* of Crescent City harbor, California, p. 99. *Topography* of Santa Cruz islands, California, p. 99. *Topography* of Crescent City harbor, California, p. 100. *Hydrography* of San Pedro harbor, California, p. 100. *Soundings* off the Golden Gate, entrance to San Francisco bay, California, pp. 100, 101. *Resurvey* of Humboldt bay, California, p. 101. *Hydrography* of Crescent City harbor, California, p. 101. *Tidal observations*, p. 101.
- SECTION XI.—*Summary*, p. 102. *Office-work*, p. 102. *Triangulation* of the Gulf of Georgia, Washington Territory, pp. 102, 103. *Reconnaissance* of Coquille River entrance, Oregon, pp. 103, 104. *Hydrographic reconnaissance* of Gray's harbor, Washington Territory, p. 104. *Hydrography* of the Gulf of Georgia, Washington Territory, p. 104. *Tidal observations*, p. 104.
- OFFICE-WORK.—*Officer in charge*, p. 104. *Computing division*, occupation of persons attached, pp. 104, 105. *Tidal division*, statement of occupation, p. 105. *Drawing division*, names of officers and employes, p. 105. *Engraving division*, specification of work accomplished, with statement of force, pp. 105, 106. *Electrotype and photograph division*, general remarks, p. 106. *Miscellaneous division*, printing of maps and charts, p. 106. *Distribution* of reports, p. 106. *Instrument shop*, carpenter's shop, p. 106. *Special services*, pp. 106, 107. *Hydrographic division*, p. 107.
- APPENDIX, pp. 108—370.

# CONTENTS OF APPENDIX.

## I.—FIELD, HYDROGRAPHIC, AND OFFICE DETAILS.

### A.—GENERAL LISTS OF COAST SURVEY PARTIES AND RESULTS.

	Page.
No. 1. DISTRIBUTION OF PARTIES on the coast during the surveying season of 1858-'59.....	108—116
No. 2. ARMY OFFICERS on Coast Survey duty, March 1, 1859.....	116
No. 3. ARMY OFFICERS on Coast Survey duty, September 1, 1859.....	116
No. 4. NAVY OFFICERS on Coast Survey duty, March 1, 1859.....	117
No. 5. NAVY OFFICERS on Coast Survey duty, September 1, 1859.....	117
No. 6. INFORMATION furnished in reply to special calls.....	118, 119
No. 7. STATISTICS of field and office work.....	120—122

### B.—DISCOVERIES AND DEVELOPMENTS.

No. 8. GENERAL LIST, brought up to 1859, inclusive.....	123—129
No. 9. ROCK OFF SEGUIN ISLAND, MAINE.—Letter to the Secretary of the Treasury, giving its position as determined by Lieut. Comg. J. Wilkinson, U. S. N., Assistant.....	130
No. 10. HUSSEY ROCK, (CASCO BAY,) MAINE.—Letter to the Secretary of the Treasury, furnishing ranges as stated by Lieut. Comg. J. Wilkinson, U. S. N., Assistant.....	130
No. 11. ROCK OFF OGUNQUIT, MAINE.—Letter to the Secretary of the Treasury, developing its position and character as reported by Lieut. Comg. Alexander Murray, U. S. N., Assistant.....	131
No. 12. ROCK IN HYANNIS HARBOR, MASS.—Report on the determination of its position, by Lieut. Comg. J. Wilkinson, U. S. N., Assistant.....	131
No. 13. BATTERY SHOAL, (NEW YORK HARBOR.)—Correspondence relative to its development and character.....	132—134

### C.—NAVIGATION.

No. 14. TIDE TABLES for ports of the United States, and descriptions of co-tidal and sailing lines along the Atlantic coast. By A. D. Bache, Superintendent U. S. Coast Survey.....	136—167
No. 15. TABLE OF DEPTHS found in the channel-ways of harbors, rivers, and anchorages of the coast of the United States.....	168—171
No. 16. VARIATION OF THE COMPASS.—General table for the use of navigators.....	172—175

### D.—OFFICE-WORK.

No. 17. REPORT of Captain W. R. Palmer, U. S. Topographical Engineers, Assistant Coast Survey, in charge of the office.....	176—179
<i>Computing Division.</i> —Report of Assistant C. A. Schott, on details of employment.....	179—181
<i>Tidal Division.</i> —Report of Assistant L. F. Pourtales, on office occupation.....	181
<i>Drawing Division.</i> —Report of Lieut. Thomas Wilson, U. S. A., on progress, with lists of maps completed or in hand.....	182—187
<i>Engraving Division.</i> —Report of Mr. Edward Wharton, with lists of plates engraved or in progress.....	188—199
<i>Electrotype Division.</i> —Report of Mr. George Mathiot, stating operations of the year.....	199—202
<i>Miscellaneous Division.</i> —Report of Lieut. J. R. Smead, U. S. A., on the printing of maps, distribution, etc.....	203—212
No. 18. TOPOGRAPHICAL SHEETS.—List showing titles, dates, etc., (continued from Coast Survey Report for 1857). ..	212—214
No. 19. HYDROGRAPHIC SHEETS.—List showing titles, dates, etc., (continued from Coast Survey Report for 1857). ..	215, 216

	Page.
No. 20. GEOGRAPHICAL POSITIONS.—Table of latitudes, longitudes, azimuths, etc., (continued from Coast Survey Reports of 1851, '53, '55, and '57).....	216—277

## II.—SPECIAL OPERATIONS AND SCIENTIFIC DISCUSSIONS.

### A.—ASTRONOMICAL.

No. 21. MOON CULMINATIONS.—Report of Professor O. M. Mitchel, director, on the observations made for the Coast Survey at the Cincinnati Observatory for longitude purposes .....	278
--	-----

### B.—MAGNETISM.

No. 22. MAGNETIC DISTURBANCES in declination, and investigation of the eleven-year period in the amplitude of the solar diurnal variation. By A. D. Bache, Superintendent U. S. Coast Survey, from observations made at Girard College, Philadelphia, in 1840—1845.....	278—295
No. 23. DECLINATION, DIP, AND INTENSITY.—Results of observations made by Assistant C. A. Schott, in Maine, New Hampshire, Vermont, Massachusetts, and Connecticut .....	296
No. 24. SECULAR CHANGE in declination.—Results deduced by Assistant Charles A. Schott, showing the variation of the needle on the coasts of the United States for every tenth year since 1680.....	296—305

### C.—TIDES AND CURRENTS.

No. 25. GULF STREAM.—Distribution of temperature in the water of the Florida channel and straits. By A. D. Bache, Superintendent U. S. Coast Survey.....	306—310
No. 26. NEW YORK HARBOR.—Report by Assistant Henry Mitchell on the physical survey, with descriptions of apparatus for observing the currents.....	311—317
No. 27. TIDAL STATIONS.—Report of Assistant L. F. Pourtales, with list of the permanent and temporary stations .....	317—319
No. 28. CURRENT CARDS thrown from the surveying steamer Corwin and found on the eastern coast of Florida..	320, 321

## III.—SPECIAL SURVEYS.

No. 29. PORT ROYAL SOUND, S. C.—Remarks on the commercial facilities afforded in its upper waters. By Lieut. Comg. C. M. Fauntleroy, U. S. N., Assistant.....	321
No. 30. SAPELO SOUND, GA.—Letter to the Secretary of the Treasury reporting completion of the survey, with extracts relative to its character as a harbor, from the report by Lieut. Comg. C. M. Fauntleroy, U. S. N., Assistant.....	322
No. 31. CHARLOTTE HARBOR, FLA.—Extracts from reports of Sub-Assistants F. W. Dorr and Charles Ferguson, showing its topographical features.....	323, 324
No. 32. COAST OF TEXAS, embracing the shores of Espiritu Santo, San Antonio, and Aransas bays. Report on a reconnaissance by Assistant S. A. Gilbert .....	324—328

## IV.—MISCELLANEOUS SCIENTIFIC MATTER.

No. 33. PROJECTION TABLES for maps of large extent. Arranged by Assistant J. E. Hilgard.....	328—358
No. 34. DEEP-SEA SOUNDING APPARATUS.—Description of a form devised by Assistant W. P. Trowbridge, and explanation of its method and use .....	359—364
No. 35. TIDE-METER.—Results of experiments made with the apparatus devised by Capt. E. B. Hunt. By Mr. J. M. Bachelder.....	365, 366

## V.—MISCELLANEOUS CORRESPONDENCE.

No. 36.—INDIAN WAR, (WASHINGTON TERRITORY).—Letter of the Secretary of the Treasury advising of the disposal of the surveying steamer Active under the orders of Brevet Lieutenant General Winfield Scott, U. S. A .....	367
--	-----

# CONTENTS OF APPENDIX.

1X

	Page.
No. 37. C. S. STEAMER BIBB.—Letter of Capt. John Pope, U. S. N., relative to service incidentally rendered at Portsmouth, N. H .....	367
No. 38.—U. S. STEAMER BROOKLYN.—Letter of Capt. D. G. Farragut, U. S. N., on visiting Beaufort river, S. C. ....	367, 368
No. 39.—LETTERS addressed by the Superintendent of the Coast Survey to Lieutenants T. A. Craven and J. N. Maffitt, U. S. N., on their detachment from the survey .....	368

## VI.—LIGHT-HOUSE MATTERS.

No. 40.—AIDS TO NAVIGATION recommended in reports made to the Superintendent by Assistants in the Coast Survey .....	369
No. 41.—FLETCHER'S NECK, ME.—Letter to the Secretary of the Treasury, communicating the recommendation of Lieut. Comg. Alex. Murray, U. S. N., Assistant, for buoys .....	369, 370
No. 42.—ST. HELENA SOUND, S. C.—Letter to the Secretary of the Treasury relative to buoys recommended by Lieut. Comg. J. N. Maffitt, U. S. N., Assistant .....	370
No. 43.—PORT ROYAL SOUND, S. C.—Letter to the Secretary of the Treasury, transmitting the recommendation of Lieut. Comg. C. M. Fauntleroy, U. S. N., for buoys to mark the east channel .....	370



# ALPHABETICAL INDEX.

## A.

- Abert, S. Thayer*, 87.  
*Adams, Assistant I. Hull*. Topography of Patuxent river, Md., 54; of St. Mary's river, Md., 54; of James river, Va., 55.  
*Agassiz, Alexander*. Section X, 99, 100; Section XI, 103.  
*Aids to navigation*, 32; Appendix No. 40, 369; recommendations, 369, 370.  
*Air-line triangulation* across head of Florida peninsula, 73.  
*Alden, Comdr. James, U. S. N.* Hydrography of San Pedro harbor, Cal., 100; off-shore hydrography of Golden Gate, 100; hydrography of Crescent City harbor, 101; of Humboldt bay, 101; reconnaissance of Coquille river, Oregon, 103; of Gray's harbor, W. T., 104; hydrography of Gulf of Georgia, W. T., 104.  
*Altamaha sound, Ga.* Triangulation, 65.  
*Annesmessex river, Md.* Hydrography, 57.  
*American Association for the Advancement of Science*. Report of committee, 24-26.  
*Apparatus*, 30; for deep-sea soundings, Appendix No. 34, 359-364; tide-metre, Appendix No. 35, 365, 366.  
*Appropriations*, reductions in, 2.  
*Army officers*, 30, 31; Appendix No. 3, 116.  
*Aransas bay, Texas*. Triangulation, 93; its character, 326.  
*Assistance* rendered schooner "Lucy Weltham," 86.  
*Astronomical observations*. Howard and W. Ridge, Me., 34, 35; St. Helena island, S. C., 63.  
*Atchafalaya bay*. Hydrography, 92.  
*Azimuth*, determined at Howard and W. Ridge, Me., 35, 36; Smithville, N. C., 62; Table mountain and Sulphur peak, Cal., 98; at various stations, 216-277.

## B.

- Bache, Prof. A. D., Superintendent*. Triangulation and astronomical observations at Howard and Western Ridge, Me., 34; astronomical observations, Smithville, N. C., 61; tide tables, 136-167; Girard College observations, 278-295; distribution of temperature, Florida straits, 306-310.  
*Bache, Sub-Assistant C. M.* Section X, 97; topography of Santa Cruz island, Cal., 99.  
*Bache, H. W.* Services in Section I, 35; in Section VIII, 88.  
*Bache, Assistant R. M.* Topography of Merrymeeting bay and Bath, Me., 39.  
*Bagwell, Sub-Assistant G. H.* Services in Section II, 47; triangulation south of Homosassa river, Fla., 81.  
*Baker, C. B.* Services in Section VI, 76.  
*Balbach, A.* Assignment of duty, 107.

- Bankhead, Lieut. Comg. J. P., U. S. N.* Hydrography of coast below Cape Fear, N. C., 68, 69; of Bull's bay, S. C., 69.  
*Barnstable harbor, Mass.* Topography, 40.  
*Basco*. St. Augustine harbor, Fla., 73; Indian River inlet, Fla., 74; Crescent City harbor, Cal., 99.  
*Bassett, R. T.* Tides of New York harbor, 51.  
*Bath, Me.* Topography, 39.  
*Battery shoal, New York harbor*, 49, 132-134.  
*Beaufort river, S. C.* Triangulation, 64.  
*Blind Pass, Charlotte harbor, Fla.*, 78.  
*Blunt, Assistant Edmund*. Triangulation of Hudson river, N. Y., 46.  
*Boca Grande, Fla.* Charlotte harbor, 78.  
*Bogue inlet, N. C.* Coast hydrography, 60.  
*Bolles, Assistant C. P.* Triangulation and topography west of Tubb's inlet, N. C., 62.  
*Boston harbor*. Re-examination, 44.  
*Boutelle, Assistant C. O.* Reconnaissance near northeast boundary, 36, 37; connection of Epping base with triangulation, 37; coast triangulation of South Carolina, and astronomical and magnetic observations at St. Helena island, 63, 64; triangulation of Beaufort, Chechessee, and Colleton rivers, S. C., 64.  
*Bowie, T. C.* Services in Section IX, 95.  
*Boyd, C. H.* Services in Section I, 37; in Section V, 64.  
*Bradford, J. D.* Services in Section I, 38; in Section V, 68.  
*Bratford, J. S.* Services in Section VI, 73.  
*Bright, W. T.* Services in Section II, 50.  
*Bull's bay, S. C.* Hydrography, 69.  
*Buoys*. Fletcher's Neck, Me., 369, 370; St. Helena sound, S. C., 369, 370; Port Royal sound, S. C., 369, 370.

## C.

- Cape Fear river, N. C.* Triangulation in vicinity, 58.  
*Captiva Pass, Charlotte harbor, Fla.*, 78.  
*Card's sound, Fla.* Topography, 76.  
*Casco bay, Me.* Topography, 39; hydrography of approaches, 42.  
*Cedar Keys, Fla.* Re-examination, 85.  
*Chamcock station, N. B.* Triangulation, 35.  
*Charlotte harbor, Fla.* Triangulation, 75; topography, 77; topographical features, 323.  
*Chassahonitzka river, Fla.* Topography of entrance, 83.  
*Chechessee river, S. C.* Triangulation, 64; hydrography, 71.  
*Chincoteague bay, Md. and Va.* Triangulation and topography, 53.  
*Colleton river, S. C.* Triangulation, 64; hydrography, 71.  
*Computing Division* Remarks, 104, 105; summary of occupation, 179-181.



*Cooper, W. W.*, 107.  
*Coguille river, Oregon*, 103.  
*Côte Blanche bay, La.* Triangulation, 89; topography, 91; hydrography, 92.  
*Cram, Capt. T. J., U. S. Top. Engineers.* Triangulation of Pamlico sound, N. C., 57.  
*Craven, Lieut. Comg. T. Aug., U. S. N.* Battery shoal, New York harbor, 49, 132; hydrography of Florida reef, 78; Gulf Stream, 80; Appendix No. 39, 368.  
*Crescent City harbor, Cal.* Triangulation, topography, and hydrography, 99-101.  
*Currents.* New York harbor, 50; development in New York harbor, 311-315; cards found on Florida reef, 320, 321.  
*Currituck sound, N. C.* Topography, 59.

## D.

*Dahlgren, Comdr. J. A., U. S. N.*, 57.  
*Dankworth, F.* Notice of death, 32.  
*Davidson, Assistant George.* Triangulation north of San Francisco, Cal., 97, 98.  
*Dean, Assistant G. W.* Astronomical observations at Howard and Western Ridge, Me., 34-36; astronomical observations and azimuth at Smithville, N. C., 61.  
*Declination (variation) of the compass*, 172-175.  
*Delta of the Mississippi river.* Triangulation, 88; topography, 90.  
*Dennis, Sub-Assistant W. H.* Topography of Wiscasset bay, Me., 39; of coast of Texas, 94.  
*Depths (table of) at harbor entrances*, 168-171.  
*Developments and discoveries*, 20, 21; Appendix No. 8, 123-129.  
*Dickerson's bay, Fla.* Triangulation, 82.  
*Discoveries and developments*, 123-129.  
*Distribution of maps and annual reports*, 23.  
*Doboy sound, Ga.* Triangulation, 65.  
*Dorr, Sub-Assistant F. W.* Topography of New York harbor, 47; of Charlotte harbor, Fla., 77.  
*Drawing Division.* Sheets worked on, 11, 105, 182-187.  
*Duer, Lieut. Comg. J. K., U. S. N.* Hydrography of St. George's sound, Fla., 86; of Matagorda bay, Texas, 95; notice of death, 32.  
*Duval, C. W.* Services in Section VII, 84.  
*Du Val, Sub-Assistant H. S.* Topography of St. Catherine's sound, Ga., 67.

## E.

*Eastport, Me.* Tidal station, 46.  
*Edwards, Sub-Assistant W. S.* Services, in Section I, 39; in Section V, 64.  
*Electrotype Division*, 106, 199-202.  
*Elliot, Lieut. Geo. H., U. S. Engineers.* Tides of Section X, 101; Section XI, 104.  
*Engraving Division.* Plates worked on, 11, 105, 106, 188-199.  
*Epping base.* Remarks, 26; connected with triangulation, 37.  
*Espiritu Santo bay, Texas.* Triangulation, 93; topography, 94; its character, 324.  
*Estimates for fiscal year 1860-'61*, 13-20; estimates of progress in sections, 2-4.  
*Evans, R. E.* Services in Section VIII, 90.

## F.

*Fairbanks, C. R.*, 74.  
*False Cape, (of the Chesapeake)*, 59.  
*Farley, Assistant John.* Triangulation of Potomac river, 52; Hampton Roads, 53.  
*Farragut, Capt. D. G.*, 367, 368.  
*Fauntleroy, Lieut. Comg. C. M., U. S. N.* Hydrography of Hudson river, N. Y., 49; of Port Royal entrance, S. C., 70; of Chechessee and Colleton rivers, S. C., 71; of Sapelo bar, Ga., 71.  
*Fauntleroy, E. H.* Services in Section X, 98.  
*Fendall, Sub-Assistant C.* Topography of Saco bay, Me., 40; of coast of Maine, 43; Section VI, 76.  
*Ferguson, Sub-Assistant C.* Triangulation and topography of Chincoteague and Sinepuxent bays, Md. and Va., 53; topography of Charlotte harbor, Fla., 78.  
*Field Parties.* Distribution, 108-116.  
*Finney, Sub-Assistant N. S.* Section II, 48; topography near Chassahowitzka river, Fla., 83.  
*Fletcher's neck, Me.* Buoys recommended, 369, 370.  
*Florida keys.* Triangulation, 75; topography, 77.  
*Florida reef.* Hydrography, 78.  
*Foot point, S. C.* Triangulation and topography, 64, 66.

## G.

*Gardner, W. H.* Services in Section VI, 73.  
*Geographical positions.* Remarks, 22; list 216-277.  
*Gerdes, Assistant F. H.* Triangulation and topography of Santa Rosa sound, Fla., 83, 85; triangulation of Mississippi delta, 88; topography of Mississippi delta, 90, 91.  
*Gilbert, Assistant S. A.* Triangulation of coast of Texas, 93.  
*Gilbert, Sub-Assistant W. S.* Topography of Lake Pontchartrain, La., 90; Rigolets sounded, 91.  
*Gillis, James.* Services in Section I, 39.  
*Golden Gate, Cal.* Hydrography of approaches, 100.  
*Goodfellow, Sub-Assistant Edward.* Howard and Western ridge, Me., 35; astronomical observations at Smithville, N. C., 61; magnetic observations at Smithville, N. C., 62.  
*Gray's harbor, W. T.*, 104.  
*Greenwell, Assistant W. E.* Triangulation of coast above San Pedro harbor, Cal., 96, 97.  
*Gulf of Georgia, W. T.* Triangulation, 102; hydrography, 104.  
*Gulf Stream.* Remarks, 28; under-running current, 60; abstract of observations, 80; distribution of temperature in Florida straits, 306-309.

## H.

*Halter, R. E.* Services in Section I, 36; in Section VIII, 88.  
*Hampton roads, Va.* Triangulation, 53.  
*Harris, Sub-Assistant Stephen.* Triangulation and topography of Isle au Breton sound, La., 87.  
*Harrison, Assistant A. M.* Topography of Barnstable harbor, Mass., 40.  
*Hassler, F. R.* Services in Section IV, 59.  
*Hein, Samuel*, disbursing agent, 107.  
*Hempstead harbor, N. Y.* Hydrography, 49.  
*Hering, M. O.* Services in Section VII, 82.  
*Herron, W. R.* Tides at Charleston, 72.  
*Hilgard, Assistant J. E.*, 29; 328-358.  
*Hilton Head island, S. C.* Shore-line survey, 66, 67.

*Hinrichs, O.* Services in Section V, 62.  
*Homosassa river, Fla.* Triangulation in vicinity, 81.  
*Horn harbor, Va.* Topography, 55.  
*Hosmer, Charles.* Services in Section IX, 94.  
*Howard Station, Me.* Occupied, 34.  
*Hudson river, N. Y.* Triangulation, 46; topography, 47, 48; hydrography, 49.  
*Huger, Lieut. Comg. T. B., U. S. N.* Hydrography of Hempstead harbor, N. Y., 49; Gulf Stream, 80; Cedar Keys, 85; Passe à Loutre, 92; Atchafalaya bay, La., and Côte Blanche bay, 92.  
*Huger, Sub-Assistant Benj., jr.* Triangulation of St. Augustine harbor, 73.  
*Humboldt bay, Cal.* Hydrography, 101.  
*Hussey rock.* Casco bay, Me., 42, 130.  
*Huzzey rock.* Saco bay, Me., 43; Appendix Nos. 40 and 41, 369.  
*Hyannis harbor.* Rock determined in position, 45, 131.  
*Hydrographic Division* of C. S. office, 31, 32.  
*Hydrographic sheets.* List and register numbers, 22, 215, 216.  
*Hydrography.* Sheepscoot and Keunebec rivers, Me., 41; approaches to Casco bay, Me., 42; Cape Porpoise to Cape Elizabeth, Me., 42; off-shore, coast of New England, 43; Salem harbor, Mass., 44; Boston harbor, 44; Hempstead harbor, N. Y., 49; Battery shoal, N. Y. harbor, 49; Hudson river, N. Y., 49; Patuxent, St. Mary's, and James rivers, 56; Big and Little Annemessex rivers, 57; off-shore from Cape Lookout, 60; Bogue inlet to New river inlet, N. C., 60; in-shore from Cape Fear to Tubb's inlet, N. C., and off-shore, 69; Bull's bay, S. C., 69; Port Royal entrance, S. C., 70; Chechessee and Colleton rivers, S. C., 71; Sapelo bar and approaches, Ga., 71; Florida reef, 78; Cedar keys, 85; St. George's sound, Fla., 86; Passe à Loutre, La., 92; Atchafalaya and Côte Blanche bays, La., 92; Matagorda bay, Tex., 95; San Pedro harbor, Cal., 100; off-shore from Golden Gate, Cal., 100; Crescent City harbor, Cal., 101; Humboldt bay, Cal., 101; Gulf of Georgia, W. T., 104.

## I.

*Iardella, Sub-Assistant C. T.* Topography Florida keys, &c., 76.  
*Indian River inlet, Fla.* Triangulation, 74.  
*Indian war.* Use of steamer "Active" in Washington Territory, Appendix No. 36, 367.  
*Information furnished.* Remarks, 22; list, 118, 119.  
*Inland passage, Ga.* Topography, 67.  
*Instruments,* 30.  
*Isle au Breton sound, La.* Triangulation and topography, 87.

## J.

*James river, Va.* Shore-line survey, 55; hydrography, 56.  
*Johnson, Sub-Assistant W. M.* Triangulation and topography of San Pedro harbor, Cal., 97; topography of Santa Cruz island, Cal., 99.  
*Jones, Capt. Thomas,* 35.

## K.

*Key Biscayne bay, Fla.* Topography, 76.  
*Kennebec river, Me.* Hydrography of approaches, 41.  
*Kincheloe, Julius.* Services in Section I, 38; Section V, 65.

*King, M. C.* Tides, Section III, 57.  
*King, Rufus, Jr.* Services in Section II, 47; Section VI, 74.

## L.

*Latitude.* Number of points determined, 6; Howard and Western ridge, Maine, 35; Smithville, N. C. 61; Sulphur Peak, Cal., 98; list of points, 216—277.  
*Lawson, Sub-Assistant J. S.* Triangulation and topography Crescent City harbor, Cal. 99, 100; triangulation Gulf of Georgia, W. T., 102.  
*Lee, Commander S. S.* Charge of Hydrographic Division, 107.  
*Light-house matters.* List of recommendations, 369, 370.  
*Little river, N. C. and S. C.* Triangulation of vicinity, 62.  
*Longfellow, Assistant A. W.* Topography of Casco bay, Me., 39.  
*Long Island, N. Y.* Topography, 47.  
*Longitude.* Number of points determined, 6; determined by telegraph, 6; general remarks, 26; list of points, 216—277.

## M.

*Maffitt, Lieut. Comg. J. N.,* 368, 369.  
*Magnetic observations.* Remarks, 27; Howard and Western ridge, 36; determinations at several stations in New England, 45, 50; at Smithville, N. C., 62; St. Helena island, S. C., 63.  
*Magnetism.* Number of stations, 6; variation of the compass, 172—175; discussion of Girard College observations, 278—295; elements observed, 296; secular change discussed, 296—305.  
*Maps and charts.* Distribution, 203—212.  
*Matagorda bay, Texas.* Hydrography, 95.  
*Mayo, G. U.* Services in Section VIII, 83, 85, 88, 91.  
*McCorkle, Sub-Assistant S. C.* Triangulation of Ocklokonee and Dickerson's bays, Fla., 82.  
*McDonnell, Thomas,* 34, 61.  
*McMurtrie, W. B.* Views for charts, 43.  
*Mechan, Sub-Assistant John.* Section II, 48; topography near head of Currituck sound, N. C., 59.  
*Merrymeeting bay, Maine.* Topography, 39.  
*Mile ledge, coast of Maine,* 41.  
*Milford Haven, Va.* Topography, 55.  
*Mission bay, Texas.* Triangulation, 93.  
*Mississippi delta.* Triangulation, 88; topography, 90.  
*Mitchell, Assistant H.* Tides and currents, New York harbor, 50, 311—317.  
*Mitchel, Prof. O. M.* Moon culminations, 278.  
*Moon culminations,* 278.  
*Mosman, A. T.* Services in Section X, 98.  
*Muldaur, A. W.* Hydrography of Matagorda bay, 95.  
*Murray, Lieut. Comg. Alexander, U. S. N.* Hydrography from Cape Elizabeth to Cape Porpoise, Maine, 42; rock determined near Ogunquit, Maine, 131; off-shore hydrography, coast of New England, 43; examination of Salem harbor, Mass., 44; of Boston harbor, 44; hydrography of coast of North Carolina, 60; off-shore hydrography, N. C., 60.  
*Muscongus bay, Maine.* Triangulation, 38.  
*Muse, Commander W. T., U. S. N.* Hydrography of Patuxent and St. Mary's rivers, Md., and James river, Va., 56; of Big and Little Annemessex rivers, Md., 57.  
*Myers, Lieut. W., U. S. A.* Section VI, 75.

## N.

- Navy officers*, 31; Appendix No. 5, 117.  
*New River inlet, N. C.* Coast hydrography, 60.  
*Nes, F. P.* Services in Section VI, 77.  
*New York harbor.* Battery shoal, 132-134; currents observed, 311-317.

## O.

- Obituaries*, 32.  
*Ocklokonee bay, Fla.* Triangulation, 82; topography, 84.  
*Odenheimer, W. H.* Services in Section V, 62.  
*Office, (Coast Survey,)* 104-107; report of Assistant in charge, 176-212.  
*Ogunquit, Maine.* Rock in vicinity, 131.  
*Old Point Comfort, Va.* Tides, 57.  
*Olmanns, Sub-Assistant J. G.* Triangulation of Mississippi delta, 88; topography of Mississippi delta, 91; triangulation and topography Côte Blanche bay, 89, 91.

## P.

- Palmer, Capt. W. R., U. S. Top. Engineers*, in charge of C. S. office, 104; annual report, 176-179.  
*Pamlico sound, N. C.* Triangulation begun, 57.  
*Passe à loutre, La.* Hydrography, 92.  
*Patuxent river, Md.* Topography, 54; hydrography, 56.  
*Pegman, W. P., Esq.,* 84.  
*Peirce, C. S.* Services at Howard and Western Ridge, Maine, 36.  
*Penobscot bay, Maine.* Triangulation, 38.  
*Photographic Division*, 106.  
*Photography.* Remarks on application, 13, 200.  
*Pope, Capt. John, U. S. N.,* 43; Appendix No. 37, 367.  
*Port Royal sound, S. C.* Hydrography of entrance, 70; buoys recommended, 369-370; commercial facilities, 321.  
*Potomac river.* Triangulation, 52.  
*Pourtales, Assistant L. F.,* 106; charge of tidal division, 181-182.  
*Printing, maps and charts*, 203-212.  
*Progress.* General statement, 4-6; of year, 6-11.  
*Projection Tables.* Remarks, 29; applicable to maps of large extent, 328-358.  
*Projects.* Character of series for maps, 11.

## R.

- Ready, T. E.* Tides, Section I, 46.  
*Reconnaissance near Northeast boundary*, 36-37; north of San Francisco, Cal., 98.  
*Records and results*, 29.  
*Richards, Col. E. H.,* 84.  
*Rigolets, La.,* 91.  
*Rockwell, C.* Services in Section II, 47; topography of Foot Point and vicinity, S. C., 67.  
*Russell, Major W. F.,* 75.  
*Russell, A. W.,* 106.

## S.

- Saco bay, Me.* Topography, 40; hydrography, 42.  
*Salem harbor, Mass.* Examination, 44.  
*San Antonio bay, Texas.* Triangulation, 43; topography, 44; character of bay, 324, 325.

- San Pedro harbor, Cal.* Triangulation, 96; topography, 97; hydrography, 100.  
*Santa Cruz island, Cal.* Topography, 99.  
*Santa Rosa island, Cal.* Triangulation, 97.  
*Santa Rosa sound, Fla.* Triangulation, 83; topography, 85.  
*Sapelo sound, Ga.* Hydrography of bar, 71; character of sound, 322.  
*Schott, Assistant C. A.* Magnetic observations, Section I, 45; Section II, 50; discussion of secular change, 296-305.  
*Sections (C. S.)* Geographical limits, 2-4.  
*Sequin island, Me.* Rock in vicinity, 130.  
*Seib, Assistant John.* Topography of western shore of Chesapeake bay, 55; St. Helena sound to Savannah river, 66, 67.  
*Seward, Lieut. A. H., U. S. A.* Triangulation of Florida keys, 75.  
*Sheepscot bay, Maine.* Hydrography, 41.  
*Sims, Lieut. C. C., U. S. N.,* 86.  
*Sinepuxent bay, Md.* Triangulation and topography, 53.  
*Sketches.* List accompanying report, 12.  
*Smith, Capt. M. L., U. S. Top. Engineers.* Triangulation across Florida peninsula, 73.  
*Smithville, N. C.* Latitude and azimuth determined, 61, 62.  
*Sounding apparatus*, 359-364.  
*Statistics*, 23, 120-122.  
*St. Augustine harbor, Fla.* Triangulation, 73.  
*St. Catharine's sound, Ga.* Topography, 67.  
*St. George's sound, Fla.* Hydrography, 86.  
*St. Helena sound, S. C.* Astronomical and magnetic observations, 63, 64; buoys recommended, 369, 370.  
*Stiles, R. M.* Services in section I, 38; section VI, 75.  
*St. James's island, Fla.* Topography, 84.  
*St. Mary's river, Md.* Topography, 54; hydrography, 56.  
*Sullivan, Sub-Assistant J. A.* Triangulation of Penobscot bay, Me., 38; Indian River inlet, Fla., 74.  
*Sulphur Peak, Cal.* Occupied for triangulation, 97.

## T.

- Table Mt., Cal.* Occupied as a station, 98.  
*Table of depths.* Remarks, 22; list of port entrances, &c., 168-171.  
*Talcott, R. H.* Services, section I, 36.  
*Terrill, Lieut. W. R., U. S. A.* Triangulation of Hudson river, 46; Charlotte harbor, Fla., 75.  
*Thompson, A. W.* Services in section I, 40; section VII, 83.  
*Tidal division*, 105, 181.  
*Tidal observations.* Remarks, 28; list of permanent and temporary stations, 319; Charlestown, Mass., 46; New York harbor, 50, 51; Washington, D. C., and Old Point Comfort, Va., 57; Charleston, S. C., 72; coast of Florida, 79, 80; St. George's sound and Pensacola, 86, 87; San Diego and San Francisco, 101; Astoria, Oregon, 104.  
*Tide-metre.* Results of trials with, 365, 366.  
*Tide tables* for ports of the United States; remarks, 21, 22; tables, 136-167.  
*Tighman, J. L.* Services in section I, 45; section II, 50; section VII, 84.  
*Tilton, McLane.* Services in section II, 47; section V, 62.  
*Topographical sheets.* List and register numbers, 212-214.

*Topography.* Wiscasset bay, Me., 39; Merrymeeting bay and city of Bath, Me., 39; Casco bay, Me., 39; shores of Saco bay, Me., 40; Barnstable harbor, Mass., 40; verification work, 41; Long Island and Hudson river, 47; Chincoteague and Sinepuxent bays, Md. and Va., 53; Patuxent river, Md., 54; St. Mary's river, Md., 54; Horn harbor and vicinity, Va., 55; James river, Va., 55; coast south of Cape Henry, Va., 59; coast of North Carolina west of Tubb's inlet, 62; shore-line from St. Helena sound to Savannah river, 66; St. Catharine's sound, Ga., 67; Key Biscayne bay and Card's sound, 76; Charlotte harbor, Fla., 77; vicinity of Chassahowitzka river, Fla. 83; Ocklokonee and Dickerson bays, Fla., 84; Santa Rosa sound, Fla., 85; Lake Pontchartrain, 90; Isle au Breton sound, La., 87; Mississippi delta, 90; Côte Blanche bay, La., 91; Espiritu Santo and San Antonio bays, Tex., 94; Santa Cruz island, Cal., 99; Crescent city harbor, Cal., 99.

*Triangulation.* Primary near NE. boundary, 34, 35; its connection with Epping base, Me., 37; Penobscot bay, Me., 38; Muscongus bay, Me., 38; Hudson river, N. Y., 46; Chincoteague and Sinepuxent bays, Md. and Va., 53; Potomac river, 52; Hampton Roads, Va., 53; Chesapeake stations examined, 52; Pamlico sound, N. C., 57; across Cape Fear entrance, 58; from Tubb's inlet, N. C., westward, 62; Beaufort, Chechessee, and Colleton rivers, S. C., 64; Doboy and Altamaha sounds, Ga., 65; across head of Florida peninsula, 73; St. Augustine harbor, Fla., 73; Indian river inlet, Fla. 74; Florida keys, 75; Charlotte harbor, 75; coast of Florida south of Homosassa river, 81; Ocklokonee and Dickerson bays, Fla., 82; Santa Rosa sound, Fla., 83; Isle au Breton sound, La., 87; Mississippi delta, 88; Côte Blanche bay, La., 89; Espiritu Santo, San Antonio, and Aransas bays, Tex., 93; San Pedro, Cal., 96; Santa Rosa island, Cal., 97; primary work north of San Francisco, 97, 98; Crescent city harbor, Cal., 99; Gulf of Georgia, W. T., 102.

*Trowbridge, Assistant W. P.* Researches, 106; deep-sea sounding apparatus, 359-364.

*Tucker, Capt. James,* 84.

## W.

*Wadsworth, Assistant A. S.* Topography of Casco bay, Me., 39; triangulation across Cape Fear river, 58.

*Wainwright, Sub-Assistant S. A.* Services in Section III, 52, 53.

*Wash Flats.* Coast of Virginia, 59.

*Washington Navy Yard.* Tidal observations, 57.

*Wash Woods.* Coast of Virginia, 59.

*Webber, Sub-Assistant F. P.* Triangulation of Muscongus bay, Me., 38; Doboy and Altamaha sounds, Ga., 65.

*Western Ridge, Me.* Occupied for triangulation, 34.

*West, Sub-Assistant P. C. F.* Services in Section I, 40.

*Whiting, Assistant H. L.* Verification in Section I, 41; topography of Hudson river, N. Y., 48.

*Wilkinson, Lieut. Comg. John, U. S. N.* Hydrography of approaches to Sheepscot river, Me., 41; rock determined near Seguin island, Me., 130; hydrography of approaches to Casco bay, Me., 42, 130; off-shore soundings, 44; rock determined in Hyannis harbor, Mass., 45, 131.

*Wilson, T. B., esq.,* 35.

*Wilson, Lieut. Thomas, U. S. A.* Services in Section V, 64; charge of Drawing Division, 65; report, 182-187.

*Winter harbor, Va.* Topography, 55.

*Wiscasset bay, Me.* Topography, 39.

*Wise, Assistant G. D.* Examination of stations on Chesapeake bay, 52; topography between St. Mark's and S. W. Cape, Fla., 84.

*Wurdeemann, Gustavus.* Tidal observations in Section VI, 79; Section VII, 87; notice of death, 32.

## Y.

*Young, J. C.* Services in Section VI, 73.

## ERRATA.

### *In Coast Survey Report for 1858.*

Page 114, line 19 from bottom, for "inspector" read "*Engineer.*"

Page 114, line 16 from bottom, for "in the harbor" read "*outside of the harbor.*"

Page 122, after "tidal observations" dele "*with the self-registering tide gauge.*"

Page 279, line 2 from bottom, for "month" read "*mouth.*"

### *In Coast Survey Report for 1859.*

Page 36, 1st line, insert "j" before "*Urse Minoris.*"

# REPORT.

---

COAST SURVEY STATION, COOPER, WASHINGTON COUNTY, MAINE,

September 23, 1859.

SIR: In compliance with the law of 1853, and with the regulations of the Treasury Department, I have the honor to present my report on the progress of the Coast Survey of the United States during the surveying year, from November 1, 1858, to November 1, 1859.

As the scale of the work, depending upon the amount of the appropriation made for its progress, is the same this year as the last, the report will go over nearly the same extent of ground as the former one. A general view of the progress from the real commencement in 1832, to the present time, is shown in a map prepared for the purpose, (Sketch No. 36,) and will presently be referred to particularly.

The survey has again been in progress in its land work, hydrography, or office work, in the twenty-two seaboard States, and Territories of the United States, in which it is not essentially completed.

I propose to retain the same divisions in the present report as in those immediately preceding it, namely, the introduction, the description of operations, and the Appendix.

I. The introduction discusses briefly the progress of the work under separate heads and gives the estimated progress for the next year, and the means necessary to secure it, thus bringing together the work done and the appropriation required for that amount of progress.

II. In the second part a detailed account is given under the head of sections, arranged geographically, of the field, hydrographic, and office work done during the year. The sections are numbered from one, beginning at the northeastern boundary, to nine, terminating with the southern line of Texas, and including the Atlantic and Gulf coast of the United States. Sections ten and eleven, including the western coast, begin at San Diego, and terminate at the forty-ninth parallel of latitude. Under each head the work is described in the general order of its execution, as 1. Triangulation; 2. Topography; 3. Hydrography, with statistics of the several operations, and other particulars relating to the work. Each chapter is prefaced by a brief reference to the progress made in the sections, and by a statement of the office work pertaining to it.

III. The Appendix contains information useful to navigators, commercial men, surveyors, and men of science, with such lists and papers relating to the work as could not conveniently be introduced into the body of the report. It is subdivided, for purposes of ready reference, into the following heads: 1. *Field, hydrographic, and office details*, embracing general lists of the parties and their occupation as distributed along the coast; the names of officers of the army and navy attached to the work; data furnished from the archives in reply to applications made within the year; the statistics of field and office work; a list of surveys made on the Western Coast; the developments made in the course of the regular hydrography; tide tables

for navigators, and a table of the depths at important port entrances on the Atlantic, Gulf, and Western Coast; detailed reports of work performed in the office divisions; lists of the topographical and hydrographical sheets registered within the last two years; and lists of the geographical positions furnished by data received from the field within the same period. 2. *Special operations and scientific discussions* relating to magnetism, tides, and currents. 3. *Local surveys*, comprising descriptions of special localities, their topographical features, and their resources.

4. *Miscellaneous scientific matters* relating to methods and instruments. 5. *Correspondence incidental to the operations of the survey*. 6. *Light-house matters* referred to the Board for consideration.

The first part of the introduction shows the progress and gives the estimates for the next year's progress. The last contains remarks upon work done, and especially upon the parts which are not referred to in the body of the report.

#### GEOGRAPHICAL SECTIONS—ESTIMATES OF PROGRESS AND COMPLETION.

In my report for 1857 I estimated the time of completion of the work on the Atlantic and Gulf at from ten to twelve years, estimating upon the "present resources and regular rate of progress," and showed how this could be accomplished by the same resources from the direct estimates and the aid derived from the Navy, War, and Interior Departments. In my next report I stated that "the available means from different sources for this last fiscal year, (1858-'59,) were ninety thousand dollars less than for the former," (1857-'58.) "These appropriations were less by \$30,000 than those for the previous year, 1857-'58, besides which, no appropriation was asked by the Interior Department for the survey and marking of the Florida keys, and of the islands off the Western Coast, making a diminution of \$90,000 in the available means for the progress of the survey in 1858-'59." The portion of this reduction which fell upon the field and office work of the Atlantic and Gulf sections was \$40,000, being about eleven per cent., or more than one-tenth, requiring an increase of rather more than one year in ten, in the estimated time of completion. It is not to be expected that this decrease will show itself in a marked way in two years, except in those sections which have suffered most from it, but I cannot be responsible for it when it does appear.

I have carefully revised the estimates of progress and completion presented in my report of 1856-'57, and, adopting the same order of discussion as given in that report, now proceed to give the results, which will be found in accordance with the statements then made.

SECTION I. *From Passamaquoddy bay to Point Judith, including the coast of the States of Maine, New Hampshire, Massachusetts, and Rhode Island.*—The primary triangulation is carried to the northeastern boundary of the United States, requiring merely the occupation of certain stations passed by in order to advance the coast work, to complete the original scheme from Point Judith (Rhode Island) to the limits of Maine.

Three secondary triangulation parties will finish the triangulation in six years, and the progress will show whether this is the best course, or to press on the topography, employing only occasionally a third triangulation party, so as to complete the triangulation in seven and a half to eight years. The completion of the primary work of this section will give means from the estimates to furnish the additional topographical parties needed to keep fully up with the secondary triangulation. Two hydrographic parties with steam vessels and one with a sailing vessel will keep the hydrography close upon the triangulation and topography. The progress made this season shows that there will be no difficulty in this respect.

Allowing a margin of two years brings us to the estimate of my report for 1856-'57, namely, "ten to twelve years" from that date, or eight to ten from this, even without the additional year already referred to.

A map has been marked off with the limits of average progress, as determined by the statistics of the survey, to be expected in the triangulation of this part of the coast, and will enable me to regulate the progress accordingly. In two years the same may be done for the topography and hydrography.

SECTION II. *From Point Judith to Cape Henlopen, including the coast of Connecticut, New York, New Jersey, Pennsylvania, and part of Delaware.*—The parties which, from time to time, can be spared to work upon the rivers of this section and upon revision, will easily bring to a close the small portion of outstanding work within the time estimated for the completion of the other sections.

SECTION III. *From Cape Henlopen to Cape Henry, including the coast of part of Delaware, and the coast of Maryland and part of Virginia.*—The remaining work in this section, which is small, compared with that already executed, between one and two tenths, is provided for in the estimates and steadily advancing. It will easily be completed within the time named for the other sections.

SECTION IV. *From Cape Henry to Cape Fear, including part of the coast of Virginia and North Carolina.*—The primary triangulation of Pamlico sound and its rivers, not commenced at the date of my report of 1856-'57, has had one season's work upon it, and will regularly advance to its completion. The parties are provided which will bring all the work of this section to a close within the time estimated for section I, and that without burdening other parts of the survey. The plans for prospective operations are quite matured.

SECTION V. *From Cape Fear to the St. Mary's river, including part of the coast of North Carolina and the coast of South Carolina and Georgia.*—The same number of parties should be kept in this section for another year as heretofore, after which one or more can be spared for other work, and yet complete the section in the time required for section I. Two secondary triangulation parties would complete that work in five years. The question of the character of the primary work, and of bases of verification, will be settled, probably, in another year, certainly in two. The hydrography of the section is well advanced, the ocean part of it especially.

SECTION VI. *From St. Mary's river to St. Joseph's bay, including the eastern and western coasts of the peninsula of Florida, and the Florida reefs and keys.*—The expedient of a line across the head of the peninsula, by which the triangulations of the Atlantic and Gulf coasts will be connected, changes essentially the character of the triangulation necessary around the peninsula, and alone renders possible the completion of this section within the time required for section I. In fact, it will require great exertion and steady execution of plans to succeed in this. Three triangulation parties on the eastern side, and two on the western, will be required to make this sure. I rely upon parties available after two years, from other sections, to bring up any arrears which we may find in the section; but it may be most prudent to add a year to my estimate of 1857, and to make it eight to nine years from the present date, which is the same limit as of section I. The topography keeps well up with the triangulation, and so does the hydrography, the reef being nearly completed, so that the time of completion of this section may be safely estimated as not greater than for section I. The reduction of thirty thousand dollars, furnished



by the Interior Department for the Land Office surveys prior to 1858 fell heavily upon this section.

SECTION VII. *From St. Joseph's bay to Mobile bay, including part of the coast of Florida and the coast of Alabama.*—Of this section I stated in my report for 1857 as follows: "This was the last section commenced, and it is perhaps between one-sixth and one-fifth done. It will require additional force to put it through in ten to twelve years. This may probably be had as the Atlantic sections require fewer parties to bring them to a close; but I cannot foresee positively yet. Good progress has been made since we commenced this work, in 1852, and there are three centres of operation—near Pensacola, near Apalachicola and St. Mark's, and near Cedar Keys. If we had means to employ a steam vessel here throughout the season there would be no doubt of the completion of this section with the others."

I shall make a strong effort to procure an additional hydrographic party for section IX, so that the steam vessel available for this section shall be constantly employed here. No effort shall be spared to bring the section up to the others in its progress. The reduction of the appropriation has prevented the supply of an additional party during the last two years.

SECTION VIII. *From Mobile bay to Vermilion bay, including the coast of Mississippi and of part of Louisiana.*—The work in this section makes steady progress, and the topography is kept close to the triangulation, being, in fact, connected with it generally. With the force now in the section it will not be difficult to finish the triangulation, as estimated in 1856-'57, in eight years from this present date, and to complete the work at the same time with section I. As remarked in my report for 1856-'57, no one of the parties at work here can be spared for other sections, if this one is to be completed within the time estimated.

SECTION IX. *From Vermilion bay to the southwestern boundary, including part of the coast of Louisiana, and the coast of Texas.*—In my former report I supposed that additional force would be required to complete this section in time, and I am now sure of it. It may lag behind the other Gulf sections, unless means are furnished to push it onward. My notes show that I had intended to furnish another triangulation party to the section, had means sufficient been available, two years ago.

#### WESTERN COAST.

SECTIONS X AND XI. *From San Diego to the forty-ninth parallel, including the coast of California and Oregon, and that of Washington Territory.*—It would be premature to attempt to estimate for the completion of this work, only commenced in 1850. The progress has been quite satisfactory, considering that the appropriation only provides for two triangulations, two topographical parties, another for triangulation and topography, and one hydrographic party. The harbors of this important coast have been surveyed, except those of Washington Territory, only a part of which are yet completed; and, besides a general reconnaissance, and the important work connected with the northwestern boundary between the United States and Great Britain, the general hydrography has been steadily prosecuted.

#### GENERAL STATEMENT OF PROGRESS.

The survey on the Atlantic and Gulf coast is nearly two-thirds done, and with the means appropriated for 1857-'58 can be finished, as then stated, in from ten to twelve years from that date. The revision of my estimates of time has, as already stated, confirmed this conclusion; and, at the present diminished rate of appropriation, we shall probably fall but one year behind

that period, if the present system is strictly persevered in to the close. In my report of last year I frankly stated the difficulties of accomplishing this result, and the circumstances under which alone I deemed it practicable. I would merely call attention to these, that I may incur no responsibility not properly belonging to such an arduous task.

I propose now to state, in the most brief form, the general progress of the survey. It will be seen, by reference to the general progress sketch, (No. 36.) that the triangulation of the Atlantic coast is continuous from the northeastern boundary of the United States to Little river, near the boundary between North and South Carolina, an extent of more than twelve hundred miles measured from point to point, and a proportional part of the whole Atlantic coast of two-thirds, as estimated in the same way, or of three-fourths as estimated by shore-line. I do not mean to say that the work is complete between these limits, because the secondary triangulation in some portions, and the primary in others, is not complete; but the work is a connected one, and as such is available for preliminary purposes. With an interval of but sixty miles, it is again connected to St. Simon's entrance, on the coast of Georgia, two hundred and twenty miles, leaving an interval of about thirty miles to the St. Mary's. From the St. John's it is nearly complete (with an interval of but eight miles) to Matanzas river, (St. Augustine.) Two parties will probably be at work this winter, advancing towards each other, from St. Augustine south and from Indian River inlet north; and, as soon as the appropriation will admit, a third will be placed here, to proceed from Indian river southward.

In the aggregate, the secondary triangulation of about seven-eighths of the Atlantic coast is completed.

From Cape Florida to the Marquesas the triangulation is continuous one hundred and seventy miles, and one or two seasons more will finish the intricate work of the inner keys and coast of Florida bay. The triangulation of Charlotte harbor is nearly completed; that of the Gulf coast extends from Chassahowitzka river to Cedar Keys—fifty miles; over Ocilla entrance; then from St. Mark's, beyond Apalachicola, to Indian Pass; over St. Andrew's bay; then from the middle of Santa Rosa sound to Pensacola entrance, including also Pensacola bay and its principal dependencies; from Mobile entrance, and up Mobile bay (westward) to Point Fortuna, in Isle au Breton sound, one hundred and thirty miles, and through Lake Borgne and Lake Pontchartrain, to New Orleans; over Bay Rondo and the passes of the Mississippi, and over Isle Dernière and Caillou bay; over Atchafalaya and East Côte Blanche bays; from East bay, (Galveston,) southward and westward, over Matagorda and Aransas bays and their dependencies, one hundred and ninety miles, to Aransas Pass, which is about a hundred and forty miles from our southeastern boundary.

The topography and hydrography based upon these triangulations have kept close pace with them, in some of the sections requiring the communication of results by the triangulation parties to the topographical parties, and in others by both triangulation and topographical parties directly to the hydrographic parties as soon as completed in the field.

The harbors of the Western seacoast of the United States, and many of the more important ones in the vast navigable sounds of the Pacific coast, have been surveyed, and the general triangulation from San Francisco as one centre and Santa Barbara as another, over Columbia river, in Oregon, in Washington sound and its dependencies, the Straits of Haro and Rosario and the islands between, to the northwestern boundary and southward into Puget's Sound, have been steadily pushed forward, and the topography and hydrography have followed closely.

The astronomical work has been kept up along the whole coast, as far as the progress of the

other operations rendered advisable. The latitudes and longitudes of the headlands on both coasts have been determined, and, with the intermediate stations, these make a total of seven thousand one hundred and seventy-eight points of which the geographical positions have been computed.

Preliminary determinations of longitude from Europe have been made by the best methods known to science. The telegraphic method of longitudes, perfected in connexion with the survey, has enabled us to connect the distant points—Calais, in Maine, and New Orleans, in Louisiana—with a certainty hitherto impossible. I am satisfied that a few signals by telegraph from America to Europe will enable us to determine the difference of longitude with a degree of accuracy which neither long-continued astronomical observations nor the transportation of chronometers have yet reached, or can ever reach. This is one of the works specially enjoined upon the Coast Survey by the plan of reorganization, and to which unvarying attention has been directed from the date of that plan until the present time.

The tide tables for navigators (Appendix No. 14) have been further revised for determining, by simple rules, the times and heights of high and low water in our different ports.

The magnetic elements, so important to the navigator and surveyor, have been further determined, and the tables now contain the results of observations made at over two hundred stations on all parts of the coast.

No less than three hundred and thirteen charts or sketches of harbors, inlets, shoals, sounds, bays, &c., have been drawn, engraved, and published, founded upon the land and hydrographic work of the survey.

#### PROGRESS FROM NOVEMBER 1858 TO NOVEMBER 1859.

The first table in the Appendix (No. 1) shows the distribution of the parties along the coast in the different sections, the officers employed, and the general limits of the work executed. A map of each section shows the work in some detail, and with convenient signs to denote the several operations. I give in this connexion a condensed account of the progress made in the field and office work, subdivided according to the eleven geographical sections of the survey.

SECTION I. *Coast of Maine, New Hampshire, Massachusetts, and Rhode Island.*—(*Sketches A and A bis, Nos. 1 and 2.*)—The primary triangulation has been extended to the northeastern boundary of the United States, Howard mountain, near Machias, and Western Ridge, Cooper, Maine, having been occupied during the season. Observations for latitude and azimuth, and for the magnetic elements, have been made at the same stations, and the base on Epping Plain has been connected with the general triangulation. Chamcook has been occupied for the triangulation of Passamaquoddy bay and the St. Croix. The secondary triangulation has been continued in Penobscot bay, and connected with that extending southward and westward, over Muscongus bay, to Damariscotta river. The topography of Wiscasset bay has been completed, and progress made in that of Sheepscot river. The plane table survey of the Kennebec river and Merrymeeting bay has been nearly completed, and that of Casco bay has been extended eastward nearly to Harpswell. That of Cape Cod bay has been extended east and west, including the shores of Barnstable harbor, Mass., and verification of the topography done in the section is now in progress. The hydrography has been extended from Cape Newagen and Damiscove island to Cape Small Point, outside of Kennebec entrance, and soundings have been made in Casco bay to join with former work abreast of and between Portland light and Green island.

The in-shore hydrography has been extended from Cape Elizabeth to Kennebunkport, Me., and soundings have been made between the Isles of Shoals, N. H. Deep-sea lines have been run from Cape Ann, across Cashe's Ledge, to Seal island, N. S., and thence by traverses to Machias, Mount Desert rock, Matinicus, and Manhegan island, to Portland entrance; and from Cape Elizabeth (southward) to Nausett Centre light, Cape Cod. The off-shore hydrography has been continued off the coast of Massachusetts. Revision work has been done in Salem and Hyannis harbors, and work for the examination of changes in parts of Boston harbor. Special magnetic observations have been made at Portland, Me., Portsmouth, N. H., and at several stations on Cape Ann, Mass. The tidal observations at Boston have been continued, and a tidal station has been established at Eastport, Me. Experiments with a new pressure tide-gauge have been made at Charlestown, Mass.

The drawing and engraving of additions to the chart of Boston harbor have been completed, as also the drawing of those of Portland harbor, Lynn harbor, and a new edition of that of Muskeget channel; and the engraving of the preliminary charts of Kennebec river and Rockport harbor. Progress has been made in the drawing and engraving of general coast chart No. II, from Cape Ann to Gay Head, and of preliminary coast chart No. 3, from Cape Small Point to Cape Cod; in the drawing of coast maps and charts No. 7, from Muscongus bay to Portland harbor; Nos. 9, 10, and 11, from Cape Neddick to Hyannis harbor, and No. 14, from Cuttyhunk island to Block island; also in the engraving of coast maps and charts Nos. 12 and 13, from Monomoy to New Bedford; the views for these charts, the finished maps of Kennebec river and Lynn harbor, and the new edition of the chart of Muskeget channel.

SECTION II. *Coast of Connecticut, New York, New Jersey, Pennsylvania, and part of Delaware.*—(*Sketch B, No. 7.*)—The triangulation of the Hudson river has been extended from Hudson northward, to connect with the work from Albany southward, at New Baltimore, and additional points have been determined near Yonkers. The topography of the Hudson has been continued, with intervals, north from the former limit to near Sing Sing on the eastern shore, and to Rock mountain on the western shore, including the delineation of the Palisades; that of Harlem river has been completed, and that of Long island, back of Brooklyn and Williamsburg, and in the vicinity of South Jamaica, has been filled in. The outlines of the new piers at Sand Point and Great Neck have been traced. The hydrography of the Hudson river has been in progress from Newburgh north to Poughkeepsie. A resurvey has been made of the shore off the Battery, New York city, for changes. Magnetic stations have been occupied at Hartford, Conn.; Springfield, Chesterfield, and Deerfield, Mass.; and at Rutland, Vt.; and minute current observations have been made off the western end of Long Island. Tidal observations have been continued at Brooklyn.

Progress has been made in the drawing and engraving of coast map and chart No. 22, New York bay and harbor, and in the drawing of the map of Hudson river, from its entrance to Sing Sing. New plates of the middle and eastern parts of the chart of Long Island Sound have been engraved, and the old plate of the chart of Captain's islands, East and West, has been re-engraved.

SECTION III. *Coast of Delaware, Maryland, and part of Virginia.*—(*Sketch C, No. 9.*)—The triangulation of the Potomac river has been extended from the mouth of the St. Mary's upwards, to the vicinity of Britton's bay; that of the James river has been completed by work at Hampton Roads, and a base measured near Claremont for verifying the triangulation of the upper James river and of the Appomattox. The topography of the outer coast of Maryland

has been continued, and that of the shores of Chincoteague bay completed. The shore line of the Patuxent has been traced from Holland's Point to Hall's creek, and that of the St. Mary's, Maryland, from its entrance upward to Warehouse Point, nearly completing the preliminary survey of those rivers. The shores of the James river have been traced between Westover and Little Brandon, completing the preliminary survey. The topography of the western shore of Chesapeake bay, between Rappahannock river and Mobjack bay, has been nearly completed. Soundings have been nearly completed in the Patuxent and St. Mary's rivers, and entirely in the James river, and the Big and Little Annemessex, dependencies of Tangier sound. Observations with self-registering tide-gauges have been kept up at the Washington navy yard and at Old Point Comfort.

The chart of York river, from King's creek to West Point, has been drawn and engraved for publication. The topography and lettering of coast maps and charts No. 31, Chesapeake bay, from its head to Magothy river; and No. 33, from Hudson river, Maryland, to the Potomac; of the finished chart of Patapsco river, and the outlines of coast map and chart from Green Run inlet to Little Machipongo inlet, (from a photographic reduction,) have been engraved. Progress has been made in the drawing and engraving of coast maps and charts Nos. 35 and 36, from Pocomoke sound to the entrance of Chesapeake bay; in the drawing of general coast chart No. IV, from Cape May to Currituck sound; of coast maps and charts Nos. 28 and 29, (the latter mainly by photography,) from Cape Henlopen to Little Machipongo inlet; No. 33 Chesapeake bay, the sheet of James river, from Richmond to City Point; and coast map and chart No. 37, from Cape Henry to Currituck sound; and also in the engraving of coast maps and charts No. 32 Chesapeake bay, from Magothy river to the Hudson, Maryland, and No. 34, from the Potomac to Pocomoke sound.

SECTION IV. *Part of the coast of Virginia and of North Carolina.*—(*Sketch D. No. 15.*)—The primary triangulation over Pamlico sound has been commenced. The triangulation of verification near New Inlet, Cape Fear, has been continued. The topography of the coast of Virginia, between Currituck sound and Cape Henry, has been completed. In-shore, hydrography on the coast of North Carolina has been extended from Bogue inlet, southward and westward, to New River inlet, and lines of soundings run between Cape Henry and Cape Hatteras, and observations in the Gulf Stream made in the vicinity of Cape Lookout.

Comparative charts of the Cape Fear entrances, showing the changes from 1851 to 1858, and diagrams, illustrating Gulf Stream explorations, have been drawn, and the former engraved upon stone, under the direction of the Superintendent of Public Printing. Progress has been made in the drawing and engraving of preliminary coast chart No. 11, from Cape Hatteras to Cape Lookout; in the drawing of No. 12, from Cape Lookout to Cape Fear; in that of coast map and chart No. 48, from Bogue inlet to Barren inlet; and in the engraving of coast maps and charts Nos. 40 and 41, Albemarle sound.

SECTION V. *Coast of part of North Carolina and coast of South Carolina and Georgia.*—(*Sketch E, No. 16.*)—Astronomical and magnetic observations have been made at Cape Fear entrance, and the latitude, azimuth, and magnetic elements have been determined at Port Royal station. The triangulation has been extended south and west from Shallotte inlet to the boundary between North and South Carolina, and the shore line traced in connexion with it; signals have been erected and lines prepared for extending the primary work south and west of the Edisto base; the triangulation of Beaufort, Chechessee, and Colleton rivers, South Carolina, has been made, and that from Sapelo base extended southward across Doboy and Altamaha entrances to St. Simon's

sound. The topography has been continued southward and westward from Shallotte inlet; the preliminary survey between St. Helena sound and Savannah river has included the shore lines of Port Royal sound and the entrances of Beaufort, Broad, Chechessee, and Colleton rivers, and Calibogue sound. The topography of St. Catharine's sound has been nearly completed. The hydrography has been continued in-shore from Cape Fear entrance to Tubb's inlet, N. C., and the off-shore between Cape Fear and Charleston harbor. Soundings have been completed in Bull's bay, S. C., and a resurvey of Port Royal entrance has been made. The hydrography of the Chechessee and Colleton rivers, S. C., has been completed, and also that of Sapelo entrance and approaches. Tidal observations have been kept up in Charleston harbor.

In the drawing and engraving divisions additions have been made to the chart of Charleston harbor. The chart of Sapelo sound has been drawn and engraved, and the engraving of preliminary coast chart No. 14, from Cape Romain to Savannah river, has been in hand. Progress has been made in the drawing of coast maps and charts No. 53, from Charleston harbor to St. Helena sound; and No. 58, from St. Mary's river to the St. John's, Florida; and in that of the chart of Ossabaw sound.

SECTION VI. *Coast, reefs, and keys of Florida.*—(*Sketches F, Nos. 20 and 21.*)—The triangulation along the air line from Fernandina to Cedar keys has been continued to Waldo station. A preliminary base has been measured near St. Augustine, and the triangulation has been carried north towards Diego plains. A preliminary base has been measured at Indian river inlet, Florida, and signals erected for the triangulation north and south of Fort Capron. The triangulation of the inner bays has been extended eastward from Lignum Vitæ to Pigeon key Florida reef; and that of Charlotte harbor has been extended from Captiva pass northward to Punta Gorda. The topography of the western shores of Key Biscayne and Cards' sounds has been completed, as also on the western side of Key Largo, and the survey made of numerous keys between Lignum Vitæ and Oyster keys. The topography of Charlotte harbor has been continued northward from the former limit to Boca Grande. The hydrography of the Florida reef has been continued from Eagle cove to Coffin's Patches; the Gulf Stream has been explored through the Florida channel, and soundings made for depth and temperature in sections across it, from Carysfort light-house, Sombrero key, and the Tortugas. Tidal observations have been continued at St. Mary's river entrance, Tortugas, Charlotte harbor, and Egmont key, (Tampa.)

Progress has been made in the drawing and engraving of coast map and chart No. 68, Florida reef, from Key Biscayne to Carysfort reef; and in the drawing of Nos. 70, 71, and 72, Florida reefs and keys, from Long key to the Marquesas.

SECTION VII. *Part of the western coast of Florida.*—(*Sketch G, No. 23.*)—The triangulation has been carried from Crystal reef southward to the vicinity of Bayport; has been continued from St. George's sound to St. Mark's harbor, and from Pensacola bay into Santa Rosa sound. The topography has been continued nearly over the same limits. The hydrography has included a verification of the work at Cedar keys, and that at the eastern entrance of St. George's sound, including the new channel (Duer's) passing near Dog island. Tidal observations have been kept up at Cedar keys, and at Warrington, Pensacola harbor.

The drawing and engraving of the preliminary chart of the eastern part of St. George's sound have been completed, as also the engraving of the preliminary chart of Pensacola harbor. The drawing of the preliminary chart of Apalachicola bay has been finished at the

office, and since engraved on stone, under the direction of the Superintendent of Public Printing.

SECTION VIII. *Coast of Alabama, Mississippi, and part of Louisiana.*—(*Sketch H, No. 26.*)—The triangulation of Isle au Breton sound has been continued southward to Point Fortuna; progress has been made in that of Passe à Loutre; the SE. Pass of the Mississippi and of Bay Rondo, and that of Côte Blanche bay, has been extended westward nearly to the entrance of Vermilion bay. The topography of the shores of Lake Pontchartrain has been continued, and that of Isle au Breton sound has nearly kept pace with the triangulation; that of the SE. Pass of the Mississippi has been executed, and that of Côte Blanche bay has kept pace with the triangulation. The hydrography of Passe à Loutre has been executed, and that of Atchafalaya and Côte Blanche bay east completed. Some deep-sea lines of soundings have been run in the Gulf of Mexico.

The preliminary chart of Atchafalaya bay has been drawn and engraved, and the engraving of coast maps and charts Nos. 91 and 92, Mississippi sound and Mobile bay, from Bon Secours bay to Grand island, has been in progress.

SECTION IX. *Coast of part of Louisiana and coast of Texas.*—(*Sketch I, No. 28.*)—The triangulation has been carried from Matagorda entrance southward and westward over Espiritu Santo, San Antonio, Aransas, and Capano bays, and their dependencies. The topography has been extended along the shores of Espiritu Santo and San Antonio bays, and part of Matagorda island. The hydrography of Matagorda bay has been completed between the city and Palacios point.

The reconnaissance sketch of the entrance to Brazos river has been drawn and engraved, and progress has been made in the drawing and engraving of coast maps and charts Nos. 106 and 107, from Galveston bay to Matagorda bay; also in the drawing of coast maps and charts No. 105, Galveston bay, and No. 108, Matagorda bay. A general reconnaissance sketch of part of the coast of Texas, from Matagorda bay to Aransas Pass, has been drawn at the office, and was engraved on stone, under the direction of the Superintendent of Public Printing.

SECTION X. *Coast of California.*—(*Sketches J and J bis, Nos. 30 and 31.*)—The primary triangulation in the vicinity of the San Pedro base has been revised, and the secondary triangulation of San Pedro harbor executed, as also that of the northern part of Santa Rosa island, Santa Barbara channel. The primary triangulation from San Francisco entrance has been extended northward to Sulphur Peak, and the secondary connected with it carried over Drake's bay and Point Reyes. The positions of the Farrallones have been determined by triangulation. Crescent City harbor has been triangulated. The topography has included the harbor of San Pedro, part of Santa Cruz island, and Crescent City harbor. The hydrography of San Pedro harbor has been completed, and soundings off the approaches to the Golden Gate nearly so. A resurvey has been made of Humboldt bay, and the hydrography of Crescent City harbor executed. The regular tidal observations have been kept up at San Diego and near San Francisco.

The engraving of the charts of San Diego bay, Mare Island strait, and Humboldt bay has been completed, and also the drawing and engraving of the chart of the entrance to San Francisco bay. Progress has been made in the engraving of the chart of San Pablo bay, and additions have been made to the reconnaissance chart of the Western Coast. The map of San Francisco city has been engraved on stone, under the direction of the Superintendent of Public Printing.

SECTION XI. *Coast of Oregon and that of Washington Territory.*—(*Sketch K, No. 34.*)—The

triangulation of the Gulf of Georgia has been continued, stations on Point Roberts being connected with others on Galiano island above the forty-ninth parallel. Hydrographic reconnaissances have been made at the entrances to the Coquille river, Oregon, and at Gray's harbor, W. T., and general duty has been performed in connection with requirements of the commissioner on the northwestern boundary. The regular tidal observations at Astoria have been continued.

A new edition of the reconnaissance sketch of Canal de Haro and Strait of Rosario, and the chart of Port Townshend, have been drawn and engraved, and the engraving of the charts of Port Gamble and Semiahmoo bay has been completed.

#### MAPS AND CHARTS.

A series of projects of maps and charts, on suitable scales, has been prepared, for which the work now affords materials on the Atlantic and Gulf coasts. The projects for coast maps and charts on the scale of  $\frac{1}{800000}$ , as described in my report of last year, are one hundred and thirteen in number, embracing forty-two connected series. Those for the set of general coast charts, on the scale of  $\frac{1}{400000}$ , are sixteen in number; and for a set of preliminary charts, on the scale of  $\frac{1}{200000}$ , the projects are thirty-three in number.

The preliminary charts, with preliminary editions of harbor and other maps and charts, enable us to keep up with the work of each year. The electrotype process is especially valuable in enabling us to carry on this work without loss of the previous portions of the engraving. The application of photography, which is very far advanced, is making great changes in the facilities for reducing maps and charts. In another place I will present, at more length, a statement of our progress in this application.

Sixty-seven sheets have been worked upon in the drawing division within the past year. Of this number, two are finished charts, twenty-three finished maps and charts, thirteen finished maps, six preliminary charts, two comparative charts, nineteen sketches, and two sheets of diagrams. Thirty sheets have been completed and thirty-seven are in progress. Of those completed, four are finished maps, three preliminary charts, two comparative charts, nineteen sketches, including those showing field progress, and two sheets of diagrams.

In the engraving division, five first-class maps and new editions of three have been completed during the year, and twenty-one have been in progress. Of these last, eleven were commenced in former years and ten in the present year. Eleven second-class maps or charts and sketches have been completed within the year, nine of which were begun in the present year, and six of the same class are in progress. These, with five plates of diagrams, give a total of twenty-four completed and thirty-two in progress, or of fifty-six plates engraved or engraving within the year. In addition to those engraved upon copper, five charts and sketches have been engraved upon stone, under the direction of the Superintendent of Public Printing. The complete list, giving the titles of the maps and charts, will be found in Appendix No. 17. The general list of all the maps, charts, and sketches engraved up to the present date also accompanies the same Appendix. It includes two hundred and ninety-nine titles, of which sixty are first-class maps. The list is exclusive of twenty progress sketches which have been engraved, and receive additions from year to year, as the field-work advances.

The following list contains the titles of maps and charts, finished and preliminary, and of sketches and diagrams, accompanying this report, arranged geographically. The letters in the margin refer to the different sections; A to Section I, B to Section II, and so on. The



numbers on the maps, charts, and sketches correspond with those in the list which contains five finished charts, fifteen preliminary charts, and twenty sketches and diagrams.

- 1.—A. Progress sketch, Section I, (primary triangulation.)
- 2.—A *bis*. Progress sketch, Section I, (secondary triangulation, topography, and hydrography.)
- 3.— Seacoast of Maine, from Kennebec entrance to Portland.
- 4.— Portland harbor.
- 5.— Lynn harbor, Mass.
- 6.— Muskeget channel, (new edition.)
- 7.—B. Progress sketch, Section II.
- 8.— Hempstead harbor, Long Island Sound.
- 9.—C. Progress sketch, Section III.
- 10.— Chesapeake bay (sheet No. 4) from Potomac river to Pocomoke sound.
- 11.— Chesapeake bay (sheet No. 5) from Pocomoke sound to York river entrance.
- 12.— Chesapeake bay (sheet No. 6) from York river entrance to Cape Henry.
- 13.— Patuxent river, Md.
- 14.— St. Mary's river, Md.
- 15.—D. Progress sketch, Section IV.
- 16.—E. Progress sketch, Section V.
- 17.— Bull's bay, S. C., (new edition.)
- 18.— Port Royal entrance and approaches, S. C.
- 19.— Sapelo sound and approaches, Ga.
- 20.—F. Progress sketch, Section VI.
- 21.—F *bis*. Progress sketch, Section VI, (Florida reefs and keys.)
- 22.— Florida reefs and keys from Newfound harbor key to Boca Grande key.
- 23.—G. Progress sketch, Section VII.
- 24.— Cedar keys, (new edition.)
- 25.— St. George's sound, Fla., (eastern part.)
- 26.—H. Progress sketch, Section VIII.
- 27.— The Rigolets, La.
- 28.—I. Progress sketch, Section IX.
- 29.— Coast of Texas and Matagorda bay.
- 30.—J. Progress sketch, Section X, (lower part.)
- 31.—J *bis*. Progress sketch, Section X, (upper part.)
- 32.— San Pedro harbor, Cal.
- 33.— Crescent City harbor, Cal.
- 34.—K. Progress sketch, Section XI.
- 35.— Diagrams illustrating the distribution of temperature in the Florida straits.
- 36.— Sketch showing general progress in the survey of the Atlantic, Gulf, and Pacific coasts.
- 37.— Diagrams illustrating the results of magnetic observations at Girard College, Philadelphia.
- 38.— Lines of equal magnetic variation for the year 1858.
- 39.— Trowbridge's apparatus for deep-sea soundings.
- 40.— Mitchell's apparatus for measuring currents and improved pile for sea structures.

Constant efforts have been made to obtain a set of progress sketches better suited to popular

use, and yet useful for the purposes of the office. I believe that this may be accomplished for the next report, a plan which meets my approval having been finally hit upon after much experimenting.

The application of photography to the regular reduction of our maps and charts has made good progress. It is estimated that the cost of reducing one of our sea-coast charts by photography is but about one-fourth of that by the pencil and pen. The questions yet unsolved in this application are merely questions of detail, and it is to be considered as one of the processes fully applicable to the reduction of our maps and charts for engraving, no important difficulty in relation to which remains to be mastered. The report of the assistant in charge of the office, and of George Mathiot, esq., in charge of the photographic operations, give many important particulars in this matter, (Appendix No. 17.) Prints have been produced of reduced maps in which the severest tests could detect no error beyond the tolerated limits.

Mr. Mathiot is of opinion that we can profitably publish many of our preliminary maps by the photographic process without engraving at all, by issuing copies of the photographic prints themselves. Experiments will be made upon this at the earliest date practicable.

The operation of putting the print of the reduced map directly upon the copper, so as to avoid an intermediate tracing by the engraver, those of photo-lithography, and others, are in the course of experiment. Some successful trials have been made of photographing microscopic objects from the specimens of bottom of the sea collected in sounding.

#### ESTIMATES FOR THE FISCAL YEAR 1860-'61.

The estimates are in the usual form which attaches the work to be done, to the expenditure necessary to accomplish it, and so indicates the rate at which the survey is to be prosecuted, a larger expenditure being required to finish the work sooner, a smaller decreasing the work to be done, and therefore involving the time of completion. I have already, in last year's report, called attention to the fact that the entire appropriation for the fiscal year 1857-'58, exceeded by \$90,000 (including the means furnished by the Land Office) that of the fiscal year 1858-'59, which was the same as that of 1859-'60, the item for the pay of engineers being introduced on the withdrawal of naval engineers from the work.

As it is absolutely essential in such a work to have latitude in regard to the details of progress of operations in order to conduct it efficiently, the sums assigned for the several sections are joined in the acts of appropriation into one, allowing to the Treasury Department, which controls by law the direction for the work, and under which the Superintendent acts, discretion in details, and merely confining the separate expenditures to the great divisions of the work, as the Atlantic and Gulf Coast; the Florida Coast, reefs, and keys; and the Western Coast. The whole of the expenditures for field and office work, including the pay of the civilians employed, is brought into these estimates. They include the expense of deducing the results, and drawing and engraving the maps, as well as of the surveys in the field.

These estimates suppose the same aid from the War and Navy Departments as heretofore. Should any part of this be withheld, the proportionate progress of the survey must of necessity be diminished.

The estimates were reduced in 1857-'58, during the great stress upon the treasury, and have not since been raised to their former level. This involves a less rapid completion of the work than the former rate, but in the uncertainty in regard to the means for the fiscal year, I have not ventured to recommend an increase. The several items now presented are the same

in amount as have twice met the approval of Congress. An additional item, as compared with the last two years, for fuel and quarters for officers of the army serving on the work, is to pay the emolument derived by law and no longer paid by the Quartermaster's Department from the general appropriation for fuel and quarters of the army. It is not a new item, but is intended to replace the balance of a former appropriation which permitted its omission in the estimates of last year and the year before, during the straightened condition of the treasury. This balance is now exhausted.

The assistant in charge of the work across the Florida line, Captain M. L. Smith, U. S. Topographical Engineers, advises me that the cost may be greater than was originally estimated by the officer who made the reconnaissance. I have, however, preferred to extend the time for completing the work rather than to ask an increase of the item for its execution. Even if Captain Smith's present estimate should be exceeded, the cost of the work will not reach one-fourth that of a continuous main triangulation around the coast, such as would be needed to connect the main work on the Atlantic and Gulf of Mexico.

No item of the estimates has been increased. That for the Western Coast has proved sufficient to keep the usual number of parties there in consequence of the work executed under the law for the Northwestern Boundary Commission.

*Estimates in detail.*

For general expenses of all the sections,* namely: rent, fuel, materials for drawing, engraving and printing, and ruling forms; binding; transportation of instruments, maps, and charts; for miscellaneous office expenses, and for the purchase of new instruments, books, maps and charts .....	\$19,000
--	----------

SECTION I. *Coast of Maine, New Hampshire, Massachusetts, and Rhode Island.* FIELD-WORK.—To continue the primary triangulation in this section and to make the necessary astronomical and magnetic observations connected with it; to extend the secondary triangulation up the *Penobscot river* and along the coast eastward from *Penobscot bay*; east from *Pemaquid* over *Muscongus bay*, and over the peninsula between the *Kennebec* and *Sheepscot rivers*, and of the coast east of those rivers; to commence the topography of *Penobscot bay*, and to continue that between *Kennebec river* and *Casco bay*; to continue the topography of *Cape Cod bay*; to complete the hydrography near the *Isles of Shoals*, New Hampshire; to continue the in and off-shore hydrography of the coast of Maine, from the *Kennebec entrance* eastward, and of the ledges off the coast of Maine; to make such tidal observations as may be necessary: OFFICE-WORK,—To make the computations connected with field-work; to commence the drawing and engraving of the chart of *Penobscot bay*, and that of *Casco bay*; to continue the drawing and engraving of general coast chart No. II, from *Cape Ann* to *Gay Head*, and preliminary coast chart No. 3, from *Cape Small Point* to *Cape Cod*; to complete the drawing and engraving of the chart of *Sheepscot river*, and the sketches of the section; to complete the drawing and engraving of coast map and chart No. 9, from *Cape Neddick* to *Cape Ann*; the engraving of that of *Kennebec river*, *Lynn harbor*, and coast maps and charts Nos. 12, 13, and 14, from *Nantucket sound* to *Narragansett bay*; to continue the draw-

\*Viz: of all included in this item, inclusive of Sections I to IX, and exclusive of Section VI.

ing of coast map and chart No. 7, from *Muscongus bay* to *Portland harbor*; the engraving of the chart of *Portland harbor*, and of coast map and chart No. 10, from *Cape Ann* to *Plymouth*; and to commence the drawing of coast map and chart No. 8, from *Portland harbor* to *Kennebunk harbor*, and draw and engrave tidal diagrams, will require.....

\$43,000

SECTION II. *Coast of Connecticut, New York, New Jersey, Pennsylvania, and Delaware.* FIELD-WORK.—To complete the triangulation of the *Hudson river*, and to commence that of the *Connecticut*; to continue the topography of the shores of the *Hudson*, and to complete that of the approaches to *New York harbor*; to continue the hydrography of the *Hudson*, commence that of the *Connecticut river*, and execute miscellaneous work of revision in the section: OFFICE-WORK,—To make the computations required; to commence the drawing of the charts of *Hudson river*, Nos. 2 and 4, from *Sing Sing* north and *Troy* south; to draw and engrave the tidal diagrams and sketches of the section; to continue the engraving of coast map and chart No. 21, *New York bay and harbor*, and the finished map of *Hudson river* from the entrance to *Sing Sing*; and to commence the drawing and engraving of a chart of *Connecticut river*, will require.....

14,000

SECTION III. *Coast of Delaware, Maryland, and Virginia.* FIELD-WORK.—To continue the astronomical and magnetic observations required in the section; to examine and preserve the more important triangulation stations; to continue the triangulation of the *Potomac river*; to complete the topography of the *Patuxent* and *James rivers*; to continue that of the *Potomac*, and that of the outer coast of *Maryland*, including the bays connected with it; to complete that of the shores of *Chesapeake bay*; to continue the off-shore hydrography of the section, and work of verification in the *Chesapeake* and its tributaries; the hydrography of the *Potomac river*, and the tidal observations of the section: OFFICE-WORK,—To furnish the necessary computations; to complete the drawing and engraving of coast map and chart No. 33, *Chesapeake bay* from *Hudson river, Maryland*, to the *Potomac*, with the sketches of the section; the drawing of coast maps and charts Nos. 28 and 29, from *Cape Henlopen* to *Little Machipongo inlet*; Nos. 34, 35, and 36, *Chesapeake bay* from *Potomac river* to the entrance of the bay; and the engraving of charts of the *Patuxent* and *St. Mary's rivers*; to continue the drawing and engraving of sheet No. 6, *Rappahannock river*, from its entrance to *Deep creek*; the drawing of general coast chart No. IV, from *Cape May* to *Currituck*; the *Rappahannock river*, series Nos. 3, 4, and 5, from *Port Royal* to *Deep creek*, and the chart of *James river* from *Hog island* to the *Chesapeake*; to continue the engraving of coast map and chart No. 29, from *Green run inlet* to *Little Machipongo inlet*; coast maps and charts No. 32, *Chesapeake bay*, from *Magothy river* to *Hudson river, Maryland*; and Nos. 34, 35, and 36, of the same series, from the *Potomac* to the entrance of the bay; to commence the engraving of general coast chart No. IV, and that of coast map and chart No. 28, from *Cape Henlopen* to *Green run inlet*, will require.....

25,000

SECTION IV. *Coast of Virginia and North Carolina.* FIELD-WORK.—To continue the primary triangulation of *Pamlico sound* and the secondary connected with it; to complete the verification work near *Cape Fear entrance*; to continue the topography of the outer coast of *North Carolina* south of *Hatteras*, and to complete that of the *Chowan and Roanoke entrances*; to continue the in and off shore hydrography between *Cape Lookout and Cape Fear*; to continue the observations of tides and currents, and of the *Gulf Stream*: OFFICE-WORK,—To compute the results of the triangulation and other operations; to commence the drawings of coast maps and charts Nos. 42 and 43, *Pamlico sound*; to complete the drawing and engraving of the sketches of the section, the drawing of coast map and chart No. 48 from *Barren inlet to Lockwood's Folly inlet*; to engrave coast map and chart No. 40, *Albemarle sound* (western sheet); to continue the drawing and engraving of preliminary coast chart No. 11 from *Cape Hatteras to Cape Lookout*; the drawing of coast map and chart No. 37, from *Cape Henry to Currituck sound*; preliminary coast chart No. 12, from *Cape Lookout to Cape Fear*, and general coast chart No. V, from *Currituck to Cape Fear*; to commence the drawing of coast map and chart No. 47, from *Bogue inlet to Barren inlet*; the engraving of coast map and chart No. 48, and that of preliminary coast chart No. 12, *Cape Lookout to Cape Fear*, will require.....

\$23,000

SECTION V. *Coast of part of North Carolina and that of South Carolina and Georgia.*

FIELD-WORK.—To extend the triangulation in North and South Carolina, from *Tubb's inlet* southward towards *Winyah bay*; to extend the primary triangulation south of *St. Helena and Port Royal sounds*, and the secondary up the rivers connected with them; to measure supplementary bases on the coast of South Carolina and Georgia; to extend the triangulation south of *St. Simon's*, and over *St. Andrew's sound*; to continue the topography of *Port Royal sound*, and that between *Savannah river and Ossabaw*, including *Wassaw sound* and the rivers emptying into it; to continue the hydrography of *Wassaw, Ossabaw, and St. Catharine's sounds* and entrances; to complete that of *Doboy and Allamaha entrances*; and to commence, if practicable, that of *St. Andrew's entrance and sound*; to continue the tidal and current observations and investigations of the *Gulf Stream* in this and the following section: OFFICE-WORK,—To make the requisite computations; to complete the drawing and commence the engraving of coast map and chart No. 53, from *Stono inlet to Fripp's inlet*; to complete the drawing and engraving of charts of *St. Catharine's and Ossabaw sounds*, and the sketches of the section; the drawing of the chart of *St. Simon's sound*, and coast map and chart No. 58, from *St. Mary's to St. John's river*; to commence the engraving of charts of *Ossabaw and Sapelo sounds*; to continue the drawing of coast maps and charts No. 52, from *Cape Romain to Stono inlet*, and No. 54, from *Fripp's inlet to St. Catharine's sound*, and preliminary coast chart No. 14, from *Cape Romain to Tybee light*; to commence the drawing of preliminary coast chart No. 15, from *Tybee light to St. John's light*; and that of general coast chart No. VII, from *Winyah bay to the St. John's river*, will require.....

36,000

SECTION VI.—*Keys, reefs, and coast of Florida.* (See estimates of appropriation for those special objects.)

SECTION VII.—*Part of the western coast of the Florida Peninsula.* FIELD-WORK.—To continue the triangulation south of *Wechiwatchee river*, and north from *Suwanee river*; to continue that from *Apalachicola* westward of *Indian Pass*, and north of *Cape St. Blas*; to continue that of *Santa Rosa sound* and the dependencies of *Pensacola bay*; to make such astronomical and magnetic observations as may be practicable in the section; to continue the topography in connection with the triangulation as far as may be practicable; to continue the hydrography of the section from *St. George's sound* east and west, and from *Cedar keys* south and north, and to make the requisite tidal observations: OFFICE-WORK,—To make the necessary reductions and computations; to complete the drawing and engraving of the chart of *Santa Rosa sound*, *Escambia bay*, and *East bay*; the sketches of the section, and the engraving of the chart of *St. George's sound*; to commence the drawing of coast maps and charts Nos. 84 and 85, from *Appalachee bay* to *St. Joseph's bay*, and the engraving of coast map and chart No. 89, from *Pensacola bay* to *Mobile bay*; to continue the drawing of coast map and chart No. 81, from *Homosassa river* to *Cedar keys*, and that of No. 88, from *Choctawhatchee bay* to *Pensacola bay*, will require.....

\$33,000

SECTION VIII.—*Coast of Alabama, Mississippi, and part of Louisiana.* FIELD-WORK.—To continue the astronomical and magnetic observations required in the section; to continue the triangulation of *Isle au Breton sound*, and the triangulation of the *Mississippi delta* westward; to continue the triangulation over *Vermilion bay*; to complete the topography of *Lake Pontchartrain*, and to keep the topography up with the triangulations just enumerated; to continue the hydrography of *Chandeleur sound*, the *Mississippi passes*, and commence that of *Isle au Breton sound* and *Vermilion bay*; to continue the tidal and current observations and the deep-sea soundings of the Gulf in this section: OFFICE-WORK,—To make the requisite computations; to complete the drawing and continue the engraving of coast map and chart No. 92, *Mississippi sound*, from *Round island* to *Grand island*; to continue the drawing and engraving of preliminary coast chart No. 26, *Mississippi sound*, from *Mobile bay* to *Lake Pontchartrain*, and coast map and chart No. 100, from *Marsh island* to *Grand island*; to complete the drawing and engraving of a chart of the *Mississippi delta*, and the sketches of the section; the drawing of those of *Lake Borgne*, the *Rigolets*, and part of *Lake Pontchartrain*, and coast map and chart No. 93, from *Grand island* to *Lake Pontchartrain*; to commence the drawing of general coast chart No. XIV, from *Pensacola bay* to *Barataria bay*; to complete the drawing and engraving of the chart of *Atchafalaya bay*; to commence the drawing and engraving of that of *Côte Blanche bay*, and the drawing of that of *Vermilion bay*, will require.....

31,500

SECTION IX.—*Part of the coast of Louisiana and the coast of Texas.* FIELD-WORK.—To continue the triangulation southward from *Aransas Pass*, and the topography from *Matagorda entrance* southward and over *Aransas and Copano bays*; to con-

<p>tinue the hydrography in and off shore from <i>Matagorda entrance</i> southward, and inside of <i>Matagorda bay</i> and its dependencies; to make the tidal observations which may be requisite: OFFICE-WORK,—To make the computations and reductions from field-work; to complete the drawing and engraving of coast maps and charts Nos. 106 and 107, from <i>Galveston bay to Matagorda bay</i>, and the sketches of the section; to complete the drawing and commence the engraving of coast map and chart No. 108, <i>Matagorda bay</i>; to continue the drawing and engraving of preliminary coast chart No. 31, from <i>Galveston bay to Matagorda bay</i>; to commence the drawing of coast maps and charts Nos. 109 and 110, from <i>Matagorda bay to Corpus Christi bay</i>; and the engraving of coast map and chart No. 105, <i>Galveston bay</i>, will require.....</p>	\$25,500
Total for the Atlantic coast and Gulf of Mexico.....	250,000

The estimates for the Florida reefs, keys, and coast, and for the Western Coast of the United States, are intended to provide for the following progress:

<p>SECTION VI. <i>Reefs, keys, and coast of Florida.</i> FIELD-WORK.—To continue the triangulation of the eastern or Atlantic coast of the peninsula, south of <i>Matanzas inlet</i>, and north and south of <i>Indian River inlet</i>; to complete the triangulation of the keys and sounds between the outer keys and the coast of the peninsula; to connect, if practicable, the <i>Marquesas</i> and <i>Tortugas</i>; to extend the triangulation north and south from <i>Charlotte harbor</i>; to make a part of the astronomical and magnetic observations required in the section; to continue the topography south of the <i>St. John's river</i>, and north and south of <i>St. Augustine harbor</i>, and, if practicable, over <i>Indian River inlet</i>, and northward of it; to complete the topography of the keys and coast of <i>Barnes' and Card's sounds</i> and <i>Florida bay</i>; to complete the topography of <i>Charlotte harbor</i>; to complete the hydrography of the <i>Florida reef</i>, and to execute off-shore work connected with it; to continue that of <i>Florida bay</i> and <i>Barnes' sound</i> and dependencies; to commence that of <i>Charlotte harbor</i>, and to keep up tidal observations at the <i>Tortugas</i>: OFFICE-WORK,—To make the computations connected with the field-work; to continue the drawing and commence the engraving of coast maps and charts Nos. 69 and 70, <i>Florida reef</i>, from <i>Garden key to Newfound Harbor key</i>; to continue the drawing and engraving of coast maps and charts Nos. 71 and 72, <i>Florida reefs</i>, from <i>Newfound Harbor key to Marquesas key</i>, and the drawing of preliminary coast charts Nos. 19 and 20, <i>Florida reefs</i>, from <i>Key Biscayne to the Tortugas</i>; to complete the drawing and engraving of coast map and chart No. 68, <i>Florida reef</i>, from <i>Key Biscayne to Carysfort reef</i>; that of <i>Charlotte harbor</i>; the sketches of the section; the drawings of <i>Indian River inlet</i> and <i>St. Augustine harbor</i>; and to draw and engrave the tidal and <i>Gulf Stream diagrams</i>, will require .....</p>	\$40,000
<p>SECTION X. <i>Coast of California.</i> FIELD-WORK.—To continue the triangulation along the Pacific coast northward of <i>Santa Barbara</i>, and to make the triangulations of <i>Santa Catalina</i> and <i>San Clemente islands</i>; to continue the primary and secondary triangulation north of <i>Drake's bay</i>, and to make such astronomical and magnetic</p>	

observations as may be necessary in that work; to execute topography within the triangulation of the *Santa Barbara channel*, main and islands; that of the dependencies of *San Pablo bay*, and such plane-table work as may be practicable, in addition to and connecting with the shores of *Drake's bay* and northward from *Point Reyes*; to continue the hydrography of the coast south and north of *San Francisco entrance*, and that of *Santa Barbara channel*, with such other as the progress of the survey may show to be first needed; to continue tidal observations in the section: OFFICE-WORK,—To make the necessary computations and reductions; to complete the drawing and engraving of a chart of *San Pedro harbor*, of *Crescent City harbor*, and of *Tomales bay*, and the sketches of the section; to continue the engraving of charts of *San Francisco and San Pablo bays*, and to commence the drawing of coast maps and charts north and south of *San Francisco bay*. Also, for the operations in

SECTION XI. <i>Coast of Oregon and that of Washington Territory.</i> FIELD-WORK.—To continue the triangulation of <i>Washington and Puget's sounds</i> and of <i>Hood's canal</i> , and the topography connected with it; to continue the hydrography of the <i>Gulf of Georgia</i> , and of <i>Washington and Puget's sounds</i> and their harbors, with such other hydrography as the progress of the survey may show to be expedient; to continue tidal observations in the section: OFFICE-WORK,—To make the necessary computations; to complete the drawing and engraving of a chart of <i>Coquille River entrance</i> , and make the additions to the hydrographic sketch of <i>Canal de Haro and Strait of Rosario</i> , and the progress sketches of the section, will require . . . . .		\$130,000
For running a line to connect the triangulation on the Atlantic coast with that on the Gulf of Mexico, across the Florida peninsula, per act of March 3, 1843 . . . .		5,000
For publishing the observations made in the progress of the survey of the coast of the United States, per act of March 3, 1843 . . . . .		5,000
For repairs of steamers and sailing schooners used in the survey, per act of March 2, 1853 . . . . .		10,000
For fuel and quarters and for mileage or transportation for officers and soldiers of the army serving in the Coast Survey, in cases no longer provided for by the Quartermaster's department, per act of August 31, 1852 . . . . .		5,000
For pay and rations of engineers for seven steamers used in the hydrography of the Coast Survey, no longer supplied by the Navy Department . . . . .		12,800



The amounts thus estimated for the work of the fiscal year 1860-'61, and the appropriations for the present and two past fiscal years, are given below in parallel columns:

Object.	Fiscal year 1860-'61.	Fiscal year 1859-'60.	Fiscal year 1858-'59.	Fiscal year 1857-'58.
	<i>Estimated.</i>	<i>Appropriated.</i>	<i>Appropriated.</i>	<i>Appropriated.</i>
For survey of the Atlantic and Gulf coast of the United States, including compensation of civilians engaged in the work, per act of March 3, 1843 .....	\$250,000	\$250,000	\$250,000	\$250,000
For continuing the survey of the Western Coast of the United States, including compensation of civilians engaged in the work, per act of September 30, 1850 .....	130,000	130,000	130,000	130,000
For continuing the survey of the Florida reefs and keys, including compensation of civilians engaged in the work, per act of March 3, 1849. ....	40,000	40,000	40,000	40,000
For running a line to connect the triangulation on the Atlantic coast with that on the Gulf of Mexico, across the Florida peninsula, including compensation of civilians engaged in the work, per act of March 3, 1843 .....	5,000	5,000	10,000	15,000
For publishing the observations made in the progress of the survey of the coast of the United States, including compensation of civilians engaged in the work, per act of March 3, 1843 .....	5,000	5,000	-----	15,000
For repairs of steamers and sailing schooners used in the survey, per act of March 2, 1853 .....	10,000	10,000	10,000	15,000
For fuel and quarters, and for mileage or transportation for officers and enlisted soldiers of the army serving in the Coast Survey, in cases no longer provided for by the Quartermaster's department, per act of August 31, 1852 .....	*5,000	-----	-----	10,000
For pay and rations of engineers for seven steamers used in the hydrography of the Coast Survey, no longer supplied by the Navy Department .....	†12,800	12,800	12,800	-----

\* Formerly included in estimates of the War Department.

† Formerly included in estimates of the Navy Department.

#### DEVELOPMENTS AND DISCOVERIES.

The general list, up to 1858, inclusive, is given in Appendix No. 8, and contains one hundred and sixty-one references to matters geographically arranged. My attention having been called by Geo. W. Blunt, esq., to the alleged grounding of a vessel on the Battery shoal, where it had been supposed there was water enough to float her, a re-examination of the shoal was made by Lieut. Comg. Craven, and the alarming state of things was developed which is stated in his report and in my letter to the New York Chamber of Commerce, copies of which are given in the Appendix No. 13. The following is a list for the last year:

1. Only eighteen feet at mean low water found on the rock one mile to the southward of Seguin island, coast of Maine.
2. True position of the Hussey Rock, in Casco bay, determined, correcting the erroneous one assigned on previous charts.
3. Determination of the position of the "Hue and Cry," the "Old Proprietor," and other dangers off Cape Elizabeth, Maine.

4. Development of a rock off Ogunquit, bare at low tides and very little known.
  5. A fishing bank sounded out off Wood island, coast of Maine.
  6. Huzzey's Rock, south of Fletcher's Neck, Maine, determined in position.
  7. Development of a four-fathom bank off Cape Porpoise, Maine.
  8. Determination of the position of a small rock with less than four feet at mean low water, near the channel, and in the vicinity of Great Rock, Hyannis harbor, Massachusetts.
  9. The existence of a seventeen-foot spot on the shoal off the battery, New York harbor, the extension of the shoal towards the channel, and the shoaling of the water generally between the shoal and shore.
  10. The existence and character of sub-currents ascertained, as bearing on the physical condition of New York harbor.
  11. Changes developed in the shore lines at the entrance of Little Annemessex river, Chesapeake bay.
  12. Less water found off Cape Romain by preliminary examination than has been heretofore assigned.
  13. Further explorations in developing the character of the Gulf Stream in the Florida channel.
- Changes were reported in Boston inner harbor which made a resurvey desirable, and the occasion was taken of the presence of one of the hydrographic parties in the vicinity to execute the work more fully reported under the head of Section I.

## SURVEYS OF THE WESTERN COAST.

The reconnaissance of this coast having been made, and its chief harbors and entrances having been surveyed, the annual list heretofore given will be replaced by a biennial one.

During the past year, at the request of the authorities of San Pedro and Crescent City, minute surveys of those harbors were made and charts prepared on a larger scale than the previous charts of the same localities. A survey of Gray's harbor was directed, but circumstances preventing the land party from co-operating in it, a simple hydrographic reconnaissance was made. The survey of Coquille river entrance was also ordered, and would have been accomplished but for an accident to the hydrographic vessel. Special arrangements have been made by Commander Alden for its execution.

On the 15th of September the Treasury Department issued an order placing the steamer *Active* at the disposal of Lieutenant General Scott, and at the last advices from the Western Coast that vessel was undergoing repairs at the Mare Island navy yard, to be in readiness for such service as might be required under his orders.

## TIDE TABLES.

The tide tables for navigators of the coast of the United States have been revised in the Tidal Division of the office, and additional results for the diurnal inequality in the ports of the Pacific coast have been interpolated from the observations and reductions at the regular tidal stations.

These tables (Appendix No. 14) contain the corrected establishment or mean lunital interval of one hundred and ten parts; the rise and fall of mean, spring, and neap tides, and the mean duration of flood, ebb, and stand. Simple rules for computing the time and height of high water, and for correcting the same for half monthly inequality, and for the daily

inequality where it is sufficient in amount to require notice, are given. The different peculiarities of the tides on the Atlantic, Gulf, and Pacific coasts of the United States are stated as derived from numerous observations. Easy rules for the tidal currents on the sea-coast of the Atlantic are also embodied in the explanatory notes to the tables.

#### TABLE OF DEPTHS.

In Appendix No. 15 is presented a revision of the table of depths which accompanied my report for 1857, with additions derived from results received at the office since that report was published, and from the latest data furnished by the Tidal Division. The table contains the depths that may be carried in at the entrances to principal ports and rivers, and that may be found at some of the more important anchorages on the several coasts of the United States. The compendious form in which this information is presented has been found very convenient for purposes of general reference.

#### LIST OF GEOGRAPHICAL POSITIONS.

The practical character of the triangulation is well shown in the resulting determinations of the latitude, longitude, and air-line distances from each other of numerous points on all parts of the coast which have yet been reached in the operations of the survey. These are furnished by computation from the notes and journals of observations kept at the stations by the several field parties which occupy them. As being of general interest and of direct practical use to surveyors, navigators, and others, the geographical positions, as increasing in number, have been given in the reports of alternate years, beginning with that for 1851. In Appendix No. 20 of this report, one thousand six hundred and sixty-two additional positions are furnished, including points in all the sections of the coast, excepting Section IV. The progress sketches show the locations of the points, the latitudes and longitudes of which, with the bearings and distances from each other, are given in the form of tables.

The whole number of points determined, and of which the geographical positions have been published, amounts to seven thousand one hundred and seventy-eight.

#### TOPOGRAPHICAL AND HYDROGRAPHIC SHEETS.

In my report for 1856 lists were given with the scales, dates, and register numbers of all the plane-table sheets and original charts then on file in the archives. The lists given in the Appendix Nos. 18 and 19 contain the titles, &c., of the topographical and hydrographic sheets received and registered since that report was issued. To serve as an index for reference, the titles are arranged in geographical order, as in the former list.

#### INFORMATION FURNISHED.

Under an arrangement in the department which specially authorizes the communication of such data as the archives and records of the survey may furnish, on the conditions that due credit may be given for the same, and that the actual expense of copying the records be borne by the applicant, the usual calls have been met as heretofore—(Appendix No. 6.) As regards the general purpose of the work, this practice is merely incidental, but it requires no enlargement to show that all parts of the Union partake of the advantage derived from the regulation. The information, furnished on the terms alluded to, without any extra cost to the government, may be readily traced in general and elementary publi-

cations, and so has, in a measure, already returned of its first fruits to the people at large. Wherever interest is found in questions concerning the general geography of the country, it is clear that an accurate coast-line must ever be regarded as an important feature.

#### STATISTICS.

A revised table containing the statistics of field and office work is given in Appendix No. 7. It will readily be seen that the nature of the data given in some of the items renders the compilation of such a statement a matter of considerable difficulty and labor. Many of the plane-table and hydrographic sheets being required for purposes of reference in joining the new to former work, the statistical data which they would furnish without hindrance to the operations constantly going on at the south during winter, and at the north in summer and autumn, can be reached only by degrees in the process of distributing under the head of each year the work which properly belongs to it. This has at length been as nearly accomplished as the nature of the material and necessities of the work will allow. A systematic revision has been made of all the data, and provision for continuing the same from year to year upon a regular plan and with the same supervision, so that uniformity in the comparisons may be insured.

#### DISTRIBUTION OF REPORTS AND MAPS.

The lists kept at the office now contain the names of about four thousand individuals and public institutions to which the annual reports are sent regularly, as they are published. These lists have received additions, from year to year, of addresses referred by senators and members of the House of Representatives, and some have been registered on considerations connected with the known vocation and standing of the persons and institutions applying for them directly. About three hundred institutions of learning are embraced in the general list. The total stated is exclusive of a number of copies sent in exchange to foreign governments and societies, and of the miscellaneous distribution to individuals. In numerous cases calls made by the constituents of members of Congress after their complement of copies was exhausted have been supplied from the office, as are also the special applications constantly received from all parts of the Union, and from parties connected with the merchant service in the coasting trade. All the vessels of the navy and revenue marine, light-house inspectors, a large number of officers of both branches of the military service, custom-house officers, and others connected with the General Land Office in the States, and the Chambers of Commerce, Boards of Trade and Underwriters in the principal seaboard cities, have been regularly furnished in the same way. The total number of copies distributed within the year was six thousand one hundred and seventeen.

Of maps, charts, and sketches, over fourteen thousand impressions have been distributed since the date of my last report. More than half of these were sent to the principal departments of the government, to foreign institutions, and to certain libraries and other public depositories designated by members of the House of Representatives in their respective districts throughout the entire country.

It is expected that the Coast Survey Report for 1858, ordered by the last Congress to be printed, will, with its maps and charts, be published by the energetic Superintendent of Public Printing in the early part of the session, anticipating by many months the former rate of publication.

## REPORT OF COMMITTEE OF TWENTY.

At their meeting in 1857 the American Association for the Advancement of Science appointed a committee of twenty,\* to examine anew into the character and progress of the Coast Survey. A report had been made by a committee in 1849, and a new examination was desired. The conclusions of this committee, after a most elaborate investigation of the subject, are given in their report,† as follows:

“With these voluntary and emphatic testimonies to the character of a work as magnificent in its scientific aspects as it is valuable in those which are purely utilitarian—testimonies, moreover, emanating from sources which rank, in point of authority, among the highest known to the scientific world—the committee might be justified in closing a report already protracted beyond their expectation. After the extended review, however, which they have taken of the purposes in which this great undertaking originated, of the history of its growth, and the expansion of the processes involved in its execution, and of the brilliant results which have already crowned its diversified labors, it will probably be expected of them that they should condense the final expression of their opinions into a form sufficiently concise to be comprehended at a single view. As the succinct recapitulation, therefore, of the conclusions at which they have arrived, the committee, with entire unanimity, concur in stating the following propositions :

“1. The American Coast Survey, in its inception, was a work imperatively demanded by a due regard to the industrial interests of the country, dependent, as they are, greatly upon the prosperity of commerce for their free development.

“2. The indecision which marked the early policy of the government in regard to this survey, and the consequent delay of its efficient operations, and postponement of its beneficial results, were of manifest disadvantage to the material welfare of our people, and cannot but be still subjects of serious regret.

“3. The economical value of such surveys is attested by the universal voice of all com-

- 
- \* 1. Judge J. K. Kane, President Amer. Phil. Society, Penna.
  - 2. Gen. Joseph G. Totten, Chief Engineer U. S. A.
  - 3. Prof. Benjamin Peirce, Harvard College, Mass.
  - 4. Prof. John Torrey, U. S. Assay office, N. Y.
  - 5. Prof. Joseph Henry, Secretary Smithsonian Institute, D. C.
  - 6. Prof. J. F. Frazer, University of Pennsylvania, Penna.
  - 7. Prof. Wm. Chauvenet, U. S. Naval Academy, Md.
  - 8. President F. A. P. Barnard, University of Mississippi, Miss.
  - 9. Prof. John Leconte, College of South Carolina, S. C.
  - 10. Prof. Wm. M. Gillespie, Union College, N. Y.
  - 11. Prof. F. H. Smith, University of Virginia, Va.
  - 12. Prof. W. H. C. Bartlett, U. S. Military Academy, N. Y.
  - 13. Prof. Wolcott Gibbs, Free Academy, N. Y.
  - 14. Prof. Stephen Alexander, College of New Jersey, N. J.
  - 15. Prof. Lewis R. Gibbs, Charleston College, S. C.
  - 16. Prof. Joseph Winlock, Supt. Am. Naut. Alm., Ky.
  - 17. Prof. James Phillips, University of North Carolina, N. C.
  - 18. Prof. Wm. Ferrel, Nashville, Tenn.
  - 19. Prof. Edward Hitchcock, Amherst College, Mass.
  - 20. Prof. James D. Dana, Yale College, Conn.

† Report on the history and progress of the American Coast Survey, up to the year 1858, by the committee of twenty appointed by the American Association for the Advancement of Science, at the Montreal meeting, August, 1857.

mercial men, and by the concurrent practice of all commercial nations, no less than by the melancholy records of marine disaster annually occurring upon every unexplored coast.

"4. Their scientific value is witnessed, in the instance of the American Survey, by the spontaneous tributes of approval frequently and freely bestowed upon it—no less in regard to the ability, energy, and skill displayed in its management than to the magnitude, variety, and oftentimes curious interest of the results it has wrought out—by individuals and organized bodies of men whose high position as scientific authorities renders their opinions upon subjects of this nature entirely conclusive.

"5. This work has conferred many valuable benefits upon science, indirectly and incidentally, in the invention or perfection of instruments, in the improvement of methods of observation or of computation, in the development which it has given to special subjects of interesting inquiry, and in the stimulus which it has furnished to the scientific talent of the country, especially in the field of astronomical observation and investigation.

"6. A careful study of the progress made from year to year, especially since the enlargement of the scale of operations under the present Superintendent, affords ample evidence that the work has been expeditiously prosecuted, and that the amount accomplished up to the present date is materially greater than has ever been accomplished in any other country in the same length of time and with the same means.

"7. Compared with similar surveys executed or in progress of execution by foreign governments, the American Survey has been conducted with remarkable economy.

"8. Compared with such foreign surveys, the quality of the work done in this will bear the test of any standard that has ever been anywhere set up, and is such as to reflect honor on the scientific character of our country in the eyes of the world.

"9. Every consideration of economy, of humanity, and of regard for the reputation of the country, demands that the work should be prosecuted with undiminished activity until every portion of our coast shall have been as thoroughly explored and mapped as those have been already in which its operations commenced.

"10. Conclusive reasons, involving other weighty public interests no less than this, but connected also with the project of verifying in the happiest manner the geodesy of our extended and circuitous coast, conspire to render the triangulation of the great Appalachian chain of mountains a most desirable undertaking, and encourage the hope that our government will very early direct that most important work to be executed.

"11. The publication in full of all the observations upon which the published results of the Coast Survey are founded, together with the methods employed in the reduction and discussion of the observations, would be a contribution to science, and especially to the science of geodesy, of inappreciable value, besides being necessary to secure the records against loss; and the committee earnestly hope that the government may not fail to provide the means for the adequate and rapid prosecution of this work.

"12. The existing organization of the survey, judged in the light of the experience acquired by our own and by foreign governments in the management of such works, is, in the deliberate opinion of the committee, preferable to any other that has ever been suggested.

"These propositions have not been hastily sketched, and are not lightly thrown out; but they are announced as the result of mature reflection and careful consideration. With their

announcement, the duty of the committee, under the resolution appointing them, is discharged. The committee cannot, however, forget that they have another duty, unprescribed by any resolution, to fulfil; which is to express, on behalf of the association which has charged them with their present responsibility and of the world of science, which they may claim for the moment to represent, their deep sense of the obligation which they feel to be due to the enlightened statesmen who, whether in the executive branch of the government or in the legislative halls of Congress, have sustained the work to the present hour by their liberal recommendations or their able advocacy, and have labored to conciliate to it the popular favor by their intelligent and manly expositions of its objects and its value.

“Among the distinguished men who hold in their hands the destinies of the country are still to be found statesmen no less enlightened and no less liberal. To such, therefore, with whatever branch of the government they may be connected, the committee, in conclusion, most cordially commend the important work which they have been reviewing, and, in the name of the associated science of the country, they solicit for it the continuance of the executive favor and legislative support which it has hitherto enjoyed.”

#### TELEGRAPHIC LONGITUDES.

The work of reductions of telegraphic longitudes, under the direction of Doctor B. A. Gould, has made excellent progress, besides which, a working list for a catalogue for selecting proper stars for the latitude determinations of the survey has been carefully prepared. The recent longitude determinations of Calais, Bangor, Mobile, New Orleans, and Albany, New York, are far advanced in their reductions, and it is expected that all the reductions of work of former years will have been completed, and put in the shape for publication before the expiration of another year. A new determination, connecting Apalachicola with the main series, will be undertaken this winter. Careful investigations have been made of the determination of the probable error of reading off the Morse fillets, and of chronographs of different kinds, as well as to a suspected personal equation in reading off the several registers, and the results have been highly satisfactory, as showing the readings made to be affected with smaller mean errors than any other chronograph readings to which the party had access. The personal scale of the readers, too, was tested with satisfactory results, showing the distribution of readings of even the hundredths of seconds to be equable and satisfactory. The special report upon the circumpolar catalogue was published in the *Astronomical Journal* for January, 1859.

#### BASE OF VERIFICATION.

The base of verification measured upon Epping plains in Maine, in 1857, has been connected with the primary triangulation, and the verification has been most complete. The approximate length of the measured base, as deduced from the office discussion up to 1859, subject yet to some small change for the full result for the expansion of the comparison bar, and the connexion with the standard metre is 8,715.845 metres. As derived through the primary triangulation from the mean of the Fire island and Providence bases from computations to 1859, the same base is 8,715.837 metres in length, differing but eight millimetres, or three tenths of an inch from the former value.

The verification is much within the corrections to be derived from expansion and comparison with the standard metre.

## MAGNETIC OBSERVATIONS.

A memoir prepared by me for the Smithsonian contributions to knowledge and published therein containing a discussion of the magnetic and meteorological observations made between 1840 and 1845, at the Girard College of Philadelphia, under my direction, and the patronage of the American Philosophical Society and of the War Department of the United States, is given in Appendix No. 22. The observations themselves were made in connexion with the extended series under the patronage of the governments of Europe, and were published in extenso by the Senate of the United States. The results are of practical value in connexion with the discussion of changes daily and annual, and others in the magnetic variation, as well as of scientific interest in reference to the periodical character of the disturbances observed. The discussions given in my previous reports have proved useful, in a great variety of cases, to surveyors and others, so that the correspondence in regard to them has at different times been quite interesting, from the number and character of the questions raised and settled. The facts given in this paper will, I feel convinced, find in like manner useful applications in practice.

In a scientific point of view the connexion between a well determined period in the daily variation of the needle and in its disturbances, and the period of change in the solar spots, must be considered not merely curious but important, as proving one of the links connecting the phenomena of the earth's magnetism with the general phenomena of the solar system.

The subject of the secular change of the magnetic declination (variation of the needle) has again been taken up, and the former discussions given in my annual reports for 1855, 1856, and 1858, have been extended. The results are now tabulated and put in a practical form for ready use. Appendix No. 24 presents the report of Assistant Charles A. Schott, on the last results from the discussion of the secular change of the magnetic declination, accompanied by tables showing the declination (variation of the needle) for every tenth year from the date of the earliest reliable observation, for twenty-six stations on the Atlantic, Gulf, and Pacific coasts of the United States. The report, after pointing out the change made in the method of treating the observations adopted since the date of the discussion given in my last report, describes in general outlines the character of the secular change. The formulæ deduced for each station are then presented, accompanied by tables of the declination at every tenth year and the deduced epoch of minimum west (or maximum east) declination with its corresponding amount; and also the annual changes for the three epochs 1840, 1850, and 1860. Results for several stations outside of the limits of the United States are also given. The paper concludes with a list of the observations used in the discussion, but which have not yet been published in either of my former reports.

In the summer Assistant Schott determined the magnetic elements at a number of stations in the New England States, further notices of which will be given under the heads of Section I and Section II, in the body of this report. The results deduced from his observations are stated in tabular form in Appendix No. 23.

A new map of the magnetic variation of the world for 1858, compiled from various authentic sources, has been published under the auspices of the British admiralty, by F. J. Evans, master, R. N. This has been carefully examined by those officers of the Coast Survey whose studies have led them into this field, and meets with high approval. The results have been transferred (Sketch No. 38) to the polyconic projection used in the Coast Survey, and are



given in this report, with a table from the chart, (Appendix No. 16,) showing the variations corresponding to different latitudes and longitudes, for the use of navigators.

#### GULF STREAM.

The observations in the Florida channel have been completed during the past year, and have yielded the most interesting results, of which a report is given in Appendix No. 25. The form of the bottom of the strait is shown to be simply that of a deep trough, the deepest part of which lies on the Cuban side of the straits. The cold water from the north is found at the bottom of this trough, having a temperature of thirty-four degrees. The overlying warm water of the Gulf Stream is without bands, alternately colder and warmer, as it should be if the figure of the bottom determined the formation of these bands, as has been supposed. At Cape Florida the stream is narrowest and shoalest, and the cold water here comes near to the surface, making this a comparatively cold band in the longitudinal direction of the stream.

The depth of the strait only five miles from Havana is eight hundred fathoms, and close to the island of Bemini three hundred fathoms. This great depth is no doubt caused by the wearing action of the polar current. The form of this trough renders it probable that the main stream of the Gulf is that which makes the circuit of the Gulf of Mexico.

The "cold wall" along the coast of the United States is traceable along the Florida keys and to the Tortugas.

Some investigations, by experiment, of the effect of pressure on the Saxton metallic thermometers are given in the same article of the Appendix.

#### TIDES AND CURRENTS.

It will be recollected that the physical survey of New York harbor was first commenced at the request of the Commissioners on Harbor Encroachments, and that the expenditures for so much of the work as exceeded the requirements of the Coast Survey have been defrayed by the State of New York, the Coast Survey officers, under authority given to the Commissioners by the President of the United States, and under the directions of the Treasury Department, having carried on the survey. Its results have thus served the double purpose of the new Coast Survey map of the harbor of New York, which in a preliminary form was published in my report of 1857, and which is in progress of engraving in its finished condition, as well as of the Commissioners' map of the harbor.

In regard to the physical survey, it is not too much to claim for the observations made, which have now been continued through several years, that they have developed in a general way the causes of the channels and of the shoals of New York harbor and bar, and of the changes above and below water. The curious and unexpected fact of rotary currents at and below the surface at the entrance to the Hudson, rotating in a vertical direction, so that while the water on the surface is running ebb to the south, below the surface it is running flood, or northward, is fully established by the observations, and is of itself of very great practical value.

About nine thousand observations of currents, of which three thousand were taken below the surface, and seven thousand four hundred and ninety observations of the tides, were made in the course of this work during the past season.

Observations at current stations beyond the light-ship show that the constant currents, independent of those from the drainage of the land waters, sweep the Bay of the Five States. One of these stations was nearly sixty miles east-southeast from Sandy Hook. The motion of these

currents sometimes extends to the whole body of the sea, and at others is more or less superficial. The currents near the south shore of Long Island were observed by casting into the sea large shells previously marked, and noting the places and times at which they were thrown up on the beaches. Nearly one-third of the shells were picked up, and their motion established the existence of an excess of easterly current, independent of the effect of winds and waves. The existence of this easterly drift has often been asserted, and yet the spits of the inlets make to the westward, seeming to disprove the fact of an excess of easterly current. To unravel this many observations were made, and the clue seems to have been found in them, but their full discussion is required before pronouncing upon this. This probable clue is in the movement of the waves.

Appendix No. 26 contains the report of Assistant Mitchell, by whom the observations were made.

#### RECORDS AND RESULTS.

The inquiries in regard to this publication are constant, notwithstanding the notice given in my last report of the inadequacy of the appropriation to publish the work. The utmost that can be done with the present means is to keep pace with the records in preparing the work, and this imperfectly. A volume of Gulf Stream results will, it is expected, be published within the next year; but if this is accomplished, it is all that can be done, as stated in my last report, with the means in hand from former appropriations. I have no doubt of the importance of resuming this work as soon as the state of the treasury will permit, as it secures the records from possible loss, and enables us, while those are connected with the survey who have executed the work to be published, to have full scientific criticisms of the results. It has been the reproach of such surveys that there is great delay in publishing results, so that they appear only years after the work has ceased, and when the observations are in a degree obsolete. I should like to avoid the application of this remark to our work, if possible.

#### PROJECTION TABLES.

These tables, as given in Appendix No. 33, were arranged by Assistant J. E. Hilgard, and are the extension to lower latitudes of similar ones which appeared in my annual report for 1856. They are based upon a polyconic development of the earth's surface, which supposes each parallel of latitude to be represented on a plane by the development of a cone, having the parallel for its base, and its vertex in the point where a tangent to the parallel intersects the earth's axis. In this system the degrees on the parallel preserve their true length, and the general distortion of area is less than in any other geometrical mode of representing a given portion of the earth's surface. Bessel's constants, which have been adopted for projections required in the Coast Survey, were used in the formation of the tables.

Table I gives the length in metres of one degree of latitude and longitude for each degree of latitude from  $0^{\circ}$  to  $54^{\circ}$ , and the value of the corresponding radius of the developed parallel. It also gives the values of the angle subtended at the vertex of the cone by the developed parallel, for ten degrees of longitude, by means of which the tables may readily be extended.

Table II gives the rectangular co-ordinates for thirty degrees of longitude on each parallel, from latitude  $1^{\circ}$  to  $54^{\circ}$ , the numbers in the table corresponding to the actual dimensions of the earth in metres, and only requiring to be divided by the proper number for any desired scale. Notes explanatory of the tables precede them in the Appendix.

## INSTRUMENTS AND APPARATUS.

An apparatus for deep-sea soundings, based upon his examinations of this subject, has been devised by Professor W. P. Trowbridge, assistant in the Coast Survey. A full description of the instrument will be found in the Appendix No. 34, and views of its several parts on Sketch No. 39. The principal feature of this sounding apparatus is new, but simple, and it is hoped that a great improvement on the present modes of sounding in great depths may result from its application. The friction upon the line in the descent of the lead is avoided, and the consequent freedom of descent secured by having the line compactly coiled along with the sinker, the uncoiling taking place in the descent of the apparatus. It is proposed to test the practical working of the instrument during the coming season.

The experiments with the pressure tide-gauge of Captain Hunt, of the Corps of Engineers, have been continued, and show that the instrument must in many cases be a very useful one. By filling the tube which communicates between the pressure bag and the indicator with alcohol, we expect to be able to use the instrument at low temperatures and when the surface of the water is covered by ice. The experiments of Mr. J. M. Batchelder, in continuation of those noticed in my report of last year, are stated in Appendix No. 35.

In the report of Assistant Henry Mitchell (Appendix No. 26) will be found descriptions of improvements in apparatus for detecting and measuring sub-currents, and also of an improved form of pile for securing structures upon shoals or along the open coast, where the heavy sea prevents the use of ordinary means. These devices are illustrated in Sketch No. 40.

In the use of the improved current apparatus the velocities of the drifts in the lower water strata are compared with the superficial movements of the sea by measuring, during a specified interval of time, the separation which takes place between a floating body and a system of globes or shafts let down to great depths. When in use the apparatus is in no wise connected with the vessel, so that no discordance in the observations can result from the motions of the latter, and the experiments may be made accurately even in a heavy sea.

Assistant Mitchell's improved pile is a device borrowed from nature, he having observed that certain seed vessels, by virtue of their forms, bury themselves in the earth when agitated by wind or water. This pile, instead of being torn up by the waves, is impelled steadily downward. It may be hewn out ever so roughly, its success in practice depending upon very simple conditions described in the report which I have referred to.

In his past season's operations Mr. Mitchell has made successful use of apparatus comprehending the improvements he describes.

## OFFICERS OF THE ARMY.

Between November 1, 1858, and the same date of the present year, five officers of the army have been detached from the Coast Survey, and two detailed for service. Captain E. B. Hunt, of the Corps of Engineers, has not been regularly detached, but has, in fact, been so occupied with engineering duties as to render it impracticable that he should give any portion of his time to the Coast Survey.

Captain A. H. Seward, U. S. A., detached on his promotion, has rendered good service, and shown remarkable adaptation to our work in charge of a triangulation party in the very difficult region of the inner Florida keys, and the loss of his experience to the survey is much to be regretted.

Lieutenant J. C. Tidball, U. S. A., had been in charge of the drawing division of the Coast Survey for several years, and was a very efficient officer. Lieutenants J. P. Roy, and Rufus Saxton had been serviceable both in the field and office. The experience of all these officers is now lost to us in their several positions.

Appendix No. 3 contains a list of the army officers now attached to the Coast Survey.

#### OFFICERS OF THE NAVY.

During the past year we have lost by detachment the services of two of the most experienced chiefs of hydrographic parties. Lieutenants T. A. Craven and J. N. Maffitt, U. S. N., have thoroughly identified their names with the Coast Survey, and wherever their labors have extended, from Maine to Texas, have left the mark of their special ability for the work. During the last period of their service they were but temporarily attached to the survey, it being understood that the Navy Department would soon need them in highly responsible positions connected with the general service, but they, nevertheless, both found time, the former on the Florida reef, in New York harbor, and in the Gulf Stream, and the latter in organizing a system of repairs and equipment, to cause that short period to be remembered as important to the survey.

By the kindness of the Hon. Secretary of the Navy, my letters of acknowledgment to these officers were transmitted to them in the most complimentary way.—(Appendix No. 39.)

Lieutenant W. G. Temple, U. S. N., was detached from the command of the steamer *Corwin* in October, 1858, and from the survey in April, 1859. He had been in charge of a party less than two years, but his preliminary experience in the work, and his intelligence and industry, rendered every day of his connexion with it useful to the survey.

Lieutenant T. B. Huger, U. S. N., was detached at the close of his summer's work, having earned the name of a zealous and intelligent chief of a hydrographic party.

Of the chiefs of parties who have replaced these officers, Lieutenant Wilkinson and Lieutenant Phelps have had considerable experience in the survey in former years, as junior officers of parties.

The names of all the officers now on duty in the Coast Survey are given in Appendix No. 5.

The deficiency in the number of naval officers, by which only one lieutenant is now allowed to each hydrographic party, has made a radical change in our service. The master's mates allowed to the parties will, in time, be trained to the work, but thus far the difficulties have been much increased by the want of experienced officers. The rules required to give a form of organization to this branch of the service have been adopted, and their working will be carefully observed.

All the engineers of the Coast Survey vessels are now civilians, and their entire emolument is derived from the Coast Survey appropriations. Under the regulations of the Treasury Department they are employed by the chiefs of hydrographic parties at fixed rates of pay, their employment lasting, as a rule, only while the vessels are in commission.

#### HYDROGRAPHIC DIVISION.

The advantages to be derived from this division have been fully realized by the activity of Lieut. J. N. Maffitt, U. S. N., who was in charge of it at the outset, with Mr. A. Balbach as the draughtsman. Commander S. S. Lee, U. S. N., who has replaced Lieut. Maffitt, will no doubt maintain all its efficiency.

The duties of hydrographic inspector, which are combined with those of the charge of this division, are of great importance, and Commander Lee has already shown the efficiency and economy which must come from the new organization devised by Lieut. Maffitt, and commenced under his immediate supervision.

By the kindness of the Hon. Secretary of the Navy, and of Commodore Smith, chief of the Bureau of Docks and Yards, the necessary store-room has been assigned to us in the New York navy yard, and the order and method introduced into the laying up, repairs, and fitting out of our small vessels, and into the charge of them while laid up, will prove not only a source of efficiency, but also of economy.

#### AIDS TO NAVIGATION.

As the hydrographic work advances, and developments are made of the known or hitherto unknown dangers to navigation, the practice has been, with the chiefs of parties, to report upon them, with such recommendations in regard to buoys or other marks as in their judgment are necessary. Their remarks on the aids required for safety in navigation are from time to time referred through the department for the consideration of the Light-house Board. Appendix No. 40 contains a list of the cases reported within the year, and Nos. 41, 42, and 43 my communications relative to the special localities and character of the marks required for the purposes of mariners.

#### OBITUARIES.

The survey has lost during the past year, by death, the services of Lieut. John K. Duer, U. S. N., who was in charge of one of the hydrographic parties in the Gulf of Mexico. This officer discovered in 1857 the new channel east of Dog island, leading into St. George's sound, and to Apalachicola, so important to the future development of that part of the coast of Florida, and was engaged in completing the survey of the approaches when he died. He was a zealous and industrious officer, regarding always the public service rather than his own health or convenience, and died of a disease of the heart aggravated by the labors and responsibilities of his position.

Mr. Gustavus Würdemann, in charge of the tidal observations on the Florida reefs and in the Gulf of Mexico, died at his home in New Jersey on the 29th of September. His health had been failing for some years, and during the last year he had discharged his duties with great difficulty, owing to physical debility.

Mr. Würdemann entered the survey under my predecessor, and served until the period of his death with a fidelity and singleness of purpose that has never been exceeded. Exact truthfulness was the leading trait of his character, and his observations were reliable in the most minute as in the largest points. It is easily seen that it is no exaggeration to say that such a man in his place was invaluable, and an example worthy to be held up as the type of faithfulness. During the discharge of his laborious duties he found time and opportunity to make collections in natural history, which have been acknowledged by the Smithsonian Institution as among its most valuable contributions to the knowledge of the fauna of Florida.

Mr. F. Dankworth, one of the oldest and best engravers in the Coast Survey Office, whose employment dates from 1843, died on the 19th of April. He had been in infirm health for the last year, but continued to the last to work at his art, to which he was successfully devoted.

I proceed now to give, in the usual geographical order, detailed statements of the field-work done on the Atlantic, Gulf, and Pacific coasts of the United States, under the head of sections, the limits of which have been already defined. In each chapter the work is described generally in the natural order taken in its execution, as triangulation, topography, hydrography. Notices of the office-work done in Washington precede the several chapters, each of which corresponds to one of the sections.

## SECTION I.

FROM PASSAMAQUODDY BAY TO POINT JUDITH, INCLUDING THE COAST OF THE STATES OF MAINE, NEW HAMPSHIRE, MASSACHUSETTS, AND RHODE ISLAND.—(Sketch A, Nos. 1 AND 2.)

The progress in the field-work of this section is stated under the following heads:

1. *Geodetic and astronomical observations.*—The primary triangulation and the astronomical and magnetic observations connected with it have been carried to the boundary, and Chamcook station has been occupied for the survey of Passamaquoddy bay.

2. *Triangulation connected with Epping base.*—The primary triangulation has been connected with the base of verification on Epping plains, measured in 1857. The verification from the first approximate computations is highly satisfactory, the length as measured and as computed from the triangulation differing but three-tenths of an inch in five miles and four-tenths. This brings the results much within the range of uncertainties of expansion of measures and the like.

3. *Triangulation of Penobscot bay.*—This work extends over the entrance, embracing the islands as well as the main.

4. *Triangulation of Muscongus bay and sound.*—This work has been extended from the Sheepscot river over the Damariscotta and over Muscongus bay and sound to a junction with the Penobscot work.

5. *Topography of Wiscasset bay.*—A stretch of about four miles above and below the town of Wiscasset has been completed, joining with the work of the previous year on the Sheepscot.

6. *Topography of Merrymeeting bay and of Bath, Maine.*—This is a continuation of the survey of the shores of the Kennebec river.

7. *Topography of Casco bay, Maine.*—This is a continuation of the survey of the main and islands of Casco bay, and extends to Harpswell Neck.

8. *Plane-table survey of the Isle of Shoals and adjacent coast.*

9. *Topography of Barnstable harbor and approaches, Mass.*—This forms part of the topography of Cape Cod, which remained to be executed on the inner shore.

10. *Hydrography of the approaches to Sheepscot bay and Kennebec river, Maine.*—These were nearly completed. The least depth of water upon "Mile Ledge" was found to be but eighteen feet at mean low tide.

11. *Hydrography of Casco bay.*—This is in continuation of the soundings of the lower part of Casco bay. The well known "Hussey Rock" was found to be erroneously laid down in position on the best charts. The shoal artificially caused off Union wharf, Portland harbor, has been nearly removed.

12. *In-shore hydrography between Cape Elizabeth and Cape Porpoise, coast of Maine.*—This is nearly connected with the hydrography of the approaches to Portland harbor. Cape Porpoise,

Stage Island, and Wood Island harbors were surveyed in connection with this work. The developments here were numerous.

13. *Off-shore hydrography, coast of Maine, New Hampshire, and Massachusetts.*—Important contributions to this have been made.

14. *Examination of Salem harbor.*—This was an extension of the examination of last year.

15. Rock determined in Hyannis harbor, Mass.

16. Magnetic observations at localities extending from Portland to Cape Ann.

17. Tidal observations.

This work has occupied three triangulation and magnetic, four topographical, and two hydrographic parties during the whole or parts of the season.

*Office-work.*—The drawing and engraving of additions to the chart of Boston harbor have been completed, as also the drawing of those of Portland harbor, Lynn harbor, and a new edition of that of Muskeget channel, and the engraving of the preliminary charts of Kennebec river and Rockport harbor. Progress has been made in the drawing and engraving of general coast chart No. II, from Cape Ann to Gay Head, and of preliminary coast chart No. 3, from Cape Small Point to Cape Cod; in the drawing of coast maps and charts, No. 7, from Muscongus bay to Portland harbor; Nos. 9, 10, and 11, from Cape Neddick to Hyannis harbor, and No. 14, from Cuttyhunk island to Block island; also in the engraving of coast maps and charts, Nos. 12 and 13, from Monomoy to New Bedford; the views for these charts, the finished maps of Kennebec river and Lynn harbor, and the new edition of the chart of Muskeget channel.

*Geodetic and astronomical observations.*—The party under my immediate direction was organized at Washington early in June for the purpose of completing the primary triangulation of the coast near the northeastern boundary of the United States. The preliminaries required in the erection of additional signals and posting the heliotropers were executed by Assistants C. O. Boutelle and G. W. Dean, and the preparations necessary in occupying the stations were, as usual, made by Mr. Thomas McDonnell, artificer in the Coast Survey.

Station Howard, situated on the western side of Machias bay, and in the township of Machiasport, Washington county, Maine, was first occupied. Owing to unfavorable weather, arising chiefly from the prevalence of sea fogs, but little progress was made until the middle of July, when the measurement of horizontal angles was commenced. From that period the work advanced well, and the various operations being satisfactorily completed by the 15th of August, arrangements were made for the immediate transfer of the party and instruments to the station Western Ridge, in Cooper township, in connection by a primary line, as may be seen by reference to sketch No. 1, with station Howard.

The operations at Howard included the measurement of twenty-four horizontal angles with the thirty-inch theodolite; vertical angles with the eight-inch Gambey circle, C. S. No. 57, upon six points; the determination of the latitude with the zenith telescope; azimuth observations with the thirty-inch theodolite; the determination of the magnetic elements; levellings for ascertaining the height of the station above the sea, and the usual meteorological observations. These several particulars, in connection with others, will presently be noticed more in detail.

The measurements of horizontal angles at station Western Ridge were commenced on the 30th

of August, and the work was pressed forward until the 27th of September, at which date all the geodetic, astronomical, and magnetic observations were brought to a successful close.

For extending the triangulation so as to include the northeastern boundary in the vicinity of Passamaquoddy bay, Chamcook station, near St. Andrew's, New Brunswick, was occupied by Assistant Dean between the 13th and 28th of October, and satisfactory measurements made of the angles required to conclude the primary work.

The facilities extended to Mr. Dean by T. B. Wilson, esq., of Chamcook, and Capt. Thomas Jones, U. S. consul at St. Andrews, while prosecuting the operations in that vicinity, are acknowledged in his report. The following statistics exhibit in brief the work executed by my party in this section during the past season:

*Triangulation.*—At station Howard 1,066 observations were made with the thirty-inch theodolite, C. S. No. 1, upon ten signals and an elongation mark. The vertical angles for determining the heights of the principal stations were measured with the eight-inch Gambey vertical circle, C. S. No. 57, and for this purpose sixty-seven sets each, consisting of six measurements of the angle, were made upon the signals of six stations.

At Western Ridge station 1,103 observations were made with the large theodolite upon eleven signals and the elongation mark. Nine stations were observed on for the vertical angles, and 560 measurements were made.

At station Chamcook 464 observations were made with the large theodolite upon four signals for horizontal angles. Vertical angles were measured by 234 observations on the same signals with the circle No. 57.

The most distant signal observed on during the season was that on Mt. Desert island, as seen from Western Ridge. This line, between the two stations, is about fifty-eight miles in length. From Western Ridge the highest peak of Mt. Katahdn was observed on incidentally at a distance of about a hundred miles, and with observations of the same kind made at Mt. Desert in 1856, upon the same point, the geographical position of that remarkable feature of the interior of Maine will be approximately determined.

The primary triangulation completed during the season embraces an area of 1,150 square miles.

*Latitude and time observations.*—At station Howard two hundred and nineteen observations were made with the zenith telescope, C. S. No. 5, upon forty sets of stars. The arc value of a revolution of the micrometer was carefully obtained from one hundred and twenty-two observations on Polaris near its eastern elongation, and the value of a division of the level was found in the usual way by thirty observations upon a collimator with the micrometer.

With the forty-six inch transit, C. S. No. 4, the local time was determined by a hundred and three observations on fifteen standard stars, zenith and circumpolar.

At Western Ridge two hundred and twenty-three observations were made with the zenith telescope upon forty sets of stars. The arc value of the micrometer was ascertained from a hundred and twenty two observations upon the star 51 Hev. Cephei near its eastern elongation, and the customary means were taken for finding the value of the level scale. Local time was determined from seventy-three observations on twenty zenith and circumpolar stars.

The observations for latitude and time were made by Sub-Assistant Edward Goodfellow, aided by Mr. Henry W. Bache.

*Azimuth.*—The azimuth of the trigonometrical lines at station Howard was determined, as in other cases, with the thirty-inch theodolite, and for that purpose one hundred observations were



made upon Polaris near its eastern elongation, besides seventy-two on Ursæ Minoris, near the upper culmination, in connection with two hundred and eighty observations upon the elongation mark. At Western Ridge the azimuth was determined from seventy observations upon  $\lambda$  Ursæ Minoris, near its upper culmination, and one hundred and twenty-six observations on the elongation mark.

*Magnetic observations.*—The geological formation at station Howard indicated that the magnet would be affected by local attraction, and the experimental observations made at several points near it proved this to be the case. After selecting the most favorable position, one hundred and forty-seven observations were made for declination, the magnet used being freely suspended during three consecutive days. The inclination was measured with the nine-inch dip-circle, five complete sets of observations being made with two needles. The horizontal intensity and moment of inertia were deduced from two sets of experiments on different days.

At Western Ridge the magnetic declination was ascertained by one hundred and ninety observations on four days, and the inclination from three complete sets made on different days.

At station Chamcook the declination was determined by one hundred and thirty-five observations on three days, the inclination from four sets of experiments on different days, and the horizontal intensity and moment of inertia in the usual way.

Observations were also made at Eastport, Maine, and in its immediate vicinity, for determining the magnetic inclination and local intensity.

The declinometer D. 22, C. S. No. 1, and dip-circle, C. S. No. 4, were used in all the observations made at the several stations.

The azimuth and magnetic observations were made by Assistant Dean, aided by Messrs. R. E. Halter, R. H. Talcott, and C. S. Peirce.

While the astronomical and geodetic operations were in progress at Howard, Mr. Talcott made a series of levellings from the station to a bench-mark which had been established by careful tidal observations made by Mr. McDonnell, who also ran a line of levels between the same points.

*Meteorological observations.*—The usual journals were kept at the several stations by Mr. Talcott, and in the course of the working season two hundred and ninety readings of the barometer, thermometers, and evaporating point, were recorded.

All the original records were duplicated, and the computations from the latitude, azimuth, and magnetic observations nearly completed, before the party returned from the field. These, making a total of fifty volumes, have been deposited in the archives at Washington.

Assistant Dean and Sub-Assistant Goodfellow are about to resume the prosecution of longitude determinations on the Gulf of Mexico.

*Reconnaissance.*—The primary triangulation which has been carried through New England having approached the northeastern boundary of the United States, it became desirable that stations should be chosen for closing the series in that quarter so as to include the St. Croix river and Passamaquoddy bay. In the latter part of June Assistant C. O. Boutelle proceeded on this duty, first re-erecting on Mt. Desert island the primary signal which had been destroyed by a storm subsequent to the occupation of that point by my own party in the autumn of 1857, and placing the heliotropes necessary for the measurement of horizontal angles formed at the two remaining stations (Howard and Cooper) west of the boundary, intended to be occupied at a later period in the present surveying year. Ample facilities for the work were afforded in

the use of the U. S. revenue cutter Jackson, by her captain, Joseph Noyes, and by Robert Burns, esq., collector at Eastport, Me., under authority from the Treasury Department.

The official sanction of the colonial authorities of New Brunswick having been received, Mr. Boutelle selected and marked a station at the distance of about a quarter of a mile from the bluff on the north side of Dark harbor, Grand Manan island, and erected a signal at Chamcook, in the vicinity of St. Andrew's. Both of these points (Sketch No. 1) were observed on from the station occupied by my party in September.

The reconnaissance was so made as to settle also the availability of points for the secondary triangulation in the vicinity of Passamaquoddy bay, and for its connection with the primary work. Two signals of the second order were erected—one at Prince Regent's Redoubt, (Moose island,) near Eastport, and the other on Trescott Rock. The positions of these, and the general plan proposed for the smaller triangulation, are shown on Sketch No. 2.

Assistant Boutelle was aided in this service by Mr. C. H. Boyd. In the early part of the surveying year his party was employed in Section V, and afterwards completed the triangulation work, in the vicinity of the Epping base, as will be presently noticed. In the course of the season he visited and examined the lines leading from the two primary stations—Gunstock Mt., in New Hampshire, and Wachusett Mt., in Massachusetts—which had been passed by in the progress of the general triangulation through New England, and which yet remain to be occupied.

*Triangulation connected with Epping base.*—This duty was commenced on the 17th of September by Assistant Boutelle, from whose report, made on the completion of the work, the following extract is taken:

“In occupying as stations the east and west ends of the base, the theodolite was protected from sun and wind by a temporary structure, and the observing tripods by a couple of screens of light canvas, each of the size of the surrounding scaffold. These were spread on the windward sides, and kept the platform on which the theodolite was placed in perfect steadiness. At the west end of the base the wind blew almost a gale from the northwest on the evening of the 15th and morning of the 16th of October; and although the scaffold was over forty feet high, eighteen feet wide at the base and nine at the top, the protection from the screens was such that the observations were not materially interfered with. It would have been impossible to observe without them, and I consider them a great addition to our means of observing in the southern sections where tripods are more frequently required.”

The connection of the base with the primary triangulation was effected by occupying, besides the two ends, the three adjacent stations, namely: Burke, Pigeon Hill, and Tunk Mt., all of which, and also the relative situation of the base line, are shown on Sketch No. 1.

Each of the horizontal angles was determined by a hundred and twenty measurements with the ten-inch Gambey repeating theodolite, C. S. No. 43. The vertical angles were measured by means of the eight-inch Gambey theodolite, C. S. No. 24.

Mr. Boutelle observed a series of consecutive tides near Pigeon Hill, and carried a line of levels to that station, determining its height above the mean level of the sea.

The following summary shows the general statistics of the triangulation:

Stations occupied .....	5
Signals observed on .....	36

Angles measured (horizontal) .....	61
Angles measured (vertical) .....	33
Number of observations .....	8,049

The work was completed on the 31st of October.

Assistant Boutelle was aided in the field by Mr. C. H. Boyd. All the records of the work were duplicated before the return of the party from this section. Mr. Boutelle had been previously engaged in Section V.

*Triangulation of Penobscot bay, Me.*—This work, which was begun last year, has been continued by the party of Sub-Assistant J. A. Sullivan. The stations established by Sub-Assistant Harris were in part occupied, and angular measurements made from them on others above and below the primary line Ragged ——— Isle au Haut, shown on Sketch No. 2. Progress was made in extending the work upwards between the 23d of July and 23d of September, when the schooner Peirce, which attended the party, was despatched for New York. Observations were continued by Mr. Sullivan until the 5th of October.

Sixty points of the third order were determined in position. These and the measurements of secondary angles were made with the Würdemann theodolite, C. S. No. 86.

As every precaution was taken in erecting signals for continuing the triangulation up the bay, there is a fair prospect that the future progress in that direction will be more rapid.

The number of observations made in the course of the season was five thousand one hundred and twenty.

Messrs. R. M. Stiles and J. D. Bradford served with zeal and efficiency as aids in the party.

The previous occupation of Sub-Assistant Sullivan will be referred to under Section VI.

Sub-Assistant Harris, who was last year engaged on Penobscot bay, has sent to the office duplicates of his notes of horizontal angles and descriptions of the signals erected at the outset of the work.

*Triangulation over Muscongus bay and sound, Me.*—On the 6th of July the party of Sub-Assistant F. P. Webber, commenced the erection of the remaining signals necessary for extending the secondary triangulation eastward of the Sheepscot river, over the Damariscotta river, and over Muscongus bay and sound. The signal at Edgcombe and some others in the vicinity, having been blown down in the spring, were re-erected, and twenty-one others, mostly of the third order, for topographical purposes, were put up. The reconnaissance and preliminaries being complete by the end of July, Mr. Webber, aided by Mr. Julius Kincheloe, commenced the measurement of horizontal and vertical angles, and occupied fifteen stations with the theodolite, at seven of which vertical angles were observed on the signals of the thirty-four stations embraced in his field of work. It will be seen by reference to Sketch No. 2 that the secondary triangulation conducted by Sub-Assistant Webber has been pushed to a connection with that of the lower part of Penobscot bay, on the line which joins Manhegan island with a station on the east side of St. George's river.

Fifty-nine points were determined in position within the scope of the triangulation. The remaining statistics are as follows:

Stations established or re-erected .....	34
Stations occupied .....	15
Horizontal angles measured .....	347
Vertical angles determined .....	34

Objects observed on .....	346
Number of observations .....	3,090

The schooner *Hassler*, which was used in this service, returned to New York on the 6th of October. In the early part of the surveying year Mr. Webber was engaged in Section V, and is now completing arrangements for returning to the coast of Georgia.

Duplicates of the field-notes made in the triangulation over Damariscotta river and Muscongus bay have been deposited in the office with the descriptions of the signals as now standing.

*Topography of Wiscasset bay, Me.*—The sheet containing this work was taken into the field by Sub-Assistant W. H. Dennis on the 1st of August. On the south it joins with the work done last year on the Sheepscot river by Assistant Hull Adams. As far as now completed, the topography represents the town of Wiscasset and its environs, and the details found at Edgcombe, on the opposite side of Wiscasset bay, including also the mouth of the Sheepscot, above Wiscasset, making altogether a stretch of about four miles above and below the town. Owing to the nature of the surface the features in detail were found very difficult of delineation.

Sub-Assistant Dennis was efficiently aided in plane table duty by Mr. J. L. Tilghman. Field-work was continued until late in October, with the following result in statistics:

Shore line surveyed .....	8 miles.
Roads .....	20 "
Area of minute topography (square miles) .....	5½

The locality of the work may be seen on Sketch No. 2.

*Topography of Merrymeeting bay and Bath, Me.*—The supplementary topography required for the chart of the Kennebec river, in the vicinity of Bath, was taken up on the 24th of June by Assistant R. M. Bache. Sub-Assistant W. S. Edwards was attached to his party, and worked with a separate plane-table on the details of the shores of Merrymeeting bay. Assistant Bache traced in the streets and wharves of the city of Bath, which is continuous for about five miles along the west bank of the Kennebec. The very uneven surface represented on the two sheets referred to made the field-work tedious and necessarily slow in execution. The locality is shown on Sketch No. 2. A small portion of the area of each sheet yet remains to be filled in detail.

The following are the statistics of the season:

Shore line surveyed .....	27 miles.
Wharf line surveyed .....	7 "
Roads .....	32 "
Area (square miles) .....	15

The villages of Woolwich and Winnegand are represented on one of the topographical sheets.

Assistant Bache has inked and sent to the office the plane-table sheet of the Kennebec which was completed last year.

*Topography of Casco bay, Me.*—The work of the season on the shores of Casco bay, and on the islands east of Portland harbor, was in charge of Assistant A. W. Longfellow, and consisted of filling the interior details and contour of ground of the outstanding sheets, of which the shore line had been previously traced. Assistant A. S. Wadsworth was attached to the plane table party, and Mr. James Gilliss served as aid. The topography was resumed on the 11th of July and continued until the 4th of November. Assistant Longfellow completed the survey of the shores of the Presumpscot river, and of the main shore of Casco bay, from thence north-

ward to a point beyond Sturdivant's island, from which it was extended by Assistant Wadsworth in the same direction abreast of Prince's Point, and there joined to a portion of work also finished by Mr. Longfellow. The topography of the interior of Long's and Cousin's island was completed, as also that of Great Jebeig, Hope, Crotch, and Jewell's islands. The location of the three plane-table sheets worked on, and of which the details are now complete, may be seen in Sketch No. 2. On two other sheets, which embrace Yarmouth river and Harpswell Neck, progress has been made in the shore line survey.

The details of the season's survey are represented in the following statistics:

Shore-line of marshes and ravines .....	33 miles.
Roads .....	40 "
Total of contour lines .....	155 "
Area of topography (square miles) .....	14

The original sheet containing the topography of Portland harbor, the city and its environs, has been inked and placed with the archives at the office.

The party of Assistant Longfellow used the schooner *Meredith* for transportation and quarters while working in Casco bay.

*Plane-table survey of Saco bay and vicinity, Me.*—In order to facilitate the early completion of the charts of soundings to be made between Cape Elizabeth and Kennebunkport, Me., Sub-Assistant C. Fendall was attached to the hydrographic party of Lieut. Comg. Murray, and traced the entire shore-line from Prout's Neck and Stratten island southward, and westward to Kennebunk river. His work, the limits of which, as contained on four plane-table sheets marked on Sketch No. 2, embraces the shores of Saco bay, Wood island, Fletcher's Neck, and all the islands and coast intermediate between the last-named point and Kennebunk river. The Isles of Shoals were also surveyed, and were mapped on a separate topographical sheet.

*Topography of Barnstable harbor and vicinity, Mass.*—The survey of the shores of Cape Cod bay was commenced on the 7th of July by Assistant A. M. Harrison. Two plane-table sheets were projected—one to include Barnstable harbor, and the other to extend the work westward. The topography was taken up at Scargo Hill, near North Dennis, and in its course westward embraced, besides the usual surface details, the village just named, and also Yarmouth, Yarmouthport, Barnstable, Pond Village, and West Barnstable, together with the Great Marshes in that immediate vicinity, Sandy Neck, and the entire shore of Barnstable harbor. Very few of the details of the vicinity yet remain to be traced on the sheet. Its limits are shown on Sketch No. 2. From the shore line of the harbor the survey was carried back to an average breadth of a mile and a half.

Sub-Assistant P. C. F. West and Mr. A. W. Thompson were attached to the plane-table party, and rendered efficient service.

The character of the country in the vicinity of Barnstable presents almost every variety of ground, and much of it is thickly settled. The Cape Cod railroad is represented in the stretch from West Barnstable to Dennis Pond, where it turns to cross the peninsula.

Assistant Harrison closed work on the 21st of October, but, before leaving the field, visited the triangulation points on which his work was based, reset the station marks, and prepared for the records of the office new sketches of them, accompanied by descriptive notes. The following synopsis of statistics is taken from his report:

Shore-line surveyed .....	20 miles.
Marsh-line .....	46½ "
Creeks, ponds, &c. ....	88½ "
Roads .....	44½ "
Area of details, (square miles).....	15

The plane-table sheet embraces a coast reach of rather more than ten miles, measuring east and west of Barnstable harbor.

*Verification of Topography.*—After closing special field service, which will be referred to in the following chapter, Assistant H. L. Whiting examined the plane-table work done this season in the vicinity of Wiscasset, and that on the shores and islands of Casco bay and in the neighborhood of Barnstable harbor. The examination was made with reference to the amount and character of the topography, and was fully reported on by Mr. Whiting as being in all respects satisfactory and thorough in detail. The localities mentioned are amongst the most difficult of representation that have yet been passed over by either of the plane-table parties.

*Hydrography of the approaches to Sheepscot bay and Kennebec river, Maine.*—Under circumstances unusually favorable for work afloat, the hydrography of the approaches to the Sheepscot and Kennebec rivers was completed in August by the party of Lieut. Comg. John Wilkinson, U. S. N., assistant Coast Survey, working with the steamer Corwin. The upper limit of the soundings is on a line passing from Cape Newagen across and about three miles to seaward of Damiscove island, from whence the work was prosecuted southward and westward to the meridian of Cape Small Point, where it joins the completed hydrography of 1856-'57. The resulting chart will extend several miles to the southward of Seguin island, the soundings in that vicinity being made as supplementary to the hydrography of the Kennebec entrance, executed in the surveying season of 1855-'56. Sketch No. 2 shows the locality and the limits referred to.

The tidal observations required in plotting the soundings were made at a station in Booth bay.

A small sunken rock, known as "Mile Ledge," lying about a mile to the southward of Seguin island light, and which is marked on the old charts as having four fathoms, was found by Lieut. Comg. Wilkinson to have only eighteen feet water at mean low tide. The rock is in the track of vessels bound into Kennebec river, and bears from the light-house S. 9° 30' E., (true,) or south a little to the westward by compass. The range and other particulars for determining its position were made known to the department in September, in a communication, a copy of which is given in Appendix No. 9.

A summary returned on concluding the hydrography of this vicinity presents the following statistics:

Miles run in sounding .....	206½
Angles taken.....	898
Number of soundings.....	1,971
Area sounded, (square miles).....	52

The greatest depth of water found was forty-seven fathoms.

Lieut. Comg. Wilkinson has furnished sailing directions for the chart of the Kennebec river and its approaches.

Within the year the two sheets containing the hydrography of the Sheepscot river, executed by Lieut. Comg. Moore, have been plotted and registered in the office.

*Hydrography of Casco bay, Maine.*—The soundings required to complete the hydrography of the lower part of Casco bay were made in the latter part of August and early part of September by the party of Lieut. Comg. Wilkinson, working with the steamer Corwin. A space embracing about twenty square miles abreast of Portland light, and included between Peak's island and Green island, is shown on the chart. Within its limits occurs the Hussey Rock, the position of which has been hitherto erroneously laid down on the best charts of Casco bay, and which, in the course of the operations conducted by Lieut. Comg. Wilkinson, was found to be more than a quarter of a nautical mile northwest of the position heretofore assigned. Bearings and ranges from the true position to fixed points on the main and adjacent islands are given in Appendix No. 10. The Hussey Rock is small and has only twelve feet on it at mean low water. The locality in which the soundings were made may be seen by reference to Sketch No. 2, by which, also, it will be observed that the in-shore hydrography of the section has been pushed as a continuous work as far to the northward and eastward as Cape Newagen, with the exception of a small interval at Cape Elizabeth, the advance of the season not admitting of a final junction between the lines run by Lieutenant Commanding Wilkinson and those of Lieut. Comg. Murray, the site of whose work will be referred to presently. Tidal observations were made with a staff-gauge at Peak's island while the party was sounding in that vicinity.

At a period since the date of the survey made by Lieutenant Commanding Maxwell Woodhull, U. S. N., the water at one point in the channel off Union wharf, Portland harbor, had shoaled. This was made the subject of examination by Lieut. Comg. Wilkinson, and it appeared that by the sinking of a schooner laden with granite the depth had been for some time decreased. The obstruction is now removed and the depth nearly restored to what it was when the preliminary chart of Portland harbor was first issued.

The following is a summary of the hydrographic statistics:

Miles run in sounding.....	117½
Angles observed.....	573
Number of soundings.....	1,657
Area sounded, (square miles).....	20

Having made very favorable progress in the hydrography of the section, the party in the Corwin left Portland on the 2d of October and proceeded to New York.

Lieut. Comg. Wilkinson has turned in the note-books containing the entries of soundings and tidal observations made in Casco bay and in Portland harbor.

The hydrographic sheet showing the soundings made at the entrance of Casco bay by Lieut. Comg. Temple, U. S. N., in the previous surveying season, has also been received.

*In-shore hydrography between Cape Elizabeth and Cape Porpoise, coast of Maine.*—This work was resumed in July by Lieut. Comg. Alexander Murray, U. S. N., assistant Coast Survey, at last year's limit, near Kennebunkport, and from thence was prosecuted northward and eastward to the vicinity of Cape Elizabeth, the lateness of the season and duty required in the lower part of the section only preventing a junction with hydrography of the approaches to Portland harbor.

Sketch No 36 shows in a general way the present condition of the in-shore soundings on this

part of the coast, and the progress sketch (No. 2) the limits of the several sheets executed this season. The soundings were carried about eight miles out from the coast line and into depths varying between fifty-five and seventy-five fathoms.

Within the limits of this work are several small harbors, with a good depth of water and fine holding ground. Surveys were made of Cape Porpoise, Stage island, and Wood island harbors, and the plotting of the sheet containing them is well advanced.

Sub-Assistant C. Fendall was attached to the party, and furnished plane-table data as needed in the hydrography.

A tide-gauge was set up at Wood island harbor and regular observations referred to a benchmark were duly recorded as the soundings advanced in that vicinity.

Among the important developments of the present working season on the coast of this section are the following, made by the party of Lieut. Comg. Murray, in the surveying steamer Bibb.

The four-fathom bank off Cape Porpoise, Maine, completely sounded out.

A fishing bank developed off Wood island.

Hussey Rock, off Saco bay, and to the southward of Fletcher's neck, determined in position.—(See Appendix No. 41.)

The position and development of a rock off Ogunquit, bare at low tide, and but very little known.—(See Appendix No. 11.)

Determination of the position of the "Hue and Cry," the "Old Proprietor," and other dangers to navigation off Cape Elizabeth.

The statistics of the in-shore hydrography are as follows:

Miles run in sounding .....	814
Angles determined by theodolite .....	75
Angles determined by sextant .....	2,122
Number of casts of the lead .....	13,659

The sheets containing the plane-table work done by Sub-Assistant Fendall are now on file with the archives. All the original note-books of soundings and angles and the chart of last year's work have also been deposited in the office.

Being incidentally at Portsmouth harbor, N. H., with the steamer Bibb, Lieut. Comg. Murray rendered acceptable service to another branch of the government at the request of the commandant of the naval station, Captain John Pope, U. S. N., whose acknowledgment of the same will be found in Appendix No. 37.

Mr. W. B. McMurtrie accompanied the hydrographic party, and took views for the charts of the Kennebec entrance, Portland harbor, Stage island harbor, and of several points in the vicinity of Saco bay.

*Off-shore hydrography, coast of Maine, New Hampshire, and Massachusetts.*—In passing to the upper part of the section in the steamer Bibb, Lieutenant Commanding Murray started from a position eastward of Pollock's Rip light-boat and ran a line of soundings due north to the parallel of Cape Ann, and thence to the Isles of Shoals. From Cape Ann a line was afterwards carried across the southern part of Cashe's Ledge, and as far to the eastward as Seal island, N. S. The greatest depth found on this line was a hundred and sixty fathoms. In crossing Cashe's Ledge the soundings showed a depth of 16 fathoms. From Seal island, N. S., soundings were made on the course to Grand Manan island, and from thence traverse lines were carried



to the westward close in by Mt. Desert Rock and by Matinicus and Manhegan island to Cape Elizabeth.

While in the vicinity of Passamaquoddy bay Lieut. Comg. Murray made a reconnaissance in the waters around Campo Bello and Cross island, and extended soundings on a line from Grand Manan towards the main as far as Sail Rock.

The several courses run in making off-shore soundings are laid down on Sketches Nos. 1 and 2. Saxton's metallic thermometers were used, and gave for depths of a hundred fathoms an average of two and a half degrees in temperature less than that found at the surface. Specimens of the bottom were preserved and the positions from which they were taken duly noted.

A summary of the off-shore statistics is appended.

Miles run.....	1,175
Soundings.....	546

Other deep-sea work executed by the party in the steamer Bibb will be mentioned under Section IV.

Lieut. Comg. Wilkinson, in returning southward from this section with the steamer Corwin, carried soundings on a straight course southward from Cape Elizabeth to a position six miles to the eastward of Nausett Centre light (Cape Cod peninsula.) Thirty-two casts were made with the lead, at each of which a specimen of the bottom was brought up. This line is marked on Sketch No. 2.

*Examination of Salem harbor, Mass.*—The review incidentally made at the close of the last working year being directed to but few points in the harbor, a more extended examination was made by Lieut. Comg. Murray after closing work in the northern part of the section. In reporting the results, that officer says: "All the main features and dangers in the harbor were determined in the original survey, and, with few exceptions, they are properly delineated on the chart of 1855."

*Resurvey in Boston harbor.*—After completing general hydrographic duty in this section a re examination was incidentally made by Lieut. Comg. Murray of the upper part of the inner harbor at Boston. Commencing at Mystic river, his observations were continued outwards, and in their course to a point beyond Castle island the following changes were noticed:

A deposit abreast of the timber dock at the navy yard, the soundings showing two feet less of water there than the survey of 1847.

A making out of the flats between Commercial wharf and Bird Island shoals.

A shoal-spit projecting from East Boston, east of the Cunard wharf, and running out into the channel.

The partial wearing of Bird Island shoals.

The extension of the Boston flats towards Bird island.

Referring to a line run from the northeast extremity of Boston flats to the wharf east of Cunard wharf, Lieut. Comg. Murray says: "It is observable that the eighteen-feet curve has been pushed out so far that the channel is contracted at that point nearly one-third, though the depth is retained.

The section from Bird Island flats to Boston flats developed the fact that the channel is moving towards the Bird Island flats, and that those flats are diminishing in size.

Black buoy No. 11, (off Slate Ledge,) which marks the outer edge of the Boston flats, now making towards Bird island, is directly in the mid-channel of 1847, which then had a depth of thirty-four feet. Now the most water found on that line at mean low tide is twenty five feet, and at the buoy sixteen feet. The channel in that vicinity has become much more serpentine, and great caution is required to prevent the heavier class of vessels from bringing up on the shoal-spits."

A comparison line run from South Boston to Governor's island showed no changes of a marked character as having occurred since the former survey.

*Rock in Hyannis harbor, Mass.*—The position of a small rock reported by Commander M. Smith, U. S. N., light-house inspector of the second district, as existing not far from the breakwater in Hyannis harbor, and the vicinity of which had been marked by a buoy, was determined by Lieut. Comg. Wilkinson on the passage of the steamer Corwin from New York northward at the outset of the working season in this section. The crest of the rock was found to be about eight feet square, and the depth on it three and a half feet at mean low water, increasing abruptly to twelve feet all around it. From the rock in question Great Rock spindle bears N.NW.  $\frac{1}{2}$  W., (true,) or N. by W.  $\frac{1}{2}$  W. by compass, and is distant two hundred yards. The ranges for finding its exact position are given in a communication from Lieut. Comg. Wilkinson, which I have placed in the Appendix (No. 12.)

The journals of soundings and tidal observations made in the course of the examination have been sent to the office.

*Magnetic observations.*—These were made during the month of July by Assistant Charles A. Schott, aided by Mr. J. L. Tilghman. The series extends from Portland to Cape Ann, and includes in all fifteen stations, several of which will be referred to under the head of Section II. In this section the magnetic declination, dip, and intensity were determined at Bowdoin Hill, in Portland, Me.; at Kittery Point, opposite Portsmouth, N. H.; on Plum island, near Newburyport, and at Ipswich, Mass.; also at Beacon Hill station, near Gloucester; at the primary triangulation station, Thompson; at Annis Squam, and at Rockport, on Cape Ann. The five last-named stations were occupied for procuring data to apply to several of the harbor charts of the vicinity, and for adjusting computations of the secular change, as well as for studying local distribution on the peninsula of Cape Ann, the results, so far attained, marking that region as somewhat anomalous with respect to the magnetic elements. Observations were also made at Quebec and Montreal, as additional means for rectifying the charts of isogonic lines, published in 1856.

The instruments used were, for declination and intensity, the magnetometer, by Jones, (C. S. No. 6,) and its attached magnetic theodolite; for dip the Barrow dip circle, (C. S. No. 9;) time was noted on the chronometer (No. 1411) of Parkinson & Frodsham.

The time and azimuth were determined by observing the sun's altitude and azimuth, six sets being made, and three separate observations recorded for each. For declinations the readings were generally continued through a period of three hours at each station. The intensity was ascertained from two trials, each of which gave five independent results from a hundred and fifty vibrations. At three of the stations the deflections were observed to guard against possible accident to the magnet. The observations for dip consisted generally of six sets with the needles No. 1 and No. 2, the polarity being half of the time reversed.

Before setting out and after his return Mr. Schott made, at Washington, full sets of observations for vibration and deflection, in order to determine the magnetic moment of intensity for magnet H. Other instrumental constants were ascertained in the same way, at the station near the Coast Survey office. The index error of the dipping needles used was determined by comparing them with many others.

In the Appendix Nos. 23 and 24 the immediate results obtained by Assistant Schott are given, and their application to questions of great interest as connected with the laws of terrestrial magnetism. The original notes and his computations have been deposited in the archives.

*Tidal observations.*—The series heretofore referred to as continued at Charlestown, Mass., has been maintained during the past year with great regularity, by means of the self-registering gauge, kept in operation by Mr. T. E. Ready at the U. S. dry dock. Preparations have been made to occupy a permanent tidal station at Eastport, Me.

## SECTION II.

FROM POINT JUDITH TO CAPE HENLOPEN, INCLUDING THE COAST OF THE STATES OF CONNECTICUT, NEW YORK, AND NEW JERSEY, AND THE SHORES OF PENNSYLVANIA AND DELAWARE.—(Sketch B, No. 7.)

The operations in this section have been the following, in continuation of those of former years, and employing one triangulation party, and one double topographical, one magnetic, one tidal and current, and the occasional time of three hydrographic parties:

1. Triangulation of the Hudson river. This has been continued northward so far as to join the preliminary work of 1856 at New Baltimore.
2. Topography of the vicinity of New York, in New York and New Jersey, being in part a continuation of the surveys for the commissioners.
3. Hydrography of the Hudson river, which has been extended to above Poughkeepsie.
4. Resurvey of Hempstead harbor, Long Island sound.
5. Resurvey of the shoal off the Battery, New York harbor.
6. Tides and currents in New York harbor and its approaches.
7. Magnetic observations.
8. Tidal observations.

*Office-work.*—Progress has been made in the drawing and engraving of coast map and chart No. 22, New York bay and harbor, and in the drawing of the map of Hudson river, from its entrance to Sing Sing. New plates of the middle and eastern sheets of the chart of Long Island sound have been engraved, and the old plate of the chart of Captain's islands, East and West, has been re-engraved.

*Triangulation of the Hudson river.*—The work of triangulation on this river was resumed at a station a little below Hudson, by Assistant Edmund Blunt, on the 7th of July, and has been extended northward to a junction, at New Baltimore, with the preliminary work done in 1856 between that point and Albany. About fourteen miles of the course of the Hudson falls within the triangulation.

In the vicinity of Yonkers fifteen stations were occupied, and data furnished to the plane-table parties working there under the charge of Assistant Whiting. The progress made in both localities is shown on Sketch No. 7.

Mr. Blunt was assisted in the field by Lieut. W. R. Terrill, U. S. A., and Sub-Assistant G.

H. Bagwell, both of whom had passed the early part of the season on the coast of Florida. Mr. Rufus King, jr., served as aid in the party.

The following is a synopsis from the abstract of the observations turned in by Assistant Blunt on the 15th of October:

Stations occupied.....	63
Number of observations .....	9,336
Area of triangulation, (square miles) .....	151

Mr. Blunt has sent to the office the records of last year's work and descriptions of the signals then observed on.

*Topography of South Jamaica; vicinity of Brooklyn and Williamsburg; High Bridge, Yonkers, and Morrisania; and of Hudson City, New Jersey.*—The duty of filling in with details several sheets of the survey of Long Island and of the shores of Hudson river in the vicinity of New York city was resumed by Sub-Assistant F. W. Dorr on the 28th of June. Messrs. Cleveland, Rockwell, and McLane Tilton were assigned as aids in the plane-table party. After surveying a small space of the interior, to complete the sheet of the vicinity of Jamaica, Long Island, the party was divided, Mr. Dorr proceeding to Morrisania and finishing a sheet, of which he had executed the principal details in a former season, and Mr. Rockwell taking up the topography of Hudson city, New Jersey, and its environs.

Amongst the additions referred to as made by Sub-Assistant Dorr were surveys of the towns of Morrisania, Melrose, and part of Mott Haven. His party was then transferred to Williamsburg, and until the 1st of October engaged upon the section bounded by Green Point, Williamsburg, and until the 1st of October engaged upon the section bounded by Green Point, Williamsburg, and Brooklyn on the west, joining with the work of the city surveyors; to the east as far as Maspetch, Evergreen cemetery, and East New York; to the Long Island railroad on the south, joining with topography executed by Assistant S. A. Gilbert; and north to the limit of previous work by Assistant H. L. Whiting. The sheets of the locality referred to embrace one of the most thickly settled portions of Long Island, and include the district through which flows Newtown creek and its branches.

Two new wharves, erected since the former survey, at Sands' Point and Great Neck, Long Island Sound, and important as being the landings of steamers during the summer season, were determined in position and laid down by Mr. Dorr on the original sheets.

Under the direction of Sub-Assistant Dorr, Mr. Rockwell, after completing the survey of Hudson City, New Jersey, proceeded to High Bridge and filled in the topography required on the east bank of Harlem river, between that town and Kingsbridge. Part of the Croton aqueduct is represented on the sheet of that quarter. Two sheets of the survey above and below Yonkers were then taken up, and some progress in additional details made on the one extending upwards from the town. The other, which begins half a mile below the village and extends to Spuyten Duyvel creek, including also a stretch of two miles along the Palisades on the west side of the Hudson, was completed by Mr. Rockwell on the 15th of October. Like all the other sheets worked on, the shore line, excepting a portion on one sheet, and some portions of the details, were executed previous to the outset of the present season, the features delineated being required for the finished map of New York harbor.

The following is a summary of the plane-table statistics:

Shore line of Hudson river .....	6 miles.
Creeks .....	20 $\frac{1}{2}$ "
Marsh line .....	9 $\frac{3}{4}$ "
Aqueducts .....	8 $\frac{1}{2}$ "
Roads .....	164 "
Area of details, (square miles) .....	25

The early part of the surveying year was employed by Sub-Assistant Dorr in Section VI, and by Mr. Rockwell in Section V.

The care and attention given by Mr. Tilton in chaining for the plane-table survey are especially commended in the report of Sub-Assistant Dorr.

Since the opening of the year the topographical sheets executed by this party in the last working season have been inked and sent to the office.

Mr. Dorr is now preparing to return to Section VI.

*Topography of Hudson river, New York.*—Two plane-table parties, under the charge of Assistant H. L. Whiting, took the field on the 15th of July, for the purpose of extending the detailed survey required for the finished maps of New York harbor and Hudson river. One of these, conducted by Sub-Assistant N. S. Finney, under the immediate supervision of Mr. Whiting, advanced the work on both sides of the Hudson, from Spuyten Duyvel creek as far upwards as Hastings. The other party, directed by Sub-Assistant John Mehan, completed the topography on both sides of the river between Irvington and Sing Sing on the east, and from Piermont to Rock mountain on the west bank. A portion of the details between Irvington and Hastings yet remains to be filled in. Within the scope of the completed limits the survey includes the villages of Yonkers, Tarrytown, and Upper and Lower Nyack in addition to those before named; the Palisades and the shores of the Tappan Zee.

All the plane-table work executed within the season in the vicinity of New York was verified by Assistant Whiting, and is reported as being thorough in character and accurate in details. In reference to it he says: "Great credit is due to the gentlemen who have been on duty with me, not only during this, but in former seasons, for the zeal and interest manifested and the particular attention given in aiming at and effecting a uniform system and style of work."

From Yonkers north and south to the limits of Mr. Whiting's work, the survey was carried back from the shore of the river to the old post road leading from New York to Albany, which, as being a well defined boundary, yet gives sufficient breadth to include all the characteristic river topography. "On the western shore of the Hudson the only feature presented is the range of the Palisades, which opposite to Yonkers attain the greatest height. The details on that side were carried back sufficiently far to show a fringe of topography uniform in breadth with that of the lower sheets of previous years."

"The character of the work generally is complex and difficult. The details of contour on the eastern shore particularly were very numerous, embracing a range of hills from a hundred and fifty to four hundred feet high, with a great variety of artificial features."

The parties working under the direction of Assistant Whiting closed field operations on the 24th of September. Sub-Assistants Mehan and Finney, who had both been employed in dif-

ferent sections at the south during the former part of the year, then proceeded to make arrangements for resuming duty there.

A synopsis given in the report of Assistant Whiting shows the following details of work done in the vicinity of Yonkers and Tarrytown :

Shore-line surveyed .....	22 $\frac{1}{4}$ miles.
Creeks .....	12   “
Marsh-line .....	4 $\frac{1}{4}$ “
Roads .....	99   “

The limits of the plane-table work here noticed may be seen on Sketch No. 7. An area of rather more than eleven square miles is embraced in the survey of the year.

*Resurvey of part of Hempstead harbor, Long Island sound.*—After returning from the south, Lieut. Comg. T. B. Huger, U. S. N., Assistant Coast Survey, proceeded, in the latter part of August, to determine the position of several rocks within the limits of Hempstead harbor. This duty was performed with the schooner Agassiz, manned by a part of the crew of the steamer Walker. The survey was completed before the end of September, and includes the greater part of the space passed over in the previous examination. The following is an abstract of the statistics recorded in the hydrographic sheet which was turned in at the office shortly after the detachment of Lieut. Comg. Huger from the Coast Survey:

Miles run in sounding .....	66 $\frac{1}{2}$
Angles determined .....	406
Number of soundings .....	5,612

The general duty executed by this party will be stated under the head of Section VIII.

*Examination of the Battery shoal, New York harbor.*—Attention having been invited in reference to the question of a decrease of depth on the Battery shoal, an examination of the vicinity was made by Lieut. Comg. T. A. Craven, U. S. N., Assistant Coast Survey, after his return from duty at the south. The result shows that at a spot off the Emigrant Depot the present depth is only seventeen feet and a half, and that in the angle formed by the line of the battery and pier No. 1 there has been a very rapid filling up. With respect to the changes noticed there, it is added: “The three-fathom curve has been pushed outward eighty yards beyond the line of 1856; the seventeen-feet spot in the outer part of this section is extending towards pier No. 1, and there is an average decrease of three feet in depth throughout that section.”

The subject of the changes and their causes are discussed in the report of Lieut. Comg. Craven, which will be found in Appendix No. 13, with my communication to the President of the New York Chamber of Commerce, in transmitting the results of the recent examination.

The action of the Chamber is given in the report of their committee, in the same Appendix.

*Hydrography of Hudson river, N. Y.*—The sounding of the Hudson was resumed by Lieut. Comg. C. M. Fauntleroy, U. S. N., Assistant Coast Survey, with the schooner Varina, at Newburg, where the work had been discontinued by the party of Lieut. Comg. Moore in a previous season. From thence upwards about fourteen miles and a half, to a point some distance above Poughkeepsie, the entire bed of the river was sounded out between the 1st of August and the close of September. Sketch No. 7 shows the particular stretch referred to. The hydrography of the Hudson is now complete from Poughkeepsie to the bar at Sandy Hook.

Tidal observations were made at three stations simultaneous with the soundings.

The hydrographic statistics are as follows:

Miles run in sounding .....	281½
Angles for establishing signals, &c .....	2,989
Signals established .....	15
Number of soundings .....	17,339
Area sounded out (square miles) .....	8½

The party in the *Varina* had been previously engaged in Section V, as will be noticed under the proper head in a subsequent part of this report.

The original sheets of the surveys made of Esopus and Rondout creeks at the close of last year are now at the office.

*Tides and currents in New York harbor and its approaches.*—This work, which has been going on under my immediate direction for several seasons past, was completed at the end of the summer by Assistant Henry Mitchell, so far as the principal field labors are concerned. It was commenced with the view of ascertaining the causes of certain important changes in the hydrography of the harbor as developed by the comparison of charts of different dates. All the natural forces, such as tides, currents, winds, and waves, which might be supposed to concur in producing the physical effects noticed, were included in the series of observations, and the large amount of information thus obtained will, no doubt, when fully discussed, determine the conditions under which the harbor exists. In my last report reference was made to the discovery of a class of sub-currents the motions of which were found to be quite at variance with those of the surface currents. The observations made during the present season connect these sub-currents with the path of the Hudson in its course through the waters of New York bay, and for their full development it was found necessary to extend the current stations about sixty miles outside of the bar, and also along the coast of Long Island. In the latter vicinity the effect of the land waters was traced quite beyond the reach of the tidal drifts. Observations were made in the same quarter with a view of developing the conditions under which the inlets on the south shore of Long Island are maintained and for ascertaining the causes of their change in position. Thirty-seven current stations were occupied, the records from which contain over eight thousand observations. More than three thousand of the entries are for points below the surface. Appendix No. 26 contains the report of Assistant Mitchell on the season's labors. His report contains remarks on improvements in the apparatus for observing currents at great depths below the surface, and refers also to an improved form of pile for securing tide-gauges on the sea-coast.

Assistant Mitchell was efficiently aided by Mr. W. T. Bright.

The schooner *Gallatin* was used in the work connected with the physical survey of New York harbor.

All the original note-books and journals kept by Assistant Mitchell while prosecuting the observations on currents have been received and filed in the archives.

*Magnetic observations.*—In the course of a series of observations at a number of stations in Section I, Assistant C. A. Schott, aided by Mr. J. L. Tilghman, occupied several stations in the interior of New England for ascertaining the secular change, and in order to determine the precise location of the isogonic lines, charts of which were published in 1856.

The declination, dip, and intensity were determined at Hartford, Conn.; at Springfield, Chesterfield, and Deerfield, Mass., and at Rutland, Vt. Details have been given under Section

I in regard to the instruments used at all the stations, and as to the method pursued in observing for the several magnetic elements. The results obtained are set forth at length in the Appendix Nos. 23 and 24. Mr. Schott has deposited his notes and computations in the office.

*Tidal observations.*—The self-registering tide gauge at Governor's island, New York harbor, has been kept in operation by Mr. R. T. Bassett. Interruptions in the series during the winter were met by observations with an ordinary box-gauge at the Atlantic ferry dock, in Brooklyn.

### SECTION III.

FROM CAPE HENLOPEN TO CAPE HENRY, INCLUDING THE COAST OF PART OF THE STATE OF DELAWARE AND THE COAST OF MARYLAND AND PART OF VIRGINIA.—(Sketch C, No. 9.)

One triangulation, one triangulation and topographical, one topographical and one hydrographic party have been employed in this section.

1. The triangulation of the Potomac river has been continued from the entrance to Britton's bay.

2. Triangulation of Hampton Roads. This has been connected with the main work of the Chesapeake, and a base of verification for the detached triangulation between Richmond and Old Point has been measured.

3. Triangulation and topography of Chincoteague and Sinepuxent bays. This tertiary triangulation was necessary from the scarcity of points furnished by the secondary.

4. A plane-table survey of the Patuxent river, giving merely the shore-line for purposes of the hydrography, and leaving the usual interior work for subsequent filling up, was carried from Holland's Point to Hall's creek.

5. The topography of St. Mary's river was continued to a point about eight miles above its entrance into the Potomac, and St. Inigo's was also included to the distance of about a mile and a half from its mouth.

6. Topography of Milford Haven and Horn and Winter harbors and the vicinity, Chesapeake bay.

7. Shore-line of James river from Coggin's Point to Little Brandon, completing the shore-line and hydrography of the James and Appomattox rivers from Richmond and Petersburg to the mouth of the river on Chesapeake bay.

8. Hydrography of the Patuxent river to Hall's creek.

9. The hydrography of the St. Mary's river was completed, and its approaches and Cornfield harbor sounded.

10. The outstanding hydrography of the James river was also finished this season.

11. The hydrography of Big and Little Annemessex rivers, connecting with the work of Tangier sound, was completed.

12. The tidal observations at Old Point and at the Washington navy yard were continued with the self-registering gauges.

*Office-work.*—The chart of York river, from King's creek to West Point, has been drawn and engraved. The topography and lettering of coast maps and charts No. 31, Chesapeake bay, from its head to Magothy river, and No. 33, from Hudson river, Md., to the Potomac; of the finished chart of Patapsco river, and the outlines of coast map and chart from Green Run inlet



to Little Machipongo inlet, (from a photographic reduction,) have been engraved. Progress has been made in the drawing and engraving of coast maps and charts Nos. 35 and 36, from Pocomoke sound to the entrance of Chesapeake bay; in the drawing of general coast chart No. IV, from Cape May to Currituck sound; of coast maps and charts Nos. 28 and 29 (the latter mainly by photography) from Cape Henlopen to Little Machipongo inlet; No. 33, Chesapeake bay, the sheet of James river, from Richmond to City Point, and coast map and chart No. 37, from Cape Henry to Currituck sound; and also in the engraving of coast maps and charts No. 32, Chesapeake bay, from Magothy to the Hudson, Md., and No. 34, from the Potomac to Pocomoke sound.

*Examination of stations on Chesapeake bay.*—The duty of examining the stations of the triangulation, which includes both shores of the Chesapeake bay, was performed in October and November by Assistant G. D. Wise, who commenced at the head of the bay, and visited all but a few in the series connected with the work done in its lower part.

“The stations were found in much better preservation on the low lands of the eastern shore than on the higher lands of the western. Lieut. Seward, who examined them in 1854, had marked them so securely that in no case had the marks been removed except from natural causes.”

Mr. Wise used the schooner Howell Cobb in this service. He has turned in sketches of the stations, and full descriptions and references to guide in finding the marks in future. The duty conducted under his direction in the former part of the surveying season will be stated under the head of Section VII.

*Triangulation of the Potomac river, Va.*—The stations necessary for extending the triangulation of the Potomac upwards, from the mouth of the St. Mary's to Britton's bay, were selected by Assistant John Farley in the latter part of October, 1858. His party used the schooner Guthrie in that service for transportation. Frequent storms retarded the general operations, and the observations with the theodolite were also much hindered by unfavorable weather.

This triangulation, as may be seen on Sketch No. 9, stretches up the Potomac to Tower Hill, a distance of about nine miles from the station occupied last year on George's island. On the lower side of the river three stations were occupied at the mouth of its branch known as the Yeocomico.

Mr. Farley was assisted in the field by Sub-Assistant S. A. Wainwright.

An abstract from the records gives the following summary of statistics:

Stations occupied .....	10
Angles measured .....	24
Number of observations .....	696

Assistant Farley was employed until the 20th of December in the measurement of angles, and used for that purpose the six-inch Gambey theodolite, C. S. No. 76. As the work advanced he furnished points additional to those determined in 1857 for the plane-table survey of the St. Mary's river. An area of about thirty-seven square miles is comprised within the limits of the season's work on the Potomac.

The occupation of the party at a subsequent period of the surveying year will be stated under the next head in this chapter.

During the intervals between the seasons for field duties the computations of the triangu-

lation were kept in hand by Mr. Farley and completed. These, with an abstract of the results and duplicates of the records of horizontal angles, are now in the office.

*Triangulation of Hampton Roads, Va.*—The triangulation, which has advanced steadily downwards from City Point towards the mouth of the James river, has been connected with the main work on Chesapeake bay by a series of triangles carried over Hampton Roads by Assistant Farley. The junction was made on the line, Old Point Comfort—Willoughby, at the entrance of the river, as shown on Sketch No. 9.

For the purpose of verifying the entire triangulation between Richmond, Va., and Old Point Comfort, a base was measured in May at a point on the north side, and about fifty miles above the mouth of the James river. One of the intermediate stations used in the triangulation corresponds with a terminus of the base, and both termini were connected with the station at Claremont, on the south side of the river.—(See Sketch.)

The computations resulting from the data for the verification of the work are now in progress.

The triangulation and operations connected with the measurement of the base near Claremont occupied the party until the 22d of June. The schooner John Y. Mason, which had been employed in the work, then returned to Baltimore. Sub-Assistant Wainwright assisted Mr. Farley in the several localities in which his party was engaged in this section.

The following synopsis refers to the duty performed this season in completing the triangulation of the James river:

Stations occupied .....	10
Angles determined .....	16
Number of observations.....	700

The record of horizontal angles, notes kept during the measurement of the verification base, and descriptions of the signals used this season, have been furnished by Assistant Farley.

*Triangulation and topography of Chincoteague and Sinepuxent bays, Md. and Va.*—As a basis of the plane-table survey north of Chincoteague inlet, Sub-Assistant Charles Ferguson made, in the latter part of June, a careful reconnaissance and tertiary triangulation between Snead Signal (Sketch No. 9) and Robbins's Point, on the main coast of Maryland. The two stations Hardy and Snead, erected in the secondary triangulation of 1849, being found undisturbed in position, were reoccupied, and six others chosen for connecting Assateague island with the coast. In the selection of the sites full attention was given to the requirements of the topography, and also to the means for rendering the stations permanent, for purposes of future reference.

This triangulation extends about twenty-one miles north and east from Chincoteague inlet. Exclusive of the stations occupied with the theodolite, five points were determined in position for plane-table reference. The statistics of the triangulation are as follows:

Stations occupied .....	8
Angles measured.....	24
Number of observations.....	1,100

Mr. Ferguson used in this work the six-inch Brunner theodolite, C. S. No. 66. His computations and original notes of the field-work have been received.

The topography was resumed at the limit reached last year on the 20th of July. The portion executed between that date and the 16th of September includes the mainland or western side

of Chincoteague bay, from Long Point north to "Deserted House," the details consisting principally of farm land and forest, intersected by numerous small creeks, and a broad belt of marsh along the line of the shore. The same sheet embraces the whole of Assateague island, with the Ragged Point island marshes; Pope's bay and its marsh islands; and Pine island, situated in New Inlet; together with the seabeach from Assateague bay to Ragged Point. The general features of the main and islands in this vicinity are shown on Sketch No. 9.

A synopsis taken from the completed sheet gives the following statistics of work done this season :

Shore-line surveyed .....	45 miles.
Roads .....	16 "
Creeks .....	26 "
Area, (square miles) .....	19

Sub-Assistant Ferguson had been previously employed in Section VI. The schooner *Dana* was used in the triangulation and topography of Chincoteague bay.

In the course of the season the plane-table sheet of Chincoteague island and vicinity, surveyed last year, was inked and sent to the office.

*Plane-table survey of the Patuxent river, Md.*—As a basis for completing the supplementary soundings required in the Patuxent, Assistant I. Hull Adams started on the 19th of April, at Holland's Point, and traced both shores of that river northward to Hall's creek, using points furnished by the triangulation of Lieut. J. P. Roy, U. S. A. The mouths and lower portions of Swanston creek and Hunting creek were included in the working sheet, on which were also marked the steamboat landings at Benedict, Trueman's Point, Holland's cliff, Magruder's Ferry, and Lower Marlboro'. About fourteen miles of the course of the Patuxent (Sketch No. 9) are represented on the map of this season. The length of shore-line traced and furnished to the hydrographic party is about thirty-seven miles.

This service was completed by the 16th of May, when the plane-table party in the schooner *Dana* was transferred for similar duty to the James river, Va. The stations used in the triangulation of the Patuxent were visited by Assistant Adams, and found in good preservation.

*Topography of St. Mary's river, Md.*—This work was begun by Assistant Adams on the 17th of November, 1858, and prosecuted until the end of that year. The limit reached corresponds to the upper line of the plane-table sheet marked on Sketch No. 9. Both shores of the river were traced upward, the eastern from Ket's Point, and the opposite side from the southern shore of George's island, respectively, to Milborne's wharf. This point is nearly eight miles above the entrance into the Potomac. About four miles above its mouth the St. Mary's river receives from the eastward St. Inigo's creek, the course of which was traced by Mr. Adams to the distance of a mile and a half. The shores of Carthagen creek, emptying in on the western side, were also defined for some distance. The shore-line traced on the working sheet makes an aggregate of thirty-eight miles within an area of about twenty-eight square miles.

This survey is based on the triangulation executed by Assistant John Farley in 1857.

Assistant Adams was aided in the plane-table work by Mr. J. G. Macawley. Progress in the field was much hindered by heavy rains, fogs, and gales of wind.

The sounding of the lower part of the St. Mary's was executed in the latter part of the

surveying season of 1857-'58, as stated in my last annual report. Sketch No. 14, accompanying this report, shows the result of the labors of the field and by hydrographic parties.

Mr. Adams discontinued work on the 5th of January, and proceeded to Baltimore in the schooner John Y. Mason, which had been in the service of his party on the St. Mary's. The vessel was soon after transferred to the party of Assistant Farley and employed in the triangulation of Hampton Roads, as already stated.

Assistant Adams is now preparing to return and fill in the details required for a finished map of the St. Mary's.

*Topography of Milford haven, and Horn and Winter harbors and vicinity, Chesapeake bay, Va.*—The survey of the western shore of the Chesapeake, between Rappahannock river and York river, was resumed by Assistant John Seib on the 15th of August, with a party in the schooner John Y. Mason. Two sheets, connecting at the Wolf Trap, will contain the detailed topography of the Piankatank river, Hill's bay, Milford haven, Haven creek and its branches, Garden creek, Horn harbor, Winter harbor, Mobjack bay, with East, North, Ware, and Severn rivers, and the western shore of Chesapeake bay from Cherry Point southward to New Point Comfort. In most of these localities the plane-table work was completed by the end of October, leaving only the three last-named rivers and Hill's bay for survey in the next year. The limits of both sheets are marked on Sketch No. 9. When these are completed, there will remain outstanding only a few small detached portions of topography on the shores of the Chesapeake, which can be readily finished without applying the entire working season of the party which has been heretofore employed on it.

Reference will be made under Section V to the previous occupation of Mr. Seib.

The inking of the two sheets of the Chesapeake shore was kept in progress when the weather would not admit of working in the field.

A summary given in the report of Assistant Seib shows the following progress by his party in this section:

Shore-line surveyed .....	74½ miles.
Roads .....	23   “
Area, (square miles).....	20

The character of the topography is even in surface and interspersed with woods and numerous water-courses over a thickly-settled district.

On closing work the schooner Mason was transferred to the charge of Assistant John Farley, for use in the triangulation of the Potomac river.

The upper sheet of York river, which was inked within the season, is now on file in the archives.

*Shore-line survey of James river, Va.*—On closing the last plane-table operations on this river, the shores of a stretch extending about five miles between Coggin's Point and Little Brandon yet remained to be traced in order to complete the preliminary survey. This duty was executed in the latter part of May and early part of the following month, by Assistant Adams, after closing work on the Patuxent, to which reference has already been made.

The entire course of the James river, from its entrance upward to City Point, has now been traced, and the shores of its two branches above, to Richmond on the main stream and to Petersburg on the Appomattox. The stretch represented on the sheet of this season (Sketch

No. 9) commences about seven miles below City Point. It contains twenty-four and a half miles of shore-line within an area of sixteen square miles.

The schooner *Dana*, which was used by Assistant Adams in this work, returned to Baltimore by the 14th of June, and was then assigned for similar service to the party of Sub-Assistant C. Ferguson.

*Hydrography of the Patuxent river, Md.*—The soundings required to complete the chart of this river were made towards the close of May, by the party of Commander W. T. Muse, U. S. N., Assistant Coast Survey, working with the boats of the steamer *Hetzel*. From the limit reached last season, as marked on Sketch No. 9, the work was extended upwards to Hall's creek, within the triangulation made by Lieut. J. P. Roy, U. S. A., shore-line being furnished at the same time by Assistant Adams. The statistics of the supplementary hydrography are as follows:

Miles run in sounding .....	88½
Angles determined .....	274
Number of casts of the lead .....	7,554

*Hydrography of the St. Mary's river, Md.*—The lower part of the St. Mary's river, Md., was sounded out in the latter part of the working season of 1856-'57, by the party of Commander Muse, in advance of the triangulation, which was not taken up until the following spring. Before resuming the work, with a view of extending the soundings upward so as to complete a chart of the river, some discrepancies being noticed in the determination of the positions of signals used in the two operations, the hydrography was verified by new lines traversing the former work. Supplementary soundings were also made below the mouth of the river, and in the channel of the Potomac between it and Point Lookout, so as to include the small cove known as Cornfield harbor. The locality and its connection with the Chesapeake are shown on Sketch No. 9. A reduction from the hydrographic sheet, which has been turned in, accompanies this report as a preliminary chart, and is marked as Sketch No. 14.

The following are statistics of the soundings made this year in the St. Mary's and vicinity:

Miles run .....	318
Angles taken .....	653
Number of soundings .....	15,868

The hydrography was executed with the steamer *Hetzel* in the latter part of August and early part of September.

In regard to the capacity of the St. Mary's as a harbor, the following remarks made by Commander Muse in his report on the work done in 1857 are again quoted: "The largest vessels can enter the St. Mary's river with ease, and be well protected. Its short distance from Chesapeake bay would enable vessels to leave in the severest winters, while others remain blocked in ice at most of our large cities. At convenient distances the river is indented by bays, which admit of vessels remaining at anchor to load and unload without interfering with the main channel."

*Hydrography of James river, Va.*—A portion of the James river, below City Point, which had not been reached in the progress of the hydrography upward, was sounded out in August by the party of Commander Muse. The space referred to is comprised between Coggin's Point and Little Brandon, (Sketch No. 9,) and embraces a reach of about seven miles.

This work completes the hydrography from Richmond to the entrance in Chesapeake bay.

The shore-line necessary for the soundings was furnished by Assistant Adams.

A summary of the hydrographic statistics is appended:

Miles run in sounding.....	83½
Angles measured.....	301
Casts of the lead.....	5,940

The sheet containing this work is now at the office.

*Hydrography of Big Annemessex and Little Annemessex rivers, Md.*—The supplementary soundings required for the engraved sheet of Chesapeake bay, which will contain Tangier sound and its branches, were made by the party of Commander Muse in September. This work (Sketch No. 9) includes the Big Annemessex and Little Annemessex rivers, and connects with the general hydrography of the sound, executed by the party of Lieut. Comg. J. J. Almy, in 1856.

All of the principal and very nearly all of the minor hydrographic details necessary for the finished chart of Chesapeake bay are now complete.

A synopsis given by Commander Muse at the end of the season shows the statistics of work in the Big and Little Annemessex, as follows:

Miles run.....	91½
Angles taken.....	272
Soundings.....	6,947

The steamer Hetzel was used for this and other duty performed in the same section by the party of Commander Muse.

*Tidal observations.*—The self-registering tide-gauge at Old Point Comfort has been continued in operation under the charge of Mr. M. C. King. A similar gauge has been used in keeping up the series of observations commenced last year at the Washington navy yard. The attention necessary in maintaining regular observations with it was given in part by officers attached to the ordnance department of the yard, under the direction of Commander Dahlgren.

#### SECTION IV.

FROM CAPE HENRY TO CAPE FEAR, INCLUDING PART OF THE COAST OF THE STATES OF VIRGINIA AND NORTH CAROLINA.—(Sketch D, No. 15.)

The primary triangulation of Pamlico sound has been resumed in this section; work of verification in the neighborhood of the Cape Fear has been done; the topography between Cape Henry and Currituck sound has been completed; in-shore hydrography of the coast near Bogue and New River inlets has been executed, and offshore work between Cape Lookout and Cape Fear. Notices of these several operations are given in this chapter.

*Office-work.*—Comparative charts of the Cape Fear entrances, showing the changes from 1851 to 1858, and diagrams illustrating Gulf Stream explorations, have been drawn, and the former engraved upon stone under the direction of the Superintendent of Public Printing. Progress has been made in the drawing and engraving of preliminary coast chart No. 11, from Cape Hatteras to Cape Lookout; in the drawing of No. 12, from Cape Lookout to Cape Fear; in that of coast map and chart No. 48, from Bogue inlet to Barren inlet; and in the engraving of coast maps and charts Nos. 40 and 41, Albemarle sound.

*Triangulation of Pamlico sound, N. C.*—The preliminaries necessary for the primary triangulation of Pamlico sound were commenced early in January by Captain T. J. Cram, U. S.

Top. Engineers, Assistant Coast Survey, his party having sailed from Baltimore on the 27th of December, with the requisite equipage, in the schooner Bancroft.

Such general facts as had been gathered in the reconnaissance made by Major Prince, U. S. A., in 1851, were applied by Captain Cram, who proceeded to develop from them a scheme for working, by the minute examination of points chosen with reference to their availability for the purposes of triangulation, as well as for proper connections with the main coast series to the northward and southward. To that end stations at the upper part of the sound, connecting with the base on Bodie's island, were selected, and signals prepared for them of the kind required in the measurement of primary angles.

These points, and others at proper intervals on both shores of the sound, are marked on Sketch No. 15, which shows the plan as finally adopted for the triangulation. Some of the tripods and signals necessary for observing with the theodolite were erected, and for those which were not set up materials were prepared and fitted by the party before closing for the season.

Five stations of the first order were erected in the course of the season, and seventeen points in all chosen by preliminary measurements. The party discontinued work on the 12th of April, and is now reorganizing under the direction of Capt. Cram for resuming and prosecuting the triangulation during the coming winter and the spring following.

*Verification of triangles in the vicinity of Cape Fear, N. C.*—The revision of the system of small triangles laid out on the coast of North Carolina was resumed by Assistant A. S. Wadsworth on the 10th of November, 1858, at a station about five miles north of Federal Point. Most of the signals which had been used between it and Smithville having been lost, as well as the marks at the north and south ends of the base on Smith's island, (Cape Fear,) others were established, and a new triangulation made across the mouth of Cape Fear river. The scheme of triangles as remeasured may be seen on Sketch No. 15.

For the purpose of verification a new base site was selected, corresponding as nearly as possible to the line measured on Smith's island, with the additional advantage that the ends are coincident with two stations used in making the triangulation from Federal Point southward in 1851. "The site passes over a level beach, and is as permanent in character as any available line can be in that vicinity. At any state of the tide the north end is easily accessible in boats."

In order to test the geodetic value of the small coast triangulation, steps will be taken as early as practicable for the measurement of the base of verification. The ends were connected with the triangulation of this season at the stations at Fort Johnston (Smithville) and Fort Caswell, as shown on the progress sketch, (No. 15.)

Assistant Wadsworth closed work on the 7th of April, and reported at the office in Washington, where he made the resulting computations and duplicated his record of angles. In the field-work he used the six-inch Brunner theodolite C. S. No. 59. The following summary is taken from his report on the triangulation:

Stations occupied .....	12
Signals observed on .....	12
Angles measured .....	30
Number of observations .....	1,191

The latter part of the season was more than usually unfavorable for field-work in the vicinity of Cape Fear.

In July Mr. Wadsworth proceeded to Section I, and engaged in the topography of Casco bay.

*Topography between Cape Henry, Va., and Currituck sound, N. C.*—The entire outer coast line of Virginia, and the region immediately adjacent to it, from Cape Henry and Lynn Haven bay southward to the boundary line, in connection with the district comprising the upper part of Currituck sound, have been passed over with the plane-table by Sub-Assistant John Mechan, and the details included within the limits referred to have been completed. On the outer coast of North Carolina the work of this season was extended to a junction, at Fresh Pond Hill, with surveys made in previous years by the late Assistant J. J. S. Hassler, mention of whose death was made in my last annual report. The point referred to lies about thirty-one miles below Cape Henry. The upper shores of Currituck sound, the eastern shore of Knott's island, and the western side of Back bay, had been traced by Mr. Hassler, who also executed some detached portions of topography while prosecuting the triangulation in the direction of Cape Henry.

Sub-Assistant Mechan took the field on the 25th of November, and was aided during the season by Mr. F. R. Hassler. Bad weather prevailed generally while the party was at work; but by employing the unfavorable intervals in chaining and in ordinary plane-table determinations, the details of four topographical sheets were filled in by the end of May, completing the survey between Albemarle sound and Cape Henry. In going southward from Chesapeake bay, the work of this season embraces the continuous shores of Lynn Haven river and inlet, Long creek, Broad bay, and Linkhorn bay, which separates the desert of Cape Henry from the interior. To the southward was traversed a closely-settled belt of coast, broken only by Rudy inlet, which is about seven miles from Cape Henry light-house. Lower down, North bay, and, in connection with it, the eastern shore and the islands of Back bay, were surveyed, as also Knott's island and Mackay's island, in the upper part of Currituck sound. On the sheet containing the survey of Back bay is represented a feature of the outer coast which has been often mistaken for Cape Henry when seen from vessels approaching the land. Its position, as well as the limits of the several sheets now under notice, are marked on Sketch No. 15. The following remarks are made in reference to this vicinity in the report of Mr. Mechan: "Back bay is divided from the ocean on the east by a sand beach, the southern extremity of which is dotted with high sand dunes, and oak, pine, and cedar hummocks, containing the huts of numerous wreckers and fishermen, and known as the 'Wash Woods.' Further north are the 'Wash Flats,' a low smooth strand, so near the general level of the sea as to be submerged during strong easterly gales. When viewed from a vessel at sea, it seems a continuation of the ocean, and, with the high sand-hill range and trees of the 'Wash Woods,' presents so near a resemblance to the entrance of the Chesapeake at Cape Henry as to have been often taken for it, with disastrous effects; hence it is called 'False Cape,' or the 'False Cape of the Chesapeake.' The sand dunes at Cape Henry are in some places eighty-five feet above the ocean level."

From the upper part of Currituck sound, the plane-table work was extended northward to a point two miles above Pungo bridge, so as to include the shores of North river, an important



link in the line of inland navigation, which now connects Chesapeake bay with Albemarle sound.

The progress made by the topographical party is shown in the following abstract of statistics:

Coast-line (ocean) surveyed.....	31 miles.
Shore-line of bays, islands, &c.....	169½ "
Roads surveyed.....	116 "
Area of sheets, (square miles).....	157

On his return from this section, Sub-Assistant Mehan was assigned to duty in the vicinity of New York city. In the course of the summer the sheets of the region between Cape Henry and Currituck were inked and sent to the office.

*Hydrographic.—Office-work.*—Two sheets containing the soundings executed during the surveying year 1857-'58, in Pamlico sound, have been received from Commander W. T. Muse, U. S. N., and registered in the archives.

*In-shore hydrography between Bogue inlet and New River inlet, coast of North Carolina.*—In continuation of the hydrography extending from Cape Lookout towards Cape Fear work was resumed on the 6th of April by Lieut. Comg. Alex'r Murray, U. S. N., assistant Coast Survey, at Bogue inlet, and carried down the coast of North Carolina at favorable intervals between that date and the 1st of June. A stretch of about thirteen miles coastwise, terminating as shown on Sketch No. 15 at New River inlet, was traversed by lines parallel to the shore and crossed by others going off to an average distance of ten miles from the land. This duty was executed in the surveying steamer Bibb. The following synopsis of statistics was returned by Lieut. Comg. Murray at the end of the season:

Miles run in sounding.....	232
Angles determined.....	714
Number of soundings.....	3,262

*Off-shore soundings, from Cape Lookout, N. C.*—While prosecuting the in-shore hydrography with the steamer Bibb, Lieut. Comg. Murray, ran, at favorable intervals, several lines to the northward of Cape Hatteras and others between Cape Lookout and Cape Fear, in order to furnish data for filling the project of the general coast chart No. V.

At the termination of a line carried broad off between Cape Hatteras and Cape Lookout a specimen of bottom was brought up in the axis of the Gulf Stream, the Massey sounding apparatus, used in that instance, indicating a depth of 2,059 fathoms. The material found was grayish mud or clay.

In reference to the current underrunning the Gulf Stream, Lieut. Comg. Murray remarks: "The wind was N.E. and light; the steamer lay with her head to the southward and eastward, and the line went from the stern, tending to the northward, but upon reeling it up we discovered that an undercurrent had carried it to the southward. This occurred twice under similar circumstances."

The statistics of the off-shore work are as follows:

Miles run in sounding.....	1,235
Casts of the lead.....	3,318

In the course of the season three hydrographic sheets, one containing the work done in 1857-'58, and two the soundings made this year, have been plotted and turned in at the office with the records of soundings, angles, and tidal observations.

The party in the steamer Bibb, after its return from this section, refitted at New York and passed the remainder of the season in prosecuting the general hydrography of Section I.

## SECTION V.

FROM CAPE FEAR TO ST. MARY'S RIVER, INCLUDING PART OF THE COAST OF NORTH CAROLINA, AND THE COAST OF SOUTH CAROLINA AND GEORGIA.—(Sketch E, No. 16.)

The usual number of parties has been employed in this section, namely: one in making astronomical and magnetic observations, one in primary and secondary triangulation and in astronomical and magnetic observations, one in secondary triangulation, one in secondary triangulation and topography, two in topography, and two in hydrography. The work accomplished is stated under the following heads:

1. Astronomical and magnetic observations near Cape Fear entrance.
2. Triangulation and topography westward of Tubbs' inlet, N. C.
3. Astronomical and magnetic observations at St. Helena island, S. C.
4. Primary triangulation, coast of South Carolina.
5. Triangulation of Beaufort, Chechessee, and Colleton rivers, S. C.
6. Triangulation of Doboy and Altamaha sounds, Ga.
7. Shore-line survey from St. Helena sound, S. C., to Savannah river entrance.
8. Topography of St. Catherine's sound, Ga.
9. In-shore hydrography from Cape Fear westward to Tubbs' inlet, N. C.
10. Off-shore hydrography from Cape Fear to Charleston harbor.
11. Hydrography of Bull's bay, S. C.
12. Hydrography of Port Royal entrance, S. C.
13. Hydrography of the Chechessee and Colleton rivers, S. C.
14. Hydrography of Sapelo bar and its approaches, Ga.
15. Tidal observations.

*Office-work.*—In the drawing and engraving divisions, additions have been made to the chart of Charleston harbor. The chart of Sapelo sound has been drawn and engraved and the engraving of preliminary coast chart No. 14, from Cape Romain to Savannah, has been in hand. Progress has been made in the drawing of coast maps and charts No. 53, from Charleston harbor to St. Helena sound, and No. 58, from St. Mary's river to the St. John's, Fla., and in that of the chart of Ossabaw sound.

*Latitude observations at Smithville, N. C.*—The adjustment of the triangulation on the coast of North Carolina requiring that the latitude of a point in the vicinity of Cape Fear should be closely determined, as well as the azimuth, an astronomical party was organized on the 1st of April, under my immediate direction, and placed in charge of Assistant G. W. Dean. A station was erected at Fort Johnson, Smithville, N. C., and the necessary preliminaries for astronomical work were arranged by Mr. Thomas McDonnell. Sub-Assistant Edward Goodfellow was detailed to assist in the observations. Those for the latitude and time were made by him with the zenith telescope C. S. No. 5, and forty-six-inch transit C. S. No. 4. With the first-mentioned instrument twenty-nine pairs of stars were observed by one hundred and seventy-four sets of observations. Fourteen standard stars were observed on with the transit, and ninety-six observations recorded. The value of the micrometer threads was ascertained by one hundred and twenty-two observations on the star 51 *Cephei*, near its western elongation. Forty-six observations were made with the micrometer upon a collimator adjusted to a stellar

focus, for determining the arc value of graduations on the level of the zenith telescope, and the corresponding divisions of the transit instrument were tested by comparisons with it.

As far as practicable, the stars observed for latitude were taken from the Greenwich Twelve Year Catalogue, the sets, as heretofore, being completed from that of the British Association. Mr. W. H. Odenheimer aided Sub-Assistant Goodfellow, and recorded the observations. Unusually good weather prevailing during the stay of the party, all the requisite determinations were completed by the 7th of May.

*Azimuth.*—The azimuth for the lines of the triangulation was determined by Assistant Dean. For that purpose nine sets of observations were made with the twenty-four-inch theodolite (C. S. No. 2) on *Polaris* at its lower culmination, and six sets on  $\delta$  *Ursae Minoris* near its eastern elongation. In each series six pointings were made on the star with the telescope direct, and the same number with the instruments reversed. An elongation mark was set up and connected in the usual way with the triangulation, twelve sets of pointings being made on it with the telescope direct and reversed. The mark was referred to three geodetic signals by four hundred and thirty-six observations made at six different periods, each embracing the observations of an entire day. In making them the circle of the instrument was used in five different positions. The azimuth observations were recorded by Mr. McLane Tilton.

*Magnetic observations at Smithville, N. C.*—For the declination of the needle at the astronomical station (Fort Johnson) one hundred and forty-seven observations were made on three days by Assistant Dean and Sub-Assistant Goodfellow. Four sets were made on three days for the magnetic dip, and two sets on two days for the horizontal intensity and moment of inertia. The instruments used were declinometer D. 22 (C. S. No. 1) and the nine-inch dip circle C. S. No. 4.

The usual meteorological journal was kept by Mr. Tilton, while the observations were going on for latitude, azimuth, and the magnetic elements.

Immediately after the return of the party the records kept at the astronomical station were duplicated by Sub-Assistant Goodfellow and placed in the archives, with his computation for latitude, with that of Mr. Dean for azimuth, and lists of the stars used in observing for latitude.

In June the party was transferred to Section I, and remained until the close of the season under my personal direction, as stated in a previous chapter of this report.

*Triangulation and topography westward of Tubbs' inlet, N. C.*—The coast triangulation below Cape Fear has been extended westward by Assistant C. P. Bolles, to the immediate vicinity of the boundary line between North and South Carolina. The details of the plane-table work, which has been prosecuted in connexion with it, have been completed to Tubbs' inlet, and the shore-line survey advanced westward to Little river, (Sketch No. 16,) or near the present limit of the triangulation. On the 10th of December work was resumed at Shallotte inlet, Mr. O. Hinrichs, the aid in the party, conducting the topographical survey, while Mr. Bolles carried forward the triangulation. Most of the angular measurements were made with the six-inch Brunner theodolite C. S. No. 67.

The following synopsis shows the progress made by the party before closing for the season, on the 20th of June:

First order stations occupied.....	8
Second order stations occupied .....	30

Objects observed on .....	46
Number of observations.....	1,218

In the principal series eighteen angles were determined, the last being formed at a station a short distance above Tubbs' inlet. From thence southward and westward to Little river, the smaller chain of triangles was completed to serve as a basis for the topography.

The impediments from standing wood and undergrowth on this part of the coast increase the natural difficulty of laying out and determining primary lines which pass over a level surface. Avenues, making in the aggregate an extent of more than fourteen miles, were traced and opened by the party so as to admit of observing with the theodolite.

Assistant Bolles furnished in the course of the working season the data requisite for fixing the positions of shore stations for the hydrographic party of Lieut. Comg. Bankhead.

The plane-table work comprises the following statistics:

Beach-line surveyed.....	21.6 miles.
Shore-line of creeks.....	102.1 "
Outline of marsh .....	47.5 "
Roads.....	30.3 "

In addition to the plane-table work, Mr. Hinrichs aided in the several operations of the triangulation. Shore-line was furnished as needed for the in-shore hydrography, which was in progress at the same time.

Six volumes containing the original records of horizontal angles measured in extending the field-work westward from Cape Fear have been placed in the archives, as also the topographical sheet executed last year under the direction of Assistant Bolles.

*Astronomical and magnetic observations at St. Helena Island, S. C.*—As part of the duty devolving on his party in this section, Assistant C. O. Boutelle set up the zenith telescope C. S. No. 5, and transit No. 3, at Port Royal station on St. Helena island, and made a series of observations for latitude between the 8th of January and the 1st of March. Both instruments were supported by wooden posts set three feet in the ground and strongly trussed by cross and diagonal braces above and below ground.

The azimuth also was determined at the same station with the twenty-four-inch theodolite C. S. No. 2, and Gambey theodolite C. S. No. 43, an artificial horizon being employed in making the observations with the last-named instrument.

For local time observations were made at intervals from January 8 to May 7 inclusive, with transit No. 3, in connexion with the sidereal chronometer No. 207, and the solar chronometers Nos. 211, and 2,458.

For latitude six hundred and seventy-eight observations were made on sixty-two pairs of stars. The places of forty-eight were taken from the Twelve Year, and the rest from the catalogue of the British Association. Seventy-two observations for value of the micrometer in the zenith telescope were made upon four elongations of Polaris. The value of levels A and B were determined in terms of the micrometer by a hundred and twenty observations on the cross hairs of a sector set up fifteen feet north of the zenith telescope and used as a collimator.

Between the 10th of February and the 16th of March ten elongations of Polaris were observed in the usual manner for azimuth. Two hundred and sixty-three observations were made on star and mark, and one hundred and eighty-six for connecting the elongation mark with stations in the secondary triangulation.

For local time three hundred and thirty-nine transits were observed on sixty-one nights between January 8 and May 7.

Mr. Boutelle also observed a series of azimuths upon Polaris in various parts of its orbit, making thirty-three sets of four repetitions each on three nights. These formed angles between Chaphir signal and the star, and were observed alternately direct and reflected in a mercurial horizon.

The position of the astronomical station on St. Helena island, and its connections with the coast triangulation are shown on Sketch No. 16.

The declination of the magnetic needle at Port Royal station was determined with the declinometer C. S. No. 5, by two hundred and thirty-six observations made in parts of ten days between January 23 and February 5, on two collimator magnets. For the dip, the circle No. 9 was used, and ninety-six observations were recorded.

In the astronomical work, and in the general operations yet to be referred to, Mr. Boutelle was assisted by Lieut. Thomas Wilson, U. S. A., Assistant Coast Survey, and Sub-Assistant W. S. Edwards. Mr. C. H. Boyd was attached to the party as aid.

Duplicates of the records of observations made this season for latitude, azimuth, and time have been deposited in the office. Mr. Boutelle has also turned in his revised computation for the latitude of Allston station, determined in a previous season.

*Primary triangulation, coast of South Carolina.*—For the extension of the series of primary triangles southward and westward from the Edisto base and in the direction of Savannah, Assistant Boutelle erected a tripod and scaffold at Port Royal station, and made the preliminary measurements necessary for including a point in the city of Beaufort, S. C., in the general scheme. The positions of these, as falling in with the chain of work already completed, may be seen in the progress sketch (No. 16) of the section. The lines to be observed on in carrying the main triangulation across St. Helena island were partly traced and cleared for the measurement of horizontal angles while other operations were going on. This service was performed by Sub-Assistant Edwards, under the direction of Mr. Boutelle. The party reached its working ground in the schooner Petrel from Charleston, at which port the vessel had been laid up during the winter.

Lieut. Wilson, U. S. A., and Mr. C. H. Boyd, assisted in the duties now under notice, and in those to be mentioned under the next head.

The records of the primary triangulation of previous years have been deposited in the archives.

*Triangulation of Beaufort, Chechessee, and Colleton rivers, S. C.*—From its entrance into Port Royal sound, Assistant Boutelle laid out and completed by the 19th of April the triangulation of Beaufort river upwards to the city of Beaufort. The length of water course included in that work is about twenty-nine miles. His party was then transferred in the schooner Petrel to Foot Point, and in that vicinity a triangulation was carried from Broad river up the Chechessee and its branch known as the Colleton river. The triangles were made to extend about two miles and a half above Foot Point and four miles below it, so as to provide for the topographical survey, and for hydrographic purposes, reference to which will be made hereafter.

The following are statistics of field-work executed by the triangulation party:

Signals erected .....	20
Stations occupied .....	24
Angles measured .....	348
Number of observations .....	1,772

A general view of the scheme of work will be seen by reference to Sketch No. 16.

The eight-inch Gambey theodolite, C. S. No. 24, and ten-inch Gambey, C. S. No. 43, were used in the angular measurements.

In the several operations prosecuted between the Edisto base and Foot Point Mr. Boutelle was assisted by Lieutenant Wilson and Sub-Assistant Edwards. Mr. C. H. Boyd was attached to the party as aid.

The schooner Petrel was despatched for New York on the 16th of May, and was there repaired and refitted for the continuance of work in the coming season.

While the triangulation party was at work in February, the United States steamship Brooklyn passed into Port Royal sound and anchored near the Parry island buoy, between Broad and Beaufort rivers. Assistant Boutelle visited the vessel, and, as no professional pilots are known in that vicinity, tendered his services in conducting her up Beaufort river. The offer being accepted by Captain Farragut, of the Brooklyn, the steamer was moved to a position within four and a half miles of the city of Beaufort, and there anchored. A communication addressed to me by Captain Farragut, in reference to his visit in Port Royal sound, is given in Appendix No. 38.

After reporting at the office, Assistant Boutelle proceeded to Section I. His occupation during the summer and autumn has been stated under that head. Lieutenant Wilson, on returning from Section V, was assigned to duty in the charge of the Drawing Division, and Sub-Assistant Edwards took up plane-table work on the Kennebec river.

*Triangulation of Doboy and Altamaha Sounds, Ga.*—The secondary triangulation on the coast of Georgia has been continued southward from the Sapelo base, and between it and the work at St. Simon's entrance a preliminary connexion has been made by a series of tertiary triangles carried along the outer range of islands below the entrance to Altamaha sound.

Sub-Assistant F. P. Webber, whose operations last season closed at the upper part of Sapelo island, resumed work there on the 20th of December, with a party in the schooner Hassler. The triangulation was taken up at the line which joins Julienton with a terminus of the Sapelo base, the location of which is marked on Sketch No. 16. To the southward and westward stations were erected at suitable intervals, so as to include in the secondary series Mud river and North river, with their branches behind Sapelo island; Doboy sound, and Altamaha sound with the lower parts of its tributaries. A number of subsidiary stations were occupied within the same area sufficient for the purposes of a topographical survey. Mr. Webber measured also a series of tertiary triangles, in order to define the courses and direction of the water-passage which separates Blackbeard island from Sapelo island, and south of the Altamaha entrance extended a similar triangulation by observing alternately at stations on St. Simon's island in connexion with others erected on the chain lying between it and the ocean. The ten-inch Gambey theodolite, C. S. No. 63, was used in measuring the angles.

At a station about thirty miles below the Sapelo base, as measured along the course of the triangulation, a junction was made with one of the tertiary lines observed on by Assistant A. W. Longfellow in the survey of St. Simon's sound. Sub-Assistant Webber there closed for the season on the 15th of April. It is expected that a connexion by triangles of the second order can be made early in the ensuing year.

Mr. Julius Kincheloe was attached to the party as aid, and served efficiently in the field-work and in making computations.

While the hydrographic survey of Sapelo bar was in progress, the points requisite for it were

furnished to Lieut. Comg. Fauntleroy. Further notice in regard to that work will be made under another head.

The following summary of statistics and extract are from the report of Sub-Assistant Webber:

Secondary stations occupied .....	7
Tertiary stations occupied .....	42
Angles measured .....	562
Objects observed on .....	570
Points determined in position .....	105
Number of observations .....	3,958

"The sides of the triangles of the second order range from five to eight miles in length. It is probable that lines from four to six miles long can be found across the opening to the west of St. Simon's island, but in proceeding southward it will be necessary to erect two or three scaffold signals, perhaps twenty-five feet high, as the lines will extend over fresh water marsh, the reeds and shrubs of which reach to a height of twelve and in some places twenty feet, while the hard ground is nearly level with the surface of the marsh."

Records of the horizontal angles and descriptions of the signals erected this season have been received and filed in the office.

The schooner *Hassler* with the party of Mr. Webber reached Portland, Me., on the 2d of May, and during the summer was employed in work east of the Kennebec. On her outward passage to the south, the vessel was forced to take refuge in Provincetown harbor by severe gales, and while again on her way was damaged off Long Island in a storm, which also destroyed her stern boat. The necessary repairs were made at Savannah.

Sub-Assistant Webber is now making arrangements for returning to continue work on the coast of Georgia.

*Shore-line survey from St. Helena sound, S. C., to Savannah river entrance.*—This includes the outlines of the Hunting islands, Eddings' island, the islets and water-passages between them and St. Helena island, the entire shore-line of Port Royal entrance, and part of that of Parry island, at the confluence of Beaufort and Broad rivers, Daw island and Colleton Neck, the outline of Hilton Head island, and the western shore of Calibogue sound, from Pinckney island to Savannah river. The work was executed by Assistant John Seib, whose party arrived in the section and anchored in Harbor river on the 10th of January. After joining with the plane-table survey made in 1856 on the upper part of the Hunting islands, Mr. Seib pushed steadily in the direction of Tybee entrance, tracing, as he advanced, the shore-line of Harbor river, Fripp's inlet, Story creek, Trenchard's inlet, Skull inlet, and Pritchard's inlet, and passing through Station creek, the preliminary work was carried into Port Royal sound. On the outer side of the islands which bound the lower part of the coast of South Carolina, the ocean-line was traced from Skull inlet to Bay Point, at Port Royal entrance. Thence, proceeding northward and westward, the shores of Port Royal sound were surveyed, from Bay Point to Land's end, as also the shores of Beaufort river to a point three miles above its mouth; the northern shore of Broad river, beyond Parry island, and its southern shore as far up as Lemon island. In that vicinity Mr. Cleveland Rockwell, the aid in the party working under my immediate direction, with a second plane-table traced the outline of Daw island; the shores of the Chechessee river, from Pinckney island upward to Lemon island; and the shores of Colleton river to a short distance southward of Foot Point. The tongue of land embraced between the

two rivers, and designated as Colleton Neck or Victoria Bluff, was surveyed somewhat in detail. A tracing from the topographical sheet of Mr. Rockwell was furnished early in May for the guidance of the hydrographic party in sounding out the adjacent channels, more particular reference to which will be made presently.

The continuous preliminary work of Assistant Seib in going southward from Port Royal sound embraced both shores of the passage known as Skull creek, between Pinckney island and Trench's or Hilton Head island; the shores of Calibogue river, in connexion with it and with May river; and the shore-line of Calibogue sound, to Mungen Point. The outer side of Hilton Head island also was traced and joined with the surveys already mentioned. As measured in a direct line, the chain of islands included in the work of the season stretches about thirty-five miles below St. Helena sound. The aggregate of shore-line represented on the five plane-table sheets brought from the field is about two hundred and fifty-eight miles. Four of them were worked on alternately by Assistant Seib and Mr. Rockwell, progress being made at the same time in inking plane-table sheets of the previous year. The limits of the sheets embracing the preliminary survey between St. Helena sound and Savannah river are marked on Sketch No. 16. Field-work was closed for the season on the 12th of May. The schooner Bailey, which had been in the service of the party, then sailed for Smithfield, North Carolina, and was transferred to Lieut. Comg. Bankhead, and employed in the hydrographic work of this section.

At the end of April I visited the party of Assistant Seib, in passing southward on a tour of inspection. The work then in progress, and since completed, is intricate in character and was not favored by more than an average of fair weather for field duty. The large return in results is mainly due to the constant energy of the chief of the party, and to the able support given by Mr. Rockwell.

Mr. Seib was employed during the summer in plane-table duty in Section III, and Mr. Rockwell in Section II. In the corresponding chapters of this report notice has been taken of the occupation referred to.

*Topography of St. Catharine's sound, Ga.*—The party assigned to this work, in charge of Sub-Assistant H. S. Du Val, commenced the survey on the 27th of December and continued in the field until the 23d of May, using data furnished by the triangulation of Lieut. A. W. Evans, U. S. A. No interruption from unfavorable weather occurred to break the plan of operations, and, as a result, the survey of the shores of the sound was essentially completed, including the shores and branches of that part of the "Inland Passage" known as Bear river, which connects St. Catharine's with Ossabaw sound. The plane-table sheet also embraces the shores of the Medway opposite to the entrance of St. Catharine's sound, the mouth of North Newport river leading from it southward as part of the inland passage to Sapelo, and the outer shores of Ossabaw and St. Catharine's islands, in the vicinity of the entrance. These localities, as well as the general limits of the sheet referred to, are marked on Sketch No. 16.

A reconnaissance was made in the course of the season, and points were established for the survey of the interior of Ossabaw island, on which the work will connect with a survey made to the northward by Assistant A. M. Harrison in 1857-'58, but the advance of the season did not admit of the execution of the topographical details. These will be filled in during the coming winter, the party being about to resume duty on the coast of Georgia. The northern part of St. Catharine's island will be represented on the same sheet, and the detailed work



extended southward to meet that completed on Sapelo sound, which is already connected with it by a shore-line survey along the outer side of the island.

As returned to the office the topographical sheet of St. Catharine's sound exhibits the following summary of progress made by the party in charge of Sub-Assistant Du Val :

Shore-line .....	204 miles.
Area of details, (square miles) .....	50

Mr. J. D. Bradford aided in the field-work.

In June the party returned to Portland in the schooner Meredith. The vessel was then transferred to the party of Assistant A. W. Longfellow for service in Casco bay.

Sub-Assistant Du Val makes special mention in his report of the facilities tendered by residents on St. Catharine's island as tending to the furtherance of his work.

Within the present season Assistant Longfellow has inked and sent to the office the plane-table sheet containing his survey of Sapelo sound, and one of the sheets of work executed by his party at Brunswick harbor, Ga.

*In-shore hydrography from Cape Fear westward to Tubbs' inlet, N. C.*—The hydrographic party detailed for duty in the northern part of this section sailed from Baltimore under the command of Lieut. Comg. J. P. Bankhead, U. S. N., Assistant Coast Survey, in the schooner Crawford, and reached Charleston on the 7th of February. A period of stormy weather setting in made it expedient to defer the outside soundings and employ the interval in another locality, which was accordingly done, as will be noticed presently. The coast soundings from Cape Fear westward to Tubbs' inlet were executed between the 5th of May and the 12th of August, favorable intervals being taken between those dates for also running off-shore lines, to be alluded to hereafter. The in-shore work connects with the completed hydrography of Cape Fear entrance and the Frying Pan shoals, and represents a space of twenty-five miles in length (Sketch No. 16) by rather more than ten in average breadth.

Assistant C. P. Bolles, in charge of the triangulation, furnished data for establishing the shore stations required in executing the soundings.

The following is a synopsis of the statistics :

Miles run in sounding .....	1,121
Angles measured with the sextant .....	1,322
Angles measured with the theodolite .....	2,281
Number of soundings .....	6,333
Area sounded, (square miles) .....	228
Tidal stations occupied .....	2

Referring to the character of the bottom and to the capacity of the several small inlets which break the coast of North Carolina at intervals between Oak island and Tubbs' inlet, Lieut. Comg. Bankhead remarks: "The bottom is uniform in character and clear of rocks or shoals, and the shore can be safely approached, in clear weather, by any class of vessels to within one nautical mile."

"The inlets are impracticable for any but vessels of very light draught, and their bars change with every shift of wind. A few flat-bottomed schooners are the only vessels that

attempt the passage, and then only on the top of high water, when not more than six feet can be carried in under the best of circumstances."

The in-shore hydrography from Cape Fear westward was executed with the schooners Crawford and Bailey, the latter having been assigned for that duty on the close of topographical work conducted in this section by Assistant Seib. In the course of the autumn the soundings were plotted under the direction of Lieut. Comg. Bankhead, at Washington, and the resulting chart left at the office.

The original records and transcripts of the soundings and tidal observations made at the Cape Fear entrances in 1857-'58 by the party of Lieut. Comg. T. B. Huger have also been received and deposited in the archives.

*Off-shore hydrography from Cape Fear to Charleston harbor.*—The working season proving to be unusually stormy along the coast below Cape Fear, effective progress in off shore soundings could be made only by employing favorable intervals, the in-shore work already referred to, being from time to time suspended for that purpose.

In allusion to the precautions taken in prosecuting the off-shore hydrography from Cape Fear, southward and westward, to Charleston harbor, Lieut. Comg. Bankhead, says: "Nearly all the lines were run with a fair wind, smooth water, and in clear weather, and all the principal positions were determined by actual observation. The soundings were made with care, and of the specimens of bottom brought up such have been preserved as were at all curious or different from the general character already known."

The following reference is made in the season's report to the probable existence of a bank off Cape Romain, the full development of which will be made in prosecuting the in-shore hydrography southward from its present limit: "I am satisfied that the continuance of the survey off Cape Romain will develop less water in some places than has been generally supposed to exist, as I have found six fathoms and water breaking in heavy weather where we should have inferred a depth of nine or ten fathoms from the general chart."

The off-shore soundings made by the party of Lieut. Comg. Bankhead in the schooner Crawford were carried to an average depth of a hundred fathoms, or from sixty or seventy miles from the coast, and were executed between the 7th of March and the 5th of August.

During the last two months of the season every effort was made to obtain current observations, but excepting at two stations in the vicinity of Cape Fear, without success.

The statistics of the off-shore hydrography are given in the following summary:

Miles run in sounding .....	1,462
Number of soundings .....	1,193

An unusually late period of the working season at the south having been reached, the schooners Crawford and Bailey sailed for New York, and there underwent necessary repairs. The plotting of the off-shore chart was then taken up, at the office, and completed.

Arrangements are now in progress for the return of the vessels and continuance of the in and off shore work in this section.

*Hydrography of Bull's bay, South Carolina.*—This duty was executed by the party of Lieut. Comg. Bankhead, with the schooner Crawford in March and April, the boisterous character of that part of the season not affording the usual opportunities for pushing soundings outside of the main coast. In connexion with the bay, the inland passage leading to the southward and westward, was sounded out as far as Capers's island. The limits of the sheet containing the

hydrography are marked on Sketch No. 16. Regular tidal observations were made during the period occupied in the work.

Lieut. Comg. Bankhead thus refers to Bull's bay as a harbor of refuge: "I doubt whether it will ever be used except as a harbor of refuge for coasting vessels, for which purpose, however, it is well adapted, being easy of access, affording good holding ground, and having abundant water (in the channel) for that class of vessels. The small channels that traverse the bay are too narrow and irregular in their depth for anything but boats of the lightest draught."

The following allusion to the inland passage is made in the same report:

"The inland passage connecting with the bay I find to be too narrow and crooked for any vessels other than very small steamers and flat boats, there being but one foot of water at mean low tide, and a width of only fifty feet at the narrowest part."

The following are statistics of the hydrography:

Miles run in sounding .....	308
Sextant angles taken .....	736
Number of casts of the lead .....	20,345
Area sounded (square miles) .....	36

The chart of Bull's bay resulting from this work has been plotted and is now on file at the office.

While engaged on his working ground in this section Lieut. Comg. Bankhead furnished to a deputation from Charleston, sent to examine in regard to the availability of Bull's bay for a quarantine station, such hydrographic data as could be supposed to bear on the question.

*Hydrography of Port Royal entrance, South Carolina.*—Early in June, Lieut. Comg. C. M. Fauntleroy, U. S. N., assistant Coast Survey, having completed the hydrographic duty assigned in two other localities of this section, commenced an examination of the several channels leading into Port Royal entrance in order to determine the character of the bars. This duty was completed before the close of that month, and, after plotting the soundings, it was reported as the result of comparison that "little or no change has occurred since the date of the hydrographic reconnaissance made in these waters by Lieut. Comg. Maffitt," (1855.)

In connexion with the hydrography of the east channel the soundings were carried northward and eastward to Hilton Head, and so extended in that vicinity as to include Joiner's bank. The limits of the work are marked in the usual way on sketch No. 16.

A recommendation from Lieut. Comg. Fauntleroy in regard to buoys for the east channel passage into Port Royal was communicated to the department in July, (Appendix No. 43.)

The United States sloop-of-war Brooklyn, having touched on a sand-spit at the mouth of Beaufort river, South Carolina, on the occasion of her visit to that branch of Port Royal sound in the early part of the season, to which allusion has been made under a previous head of this chapter, the locality in question was carefully examined by the hydrographic party. No obstruction was found in the channel which leads up the river, the point of the spit referred to being "on the port hand of the channel way, dividing it from a deep water pocket on the port hand of that again." It is hence to be concluded that when the vessel touched she had not fairly entered the channel of Beaufort river. No professional pilots were cruising in Port Royal sound at the period of her visit.

The statistics of the survey made by the party in the schooner *Varina* are as follows:

Miles run in sounding .....	158
Angles observed.....	703
Number of soundings .....	8,118

The area sounded out is about twenty-two square miles. A tidal station, as usual, was occupied for hydrographic purposes. After some needful repairs at Charleston, the *Varina* sailed for New York, and arrived at that port on the 8th of July. The party then took up the hydrography of Hudson river, as stated under Section II.

*Hydrography of the Chechessee and Colleton rivers, S. C.*—After completing a survey, which will be described under the next head, the party of Lieut. Comg. Fauntleroy was transferred in the schooner *Varina* to Broad river, S. C., and proceeded to sound out the more important parts of its tributaries, designated as the Chechessee and Colleton rivers. From the point of their junction behind Daw island, as shown on Sketch No. 16, the hydrography was carried about two miles northward and westward up the Chechessee, and about three miles southward and westward in the bed of the Colleton river. The vicinity of Foot Point was thoroughly sounded, as also the Chechessee river from the point of Colleton Neck downwards about four miles to Pinckney's island at the head of Port Royal sound or Broad river, where the work joins with the hydrography executed by Lieut. Comg. Maffitt, U. S. N., in 1855. My report for that year was accompanied by a preliminary chart of Port Royal entrance, which is therein marked as Sketch No. 22. In reference to it Lieut. Comg. Fauntleroy observes: "The previous survey shows that the bar of the Chechessee river affords twenty feet at mean low water, with a mean rise and fall of 6.6 feet. The depth increases in passing upward, and vessels that enter Port Royal sound will find in the Colleton river at the Neck, and at its confluence with the Chechessee, a capacious, completely protected and easily accessible anchorage in from four to seven fathoms water." In the Appendix (No. 29) further extracts are given from the report of Lieut. Comg. Fauntleroy bearing on the commercial facilities of the vicinity of Colleton Neck. This hydrographic survey followed the shore-line as traced by Mr. C. Rockwell, and was completed between the 13th and 21st of May. The resulting sheet is now on file in the Coast Survey office. The rate of the currents was observed at two stations, and the rise and fall of the tide determined as usual, the record being made for a complete lunation. An abstract from the hydrographic journal is given below as showing the statistics of work:

Miles run in sounding.....	218
Angles observed.....	1136
Number of soundings.....	15509

*Hydrography of Sapelo bar and its approaches, Ga.*—The survey of Sapelo river and sound, including its entrance and approaches, has been completed; the supplementary soundings and requisite tidal and current observations having been made this season in the vicinity of the bar by Lieut. Comg. Fauntleroy. Two vessels, the schooner *Varina* and steam tender *Fire-Fly*, were used for this service. Inside of the entrance the additional soundings were joined with the work executed in 1857-'58 by the party of Lieut. Comg. J. H. Moore, U. S. N., and from thence carried ten miles seaward to a depth of eight and a half fathoms. North and south the hydrography of the approaches was developed within a stretch of about ten miles. On the resulting chart, the limits of which are marked on Sketch No. 16, the character of the approaches is shown within an area of ninety-four square miles.

Observations were made at two current stations while the work was advancing, and the tides were recorded from the 27th of February until the completion of the survey, on the 27th of April. The soundings were frequently interrupted by bad weather. A synopsis of the statistics follows, as given in the report made on concluding the survey:

Number of theodolite stations.....	6
Angles of determination.....	45
Angles observed in sounding.....	1,018
Miles run in sounding.....	616
Number of casts of the lead.....	29,404

The importance of Sapelo entrance as a harbor is well set forth in some remarks contained in the report of Lieut. Comg. Fauntleroy, extracts from which will be found in Appendix No. 30.

Surveys made by this party subsequent to the completion of work at Sapelo bar have been described in this chapter, and under the head of Section II its more recent occupation has been noticed.

Two sheets, containing the hydrography of Sapelo sound and river, were received from Lieut. Comg. Moore, previous to his detachment from the Coast Survey.

*Tidal observations.*—The permanent self-registering tide-gauge at the custom-house wharf, Charleston, S. C., under the charge of Mr. W. R. Herron, has been kept up with great regularity throughout the year.

## SECTION VI.

FROM ST. MARY'S RIVER TO ST. JOSEPH'S BAY, INCLUDING THE EASTERN AND PART OF THE WESTERN COAST OF FLORIDA, WITH THE FLORIDA REEFS AND KEYS.—(Sketch F, Nos. 20 and 21.)

The progress made in the survey of the Florida reefs and keys has permitted additional parties on the main coast. There have been at work in this section—one party on the line across the head of the peninsula; one triangulation party near St. Augustine; one near Indian river; one on the inner keys, between Cards' Sound and the Gulf of Florida; one in Charlotte harbor; one topographical party on the coast of Key Biscayne and Cards' sound and the keys near Cape Sable; one at Charlotte harbor; one hydrographic party upon the reef and in the Florida channel and Gulf Stream. Observations of the tides have been completed at three stations, and the permanent tidal station at the Tortugas has been kept up for comparison.

The following chapter gives an account of the operations of these several parties, under distinct heads, as follows:

1. Air-line triangulation across the Florida peninsula.
2. Triangulation of St. Augustine harbor and North river, Florida.
3. Triangulation of Indian river inlet, Florida.
4. Triangulation of the Florida keys.
5. Triangulation of Charlotte harbor, Florida.
6. Topography.—Key Biscayne bay, Cards' sound, and Florida keys, near Cape Sable.
7. Topography of Charlotte harbor, Florida.
8. Hydrography of the Florida Reef.
9. Tidal observations.

*Office-work.*—Progress has been made in the drawing and engraving of coast map and chart No. 68, Florida reefs from Key Biscayne to Carysfoot reef, and in the drawing of Nos. 70, 71, and 72, Florida reef and keys from Long key to Marquesas key.

*Air-line triangulation across the Florida peninsula.*—This work was resumed in January, and continued until the 4th of June. The party engaged in its prosecution was conducted by Capt. M. L. Smith, U. S. Topographical Engineers, Assistant Coast Survey. Messrs. J. S. Bradford and W. H. Gardner were assigned as aids at the outset of the season, and Mr. J. C. Young before its close.

In allusion to the progress made and impediments found as the triangulation advanced southward and westward from Big creek and Padgett station, both of which are shown on Sketch No. 20, Capt. Smith remarks: "It was supposed at the commencement of the season that the ground to be passed over would prove more favorable than that met with during the previous year, but the contrary was the case. New River swamp, which, according to the maps of the interior, our lines should have missed, covers much of the ground traversed by one of the sides of each triangle. The section of country through which they pass is more or less densely timbered, and the lines forming their sides had to be opened foot by foot with the axe. When it is considered that thick pine woods offered the most favorable cutting required in carrying the work forward, the remainder and about an equal portion being through the swamps and matted bogs of the south, the extent of the labor may be judged of. The opening of the lines constitutes the main item of expense attending the triangulation."

Mr. J. S. Bradford was in active charge of the party under the direction of Capt. Smith, and is mentioned, in conjunction with Messrs. Gardner and Young, as having pressed the work with constant energy and interest. In opening the lines, which stretch in the aggregate a hundred miles, the patient endurance of the aids was such as to call forth the warm commendation of the chief of the party.

The work has now advanced from Fernandina about eighty miles in the direction towards Cedar keys, and two more seasons' work, with favorable weather, will probably complete the line; but with impediments like those encountered this year it would require three.

Operations were closed for the season at Waldo station, which is about twenty-eight miles southwest of the station at which the triangulation was resumed in January. Five signals were erected, and ninety angles measured in extending the triangulation to its present limit.

A topographical sheet, embracing the tract over which the season's work extends, has been filed in the office.

*Triangulation of St. Augustine harbor and North river, Fla.*—The survey of the western coast of Florida was commenced on the 4th of January by Sub-Assistant Benjamin Huger, jr., in the vicinity of St. Augustine. After selecting a site suitable for a base line on the pine barren about a mile west of the city, a triangulation was laid out to extend over the harbor, and north and south of it along the coast. The preliminary base was measured early in June with the contact slide apparatus devised by Assistant Hilgard, and described in my report for 1857. Sketch No. 20 shows the location of the line, and also the system of triangles connected with it. The angles were determined with the ten-inch Gambey theodolite, C. S. No. 74.

Above St. Augustine the completed triangulation stretches twenty miles, and embraces throughout that distance the course of the North river. The scheme was laid out and signals erected along the shores of Matanzas river for carrying the work twelve miles southward from

the base, but the late period of the season reached in the performance of that service made it necessary to postpone the measurement of the angles until the coming winter.

Mr. Rufus King, jr., served as aid in the triangulation party.

The progress made in the field-work is exhibited by the summary of statistics given below:

Stations occupied.....	24
Signals observed on .....	38
Angles measured .....	158
Number of observations.....	2,696
Area of triangles, (square miles).....	50

Field operations were continued in the neighborhood of St. Augustine until the 23d of June. Sub-Assistant Huger, after returning to the north, duplicated and turned in the records of his observations, and then commenced the computations connected with the work.

In the latter part of April, while on a tour of inspection at the south, I visited the site then occupied by the triangulation party, and was gratified with an examination of the arrangements for working in accordance with the plan laid out.

In reporting on the progress of the party, Mr. Huger expresses his obligation to G. R. Fairbanks, esq., vice president of the Florida Historical Society, for information in regard to localities falling within the limits of its operations. The arrangements of the party are now in progress for returning to extend the coast triangulation southward from St. Augustine.

*Triangulation of Indian River inlet, Fla.*—In the field arrangements made at the opening of the surveying year a new centre of work was selected for extending the triangulation of the eastern coast of the Florida peninsula, the execution of the details being entrusted to Sub-Assistant J. A. Sullivan. The intention of commencing in the immediate vicinity of Cape Cañaveral, and pushing the work towards St. Augustine, was found to present greater obstacles without a corresponding advantage over a beginning made lower down the coast, and in consequence the party proceeded to Indian River inlet. Mr. Sullivan made a reconnaissance in the middle of January for a base site and for stations to connect with it, so as to lead either northward or southward, as might prove most expedient in prosecuting the triangulation. The site chosen rests on the narrow strip of land which separates Indian river from the Atlantic ocean, and is marked on Sketch No. 20.

A preliminary measurement, without correcting for the temperature of the rods used, gave for the line an approximate length of 2,860 metres. Sub-Assistant Sullivan made a topographical survey of the immediate vicinity of the base, and on his return deposited in the office the sheet containing it. As the line passes close to the water margin of the Atlantic, the ends were referred back eight metres from the beach, and carefully secured by placing stone posts on a sand ridge above the ordinary action of the ocean swell. Each terminus was marked by two stone blocks about two feet in length, surrounded by wooden curbs, and having range marks cut on them to correspond with the terminating points of the line laid out on the beach.

The preliminaries being completed, five stations were established, with signals visible over the high mangrove keys which lie inside of Indian river and abreast of the inlet. These connect with both ends of the base line. The scaffolds erected are twenty-five feet in height. Two of the stations rest on the western side of Indian river, as will be seen by reference to the Sketch; the others on the strip of land south of the inlet.

The time allotted for observations with the theodolite proving unfavorable, materials were

prepared for the second order signals required along the shores of Indian river, in which duty the party was occupied until the 25th of March.

Sub-Assistant Sullivan commends the zeal, perseverance, and hearty spirit of co-operation shown by his aid, Mr. R. M. Stiles, in all the labors of the season. Special reference is also made in the field report to the courtesies and assistance rendered to the party by Major W. F. Russell, of Fort Capron.

The schooner Benjamin Peirce, which was used in prosecuting the work at Indian river, was caught in a gale and damaged, on the return passage, off Cape Cañavaral. After the necessary repairs at Savannah, the vessel proceeded north, and was laid up at New York.

In June Mr. Sullivan was assigned to duty in Penobscot bay, the details of which have been given under the head of Section I. His party is now about to return to continue the triangulation near Fort Capron, Fla.

*Triangulation of the Florida keys.*—For continuing duty on that part of the Florida reef which approaches nearest to the Cape Sable base, the party of Lieut. A. H. Seward, U. S. A., Assistant Coast Survey, took the field on the 13th of December, using the schooner Torrey for transportation. After putting up the requisite signals, the triangulation inside of the reef was resumed at Lignum Vitæ key, and extended eastward sixteen miles to Pigeon key. The triangles laid out and measured, as well as the general progress made in the survey of the keys, will be seen by reference to Sketch No. 21. At several of the stations used by Lieut. Seward tripods, for the theodolite, were found necessary, the platforms of which were elevated to a height of twenty-eight and thirty feet from the surface of the keys on which they rested. The work was somewhat retarded by the difficulty of passing the vessel through the intricate channels of that part of the reef, favorable winds only enabling the party to move from one station to another. Lieut. W. Myers, U. S. A., assisted Lieut. Seward in the field.

The angular measurements were made with the ten-inch Gambey theodolite, C. S. No. 15. It will be seen by Sketch No. 21 that this triangulation connects with the work of last year, stretching from Cape Sable, and that it reaches well towards a junction with the triangulation which extends along the main of the peninsula from Cape Florida into Barnes's sound.

The statistics for the season, terminating on the 2d of April, are as follows:

Stations erected.....	11
Stations occupied.....	11
Number of observations.....	2,598
Area included in triangles, (square miles).....	62

Descriptions of the signals, and a duplicate of the record of horizontal angles, have been received at the office.

On closing for the season the vessel was despatched for New York, and was there laid up during the summer. The keys yet remaining to be defined in position and outline are surrounded by water so shallow as to render the approach to them very difficult.

*Triangulation of Charlotte harbor, Fla.*—This work has been continued and nearly completed by a party in charge of Lieut. W. R. Terrill, U. S. A., Assistant Coast Survey, who made a reconnaissance for its extension above Captiva Pass in the latter part of December. Signals were erected on the chain of islands which lie outside and abreast of Charlotte harbor, and along both of its shores to a distance of thirty miles, terminating at Mangrove Point, the position of which is shown on one of the progress sketches of this section, (Sketch No. 20.)



The signal at Captiva Pass, erected and used in the winter of 1857-'58 by Lieut. J. C. Clark, U. S. A., had been washed away, and, in consequence, it became necessary to reoccupy the station connecting with it to the southward on Captiva island. At three stations in the range of this season's work Lieut. Terrill observed from scaffolds fifty feet in height, the lines passing over dense mangrove, through which cuttings for sight on the signals would have involved great expense of labor and time.

The measurement of angles was begun early in January with the ten-inch Gambey theodolite, C. S. No. 81, and was prosecuted at all favorable intervals until the 1st of April, the completed observations then resting for the season at station Oso, lying outside, and station Torrey on the eastern shore of Charlotte harbor. Both of these stations are marked on Sketch No. 20. Points for the use of the topographical party, conducted jointly by Sub-Assistants Dorr and Ferguson, were provided as the triangulation advanced.

Sub-Assistant Clarence Fendall joined the party of Lieut. Terrill at the opening of the year, and assisted him in the field until the 13th of March. Mr. C. B. Baker served as aid during the season. The schooner Bowditch reached New York, on her return from this section, on the 14th of April.

In the report made by Lieut. Terrill the following abstract is given, showing the progress made by the party while working under his direction:

Number of signals erected.....	24
Stations occupied.....	11
Signals observed on.....	24
Angles measured.....	75
Number of observations.....	4,376

The triangulation completed this season covers an area of about a hundred and thirty square miles. The original records of angles, as observed in the prosecution of the work, and descriptions of the stations and signals, have been received at the office.

Lieut. Terrill resumed field duty in June with the party of Assistant Edmund Blunt, reference to which was made in describing the work done in Section II. Sub-Assistant Fendall was at the same time assigned to plane-table duty, as stated under Section I.

*Topography—Key Biscayne bay, Cards' sound, and Florida keys, near Cape Sable.*—With a view of pushing the plane-table work in the vicinity of the Florida reef as far as practicable with a single party, the schooner Agassiz was despatched from Baltimore on the 28th of October, 1858. Much rough weather delayed the vessel, and, in consequence, the working station in Key Biscayne bay was not reached until the 20th of November. After making a reconnaissance, and setting up signals on the western shore of the bay, Sub-Assistant C. T. Iardella started with the plane-table at Shoal Point, and traced in the main shore of the peninsula of Florida, southward and westward to Clay Point, a distance of over thirty miles in a direct line. The tongue of land which from thence projects towards the reef was followed up to the narrow creek dividing it from Key Largo, and the survey of the western side of that key was completed. The shore of the main within the limits just stated is broken by thirty-three small creeks, all of which are represented on the plane-table sheets. Several small keys lying in the lower part of Key Biscayne bay, and in Cards' sound, were also surveyed. This work is embraced on four sheets, the localities included in each of which are marked on Sketch No. 21

The triangulation in Barnes's sound not admitting of further progress in the topography until

pushed southward, Mr. Iardella moved his party to the vicinity of Buchanan key and projected two sheets to include the numerous small keys intervening within the stretch of about sixteen miles between it and Sandy key in the direction towards Cape Sable. These fall within the triangulation executed last year by Lieut. A. H. Seward, U. S. A. Twenty-three keys were surveyed, the largest of which is about three-quarters of a mile in length. The positions of the principal ones are shown on the progress Sketch, No. 21.

Sub-Assistant Iardella discontinued work on the 6th of April, and on the 22d of that month reached New York, where the vessel was laid up.

Mr. F. F. Nes aided in the topographical work, and rendered satisfactory service in the several duties pertaining to the field operations.

In the two localities in which the party was employed great obstacles exist to retard steady progress and to render the work very difficult, and in some places hazardous. Notwithstanding these, the amount of work embraced on the six sheets shows a result which nothing but patience and great energy could have accomplished. The remark just made is also borne out by the statistics, which are as follows:

Shore-line surveyed.....	168 miles.
Marsh-line traced.....	16 “
Area represented in detail, (square miles).....	40 “

The operations were carried on over an area of more than three hundred square miles. All the sheets containing the work have been inked and deposited in the archives.

As descriptive of the character of this part of the coast of the Florida peninsula, the following extracts are given from the report of Mr. Iardella:

“The main shore, from Shoal Point ten miles southward, consists of a strip of uneven breadth of prairie land called the ‘Hunting Grounds.’ At some points it is quite narrow, but at others it stretches to a distance of six miles from the western shore of Key Biscayne bay, and is backed by a ridge of high land about a quarter of a mile in width. The ridge as far as Fender Point is covered with large pine trees, but below it, and as low down as Barnes’s sound, it bears a heavy growth of black mangrove and other trees. Throughout the entire distance of thirty miles the shore is overflowed by high tides, in some places to a breadth of three or four miles.

“The western shore of Key Largo from Jewfish Point to Largo North, a distance of thirteen miles, is also overflowed at high spring tides; and on many occasions, while engaged there, the surface was found so soft as to require a foundation of mangrove branches for the plane-table. Beyond its western shore this key is covered with buttonwood, mangrove, sea-grape, and other woods. In an extended reconnaissance over that part of Key Largo, very little fast land was found, and no soil fit for the growth of vegetables. \* \* \* \* \*

“The small keys between Lignum Vitæ and Sandy key are surrounded by extensive mud flats, and are entirely covered with water at high tides. Great difficulties were experienced in obtaining stations for the plane-table, the surface being of the nature of quicksand, into which a man of ordinary weight would at once sink to the waist. Here a triangle of wood six feet on a side was necessary to support the plane-table.”

*Topography of Charlotte harbor, Fla.*—The progress made in extending the survey of this harbor is shown on Sketch No. 20. Early preparations for resuming work were made at the opening of the surveying year, by Sub-Assistant F. W. Dorr; but the schooner Dana, which

sailed from Baltimore on the 25th of November, 1858, with the equipage and instruments of the party, was kept nearly a month on her passage to Key West by storms and head winds. Sub-Assistant Charles Ferguson was associated with Mr. Dorr; and after making arrangements for working jointly to the best advantage, the topography was taken up at the limit reached in the previous year. The work was thus prosecuted northward until the 27th of February, when Sub-Assistant Dorr, in accordance with my instructions, returned to the north, leaving the vessel and party in charge of Mr. Ferguson, who continued plane-table duty until the 16th of March.

The work executed this season includes both shores of Charlotte harbor above its lower entrance from San Carlos bay, and nearly the same extent to the northward as fell within the limits of the triangulation, notice of which has been made in this chapter. The shores are formed by a range of narrow islands and keys on the west, and by Pine island on the eastern side. On the two sheets of this season, both of which have been inked and placed in the office, are represented the northern half of Sanibel island, Captiva island, La Costa island, the western side of Pine island, and the keys, patches, and reefs scattered over the surface of that part of Charlotte harbor which is included between San Carlos bay and Boca Grande. The distance between these last named localities, on a direct line through the waters of Charlotte harbor, is about twenty miles. Lieut. W. R. Terrill, U. S. A., who conducted the triangulation in advance of the plane-table party, furnished the points necessary for the adjustment of the topography. The following is a synopsis of statistics taken from the notes on the plane-table sheets:

Shore-line of islands and keys surveyed.....	270 miles.
Outline of shoals, etc., traced.....	48 “

In reference to two of the outlets from Charlotte harbor to the Gulf of Mexico, Sub-Assistant Dorr remarks:

“*Blind Pass*, between Sanibel island and Captiva island, is merely a boat channel, for although the passage is deep in some places, the bars both inside and outside preclude the possibility of carrying through any vessel of draught.”

“*Captiva Pass* is about five hundred yards wide. Vessels drawing not more than five feet of water can pass through, but the channel is somewhat intricate.”

The following is an extract from the report of Sub-Assistant Ferguson:

“*Boca Grande*, the pass between La Costa and Gasparilla islands, is the proper entrance to Charlotte harbor, containing, at low tide, fifteen feet of water, and inside of the bay three or four fathoms. Vessels passing through can carry eighteen feet some fifteen or twenty miles beyond the northern extremity of Pine island.” In the Appendix (No. 31) other extracts will be found descriptive of the features peculiar to the shores of Charlotte harbor.

During the summer Sub-Assistant Dorr was engaged in plane-table duty in Section II, and Mr. Ferguson in similar service in Section III.

*Hydrography of the Florida reef*.—Lieut. Comg. T. A. Craven, U. S. N., having been reassigned for duty on the Coast Survey soon after his return from the expedition to the Atrato river, resumed the command of the surveying steamer *Corwin*, which had become vacant by a call for the services of Lieut. W. G. Temple, U. S. N., who conducted the hydrographic operations of last year on the Florida reef, as stated in my annual report. The *Corwin* sailed

from New York on the 19th of March, and on her arrival at the reef the general hydrography was taken up a little below Eagle cove, where it rested last season in its progress eastward along the outer line of keys. The soundings were continued in the same direction rather more than eight miles, and off the keys about six miles and a half, reaching to an average depth of forty-seven fathoms. At its upper outside limit, as shown on Sketch No. 21, the work now connects with soundings made in the vicinity of Coffin's Patches, by Lieut. Comg. Craven, in 1854. The following statistics are derived from the journals of the present season:

Number of positions for angles .....	1,206
Angles taken .....	3,198
Miles run in sounding .....	462
Number of casts of the lead .....	18,130

The resulting hydrographic sheet will exhibit an area of about sixty square miles.

Since the opening of the season two charts have been plotted from soundings made by Lieuts. Comg. Craven and Temple, and placed in the office with the original journals and records of the angles. These connect with each other, and contain the hydrography between American shoal and Eagle cove, where the upper limit of the most northern sheet joins with the work last executed.

The steamer *Corwin* returned to New York early in May, and after being repaired was transferred, under the command of Lieut. Comg. John Wilkinson, for duty, which has been referred to under the head of Section I.

Before leaving the Florida reef, Lieut. Comg. Craven ran two section lines across the Gulf Stream, between Cape Florida and the Tortugas, more extended notice of which will be taken presently.

In passing to the southward the steamer *Corwin* stood in below Cape Cañaveral, and carried a line of soundings along the coast of Florida as far as St. Lucie inlet. The distance from land being estimated, the depths found have been marked as reconnaissance soundings on the Progress Sketch, No. 36.

As the result of his experience in navigating along the eastern coast of the peninsula, Lieut. Comg. Craven says: "The entire coast south of Cañaveral is safe at two miles from shore until within five miles of Cape Florida. South of latitude 27° N. the shore is bold. I have never had soundings with twenty fathoms, lead 'up and down,' within two miles of the shore. On the passage down, the rate of the current below Jupiter inlet was about two miles an hour, which is more than usual, the wind then blowing from the southeast."

All the journals containing angles and soundings taken this season on the reef have been returned and deposited in the archives.

*Tidal observations.*—At Fort Clinch, near Fernandina, Amelia island, Fla., observations have been kept up by means of one of the Saxton self-registering tide-gauges, the instrument being under the charge of Mr. F. A. Rebarer until the middle of December, 1858, and since that time in charge of Mr. J. A. Walker.

The self-registering gauges established by Mr. Gustavus Würdemann at Tortugas, Charlotte harbor, and Tampa bay, have given very satisfactory results during the entire year, and are now about to be transferred to stations lying further westward along the Gulf coast of the

adjoining section, (VII.) The plan laid out is to set them up so as to form a chain of stations, at which the results may be comparable with each other and with others in this section through the standard station of reference at Tortugas. It has been found impracticable to trace out the anomalies of the tides of the Gulf of Mexico from the detached and comparatively short series of observations heretofore obtained in the progress of the survey; but by the method now adopted, the observations embracing a full year at each station, and being minutely comparable with each other, the different tide waves can be followed, as it were, step by step in their advance along the coast.

#### GULF STREAM.

In the southern part of the Gulf Stream observations of much interest have been added in the course of the past year. These were made by Lieuts. Comg. T. A. Craven and T. B. Huger, U. S. N., assistants in the Coast Survey, after closing the general hydrographic work conducted by them in Sections VI and VIII, respectively.

Two lines for depth and temperature were run across the stream by Lieut. Comg. Craven, in the steamer *Corwin*, one from Carysfort light-house (Florida reef) to Orange key, (Bahama bank,) and the other from Sombrero key (Florida reef) to Double Headed Shot key, (Salt Key bank.) The data thus obtained, taken in connexion with the development of the Cape Florida section by that officer in 1855, and of the Tortugas section by Commander B. F. Sands, U. S. N., in 1858, have furnished important information concerning the form of the bottom, the depth, and the temperature of the water in a part of the Gulf Stream to which general observation would assign as its main peculiarity only the velocity of the surface current.

The bottom of the Strait of Florida slopes, at first gradually and then more rapidly, from the Florida to the Cuban side, the deepest water being found near the shore of Cuba. In this deep portion of the trough the cold polar current lies, the temperature at six hundred fathoms, off Havana, being but thirty-eight degrees of Fahrenheit. The deepest part of the strait is off the opening from the Gulf of Mexico, and it shoals towards the line from Cape Florida to Bemini, from eight hundred fathoms to three hundred and fifty. As there is but one general slope to the bottom, so there is but one band of temperature in this strait, the division into cold and warm bands beginning only to the south of the shoal portion in the Atlantic, where the bottom takes its corrugated form.

A discussion of the recent observations is given at greater length in a paper accompanying this report as Appendix No. 25. The results are graphically shown on Sketch No. 35.

On his homeward passage from the Delta of the Mississippi, in the steamer *Walker*, Lieut. Comg. Huger took soundings on the course towards the Tortugas, and from thence ran across to Havana. The observations made between the last named places verify the results obtained on the same line by Commander B. F. Sands, in 1858.

In the explorations this year, two hundred and thirty-five observations were made for depth and temperature, and twelve specimens of the bottom procured.

## SECTION VII.

FROM ST. JOSEPH'S BAY TO MOBILE BAY, INCLUDING THE COAST OF WEST FLORIDA AND THE COAST OF ALABAMA.—(Sketch G, No. 23.)

This chapter contains notices of the following operations :

1. The extension of the coast triangulation on the western side of the Florida peninsula, below Cedar Keys.
2. Connection of the triangulations of St. Mark's harbor and St. George's sound.
3. Triangulation of Santa Rosa sound.
4. Topography north and south of Homosassa river entrance, western coast of Florida peninsula.
5. Plane-table survey of the shores of Ocklokonee bay and St. James's island, between St. George's sound and St. Mark's harbor.
6. Topography of part of Santa Rosa sound, Fla.
7. Hydrographic re-examination of the Cedar Keys channels.
8. Hydrography of St. George's sound.
9. Tidal observations.

Two triangulation parties, one for triangulation and topography, two topographical, and two hydrographic parties have been at work in this section, the second, and one of the last named during only a portion of the season.

*Office-work.*—The drawing and engraving of the preliminary chart of the eastern part of St. George's sound have been completed, as also the engraving of the preliminary chart of Pensacola harbor. The drawing of the preliminary chart of Apalachicola bay has been finished at the office, and has since been engraved on stone under the direction of the Superintendent of Public Printing.

*Coast triangulation south of Homosassa river, Fla.*—Two parties, operating jointly as heretofore, left Baltimore on the 15th of December, with the schooner Joseph Henry, to continue the triangulation and topography of the western coast of Florida, below Cedar Keys. Sub-Assistant G. H. Bagwell, in charge of the triangulation, resumed duty at a station near the mouth of Homosassa river, and carried the work twenty-five miles southward, to the vicinity of Bayport, where he closed for the season at the end of March. Sketch No. 23 contains a scheme of the triangles, and shows also the progress which has been made in the other branches of the survey in this section. It will be seen, by referring to the sketch, that the reefy and broken character of the coast approach, as represented on the preliminary chart of Cedar Keys, (Sketch No. 33, C. S. Report for 1855,) holds as far as the parties have advanced to the southward from that centre of work. Mr. Bagwell thus remarks, in reference to that part passed over since the opening of the present surveying year, as connected with the stretch lying northward of it : "The main surface consists of vast flats and shoals which extend miles to seaward from the western shore of Florida, the water gradually deepening off among the dangerous rocks of St. Martin's reef."

"Most of the stations observed from were occupied with scaffolds, some of which were built as high as thirty feet, in order to see over the thick hammocks of palmetto and mangrove that obstructed the view. The coast over which the work extended presents many obstacles to triangulation. The chain of keys and shell reefs, on which the outer sides of the triangles rest

from Cedar Keys southward to Chassahowitzka Point, end at the latter place, and below it suitable outer points could be established only by building stations in shallow water. At these a foot or more in depth is left at low tide."

In the course of his work, Sub-Assistant Bagwell determined positions for the use of the topographical party of Sub-Assistant Finney, who co-operated also, as far as practicable, in pushing the triangulation.

The field statistics are as follows :

Stations occupied.....	12
Signals observed on.....	29
Angles measured.....	78
Number of observations.....	2,060

The observations were made with the-eight inch Würdemann theodite, C. S. No. 86.

During an interval unfavorable for the measurement of angles, Mr. Bagwell made a reconnaissance of the coast from Bayport southward, and through St. Joseph's bay to the southern limit of the section. About thirty miles below Bayport a fine site for a base was found on a straight level strip of sand beach at the north end of Chaldee's key. The length practicable for measurement he reports as being nearly three miles. Between Bayport and Anclothe key, a distance of fifteen miles, the difficulties before alluded to in regard to outside stations remain to be encountered. As the result of his observations in reconnaissance beyond that, Mr. Bagwell says: "Southward from Anclothe key the triangulation can readily be extended with sides of from two to five miles over St. Joseph's bay and Clear Water harbor."

Mr. M. O. Hering rendered acceptable aid in all the operations of the triangulation party. Before taking the field, the records of last year were duplicated and sent to the office with the observer's computation of results. In April the schooner *Joseph Henry* returned to New York and was laid up for the summer. Sub-Assistant Bagwell soon after joined the party of Assistant Edmund Blunt, and aided him in the triangulation under his charge in Section II.

*Triangulation east and west from St. Mark's, Fla.*—The triangulation from St. George's sound, which rested last year at the eastern end of St. James's island (S. W. cape,) was taken up at that point, by Sub-Assistant Spencer C. McCorkle, on the 16th of December. After making a reconnaissance for pushing the work eastward towards St. Mark's and Ocilla river entrance, a system of short lines was determined on, extending over Ocklokonee bay. Such of the lines as required cutting were then cleared and the necessary signals erected. The angular measurements were commenced on the 25th of January, and continued until near the end of April, when a junction was made between the triangulation thus carried from St. George's sound and that executed at St. Mark's river by Mr. McCorkle in 1856. Stations were also erected eastward of St. Mark's and preliminary measurements made in the series of triangles designed to connect that work with the triangulation of Ocilla river. As the operations of the party progressed on the shores of Ocklokonee and Dickerson's bays, points were determined and furnished for the use of the plane-table party of Assistant Wise. An abstract of the statistics is given below, as contained in the report of Sub-Assistant McCorkle:

Stations occupied.....	19
Angles measured.....	70
Number of observations.....	1,404
Area of triangulations, (square miles).....	90

The instrument used was the six-inch Gambey theodolite, C. S. No. 55. Sketch No. 23 shows the arrangement of the triangles. The distance from the starting point of the season's work (S. W. cape) to St. Mark's light-house is about twenty-five miles.

In his general report Sub-Assistant McCorkle commends the zeal and intelligence shown by Mr. A. W. Thompson, who aided him both in the field and office work of his party.

On closing work, the schooner Franklin, which had been used for the transportation of the party and materials for the stations, was laid up at Apalachicola.

Mr. McCorkle has sent to the office the original and duplicate of the record of angles measured this season, together with his computation for the lengths of triangle sides.

*Triangulation of Santa Rosa sound, Fla.*—This work was taken up by Assistant F. H. Gerdes in March, after closing similar duty at the Mississippi delta, reference to which will be more particularly made in the next chapter. The triangulation of Santa Rosa sound joins with that of Pensacola bay on the line connecting Fair Point with a station near the western end of Santa Rosa island, as may be seen on the progress sketch of the section, (Sketch No. 23.) From thence a chain of triangles extending six miles eastward was laid out and measured with the Würdemann theodolite, (C. S. No. 87,) the points requisite for the topographical survey being also determined as the triangulation advanced. A synopsis of the statistics is appended:

Signals erected.....	10
Stations occupied.....	10
Angles measured.....	30
Number of observations.....	288

Assistant Gerdes was aided in the field by Mr. G. U. Mayo. Soon after the close of work the record of angles observed was duplicated and sent to the office, with an abstract in the usual form.

*Topography north and south of Homosassa entrance, West Florida.*—The party in charge of this duty was conducted by Sub-Assistant N. S. Finney, and, as heretofore, co-operated in the triangulation work in its progress southward from Cedar Keys, special notice of which has already been made in this chapter.

Mr. Finney resumed the plane-table survey at Mangrove Point, two miles southwest of Crystal reef signal, and traced in outline the entire barrier of islands, rocks, and shell reefs, which extend about seven miles to the southward. These form the most strongly-marked feature of that part of the coast of Florida. The sheet containing the detailed work was terminated at the mouth of the Homosassa river.

An additional vessel for the use of the topographical party not being available, it was found necessary to pass by for the present season a few miles of the coast below Homosassa entrance, in order to keep pace with the triangulation, the same vessel serving for the transportation of the two parties. Plane-table work was therefore taken up at the Chassahowitzka entrance, (Sketch No. 23,) and carried southward about seven miles further to Raccoon Point, the triangulation being still a few miles in advance of it. The characteristics before alluded to apply also to the coast south of the Chassahowitzka river. Both of the sheets containing the results of the survey are marked in positive and in relative proportions on the progress sketch of the section, but the reduced scale gives, of necessity, only a partial idea of the peculiar features contained on the originals. Exclusive of portions of the shore-line of the main land and numerous shell reefs, the sheets represent two hundred and thirty-six soft, marshy islands



as existing within an area of thirty-five square miles. In some places the belt of islands extends five miles beyond the main shore. Above the mouth of the Chassahowitzka the islands are covered at high water, but the marsh of which they consist lies somewhat higher, is much less broken than in other localities, and the zone of patches which lie between the deep water of the Gulf and the firm land of the peninsula becomes narrower.

The plane-table survey was discontinued for the season at a station about five miles north of Bayport.

In the report of Sub-Assistant Finney favorable mention is made of the services rendered by Mr. J. L. Tilghman, who accompanied him in the field as aid. The statistics of work are thus given in the same report:

Plane-table stations occupied . . . . .	413
Points determined . . . . .	1,320
Shore-line surveyed at high water, (main, islands, and reefs) . . . . .	176
Shore-line at low water . . . . .	54
Area of topography, (square miles) . . . . .	35

In the field report Mr. Finney expresses his obligations for courtesies extended by Captain James Tucker, of the mail steamship *Madison*, and for assistance rendered to his party by Colonel E. H. Richards and W. P. Peginan, esq., postmaster at Cedar Keys.

Sub-Assistant Finney was employed during the summer in Section II, as stated in the corresponding division of this report.

*Topography of Ocklokonee bay and St. James's island, Fla.*—The party of Assistant G. D. Wise, having last season completed the plane-table survey of St. George's sound, started early in January at the terminating limit on St. James's island of the topography commenced and partly executed by Sub-Assistant C. T. Iardella in the season of 1857-'58. The survey of the northern part of the island was completed by Mr. Wise, and on the same sheet the work extended so as to include the shores of Ocklokonee bay. Some progress was also made on a second sheet projected to contain the details of the vicinity of Dickerson's bay and of the coast running from its entrance towards St. Mark's. The localities of the work are marked on Sketch No. 23. The return in statistics is as follows:

Shore-line surveyed . . . . .	88 miles.
Roads surveyed . . . . .	10 "
Area of plane-table sheets, (square miles) . . . . .	46

This survey rests on the triangulation executed within the present season by Sub-Assistant S. C. McCorkle.

Mr. C. W. Duval served as aid in the plane-table party. The work was prosecuted with the use of the schooner *Howell Cobb*, and on the close of operations the vessel left for the north, and was laid up at Baltimore.

With reference to the Ocklokonee shoal, which lies off the eastern end of St. James's island, Assistant Wise remarks: "The shoal having only two or three feet of water, and being right in the track of a large trade, has occasioned the loss of many valuable cargoes. The bell-buoy which was placed on it soon broke adrift, and, after washing ashore on St. George's island, was

finally lost. It is the opinion of many shipping-masters of the vicinity that a light-ship would best answer the purposes of navigation here as a beacon to mark the shoal.’’

*Topography of Santa Rosa sound, Fla.*—After completing the triangulation described under a previous head, Assistant F. H. Gerdes proceeded at once with the plane-table, and surveyed that part of Santa Rosa island which lies in the immediate vicinity of Little Sabine bayou, having an extent of about six miles of Gulf coast on the outside, and the same of inner shore-line. The topographical sheet includes also the opposite shore of Santa Rosa sound from Deer Point eastward to the present limit of the triangulation. An aggregate of twenty-two miles of shore was traced within an area of ten square miles. Sketch No. 23 shows the limits of the plane-table work. This survey furnishes all the topographical details necessary for the chart of Pensacola harbor, an edition of which in a preliminary form has been issued from the office.

Mr. G. U. Mayo aided in the triangulation and plane-table survey of Santa Rosa sound. The work was continued until the middle of May, when Assistant Gerdes proceeded north and reported at the office. His party had been previously employed in Section VIII, as will be noticed further on.

*Re-examination of the Cedar Keys channels, Fla.*—On his way to Section VIII, Lieut. Comg. T. B. Huger, U. S. N., Assistant Coast Survey, with the hydrographic party in the steamer Walker, stopped at Cedar Keys and sounded out the Main, the North key, and the northwest channels leading into that harbor. The work was performed in the early part of January, and under disadvantages arising from fogs, rain, and northerly winds. As a consequence of the prevailing wind during the period of the stay of the party, the rise and fall of the tide were reduced much below the average, the fall in particular being greater for several days than had been observed in the course of the preceding year.

Lieut. Comg. Huger states that the breadth of the bulkhead across the main channel varies from one hundred to three hundred yards, and, in his opinion, the surface of it could readily be removed so as to afford a depth of twelve feet at low water. An examination made by the party confirmed the facts heretofore reported in regard to the structure and character of the bar.

Lieut. Comg. Huger says: “It is composed of a crust of sand and shells easily penetrated, and after passing through it the bottom is soft, consisting, I think, of mud and sand. I had it sounded with an iron rod, and on trying the heavy lead and specimen cup, found no difficulty in sinking it sufficiently deep to obtain a good specimen.”

The soundings made at Cedar Keys were plotted at Pensacola while the steamer was taking in supplies, and the chart on being completed was sent to the office, with the following abstract of statistics:

Miles run in sounding.....	166
Angles measured.....	1,242
Number of soundings.....	15,102
Area of hydrography, (square miles).....	5

Lieut. Comg. Huger reports that the northwest channel into Cedar Keys presents, in respect of capacity and direction, several advantages over the channel now used for vessels bound to ports lying westward in the Gulf of Mexico.

Having been fitted out for hydrographic duty in Section VIII, the vessel cleared from Pensacola on the 15th of January for Atchafalaya bay. The work done by the party subsequent to that date will be described in the next chapter.

*Hydrography of St. George's sound, Fla.*—The party of Lieut. Comg. J. K. Duer, U. S. N., Assistant Coast Survey, resumed work in the vicinity of Apalachicola with the steamer Vixen on the 3d of December, and executed portions of the hydrography inside and abreast of the West Pass. The new channel leading into the sound past the eastern end of Dog island was thoroughly examined, with results confirming those reported after the reconnaissance made last year, that it is by several feet the deepest pass into St. George's sound at all seasons. But the known irregularities of the tides affecting the depth of water in the eastern part of the sound render the determination of the mean rise and fall somewhat difficult without a wider range in the observations than is ordinarily necessary for hydrographic purposes. In order to elucidate the normal peculiarities of the tide wave in its progress along that part of the Gulf coast, series of observations have been directed to be made with self-registering gauges, and arrangements for commencing them are now in hand.

The hydrographic work allotted in this section for the early part of the season was frequently interrupted by bad weather. Soundings were continued until the 10th of March, the vessel and party being then transferred for duty to Section IX, the operations in which will be described in another chapter.

Lieut. Comg. Duer, who had preceded the return of the steamer Vixen to Apalachicola, died at that place on the 14th of June, after which the charge of the party devolved on Mr. A. W. Muldaur, as executive officer, until the assignment of Lieut. C. C. Sims, U. S. N., who took command on the 1st of July and proceeded with the vessel to New York.

As part of a summary report made at the end of the season by Mr. Muldaur, the following statistics are given of the work done in St. George's sound:

Miles run in sounding.....	564
Angles measured.....	1,499
Number of soundings.....	25,060

In the death of Lieut. Comg. Duer the survey has lost the services of a zealous and industrious officer, whose career on the work seemed ever to be marked by devotion to its best interests. He was prompt to act, and thorough in the execution of details assigned to his charge. His discovery of the new channel into St. George's sound, and which now bears his name, will closely associate his memory with the hydrographic history of this section. I have elsewhere more specially alluded to the circumstances attending his untimely death.

My public acknowledgment is here due to Lieut. Sims for the important service rendered by him in accepting the charge of the steamer Vixen when the official command of that vessel was left vacant by the decease of Lieut. Comg. Duer.

In March, while the party was employed near Apalachicola, assistance was rendered to the schooner Lucy Weltham, of Wilmington, N. C., which had gone ashore on the east bank of the West Pass. Similar service was afforded from the Vixen to the mail steamer Galveston in June, when grounded on the east side of the entrance to Apalachicola harbor.

*Tidal observations.*—The self-registering gauge established at Cedar Keys for recording observations simultaneous with those made at Egmont key, Charlotte harbor, and Tortugas,

has been kept in working order, and has given satisfactory results. The gauges were attended to by Mr. Gustavus Würdemann, who devoted to them his usual care and attention.

I am indebted to S. Thayer Abert, esq., civil engineer at Warrenton navy yard, for the records of a self-registering gauge, the charge of which he kindly undertook when it was set up at that station. Through the interest taken by that gentleman in the subject, the records, as received at the office, have been found highly satisfactory.

As intimated under the head of Section VI, a series of stations are about to be established from St. Mark's westward, along the shores of St. George's sound, and extending as far as Cedar keys to the eastward. By these it is expected that the anomalies noticed in the tides of this part of the Gulf coast may be fully developed.

### SECTION VIII.

FROM MOBILE BAY TO VERMILION BAY, INCLUDING THE COAST OF THE STATE OF MISSISSIPPI AND PART OF THE COAST OF LOUISIANA.—(Sketch H, No. 26.)

Two triangulation and topographical parties, one a double party, one topographical party, and one hydrographic party, have been occupied in this section, and their progress is described in the following chapter under the heads of—

1. Triangulation and topography of Isle au Breton sound, La.
2. Triangulation of the Mississippi delta, La.
3. Triangulation of West Côte Blanche bay, La.
4. Topography of Lake Pontchartrain, La.
5. Topography of the Mississippi delta, La.
6. Topography of West Côte Blanche bay, La.
7. Soundings in the Rigolets, La.
8. Hydrographic reconnaissance of Pass à l'Ostre, Mississippi delta.
9. Hydrography of Atchafalaya and Côte Blanche bays, La.

*Office-work.*—The preliminary chart of Atchafalaya bay has been drawn and engraved, and the engraving of coast maps and charts Nos. 91 and 92, Mississippi sound and Mobile bay, from Bon Secours bay to Grand island, has been in progress.

*Triangulation and topography of Isle au Breton sound, La.*—Connecting with stations of the primary triangulation westward of Mississippi sound, others have been occupied suitable for carrying a branch southward from the general series of triangles, so as to include the survey of Chandeleur sound and that of Isle au Breton sound. This duty was intrusted to Sub-Assistant Stephen Harris, and has been successfully accomplished, as will be seen by the plan given on Sketch No. 26, the triangulation now extending as low down as Point Fortuna, or within twenty miles of the Mississippi river.

In order to join properly with the completed range of triangles resting on Lake Borgne, Mr. Harris was directed to reoccupy the station Nine Mile Bayou, which had been used in the primary work, but the granite block placed there as a mark in 1852 could not be found. The shell bank in which it was then fixed had in the interval been removed as material probably for roads. After making a reconnaissance to the southward with the schooner *Twilight*, Mr. Harris resumed the triangulation at station Sand Fly early in December. In passing towards Isle au Breton sound, numerous tertiary points were marked and plotted on a plane-table sheet, on which was afterwards traced in a large portion of the irregular shore-line forming the western side of Chandeleur sound. This was done with the plane-table at intervals which

would not admit of observations on the longer lines of the triangulation. The work being in that manner completed some distance southward, the vessel was moved to Isle au Breton sound for more convenient access to the stations remaining to be occupied. In addition to the angular measurements in that vicinity and others at stations connecting with the triangulation of Chandeleur sound, a second plane-table sheet, commenced in 1857, was completed in the course of the season which closed in the latter part of May.

The reconnaissance made by Sub-Assistant Harris extended over an area of about two hundred and thirty square miles. He thus reports the statistics of the triangulation:

Stations occupied .....	12
Signals erected and stations marked. ....	28
Objects observed on .....	41
Angles measured .....	110
Number of observations .....	1,770
Area of triangulation, (square miles) .....	180

The Würdemann theodolites, ten inch, No. 79, and six inch, No. 84, were used at the stations.

One hundred and fifteen miles of shore-line were traced and marked on the two plane-table sheets.

Great care was taken in regard to the triangulation points; and in reference to the means most proper for their preservation, Mr. Harris observes: "Having noticed the causes which led to the destruction of some of the stations, I adopted precautions in the following particulars: 1. The selection of stable ground not likely to be exposed to the action of water. 2. The use of a number of marks for each station, situated at such distances from each other and under such different circumstances, as to make it unlikely that all will be displaced by the same cause. 3. Distinguishing and determining each mark so that it may be recognized and its position known in case of the loss of all the other marks at the same station. 4. Making all the marks entirely separate from the observing tripods and scaffolds."

Full descriptions of the stations and signals used this season, and of the marks placed to identify them, have been made by Mr. Harris and placed in the office. He has also turned in his computations and records of the previous year.

The field operations of the party were aided by Mr. R. E. Halter, who executed the greater part of the plane-table work, and by Mr. H. W. Bache.

After his return to the office, Sub-Assistant Harris engaged in the computations depending on the work of the season.

*Triangulation of the Mississippi delta, La.*—In continuation of the work in this quarter, Assistant F. H. Gerdes resumed operations at the opening of the year, and prosecuted the survey of the delta until the middle of March. He was assisted by Sub-Assistant J. G. Oltmanns and Mr. G. U. Mayo. After replacing and determining the positions of the signals displaced by recent storms, Mr. Gerdes reoccupied six of the secondary stations, and connected with the general scheme of triangles a number of tertiary points suitable for the plane-table survey of Southeast Pass, Pass à l'Outre, the North Pass, the mud flats in that vicinity, and Robinson's reef, together with the shores of Bay Rondo, and the banks of the Mississippi at the head of the passes. The plan of the work, as far as executed, may be seen by reference to Sketch No. 26. Notice of the topographical survey will be taken in a subsequent part of this chapter.

The statistics of the triangulation are as follows :

Signals erected .....	29
Stations occupied .....	12
Angles measured .....	74
Number of observations.....	1,264

In my report of last year allusion was made to the difficulty of finding localities on the delta in which the station-marks could be secured. Assistant Gerdes reports that the peculiar obstacles arising from the nature of the surface increase on advancing towards the outlets, the soil being too unstable to admit of any ordinary expedients for guarding against their removal or displacement. Though insufficient in number and in their distribution as points for future reference, the light-houses and a few buildings with cupolas, being determined in position and connected with the triangulation, in some measure lessen the natural disadvantages under which the survey is advancing in this part of the section.

On closing for the season at the delta, Assistant Gerdes transferred his party to Pensacola, and took up the survey in that vicinity, described under the head of Section VII.

In the course of the summer the records of the triangulation of the delta were duplicated and turned in, with abstracts of the measurements for secondary and tertiary work.

*Triangulation of West Côte Blanche bay, La.*—Towards the end of March Sub-Assistant Oltmanns having reached his working ground, in the schooner Gerdes, from the delta of the Mississippi, where he had been occupied during the winter in the party of Assistant Gerdes, placed himself in communication with the hydrographic party, and furnished the data necessary for sounding out the western part of Atchafalaya bay. On taking up the triangulation it was found that nearly all of the stations westward of Point au Chevreuil had been disturbed by natural causes. Some of the stations which had been marked with the usual care were entirely lost, and neither of the blocks placed to distinguish the ends of the base on Point au Chevreuil could be found. Mr. Oltmanns resumed work at the line Marsh island, North — Point Malone, (Sketch No. 26,) and extended the triangulation over the greater part of West Côte Blanche bay, including also Côte Blanche island. All the stations were well secured by screw piles, or by surrounding marks deemed sufficient for their preservation.

One of the hindrances to progress in the prosecution of the survey on this part of the coast arises from the shoaling of the water in going westward. The bay, however, narrows in that direction, and Sub-Assistant Oltmanns reports, as the result of his reconnaissance, that the triangulation may, with lessening difficulty, be carried into and across Vermilion bay.

The following is a synopsis of the field statistics :

Stations erected .....	10
Stations occupied .....	7
Points determined .....	12
Angles measured .....	31
Number of observations.....	289

The work in Côte Blanche bay was discontinued for the season on the 1st of May. In its progress Mr. Oltmanns provided means for executing the plane-table survey, which will be referred to presently.

The observations and computations resulting from them have been furnished in detail for the records of the office.

*Topography of Lake Pontchartrain, La.*—Steady progress has been made in pushing the plane-table survey westward from the connection between Lake Borgne and Lake Pontchartrain. Sub-Assistant W. S. Gilbert proceeded from his former limits in that quarter on the 17th of January, and laid out two sheets to contain the features of the northern shore of Lake Pontchartrain. Two others were at the same time projected for extending the work along its southern shore westward from Chef Menteur. On the most eastern of these the shore-line and adjacent features of the north side of the lake were filled in beyond Bayou Bonfouca, the lower part of that bayou and its branches being also followed and included with the topographical details. Further westward, (Sketch No. 26,) and on the same side, the shore-line was traced as far as Ragged Point. The line of woods ranging with the water line was chosen as the limit for the minute survey.

From Chef Menteur, on the southern side of Lake Pontchartrain, the detailed work was continued southward and westward to Little river, and in the same direction the shore-line survey extended to the Jefferson railroad. The limits of the several sheets are marked on the progress sketch No. 26, on which is also shown the line of junction with the work of last season.

In prosecuting the survey on the north shore of the lake, it was found, in many cases, necessary to build stations for the plane-table, the ground passed over being soft marsh. With regard to its general character, the remarks made in my previous annual reports, in reference to the district between Lakes Borgne and Pontchartrain, apply also to the tract under notice.

The following are aggregates of the outline and detailed work of this season:

Shore-line surveyed .....	164 miles
Area of topography, (square miles) .....	49

Sub-Assistant Gilbert was aided during the early part of the year by Mr. R. E. Evans. The field-work was continued until the 13th of June, and the latter part of the summer occupied by Mr. Gilbert in inking his sheets.

*Topography of the Mississippi Delta, La.*—While engaged in the triangulation, Assistant F. H. Gerdes projected a plane-table sheet for the survey of Bay Rondo and the northern part of the delta, and determined the points necessary for filling in the details. About two-thirds of the area intended to be represented now appears on the sheet, progress on which was made as the triangulation advanced. Both shores of the Mississippi at the head of the passes, and from thence eastward the shores of the main outlet, with its two branches, the Southeast Pass to the Belize, and the entire course of Pass à l'Outre, were surveyed. The sheet, as marked on Sketch No. 26, contains also the mud flats in the vicinity of the North Pass, part of the details of the system of lagoons existing to the westward of it, and those of Robinson's reef, on the north side of Bay Rondo.

Mr. Gerdes thus remarks on the local characteristics of the eastern part of the delta:

“With the exception of the Gulf shore, which, north of the delta, is open and composed partly of beach and hard marsh, the plane-table could be nowhere used, the cane and reeds growing so high as to prevent any sight for sketching in the details. In making the topographical survey, flags of distinctive shape or color were placed at each turn of the river and

its outlets, and their positions determined from two trigonometrical stations by the theodolite or sextant. At one reach several miles of the stream were surveyed by means of a signal hoisted on a boat and moved from point to point as occasion required, according to the method proposed by Mr. Norris. So far as opportunity has offered for verification, the details thus obtained have been found correct."

The unfinished portions of the sheet will contain the survey of some interior lakes, small bays, and bayous adjacent to the main eastern outlet of the delta. Of the work done, the following is a summary of statistics:

Gulf shore surveyed .....	16 miles
River shores surveyed .....	53 "
Shore line of bays and bayous .....	51 "
Area, (square miles) .....	50

Sub-Assistant J. G. Oltmanns and Mr. G. U. Mayo aided in the triangulation and topography.

Assistant Gerdes found advantage in his labors at the delta through the interest manifested by the inhabitants generally in regard to the progress of the survey. He acknowledges also the facilities and assistance rendered to his party by the Pilot Association of the Belize.

Part of the plane-table duty conducted by Mr. Gerdes has been noticed with the work done in Section VII.

*Topography of West Côte Blanche bay, La.*—Following his own triangulation of this season, Sub-Assistant Oltmanns surveyed the shore which fell within its limits, as shown on Sketch No. 26, and included also the northeastern part of Marsh island. The plane-table sheet contains an aggregate of about forty-eight miles of shore-line.

An extract from the report of Mr. Oltmanns, descriptive of the topographical features of the vicinity of Côte Blanche bay, is here appended:

"The shores are all very marshy, excepting those of Côte Blanche island. Marsh island is so soft and swampy that the utmost care must be taken in setting up an instrument. Its shores are subject to frequent and rapid changes. Of late years the island has been cut through in several places, and the interior lakes and bayous are changed or enlarged by almost every storm."

"The northern shore of the bay, from Côte Blanche about two miles eastward, and westward about eight miles, or as far as Dead Cypress Point, consists of hard clay and is very little broken."

"Côte Blanche island, like Belle Isle, is one of those remarkable formations of firm land standing out at intervals along this part of the coast of Louisiana from surrounding marshes. It is about a hundred and twenty feet high, and contains an area of, perhaps, two thousand acres of land, on which are raised sugar-cane, cotton, and tobacco."

Having passed the working season at two localities in this section, Mr. Oltmanns sailed for Pensacola, and, after reporting to Assistant Gerdes, proceeded eastward with the vessel and reached New York on the 12th of June.

*Soundings in the Rigolets, La.*—At an interval in his plane-table duty, in February, Sub-Assistant W. S. Gilbert thoroughly sounded out the entire course of the principal passage from Lake Borgne to Lake Pontchartrain, and kept records of the tides while his party was so engaged. Specimens of the bottom were taken on most of the traverse lines, so as to supply full information in regard to the character of the bed of the channel. The tidal



observations developed only a slight variation in the water level, amounting in rise to no more than seven inches in twenty-four hours, and often only four inches and a half. A strong current at that time passed constantly out of Lake Pontchartrain during both rise and fall of the tide.

*Hydrographic reconnaissance of Pass à l'Outre, Mississippi delta.*—The party of Lieut. Comg. T. B. Huger, U. S. N., Assistant Coast Survey, arrived at the delta on the 15th of May, having been previously employed with the steamer Walker in the western part of the section. A tide-gauge was at once set up at the revenue station and a careful reconnaissance made of the entire course of the Pass à l'Outre from its head, in the Mississippi, to the bar. The vessel then proceeded eastward, taking a line of deep-sea soundings across the Gulf in the direction to Havana.

The reduction from the chart of soundings made in Pass à l'Outre, under the direction of Lieut. Comg. Huger, comprises also the plane-table work executed by Assistant Gerdes.

The hydrographic statistics are as follows:

Miles run in sounding.....	51 $\frac{1}{4}$
Angles determined.....	343
Number of soundings.....	1,719

*Hydrography of Atchafalaya and Côte Blanche bays, La.*—The hydrography of Atchafalaya bay has been completed by supplementary soundings carried westward from the limit reached last year by the party in the steamer Walker. In order to facilitate his operations, the draught of the vessel not admitting of her general use in sounding, Lieut. Comg. Huger established a camp about sixteen miles distant from his anchorage, at the entrance of Bayou Salé, Côte Blanche bay, or nearly midway between Point au Chevreuil and Point Malone, (see Sketch No. 26.) A second party was detailed to work from the ship. Under this arrangement, after joining on the line to which the work had been extended by Commander B. F. Sands, and setting the necessary signals and tide-gauges, the soundings were continued westward into Côte Blanche bay, with only the impediments due to the frequent recurrence of bad weather. The two divisions of the party were occupied in this duty between the 27th of January and the 14th of May, the latter part of that interval being devoted to the hydrography of the approaches to Atchafalaya bay.

A summary of statistics derived from the records turned in by Lieut. Comg. Huger is given below:

Miles run in sounding.....	743
Angles measured.....	2,539
Casts of the lead.....	69,447

The soundings in this part of the section now include the whole of the Atchafalaya and Côte Blanche bays east to the line joining East Point, on Marsh island, and Point Malone.

Before the close of his connection with the survey, at the end of last year, Commander Sands turned in the original sheet and journals of the soundings, angles, and tidal and current observations pertaining to the final service of his party in Atchafalaya bay. The chart containing the results of the present season, with the original note-books and hydrographic records, have been received from Lieut. Comg. Huger.

In returning from this section the deep-sea line was used by the party in the steamer Walker for Gulf soundings between the Mississippi delta and Key West, and in verifying soundings made last year between the Tortugas and Havana.

## SECTION IX.

FROM VERMILION BAY TO THE BOUNDARY AT THE RIO GRANDE, INCLUDING PART OF THE COAST OF LOUISIANA AND THE COAST OF TEXAS.—(Sketch I, No. 28.)

The following operations have been in progress by the parties in this section :

1. Triangulation of Espiritu Santo, San Antonio, and Aransas bays, Texas.
2. Topography of Espiritu Santo and San Antonio bays, Texas.
3. Hydrography of Matagorda bay, Texas.

*Office-work.*—The reconnaissance sketch of the entrance to Brazos river has been drawn and engraved, and progress has been made in the drawing and engraving of coast maps and charts Nos. 106 and 107, from Galveston bay to Matagorda bay ; also in the drawing of coast maps and charts No. 105, Galveston bay, and No. 108, Matagorda bay. A general reconnaissance sketch of part of the coast of Texas, from Matagorda bay to Aransas Pass, has been drawn at the office, and was engraved on stone, under the direction of the Superintendent of Public Printing.

*Triangulation of Espiritu Santo, San Antonio, and Aransas bays, Tex.*—The experience of previous seasons on the coast of Texas having indicated the opening of the calendar year as the most favorable period for taking up field operations, Assistant S. A. Gilbert organized a party and reached the limit of his completed triangulation, to the southward of Matagorda bay, on the 5th of January. For the extension of the work towards Aransas Pass, a close reconnaissance had been made, as stated in my last annual report, which was accompanied by a reduction from the resulting sheet, marked as Sketch No. 28. Such of the signals then erected as required adjustment were properly secured, and others were set to replace those which had been destroyed by accidents of the weather in the course of the preceding year. The scheme fixed on for the triangulation took in the lower part of Espiritu Santo bay, the shores of San Antonio bay, including its upper waters, known as Mission bay and Hines bay ; in connection with it, to the southward and westward, Mezquit bay, and beyond that, in the same direction, the shores of Aransas and Copano bays with their dependencies. These several bodies of water are formed, as may be seen on the progress sketch No. 28, by the intervention of Matagorda island and St. Joseph's island between the main coast of Texas and the Gulf of Mexico. The most eastern of the stations occupied for the triangulation range along the outer or Gulf shore of the two islands just named, the lines from them crossing the several bays before enumerated, and terminating at stations on the main.

Assistant Gilbert continued in the field until the 9th of June, having then pushed the triangulation about forty-eight miles southward and westward from the starting point in Espiritu Santo bay. A summary given in his report shows the following statistics of work done within the season :

Stations occupied.....	32
Points determined in position.....	66
Angles measured.....	180
Number of observations.....	3,392

The triangulation covers an area of about six hundred and fifty square miles. Some of the requisite signals were erected, and a partial reconnaissance made for continuing the work over Corpus Christi bay; but the summer winds set in so strong before the party was disbanded as to render further progress in triangulation impracticable for the present year.

Mr. Gilbert was efficiently aided in the field by Mr. Charles Hosmer, who also rendered good service in making computations of the results, and in duplicating the records of the observations, all of which have been turned in at the office.

The following reference is made in the season's report to the general features of the site of work: "The character of the country we were engaged upon is more diversified than any other portion of the coast of Texas over which my operations have yet extended. Low sandy islands, varying from one to four miles in breadth, stretch along the Gulf coast, with sand hills upon them from ten to forty feet in height. These range along the outer shore, and occupy a space from a quarter to half a mile in width. A fine prairie, averaging three-quarters of a mile in breadth, slopes gradually to the marsh and bare sand flats that form the bay shores. The islands afford an excellent range for cattle, sheep, and horses, there being amongst the sand hills and in the sinks of the prairie an abundance of fresh water, except in the dry season of the year. During all seasons fresh water may be had by digging anywhere among the sand hills, or in the high prairie, in the strata immediately above the level of the surrounding salt water."

"The sheets of water lying between these islands (Matagorda and St. Joseph's) and the main are divided by chains of other islands, by oyster shell reefs, or by the configuration of the shores, into four large bays: Espiritu Santo, San Antonio, Copano, and Aransas bays; and six smaller: Mission, Hines, Mezquit, St. Charles, Refugio Mission, and Puerto bays." Of each of these a general description is contained in the report of Assistant Gilbert, extracts from which will be found in the Appendix, (No. 32.) I must here commend the character of this report, which is so well adapted to the circumstances of the country through which Mr. Gilbert's work was carried.

The original journals containing the notes of horizontal angles and an abstract of the geographical positions determined by the triangulation, have been received at the office.

*Topography of Espiritu Santo and San Antonio bays, Tex.*—The plane-table work in this section was prosecuted by a party in charge of Sub-Assistant W. H. Dennis. After completing the survey of the city of Indianola, as supplementary to one of the sheets executed last season by Sub-Assistant M. Seaton, Mr. Dennis moved his party to Matagorda island, and there joined with the topographical limits of Assistant Gilbert, who, as already stated, has been more recently engaged in pushing the triangulation of the coast of Texas towards Corpus Christi. Of the three plane-table sheets projected by Mr. Dennis, two were entirely filled and the other partly completed. These include a stretch of twenty miles coastwise, and represent the whole breadth of the middle parts of Matagorda island, the shores of the lower part of Espiritu Santo bay, Mission and Hind's bays, and the shores of the greater part of San Antonio bay, with the mouth of its principal tributary, the Guadalupe river. The limits of the several sheets are marked on Sketch No. 28. In general, the surface of the country passed over by the party favored operations with the plane-table, the marsh being tenable, and the fast land mostly level prairie. The only impediment found is thus alluded to in the season's report: "The survey of Mission bay, with the point extending from it into San Antonio bay, was attended with some difficulty, the shores being covered with canebrake some twenty feet high and nearly

impenetrable." Sub-Assistant Dennis took the field on the 15th of December, and closed work on the 30th of May. A summary of the plane-table statistics is appended:

	Miles of shore-line.	Miles of bayous, ponds, &c.	Miles of marsh line.	Miles of roads.	Area, square miles.
Indianola and vicinity-----	4.0	1.5	7.0	4.7	3.0
Sheet No. 1-----	84.3	69.0	62.0	3.5	43.0
Sheet No. 2-----	42.5	19.0	13.0	8.0	38.0
Sheet No. 3-----	12.5	21.7	17.5	1.8	12.0
	143.3	111.2	99.5	18.0	96.0

Mr. T. C. Bowie served as aid in the topographical party.

The report of Sub-Assistant Dennis contains the following remarks relative to the natural features presented on the shores of San Antonio bay: "There is very little timber land within the limits of the work of this season, excepting on the banks of the Guadalupe river, which has a narrow strip of oak, cedar, etc., on either side. The water at the mouth of that river is fresh, and when the stream is high the fresh water extends nearly to the first chain of islands. The mouth of the Guadalupe has been dredged out, and a channel has been made through the first chain of islands, by which a steamer from Indianola regularly passes to a landing forty or fifty miles up the river."

Sub-Assistant Seaton has inked and placed in the archives the sheets containing his surveys of last year on the shores of Lavaca, Garcitas, and Chocolate bays. The supplementary sheet showing the vicinity of Indianola has also been turned in.

In July Sub-Assistant Dennis was assigned to topographical duty in Section I.

*Hydrography of Matagorda bay, Tex.*—It has been mentioned in a previous chapter that the hydrographic work allotted to be done in this section was assigned for the latter part of the working season to the party of Lieut. Comg. J. K. Duer, U. S. N., Assistant Coast Survey, the former part being occupied in Section VII. The steamer Vixen, in accordance with this arrangement, arrived at Matagorda on the 19th of April, and at once took up work on the inside of the peninsula, in the immediate vicinity of the city, and between that date and the 3d of June sounded out the portion of the bay which is comprised between lines crossing from the peninsula to the main at Matagorda and Palacios Point. The reach referred to is about sixteen miles in length, by nearly five in average breadth.

Sketch No. 28 shows its location, and the limits of the sheet containing the hydrography.

This work was done under the direction of Mr. A. W. Muldaur, in the absence of Lieut. Comg. Duer, who returned to Section VII immediately after the arrival of the party in Section IX, and died at Apalachicola on the 14th of June, as already stated. The particulars in regard to this untimely event, and the measures taken for the subsequent disposal of the party and vessel, have also been mentioned.

A summary furnished by Mr. Muldaur at the end of the season gives the following statistics of work executed in Matagorda bay:

Miles run in sounding.....	451
Angles determined.....	919

Number of soundings.....	33,135
Tidal stations occupied.....	3

The sheet embracing the hydrography here referred to has been received at the office in Washington.

## SECTION X.

WESTERN COAST OF THE UNITED STATES, FROM SAN DIEGO NORTHWARD TO THE FORTY-SECOND PARALLEL, INCLUDING THE COAST OF THE STATE OF CALIFORNIA.—(SKETCHES J AND J BIS, NOS. 30 AND 31.)

The usual number of parties has been employed in this section, and their progress is described under the following heads:

1. Primary triangulation near San Pedro, Cal.
2. Triangulation of Santa Rosa island, Cal.
3. Triangulation and topography of San Pedro harbor, Cal.
4. Primary and secondary triangulation north of San Francisco, Cal.
5. Latitude and azimuth.
6. Triangulation of Crescent City harbor, Cal.
7. Topography of Santa Cruz island, Cal.
8. Topography of Crescent City harbor, Cal.
9. Hydrography of San Pedro harbor, Cal.
10. Soundings off the Golden Gate entrance to San Francisco bay, Cal.
11. Resurvey of Humboldt bay, Cal.
12. Hydrography of Crescent City harbor, Cal.
13. Tidal observations.

The primary work, which for some years has not made progress proportional to its former development, has this year been placed in the hands of Assistant George Davidson, whose well-known zeal, and energy, and skill have all been shown in its prosecution, so that the advance has been entirely satisfactory, under difficulties which have required all his resources to surmount.

The resurvey of San Pedro and Crescent City harbors was called for in consequence of the improvements made or contemplated in those localities and in the back country which finds access to the sea at those ports.

*Office-work.*—The engraving of the charts of San Diego bay, the entrance to San Francisco bay, Marc Island straits, and Humboldt bay, has been finished. Progress has been made in the engraving of the chart of San Pablo bay, and additions have been made to the sheets of Alden's reconnaissance of the Western Coast. The map of San Francisco city has been engraved on stone, under the direction of the Superintendent of Public Printing.

*Primary triangulation near San Pedro, Cal.*—In adjusting the triangulation along the coast of the Santa Barbara channel, it was found necessary to reoccupy several of the stations connecting with the preliminary base measured near San Pedro. This duty was performed by Assistant W. E. Greenwell, between the 5th of November, 1858, and the 6th of March following.

The revised triangles are laid out on Sketch No. 30. On being tested in the usual way they were found to close within the limits allowed for general accuracy.

A synopsis of the statistics is appended:

Signals erected .....	8
Stations occupied .....	6
Number of observations .....	2,268

The horizontal angles were measured with the eight-inch Gambey theodolite, C. S. No. 44.

Mr. Greenwell used the schooner Humboldt for this and other service performed in the section.

Duplicates of the notes of horizontal angles observed in the primary work of last year have been furnished for the records of the office.

*Triangulation of Santa Rosa island, Cal.*—This work was commenced by Assistant Greenwell on the 8th of June, by the measurement of a short base on the northern part of the island, the location of which may be seen by reference to Sketch No. 30. The triangulation, as far as completed at the end of August, embraces the northern half of the area of Santa Rosa, and the work was then in active progress. Strong northwest gales prevailed between the dates mentioned, tending very much to retard the advance of field operations.

A summary of the statistics is thus given in the report of Mr. Greenwell:

Signals erected .....	13
Stations occupied .....	8
Number of observations .....	1,120
Area of triangulation, (square miles) .....	18

The schooner Humboldt was in the service of the party at Santa Rosa island.

Assistant Greenwell has sent in duplicates of the observations recorded in the triangulation of San Miguel and San Nicolas islands, and notes of the measurement of the preliminary base on Santa Cruz island.

*Triangulation and topography of San Pedro harbor, Cal.*—This duty was executed by Sub-Assistant W. M. Johnson, and the data necessary for the hydrography furnished to Commander Alden.

The scheme of triangulation laid out to include the shore of the harbor at San Pedro is shown on Sketch No. 30. With the view of following at once with the plane-table survey the necessary points were determined while the preliminary work was going on. Mr. Johnson then projected a sheet and pushed on the topography to completion. The sheet containing his survey embraces an area of about thirteen square miles, over sixty miles of shore-line, and nineteen miles of roads.

Sub-Assistant C. M. Bache was attached to the party.

The triangulation embraced nine triangles within an area of fifteen square miles. Four hundred and eighty-six observations were made in the measurement of angles.

*Primary and secondary triangulation north of San Francisco, Cal.*—This work and the astronomical observations connected with it were taken in charge by Assistant George Davidson on the 14th of November, 1858, immediately after his return to the Western Coast. In the primary triangulation Table mountain, a precipitous height which rises from the shore of Ballenas bay, and Sulphur Peak, a high mountain well up the course of Russian river on its eastern side, were occupied as stations with the theodolite, and horizontal angles measured so as to complete, with the exception of Ross mountain station, the coast series of triangles from Monterey and over San Francisco bay to the last-mentioned point, the position of which may

be seen on Sketch No. 31. At Mount Diablo, one of the primary stations in the general scheme and in immediate connection with Table mountain, the labor and expense of transporting a solid signal to the summit, which is 3,800 feet above the nearest dwelling, were obviated by Mr. Davidson, who thus describes the expedient employed for that purpose: "The signal was constructed at San Francisco, and consisted of six pieces of two-inch Oregon pine fitted to six appropriate inside bearings, so that, when put together, the whole presented externally the appearance of the frustrum of a cone thirty-five feet high, with a diameter of fifteen inches at the base and ten at the top. The separate pieces and their bearings, being previously provided with screws, were carried up the mountain and fastened together in half an hour. Stout iron bands were driven on to bind all the pieces firmly together, and the hollow shaft was then set and secured in its proper position. Even with the advantage of the method employed, the handling of the parts of the signal in passing to the summit proved to be very hard labor. If the cañadas of the mountain side had afforded a solid piece of timber of similar outside dimensions, no available power could have taken it up." Vertical angles were measured from the station on Table mountain, and also from that on Sulphur Peak.

Ross mountain, which lies near the coast and a few miles north of the mouth of Russian river, will be occupied next in order by the party of Assistant Davidson.

The secondary and tertiary triangulations, extended this season over Drake's bay and Point Reyes are also shown on Sketch No. 31, and from Table mountain, Point Reyes Hill, and Point Reyes Head, horizontal angles were measured to determine the positions, extent, and heights of the islets which form the middle and north groups of the Farallones.

The reconnaissance necessary in advance of occupying stations for the primary and secondary work was made by Mr. E. H. Fauntleroy, one of the aids in the party. At the date of Assistant Davidson's report Mr. Fauntleroy, in conjunction with Mr. A. T. Mosman, who was detailed as an aid to this party in June, were reconnoitering the tract lying northward and westward of Sulphur Peak. The privations to be borne in the performance of such duty over a country naturally wild and rugged, and totally devoid of facilities for travel, are very great. The labors of the triangulation party in pushing the work to its present limit, as set forth in the report of Mr. Davidson, have been attended with unusual hardships and difficulties.

The following is a synopsis of the season's progress in triangulation:

Number of signals erected .....	18
Primary stations occupied .....	2
Secondary and tertiary stations occupied .....	5
Horizontal angles measured .....	73
Vertical angles .....	15
Observations for horizontal angles .....	4,624
"        "        vertical        " .....	1,348

Work in the field was carried on from the 10th of January until the close of September.

*Latitude and azimuth.*—The latitude of Sulphur Peak primary station was determined by Assistant Davidson by three hundred and thirty-one observations on ninety-four stars; and the azimuth at that point and at Table mountain by five hundred and sixty-four observations. At the same stations three hundred and one observations were recorded for local time, and ninety-eight at Sulphur Peak for determining the value of the micrometer threads.

Observations were made at Table mountain for ascertaining the reading of the level scale

divisions of the vertical circle No. 80. Those of the levels A and B of zenith telescope No. 3, and of level A of transit No. 2 were determined at Sulphur Peak by using the vertical circle No. 28, and a hundred and sixty-two observations were made for that purpose.

In the ensuing season Ross mountain will be occupied as an astronomical station.

Meteorological journals were kept while the party was employed in the field.

Ten volumes, containing the original records of the triangulation and astronomical observations, and seven others, duplicates of the same, have been received from Mr. Davidson. His computations depending on the original notes of the work have been completed.

The journals kept by Assistant G. A. Fairfield while the work north of San Francisco was under his charge have been filed at the office.

*Triangulation of Crescent City harbor, Cal.*—This duty was executed under special directions in April, by the party of Sub-Assistant J. S. Lawson, before taking up the general field-work to which it had been assigned in the adjoining northern section. A preliminary base was laid out in front of Crescent City and measured twice with a twenty-metre chain, previously adjusted for that particular purpose. The measurements gave a mean result of 1,018.6 metres for the length of the line. Stations were then erected at intervals along the coast from a point a mile west of the light-house to another four miles to the eastward of Crescent City, and on all the prominent rocks in the harbor. Twelve signals were set up and sixty objects in all observed on in determining the angles. In addition to these, readings were taken on a hundred and fifty objects, the results of which, as determining them in position, were computed at once and plotted for use in the topographical survey. Sketch No. 31 gives a plan of the completed triangulation. The following is a synopsis of the statistics:

Stations occupied .....	8
Angles measured .....	75
Number of observations .....	1,176

The six-inch Gambey theodolite, C. S. No. 21, was used in measuring the angles. Mr. Alexander Agassiz served as aid in the party, which was charged also with the plane-table survey of Crescent City harbor.

A duplicate of the record of horizontal angles observed by Sub-Assistant Lawson is now on file at the office.

*Topography of Santa Cruz island, Cal.*—The survey of this island was resumed by Sub-Assistant W. M. Johnson, after completing field-work at San Pedro, of which notice has already been taken in the former part of this chapter, and has been prosecuted along the north shore so as to include Prisoner's harbor and Chinese harbor, with only such interruptions as are incident to its exposed position. The report of Mr. Johnson states that there are but three places on the island available as centres for working, by reason of the great difficulty of procuring wood and water, and that great impediments are found in the violent northwest winds, which set in daily at 10 a. m. during summer and continue until sunset. The progress made is shown in the following statistics:

Shore-line traced .....	35½ miles.
Roads surveyed .....	18¾ "
Area of details, (square miles) .....	16

Sub-Assistant C. M. Bache assisted in the survey.

The position of Santa Cruz island is shown on Sketch No. 30.



*Topography of Crescent City harbor, Cal.*—The triangulation requisite for the plane-table survey and hydrography was made, as already stated, by Sub-Assistant J. S. Lawson, in April. Having provided a sufficient number of points, Mr. Lawson traced, in the shore-line of the harbor and the adjacent coast from Hall's bluff west of the light-house, as seen on Sketch No. 31, to the eastern limit of the triangulation, or about four miles eastward of Crescent City.

"Especial care was taken to determine the position of every rock bare at low water. Between Battery Point and Preston's island many of the plane-table stations were reoccupied as near the time of low water as possible, for securing accuracy of details in that respect."

A tracing from the working sheet was promptly made and furnished to the hydrographic party of Commander Alden. The original was soon after inked and sent to the office with the following memorandum of statistics:

Shore-line surveyed.....	8.2 miles.
Roads .....	3.5 "
Area of details, (square miles).....	1.7

After completing the survey at Crescent City the party returned to San Francisco, and at the usual period of the year sailed with the brig Fauntleroy to carry out the general instructions for work in Section XI. Sub-Assistant Lawson was accompanied by Mr. Alexander Agassiz as aid.

*Hydrography of San Pedro harbor, Cal.*—As part of the regular work of the season, the anchorage at San Pedro and its vicinity were sounded out anew by the party of Commander James Alden, U. S. N., assistant Coast Survey, with the steamer Active. Sketch No. 30 shows the limits of the sheet, which was projected so as to include the hydrography of the approach eastward and southward by Point Fermin.

The resulting chart (Sketch No. 32) verifies the soundings made in the reconnaissance of 1852, and in reference to it Commander Alden says: "The bar at the entrance to the creek remains about the same. At mean low water, throwing out the half tides, only two feet of water can be carried over it. The steamer Active could go in easily at high water."

Sub-Assistant Johnson traced the shore-line for the use of the hydrographic party.

The following is a summary from the journals of soundings and angles:

Miles run in sounding .....	209
Angles measured .....	1,208
Casts of the lead .....	5,866

*Soundings off the Golden Gate, entrance to San Francisco bay, Cal.*—At favorable intervals during the winter of 1858-'59 the hydrography outside of San Francisco bar was executed by the party of Commander Alden, with the surveying steamer Active. The work was extended about thirty miles abreast of the entrance, as measured from Point Reyes southward and eastward along the line of junction with the soundings carried from the inside of the bar in 1854. From the bar, broad off to seaward, the hydrography now extends about twenty-five miles westward, or five miles beyond the meridian of the Farallones. The limits of this work are marked on the Progress Sketch No. 31. In making the soundings sixty-three specimens of bottom were brought up from different localities of the space passed over by the vessel. The following is a summary taken from the hydrographic records:

Number of angles observed.....	1,369
Casts of the lead .....	722
Miles run in sounding .....	694

The survey of the approaches to the Golden Gate was essentially completed by the end of February.

*Resurvey of Humboldt bay, Cal.*—On the upward passage of the steamer *Active* for duty in the adjoining northern section, Commander Alden incidentally made a resurvey of Humboldt bay above and below the entrance, as shown on Sketch No. 31. The soundings were taken between the 11th and 22d of July, and were applied in completing the chart which accompanied my last published annual report as Sketch No. 31.

The statistics of the resurvey are as follows:

Miles run in sounding .....	119
Angles observed .....	1,094
Number of soundings .....	5,221

Sub-Assistant J. S. Lawson made the plane-table survey in a previous season.

The original sheet containing the soundings last made is now at the office.

*Hydrography of Crescent City harbor, Cal.*—This work was based on the triangulation and topography executed in the early part of the year, as already detailed. The soundings were made in July by the party of Commander Alden in the surveying steamer *Active*.

In reporting on the completion of the hydrography, Commander Alden remarks: "During the progress of the survey of Crescent City harbor we found several new and dangerous rocks, but as they are not lying immediately in the channels followed by the steamers, and do not interfere with the anchorage in use, it does not seem necessary to notice them further in advance of the publication of the chart, as every one now trading there knows that vessels drawing over nine feet should be very cautious in venturing out of the beaten track. The rocks at that place are of a peculiar character, standing isolated like bayonets, with their points just below the surface, and ready to pierce any unlucky craft that may encounter them. After we finished the survey and I had selected a particular fair way for a sailing line, we discovered a very sharp rock almost directly in the passage, with its point only three feet from the surface, and deep water all around it. I mention this to show that although the greatest care was taken in the survey, the character of the points of rock is such that it cannot be surprising if a new one is found for several seasons to come. Still, by following the track which has been passed over so often by heavily laden steamers, no danger need be apprehended."

An engraved reduction from the sheets containing the survey of Crescent City harbor accompanies this report, as Sketch No. 33. The original chart is now at the office.

A summary of the hydrographic statistics is thus given in the report of Commander Alden:

Miles run in sounding .....	101
Angles measured .....	701
Number of casts of the lead .....	3,221

After completing this work the party in the *Active* proceeded to Section XI, under which head further notice will be made of its occupation.

*Tidal observations.*—Under an arrangement made several years ago satisfactory to the chief of the Engineer Bureau, and by which the services of Lieut. G. H. Elliot of that corps became available for the general supervision of the observations, the self-registering tide-gauges at San Diego and San Francisco have been kept in operation during the present year. Records have been received monthly showing that the series is successfully continued.

## SECTION XI.

WESTERN COAST, FROM THE FORTY-SECOND PARALLEL TO THE NORTHWESTERN BOUNDARY OF THE UNITED STATES, INCLUDING THE COAST OF OREGON AND THAT OF WASHINGTON TERRITORY.—  
(Sketch K, No. 35.)

The regular work of this section has necessarily given place to that connected with the boundary, and has been further impeded by the necessity for placing the hydrographic vessel, the steamer "Active," at the disposal of the War Department. (Appendix No. 36.)

The following work has been executed in this section, and is reported upon in this chapter:

1. Triangulation of the Gulf of Georgia, W. T.
2. Reconnaissance of Coquille river entrance, Oregon.
3. Hydrographic reconnaissance of Gray's harbor, W. T.
4. Tidal observations.

*Office-work.*—A new edition of the reconnaissance sketch of Washington sound, W. T., and the chart of Port Townshend have been drawn and engraved, and the engraving of the charts of Port Gamble and Semi-ah-moo bay has been completed.

*Triangulation of the Gulf of Georgia, W. T.*—The field-work in this section was confined mainly to the triangulation of the Gulf of Georgia, abreast of Point Roberts, and in the vicinity of the forty-ninth parallel of latitude, but owing to the prevalence of smoke in the atmosphere during the entire season the progress expected at its outset has not been made. Sub-Assistant James S. Lawson, who conducted the operations and improved every opportunity for advancing the triangulation, says, in allusion to the hindrance from this cause: "Thus far, during the present season, the weather has furnished another illustration of the experience of former years, that each alternate season is very dry, and consequently that the immense fires started by the Indians sweep over a vast extent of country, so that it is often impossible to see, at the same time, both shores of the channels. During the last three months of the working season of 1857 we were often anchored within a quarter of a mile of the shore and could not see it. Last year was just the reverse, owing to the quantity of rain that fell tending to extinguish, or at least retard, the progress of the fires." \* \* \* \*

"In carrying the work forward from the limits of last year, I laid out a scheme of triangulation which seemed the very best that the conformation of the country would allow, as it tended to carry the work to the forty-ninth parallel with the least number of triangles. The lengths of the sides, however, were too great for observing on through the smoky atmosphere, and I have been compelled to change the plan and adapt my operations to circumstances."

The stations occupied or observed on by Mr. Lawson, as will be seen by reference to Sketch No. 34, range along the northern shores of the chain of islands bounding the Gulf of Georgia, from Patos island westward to a station on the upper part of Galiano island. These connect by lines with several stations established on Point Roberts, the positions of which are marked on the Progress Sketch.

The following is a summary of the statistics of the season:

Signals erected.....	9
Signals of former seasons adjusted.....	13
Stations occupied.....	12
Objects observed on.....	46

Angles measured.....	36
Number of observations.....	1,948

The horizontal angles were measured with the ten-inch Gambey theodolite, C. S. No. 20.

Vertical angles also were measured by Mr. Lawson, and a hundred and thirty observations recorded for determining the height of the two summits of Mt. Baker, and that of the limit of snow. The snow range was computed by Mr. Alexander Agassiz, the aid in the party, to be at an elevation of 3,145 feet.

A further remark made by Sub-Assistant Lawson, in his report, refers to one of the most perplexing hindrances found in prosecuting the triangulation in the northern part of this section: "A necessary result of such a state of the atmosphere as that which I have mentioned is a remarkable range in refraction, but in no case have I ever seen it equal to what was experienced at the last station occupied. In one of the angles there was a range of 41".3 in the various sets of observations, and in each of two others the range was as much as 35".7. This large refraction occurs almost invariably at times when, during the whole or part of the day, the atmosphere has become remarkably clear and when the signals show very plainly and steadily. There is then no way of discovering the refraction except from the observations themselves. Usually it shows itself by the distorted appearance of the shores."

Copies of all the plane-table sheets traced by Mr. Lawson during last season were furnished to the commissioner on the northwestern boundary, Archibald Campbell, esq. The originals are now at the office.

The mark at the southern end of the base on Lummi island having been washed from its place by a gale in the winter of 1857-'58, Sub-Assistant Lawson occupied the stations connecting with it, and took suitable means for re-establishing the mark. He is now supplied with the improved apparatus described in my annual report for 1857, and having already graded and leveled the site of the base, the line will be remeasured as early as practicable in the ensuing season.

A meteorological register was kept, while the party was at work, of barometer readings, temperature, kind and amount of clouds, direction and force of the wind, and a record of the quantity of rain.

The duplicates of field notes were made, and abstracts and computations of the triangulation kept up to date as the work advanced. Those connected with the operations of last year are now at the office.

Four volumes, containing the recorded meteorological observations made in this section in previous seasons, have been turned in by Assistant George Davidson.

The brig Fauntleroy was used by Sub-Assistant Lawson for transportation and quarters in the Gulf of Georgia. At the close of the working season the vessel returned to San Francisco.

*Reconnaissance of Coquille River entrance, Oregon.*—With a view of making a hydrographic examination of the bar and channel of the Coquille river, Commander James Alden, U. S. N., assistant in the Coast Survey, attempted the entrance with the steamer Active, on her downward passage from his field of duty in connection with the Northwestern Boundary Commission, and found it, as was expected, inaccessible for vessels of ordinary draught. An accident to the centre shaft of the steamer, while in that vicinity, made it indispensable for the safety of the vessel that her voyage to San Francisco should not be at that time delayed.

The purpose of Commander Alden is to approach the Coquille entrance by land from Port

Orford, before the close of the year, if practicable, and to make a reconnaissance and soundings so as to fully determine the character of the river as a harbor of entrance.

*Hydrographic reconnaissance of Gray's harbor, W. T.*—In laying out the programme for the season's operations in this section, it was expected that the only field party for which the means are available might probably complete the special duty enjoined, in connection with the survey for the commissioner on the northwestern boundary, in time to admit of taking up the triangulation and topography of Gray's harbor within the present surveying year. This expectation, in consequence of the unfavorable weather, which, as already stated at the outset of this chapter, interfered materially with field progress in the northern part of the section, has not been met, and the basis of the hydrography is yet wanting. The impediments referred to being within the knowledge of Commander Alden, a visit was made to the harbor in the steamer *Active*, and such an examination conducted as could be made in advance of the close determination of points along the shores by the land party. In allusion to his reconnaissance Commander Alden says: "The result shows that the harbor has a bar over which can be carried from two and a half to three and a half fathoms of water. It was tolerably smooth during the flood, but when the ebb tide made the sea broke entirely across the entrance. The soundings made inside correspond very closely with those on the chart of the U. S. Exploring Expedition; and it would seem, as there is no bar laid down, that the survey just referred to was not carried quite out to it, or that there has been an important change since it was executed in 1841."

*Hydrography of the Gulf of Georgia, W. T.*—The following statistics represent the supplementary work executed for the northwest boundary commissioner by the hydrographic party under Commander Alden, in the steamer *Active*:

Miles run in sounding .....	105
Angles measured .....	366
Casts of the lead .....	967

*Tidal observations.*—One of the self-registering gauges in the general charge of Lieut. G. H. Elliot, U. S. Engineers, as stated under the head of Section X, has been kept in working order at Astoria, and the series from it continues to give satisfactory results.

#### OFFICE-WORK.

The Coast Survey Office in Washington city has, during the year, remained under the charge of *Captain W. R. Palmer, U. S. Topographical Engineers*, who has, as usual, administered it efficiently and acceptably. In the intervals of his absence, the duties devolving on him were discharged by *Lieutenant A. P. Hill, U. S. A.*, whose connection with the office and efficiency as general assistant have been referred to in my previous annual reports.

The report of Captain Palmer, given in Appendix No 17, and accompanied by detailed statements from the chiefs, of the several office divisions, show the occupation of the persons engaged in them within the year, and the scope and relation of the office as connected with the field-work of the survey. No change has been made in the allotment of the material received from the field, the past working of the divisions, as organized several years ago, having continued to meet the requirements of the survey and the calls incident thereto. In the order in which the office divisions have been heretofore named, summary notices are here appended of the employments in each.

*Computing division.*—Under the charge of *Assistant Charles A Schott*, this division has fully

sustained its efficiency. The distribution of work done is set forth in his report appended to that of the assistant in charge of the office (Appendix No. 17,) as are also those relating to the other office divisions.

In addition to his general duties, Mr. Schott has continued the discussion of the secular change in the magnetic declination, and has furnished another contribution (Appendix No. 17) to our knowledge on that interesting subject. The computations made in the division have been performed as follows:

*Assistant T. W. Werner* has been employed in reducing from the records of triangulations and latitude observations; *Mr. Eugene Nulty* on latitudes, azimuth, and time observations; *Mr. James Main* on azimuth, latitude and revisions, and on computations connected with the determination of the magnetic elements; *Mr. G. Rumpf* on triangulations and the computation of geographical positions, and also in reducing magnetic observations; *Mr. J. Wiessner* on triangulations, until his resignation on the 1st of April; *Mr. W. D. Storke* on reductions of triangulations, and in preparing the list of geographical positions which accompanies this report; *Mr. J. T. Hoover* in clerical and miscellaneous duties; and *R. Freeman* in making duplicates of field and office records.

**TIDAL DIVISION.**—The labors of this division, which have been, as heretofore, conducted by Assistant *L. F. Pourtales*, are stated in the Appendix before referred to, with the names of the persons employed.

Mr. Pourtales has continued incidentally the investigation of specimens of soundings, and has made developments of much interest in this branch of research.

The force in the division has been employed as follows: *Mr. R. S. Avery* on discussions relative to a generalization of results from the Boston tidal observations; *Mr. S. Walker* in verifying tidal records and corresponding with the observers; *Mr. J. Downes* in graphical decompositions, reductions, and comparisons; and *M. Thomas* and *S. D. Pendleton* have been employed in miscellaneous reductions.

*Sub-Assistant C. Fendall* and *Messrs. J. Gilliss, R. E. Evans, O. Hinrichs, P. H. Donegan, and A. W. King* served temporarily in this division during part of the year.

**DRAWING DIVISION.**—Until the end of June this division remained in charge of *Lieut. J. C. Tidball, U. S. A.*, and his effective supervision is referred to in the report of *Lieut. Thomas Wilson, U. S. A.*, under whose direction the duties have been carried on since that date. The distribution of work has been as follows: *Assistants W. M. C. Fairfax* and *M. J. McClery* on reductions of topography, the latter also in making additions to the Congress map; *Mr. A. Boschke* on projects; *Mr. A. Lindenkohl* on reductions, projections, and verification; *Mr. A. Balbach*, during part of the season, on hydrographic reductions, and now on general duty as draughtsman in the hydrographic division; *Mr. E. Hergesheimer* on verification and hydrographic reductions; *Mr. W. P. Schulz* on reductions of various kinds, progress sketches, projects, and projections; *Mr. L. D. Williams* on fine reductions and verification; *Mr. A. Strausz* on soundings for charts; *Mr. W. T. Martin* on topographical drawing; *Mr. P. Witzel* on projections and preliminary charts; *Mr. S. B. Linton* on lettering, and in making additions to the progress sketches; *Mr. F. Fairfax* on general topography and tracings; and *Mr. B. Hooe* and *Artificer J. A. Campbell* on tracings generally.

**ENGRAVING DIVISION.**—The duties of this division were conducted by *Lieut. Rufus Saxton, U. S. A.*, until the 1st of April. Since that date the division has been temporarily in charge of *Mr. Edward Wharton*.

The allotment of work to the engravers regularly employed has differed but little from that of

last year. *Mr. G. McCoy* has been engaged on topography and views for charts; *Mr. F. Dankworth*, until within a short period before his death, on topography; *Mr. John Knight* on first-class lettering; *Messrs. A. Rolle, J. Enthoffer, and A. Sengteller*, on topography; *Mr. G. B. Metzgeroth* on topography, views, and sanding for charts; *Messrs. A. Blondeau and W. Phillips* on topography; *Mr. H. S. Barnard* on sanding for charts; *Mr. J. C. Kondrup* on first-class outlines, letters, and figures; *Mr. H. C. Evans* on topography and sanding; *Mr. J. V. N. Throop* on letters and figures for harbor and preliminary charts; *Mr. A. Maedel* on topography and sanding for harbor and river charts; *Mr. A. Petersen* on letters and figures, as also *Messrs. E. A. Maedel, W. Langran, and W. Ogilvie*; *Mr. R. F. Bartle* on topography and sanding; and *Messrs. F. W. Benner, W. A. Thompson, and E. H. Sipe*, on progress and other sketches, and miscellaneous work.

**ELECTROTYPE AND PHOTOGRAPH DIVISION.**—The report of *Mr. George Mathiot*, subjoined to that of the assistant in charge, in Appendix No. 17, gives in detail a statement of the work done in the division within the year. In addition to his regular duties, *Mr. Mathiot* has made numerous trials, resulting at length in the successful application of the photographic process as a substitute for hand reductions for the engraver. I have already stated at more length the progress made in this important branch of the service in the introduction of this report. In all the labors of the division *Mr. Mathiot* was assisted by *Mr. David Hinkle*, whose application to its various duties are specially mentioned in the report already referred to.

**MISCELLANEOUS DIVISION.**—Under this head are classed the printing and distribution of maps and charts, and the distribution of the office complement of the annual reports. The report of *Lieut. J. R. Smead, U. S. A.*, who took charge on the detachment from the Coast Survey of *Lieut. J. P. Roy, U. S. A.*, in last June, shows that the activity required in this division has been fully kept up. Over fifteen thousand copies of various charts have been distributed during the year, and an aggregate of six thousand eight hundred and seventeen copies of the annual reports and accompanying sketches.

*Lieut. Smead* has been assisted by *Mr. V. E. King*, who also performs clerical duty in the office of the assistant in charge.

The printing has been performed, as heretofore, by *Mr. J. Rutherford*, aided by *Mr. J. Barrett*.

*Mr. F. Holden* continued, until near the close of the present surveying year, on duty in the map room, and was employed in backing and preparing paper to be used as projections for plane-table and hydrographic sheets. This duty, since the 1st of September, has been performed by *Mr. W. Mertz*.

The space required for the constant additions to the archives of the survey is referred to by the assistant in charge as being yet unprovided for. Part of the inconvenience felt arises from the risk of transferring for deposit the original maps and charts to any but a thoroughly fire-proof building.

In the carpentry, the various calls and requirements incidental to the work of the survey have been met as usual. The labors of the shop, which have been conducted, as heretofore, by *Mr. A. Yeatman*, are stated in detail in the report of the assistant in charge of the office, as are also those of the instrument shop, in which the work is directed by *Mr. J. Vierbuchen*.

Captain Palmer specially commends the zeal and ability of his principal clerk, *A. W. Russell, esq.*

*Assistant L. F. Pourtales*, in charge of the tidal division, and *Professor W. P. Trowbridge*, whose duties connected with the preparation of a portion of the records for publication have been before alluded to, have rendered acceptable assistance in certain special discussions conducted under my immediate direction.

*Commander S. S. Lee, U. S. N.*, took charge of the hydrographic division of the office on the 1st of September, and has discharged, also, the duties of hydrographic inspector, attending to the repairs and outfit of the vessels used by all the parties of the survey. The knowledge possessed by Commander Lee of construction and equipment has, under the general rules and arrangements adopted first at the suggestion of Lieutenant Maffitt, introduced an efficiency into this branch of the service which insures for the future decided economy. *Mr. A. Balbach* has assisted in the hydrographic division as clerk and draughtsman.

I have only to reiterate the expression of the opinion which I entertain of the great value of the services of *Samuel Hein, esq.*, general disbursing agent of the Coast Survey, and of those of the principal clerk in the Superintendent's office, *W. W. Cooper, esq.*

Respectfully submitted by

A. D. BACHE,  
*Superintendent United States Coast Survey.*

HON. HOWELL COBB,  
*Secretary of the Treasury.*



# APPENDIX.

## APPENDIX No. 1.

*Distribution of the parties of the Coast Survey upon the coast of the United States during the surveying season of 1858-'59.*

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
SECTION I.				
From Passamaquoddy bay to Point Judith, including the coast of Maine, New Hampshire, Massachusetts, and Rhode Island.	No. 1	Primary triangulation, astronomical and magnetic observations.	A. D. Bache, Superintendent; G. W. Dean, assistant; Edward Goodfellow, sub-assistant; R. E. Halter, aid; H. W. Bach., aid.	Howard and Cooper stations, Washington county, Me., occupied, and Chamcook, N. B., for extending the primary triangulation across the northeastern boundary. Geodetic observations completed at the three stations, with determinations of latitude, azimuth, and the magnetic elements at Howard and Cooper.
	2	-----	C. O. Boutelle, assistant; C. H. Boyd, aid.	Reconnaissance and selection of stations for the secondary triangulation of Passamaquoddy bay, erection of signals for primary triangulation, and connection of the Epping base with adjacent stations. (See also Section V.)
	3	Secondary triangulation.	J. A. Sullivan, sub-assistant; R. M. Stiles, aid; J. D. Bradford, aid.	Stations occupied in the secondary triangulation of Penobscot bay, below the primary line "Ragged Mount—Isle au Haut," and signals erected for continuing work northward towards the head of the bay. (See also Section VI.)
	4	Secondary triangulation.	F. P. Webber, sub-assistant; J. Kincheloe, aid.	Triangulation continued from Damariscotta river, and over Muscongus bay and sound, connecting eastward with stations in the lower part of Penobscot bay. (See also Section V.)
	5	Topography -----	W. H. Dennis, sub assistant; J. L. Tilghman, aid.	Detailed survey of Wiscasset, Me., and its environs, and topography of the opposite shore of Wiscasset bay, including part of the Edgecombe quarries. (See also Section IX.)
	6	Topography -----	R. M. Bache, assistant; W. S. Edwards, sub-assistant.	Plane-table survey of Bath, Maine, and detailed topography continued on the shores of Kennebec river and Merry-meeting bay.
	7	Topography -----	A. W. Longfellow, assistant; A. S. Wadsworth, assistant; James Gilliss, aid.	Details of the shores of Casco bay, from and including the Presumpscot river, northward to Prince's Point, and survey of the interior on Cousin's, Long, Great Jebeig, Hope, Crotch, and Jewell's islands, east of Portland harbor.

## APPENDIX No. 1—Continued.

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
SECTION I— (Continued.)	No. 8	Topography.....	C. Fendall, sub-assistant....	Plane-table survey of the coast of Maine, from Prout's Neck, southward and westward, to Kennebec river, including the shores of Saco bay, and detailed survey of the Isles of Shoals.
	9	Topography .....	A. M. Harrison, assistant; P. C. F. West, sub-assistant; A. W. Thompson, aid.	Topography of Barnstable harbor completed, and the survey of Cape Cod peninsula in that vicinity extended from West Barnstable eastward to North Dennis, including Yarmouth, Barnstable, and Pond Village.
	10	Hydrography .....	Lieut. Comg. John Wilkinson, U. S. N., assistant.	In-shore hydrography extended from Cape Newagen and Damiscone island, southward and westward, to Cape Small, outside of Kennebec entrance, and soundings completed abreast of and between Portland Light and Green island, Casco bay. Rocks determined in position, and off-shore soundings carried from Cape Elizabeth southward to Nausett Centre Light, Cape Cod.
	11	Hydrography.....	Lieut. Comg. Alexander Murray, U. S. N., assistant; C. Fendall, sub-assistant.	Soundings completed in-shore from Cape Elizabeth, southward and westward, to Cape Porpoise, Me. Deep-sea line carried from Cape Ann, across Cashe's ledge, to Seal island, and thence by traverses, westward, across the coast of Maine to Cape Elizabeth. Re examination made in Salem and Boston harbors, Massachusetts. (See also Section IV.)
	12	Tidal observations.	T. E. Ready .....	Record kept with self-registering tide-gauge at U. S. navy yard, Charlestown, Massachusetts.
	13	Magnetic observations.	Charles A. Schott, assistant; J. L. Tilghman, aid.	Determination of the magnetic declination, dip, and intensity at Portland, Me., and Portsmouth, N. H.; at Newburyport and Ipswich, Mass.; at Gloucester, Thompson (primary triangulation station,) Rockport, and Annisquam, on Cape Ann. (See also Section II.)
SECTION II.				
From Point Judith to Cape Henlopen, including the coast of Connecticut, New York, and New Jersey, and the shores of Pennsylvania and Delaware.	No. 1	Triangulation.....	Edmund Blunt, assistant; Lieut. W. R. Terrill, U. S. A., assistant; G. H. Bagwell, sub-assistant; Rufus King, jr., aid.	Triangulation of Hudson river, from a station near Hudson northward to New Baltimore, and determination of numerous points in the vicinity of Yonkers, for plane-table purposes.
	2	Topography .....	H. L. Whiting, assistant; John Mehan, sub-assistant; N. S. Finney, sub-assistant.	Detailed topography completed on both sides of Hudson river, between Spuyten Duyvel creek and Hastings; and also north and south of Tarrytown, N. Y. including Yonkers, Upper and Lower Nyack, the Palisades, and Piermont.
	3	Topography .....	F. W. Dorr, sub-assistant; C. Rockwell, aid; McLane Tilton, aid.	Supplementary details of topography in the vicinity of South Jamaica, L. I., Morrisania, Brooklyn, Williamsburg, High Bridge, and Hudson City, for the plane-table survey of New York harbor. (See also Section VI.)

## APPENDIX No. 1—Continued.

Limits of sections.	Parties	Operations.	Persons conducting operations.	Localities of operations.
SECTION II— (Continued)	No. 4	Hydrography. ....	Lieut. Comg. T. A. Craven, U. S. N., assistant.	Re-examination and development of changes in the vicinity of the Battery Shoal, New York harbor. (See also Section VI.)
	5	Tides and currents.	H. Mitchell, assistant; W. T. Bright, aid.	Development of the sub-currents traversing the waters of New York harbor.
	6	Tidal observations.	R. T. Bassett .....	Series kept with self-registering tide-gauge at Governor's island, (New York harbor,) and with the box-gauge at Brooklyn, L. I.
	7	Magnetic observations.	Charles A. Schott, assistant; J. L. Tilghman, aid.	Determination of the magnetic declination, dip, and intensity, at Hartford, Conn.; Springfield, Chesterfield, and Deerfield, Mass.; and Rutland, Vt. (See also Section I.)
SECTION III. From Cape Henlopen to Cape Henry, including the coast of part of Delaware, and the coast of Maryland and part of Virginia.	No. 1	Triangulation .....	John Farley, assistant .....	Reconnaissance made and signals erected for extending work on the Potomac river from Piney Point upwards, to include Britton's bay; triangulation of Hampton Roads completed and connected with the main series on Chesapeake bay, and base measured near Claremont, Va., for verifying the triangulation of James river.
	2	Triangulation and topography.	Charles Ferguson, sub-assistant.	Survey of the main shore and islands in Chincoteague bay, Md. and Va., completed, and points determined for extending the topography northward into Sinepuxent bay. (See also Section VI.)
	3	Topography .....	I. Hull Adams, assistant .....	Shore-line of the Patuxent river, Md., traced from Holland's Point upwards to Hall's creek, nearly completing the preliminary survey. Shores of the St. Mary's river, Md., traced from its entrance northward to Warehouse Point, including the adjacent parts of St. Inigo's and Carthagea creeks.
	4	Topography .....	John Seib, assistant .....	Topography of Milford Haven, and Horn and Winter harbors, on the western shore of Chesapeake bay, completed. (See also Section V.)
	5	Topography .....	I. Hull Adams, assistant .....	Shore-line traced between Westover and Little Brandon, completing the preliminary survey of James river, Va.
	6	Hydrography .....	Commander W. T. Muse, U. S. N., assistant,	Hydrography of the Patuxent river, Md., extended from Holland's Point upwards to Hall's creek, and that of the St. Mary's river, Md., from its entrance to Comb's wharf; soundings made between Coggin's Point and Little Brandon, completing the hydrography of James river, Va., and supplementary work done in Big and Little Annemessex rivers to complete the hydrography of Tangier sound.
	7	Tidal observations.	M. C. King .....	Self-registering gauge kept in operation at Old Point Comfort, Va. Series continued with the self-registering tide-gauge at the U. S. navy yard, Washington, D. C.

## APPENDIX No. 1—Continued.

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
<b>SECTION IV.</b>				
From Cape Henry to Cape Fear, including part of the coast of Virginia and N. Carolina.	No. 1	Primary triangulation.	Captain T. J. Cram, U. S. Topographical Engineers, assistant.	Reconnaissance and erection of signals at primary stations for the triangulation of Pamlico sound, N. C., and its connection with the base on Bodies island.
	2	Triangulation -----	A. S. Wadsworth, assistant --	Remeasurement of triangulation in the vicinity of Federal Point, (Cape Fear entrance,) and connection with a base of verification on Smith's island, with a station at Smithville, and with Fort Caswell, N. C. (See also Section I.)
	3	Topography-----	John Mehan, sub-assistant; F. R. Hassler, aid.	Topographical survey completed from Lynn Haven bay and Cape Henry southward into Currituck sound, N. C., including Broad bay, North bay, Back bay, Knott's island, and intermediate details. (See also Section II.)
	4	Hydrography -----	Lieut. Comg. Alexander Murray, U. S. N., assistant.	In-shore hydrography extended from Bogue inlet southward and westward to New River inlet, coast of North Carolina; and lines of soundings run between Cape Henry and Cape Hatteras. (See also Section I and Gulf Stream.)
<b>SECTION V.</b>				
From Cape Fear to St. Mary's river, including the coast of South Carolina and Georgia.	No. 1	Astronomical and magnetic observations.	A. D. Bache, Superintendent; G. W. Dean, assistant; Edward Goodfellow, sub-assistant; McLane Tilton, aid; W. H. Odenheimer, aid.	Determination of latitude and azimuth at Smithville, N. C., with observations for local time, and the magnetic elements. (See also Section I.)
	2	Triangulation and topography.	C. P. Bolles, assistant; O. Hinrichs, aid.	Triangulation extended from Shallotte inlet westward to Little river, N. C., and shore line survey confined from Tubb's inlet westward to the southern boundary of North Carolina.
	3	Astronomical and magnetic observations, and secondary triangulation.	C. O. Bontelle, assistant; Lieutenant Thomas Wilson, U. S. A., assistant; W. S. Edwards, sub-assistant; C. H. Boyd, aid.	Observations for latitude, azimuth, and local time at Port Royal station, S. C.; magnetic elements determined at the same station. Tripods erected, and lines traced for primary triangles south and west of the Edisto base. Secondary triangulation of Beaufort, Chessee, and Colleton rivers, S. C. (See also Section I.)
		Secondary and tertiary triangulation.	F. P. Webber, sub-assistant; J. Kincheloe, aid.	Secondary triangulation from the Sapelo preliminary base southward, across Doboy and Altamaha sounds, Georgia. Tertiary triangulation of Sapelo island, and of the "Inland Passage" between Altamaha and St. Simon's entrance. (See also Section I.)
	5	Topography-----	John Seib, assistant; C. Rockwell, aid.	Shore-line survey from St. Helena sound to Savannah river, Ga., including the Hunting islands, Eding's island, the shores of Port Royal sound, with the entrances of Beaufort, Broad, Chessee, and Colleton rivers, Foot Point, Hilton Head island, May river, and the shores of Calibogue sound. (See also Section III.)

## APPENDIX No. 1—Continued.

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
SECTION V— (Continued)	No 6	Topography -----	H. S. Du Val, sub-assistant; J. D. Bradford, aid.	Topography of St. Catharine's sound, Ga., and of Bear river, connecting it with Ossabaw, and including the entrances of the Medway and North Newport rivers, and the outer shores of Ossabaw and St. Catharine's islands, adjacent to the entrance of the sound.
	7	Hydrography -----	Lieut. Comg. J. P. Bankhead, U. S. N., assistant.	In-shore soundings completed from Cape Fear entrance southward and westward to Tubb's inlet, N. C.; and off shore hydrography extended between Cape Fear and Charleston harbor, with observations on the ocean current southward of Cape Fear. Hydrography of Bull's bay, S. C., completed, and the inland passage from it sounded southward to Caper's island.
	8	Hydrography -----	Lieut. Comg. C. M. Fauntleroy, U. S. N., assistant.	Resurvey of the channels leading into Port Royal sound, S. C., including Joiner's bank, off Hilton Head island, and the hydrography of the Chechessee and Colleton rivers, abreast of Foot Point. Soundings completed in the approaches and on the bar of Sapelo sound, Ga. (See also Section II.)
	9	Tidal observations.	W. R. Herron -----	Series continued at the custom-house wharf, Charleston, S. C., with the self-registering tide-gauge.
	10	Inspection -----	A. D. Bache, superintendent.	
GULF STREAM -----		Hydrography -----	Lieut. Comg. T. A. Craven, U. S. N., assistant; Lieut. Comg. Alexander Murray, U. S. N., assistant; Lieut. Comg. T. B. Huger, U. S. N., assistant.	Soundings made for depth and temperature across the stream from Carysfort light-house and Sombrero key, and the line verified between Tortugas and Havana. Deep-sea soundings made in the axis of the stream between Cape Lookout and Cape Hatteras. (See also Sections I, V, VII, and VIII.)
SECTION VI.				
From St. Mary's river to St. Joseph's bay, including the eastern and part of the western coast of Florida peninsula, with the Florida reefs and keys.	1	Triangulation -----	Captain M. V. Smith, U. S. Topographical Engineers, assistant; J. S. Bradford, aid; W. H. Gardner, aid; J. C. Young, aid, (part of season.)	Air-line triangulation between Fernandina and Cedar Keys extended from Padgett's Station southward and westward to Waldo, and plane-table survey of the tract of country included.
	2	Triangulation -----	Benjamin Huger, jr., sub-assistant; Rufus King, jr., aid.	Preliminary base measured near St. Augustine, Florida, and triangulation extended twenty miles northward along the coast, embracing also North river; signals erected for continuing the work southward.
	3	Triangulation -----	J. A. Sullivan, sub-assistant; R. M. Stilce, aid.	Measurement of a preliminary base at Indian River inlet, Florida, and erection of signals for triangulation north and south of Fort Capron. (See also Section I.)

## APPENDIX No. 1—Continued.

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
SECTION VI— (Continued.)	4	Triangulation .....	Lieut. A. H. Seward, U. S. A., assistant; Lieut. W. Myers, U. S. A., assistant.	Triangulation extended eastward along the inner line of the Florida keys, from Lignum Vitæ to Pigeon key.
	5	Triangulation .....	Lieut. W. R. Terrill, U. S. A., assistant; C. Fendall, sub-assistent; C. B., Baker aid.	Extension of work in Charlotte harbor, Florida, from Captiva Pass northward to Punta Gorda. (See also Section II.)
	6	Topography .....	C. T. Iardella, sub-assistent; F. F. Nes, aid.	Western shores of Key Biscayne bay and Card's sound, Florida, traced from Shoal point southward to Clay point. Topography completed on the western side of Key Largo, and numerous patches on the Florida reef surveyed, between Lignum Vitæ and Oyster key.
	7	Topography .....	F. W. Dorr, sub-assistent; Charles Ferguson, sub-assistent.	Plane-table survey of Charlotte harbor, Florida, continued, embracing the western side of Pine island, the upper part of Sanibel island, and Captiva and La Costa islands, extending the work northward to Boca Grande. (See also Sections II and III.)
	8	Hydrography .....	Lieut. Comg. T. A. Craven, U. S. N., assistant.	Reconnaissance line from Cape Cañaveral to St. Lucie inlet—Soundings on the outside of Florida reef continued from Eagle cove eastward to Coffin's Patches. (See also Section II and Gulf Stream.)
	9	Tidal observations.	G. Würdemann .....	Series continued with self-registering guages at Fort Clinch, Tortugas, Charlotte harbor, and Egmont key, (Tampa.)
	10	Inspection .....	A. D. Bache, superintendent	
	1	Triangulation .....	G. H. Bagwell, sub-assistent; M. O. Hering, aid.	Triangulation on the western side of the Florida peninsula continued from Crystal reef southward, to include the entrance of Chassahowitzka river. (See also Section II.)
SECTION VII.  From St. Joseph's bay to Mobile bay, including the coast of western Florida and the coast of Alabama.	2	Triangulation .....	Spencer C. McCorkle, sub-assistent; A. W. Thompson, aid.	Connection made by triangulation between St. George's sound and St. Mark's harbor, Fla., and reconnaissance for extending work eastward to include Ocilla river.
	3	Triangulation .....	F. H. Gerdes, assistant; G. U. Mayo, aid.	Triangulation carried eastward into Santa Rosa sound, beyond Little Sabine bayou, from finished limits in Pensacola bay, Fla. (See also Section VIII.)
	4	Topography .....	N. S. Finney, sub-assistent; J. L. Tilghman, aid.	Plane-table survey of the keys and shoreline abreast of Crystal reef, Fla., extended southward to Homosassa river, and from Chassahowitzka river southward to Raccoon Point. (See also Section II.)
	5	Topography .....	G. D. Wise, assistant; C. W. Duval, aid.	Topography of St. James's island, Fla., nearly completed, with the opposite shore of Ocklokonee bay, and part of the shores of Dickerson's bay in the direction of St. Mark's.

## APPENDIX No. 1—Continued.

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
SECTION VII— (Continued.)	6	Topography.....	F. H. Gerdes, assistant; G. U. Mayo, aid.	Plane-table survey within the season's triangulation, including Santa Rosa island east and west of Little Sabine bayou, and part of the Live Oak plantation on the opposite shore of Santa Rosa sound. (See also Section VIII.)
	7	Hydrography.....	Lieut. Comg. T. B. Huger, U. S. N., assistant.	Re-examination of the channels leading into the harbor at Cedar Keys, Fla. (See also Section VIII.)
	8	Hydrography.....	Lieut. Comg. J. K. Duer, U. S. N., assistant.	Hydrography of the eastern entrance to St. George's sound, Fla., including the new channel passing Dog island. Additional soundings made inside and abreast of the West Pass. (See also Section IX.)
	9	Tidal observations.....		Series continued with self-registering tide-gauge at Cedar Keys, and observations recorded by a self-registering gauge at the U. S. navy yard, Warrington, Fla.
SECTION VIII.				
From Mobile bay to Vermilion bay, including the coast of Alabama and Mississippi, and part of the coast of Louisiana.	No. 1	Triangulation and topography.	Stephen Harris, sub-assistant; R. E. Halter, aid; H. W. Bache, aid.	Triangulation from Sand Fly station southward and westward along the shores of Isle au Breton sound to Point Fortuna, La., and shore-line of keys traced within the same limits.
	2	Triangulation and topography.	F. H. Gerdes, assistant; G. U. Mayo, aid.	Tertiary triangulation of Pass à Loutré and Southeast Pass of the Mississippi river, and of the shores of Bay Rondo. Plane-table survey of the north side of the Mississippi delta, from the head of the passes to the Pelize. (See also Section VII.)
	3	Topography.....	W. S. Gilbert, sub-assistant; R. E. Evans, aid, (part of season.)	Detailed survey between Lake Borgne and Lake Pontchartrain continued southward and westward from Chef Menteur to Little river, and extended on the north side of Lake Pontchartrain to Bayou Bonfouca. Shore-line survey carried on the same side to Ragged Point, and on the southern side to the Jefferson railroad.
	4	Triangulation and topography.	F. H. Gerdes, assistant; J. G. Oltmanns, sub-assistant.	Triangulation and topography of the shores of Côte Blanche bay, La., extended westward from Malony's Point to Côte Blanche island, and including the northeastern part of Marsh island. (See also Section VII.)
	5	Hydrography.....	Lieut. Comg. T. B. Huger, U. S. N., assistant.	Reconnaissance of Pass à Loutré, Mississippi delta, from the bar upwards, with tidal observations. Hydrography completed in Atchafalaya bay, and soundings extended westward to East Point (Marsh island) and Point Malone, including Côte Blanche bay east. (See also Gulf Stream and Section VII.)
	6	Hydrography.....	W. S. Gilbert, sub-assistant.	Sounding out the Rigolet passage, from Lake Borgne to Lake Pontchartrain, La.

## APPENDIX No. 1—Continued.

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
SECTION IX.				
From Vermilion bay to the southwestern boundary at the Rio Grande, including part of the coast of Louisiana and the coast of Texas.	No. 1	Triangulation -----	S. A. Gilbert, assistant ; Charles Hosmer, aid.	Extension of triangulation from Matagorda entrance southward and westward over Espiritu Santo, San Antonio and Aransas, and Copano bays, with their dependencies.
	2	Topography -----	W. H. Dennis, sub-assistant ; T. C. Bowie, aid.	Plane-table survey completed, including the shores of Espiritu Santo and San Antonio bays, with the middle part of Matagorda island, Texas. (See also Section I.)
	3	Hydrography -----	Lieut. Comg. J. K. Duer, U. S. N., assistant.	Soundings in Matagorda bay completed between the peninsula and the main, and extending from Matagorda City southward and westward to Palacios Point (See also Section VII.)
SECTION X.				
Western coast of the United States, from San Diego to the 42d parallel, including the coast of California.	No. 1	Triangulation -----	W. E. Greenwell, assistant --	Revision of primary work connecting with the San Pedro base, Cal.; and triangulation of the northern part of Santa Rosa island, Santa Barbara channel.
	2	Triangulation and topography.	W. M. Johnson, sub-assistant ; C. M. Bache, sub-assistant.	Triangulation and topography of San Pedro harbor, Cal.; and plane-table survey continued on Santa Cruz island, Santa Barbara channel.
	3	Triangulation and astronomical observations.	George Davidson, assistant ; E. H. Fauntleroy, aid ; A. T. Mosman, aid, (part of season.)	Primary triangulation from San Francisco entrance extended northward to Sulphur Peak, with latitude and azimuth determinations. Secondary and tertiary work executed over Drake's bay and Point Reyes, and connected with primary stations. Positions of the Farallones determined by the triangulation.
	4	Triangulation and topography.	James S. Lawson, sub-assistant ; Alexander Agassiz, aid.	Triangulation and topography of Crescent City harbor, Cal. (See also Section XI.)
	5	Hydrography -----	Commander James Alden, U. S. N., assistant.	Hydrography completed of the anchorage and vicinity of San Pedro, Cal. Soundings made in the approaches to the Golden Gate. Resurvey of Humboldt harbor, and hydrography of Crescent City harbor, Cal., completed. (See also Section XI.)
	6	Tidal observations.	Lieut. G. H. Elliot, U. S. Engineers -----	Series continued with self-registering tide gauges at San Diego and San Francisco. (See also Section XI.)
SECTION XI.				
Western coast of the United States, from the 42d parallel to the northern boundary, including the coast of Oregon and Washington Territories.	No. 1	Triangulation and topography.	James S. Lawson, sub-assistant ; Alexander Agassiz, aid.	Stations occupied on Point Roberts, and triangulation extended westward to include the forty-ninth parallel, and the lower part of Galiano island. (See also Section X.)



## APPENDIX No. 1—Continued.

Limits of sections.	Parties.	Operations.	Persons conducting operations.	Localities of operations.
SECTION XI— (Continued.)	No. 2	Hydrography-----	Commander James Alden, U. S. N., assistant.	Hydrographic reconnaissance of the entrance to Coquille river, Oregon, and of Gray's harbor, W. T. (See also Section XI.)
	3	Tidal observations.	Lieut. G. H. Elliot, U. S. Engineers.	Observations continued with self-registering gauge at Astoria, Oregon. (See also Section X.)

## APPENDIX No. 2.

*List of Army officers on Coast Survey duty March 1, 1859.*

Officers.	Rank.	Date of attachment.
Thomas J. Cram.....	Captain topographical engineers.....	March 26, 1858
W. R. Palmer.....	Captain topographical engineers.....	November 17, 1857
Martin L. Smith.....	Captain topographical engineers.....	December 9, 1856
Augustus H. Seward.....	Captain 5th infantry.....	December 11, 1851
Ambrose P. Hill.....	First lieutenant 1st artillery.....	November 23, 1855
J. C. Tidball.....	First lieutenant 2d artillery.....	September 6, 1854
Edward B. Hunt.....	First lieutenant engineers.....	May 5, 1851
Rufus Saxton.....	First lieutenant 4th artillery.....	December 25, 1855
James P. Roy.....	First lieutenant 2d infantry.....	October 7, 1853
William R. Terrill.....	First lieutenant 4th artillery.....	March 19, 1858
Thomas Wilson.....	First lieutenant 5th infantry.....	May 26, 1857
William Myers.....	First lieutenant 9th infantry.....	September 10, 1857

## APPENDIX No. 3.

*List of Army officers on Coast Survey duty September 1, 1859.*

Officers.	Rank.	Date of attachment.
Thomas J. Cram.....	Captain topographical engineers.....	March 26, 1858
W. R. Palmer.....	Captain topographical engineers.....	November 17, 1857
Martin L. Smith.....	Captain topographical engineers.....	December 9, 1856
Edward B. Hunt.....	Captain engineers.....	May 5, 1851
Ambrose P. Hill.....	First lieutenant 1st artillery.....	November 23, 1855
B. G. Cole.....	First lieutenant 8th infantry.....	June 11, 1859
W. R. Terrill.....	First lieutenant 4th artillery.....	March 19, 1858
J. R. Smead.....	First lieutenant 2d artillery.....	May 21, 1859
Thomas Wilson.....	First lieutenant 5th infantry.....	May 26, 1857

## APPENDIX NO. 4.

*List of Navy officers on Coast Survey duty March 1, 1859.*

Vessel.	Locality of service.	Officers.	Rank.	Date of attachment.
	Office-work .....	W. T. Muse .....	Commander .....	February 27, 1857
	Do .....	J. N. Maffitt .....	Lieutenant .....	November 1, 1858
	Do .....	W. G. Temple .....	do .....	June 5, 1855
Steamer Bibb .....	Section IV .....	Alexander Murray .....	Lieutenant commanding .....	April 23, 1858
Schooner Crawford .....	Section V .....	J. P. Bankhead .....	do .....	October 16, 1858
Schooner Varina and tender Fire Fly.	Section V .....	C. M. Fauntleroy .....	do .....	November 13, 1858
Steamer Corwin .....	Section VI .....	T. A. Craven .....	do .....	October 25, 1858
Steamer Vixen .....	Sections VII and IX .....	John K. Duer .....	do .....	August 1, 1855
Steamer Walker .....	Section VIII .....	Thomas B. Huger .....	do .....	October 12, 1857
Steamer Active .....	Sections X and XI .....	James Alden .....	Commander .....	May 18, 1849
		Wash'ton Gwathmey .....	Lieutenant .....	May 20, 1858
		P. C. Johnson .....	do .....	July 20, 1854
		J. G. Mitchell .....	do .....	June 14, 1858
		James Suddards .....	Passed assistant surgeon .....	July 1, 1857
		N. C. Davis .....	First assistant engineer .....	February 22, 1853

## APPENDIX No. 5.

*List of Navy officers on Coast Survey duty September 1, 1859.*

Vessel.	Locality of service.	Officers.	Rank.	Date of attachment.
	Office-work .....	S. S. Lee .....	Commander .....	August 8, 1859
Steamer Bibb .....	Section I .....	Alexander Murray .....	Lieutenant commanding .....	April 23, 1858
Steamer Corwin .....	Section I .....	John Wilkinson .....	do .....	June 25, 1858
Steamer Walker .....	Section II .....	Thomas B. Huger .....	do .....	October 12, 1857
Steamer Vixen .....	Section II .....	Thomas S. Phelps .....	do .....	August 23, 1859
Schooner Varina .....	Section II .....	C. M. Fauntleroy .....	do .....	November 13, 1858
		F. B. Blake .....	Midshipman .....	August 16, 1859
Steamer Hetzel .....	Section III .....	W. T. Muse .....	Commander .....	February 27, 1857
Schooner Crawford .....	Section V .....	J. P. Bankhead .....	Lieutenant commanding .....	October 16, 1858
Steamer Active .....	Sections X and XI .....	James Alden .....	Commander .....	May 18, 1849
		Wash'n Gwathmey .....	Lieutenant .....	May 20, 1858
		J. G. Mitchell .....	do .....	June 14, 1858
		James Suddards .....	Passed assistant surgeon .....	July 1, 1857

## APPENDIX No. 6.

*List of information furnished by the Coast Survey during the year 1858-'59, under authority of the Treasury Department.*

Date.	To whom communicated.	Information communicated.
1858.		
Nov. 13	Capt. H. W. Benham, Corps of Engineers.....	Tracing of Old Orchard shoal, Sandy Hook, and northern part of New York bay.
13	.....do.....	Tracing from reduction, scale 20000, north and east of Sandy Hook, New York bay.
24	Hon. A. G. Brown.....	Tracing of hydrography of Mississippi sound, north of Cat and Ship islands.
29	Major H. C. Wayne.....	Tracing of topography of Long Island, from Islip to Babylon, N. Y.
Dec. 4	E. S. Sewall, esq.....	Tracing of topography of Pocomoke sound, Md.
4	.....do.....	Tracing of topography of Tangier sound, Md.
7	Dr. J. M. Cuyler, U. S. A.....	Tracing of Hampton roads, Va.
8	Hon. G. S. Hawkins.....	Tracing of East and West passes, St. George's sound, Fla.
13	Hon. W. F. Russell.....	Tracing of topography of Esopus creek, N. Y.
14	G. W. Blunt, esq.....	Tracing of coast of Massachusetts, from Nahant head to Ram island.
14	J. R. Butts, esq.....	Tracing of East and West passes, St. George's sound, Fla.
14	G. W. Blunt, esq.....	Tracing of the "Triangles" and Boon island ledge, Salem harbor, Mass.
17	E. T. Gray, esq.....	Tracing of reconnaissance of coast of Texas, from Matagorda bay to Aransas pass.
20	Hon. W. F. Russell.....	Tracing of hydrography of Rondout creek, N. Y.
20	Capt. J. D. Kurtz, Corps of Engineers.....	Shore-line of Kennebec river, Me.
20	.....do.....	Shore-line of Sheepscot river, Me.
27	Hon. Guy M. Bryan.....	Tracing of Brazos river entrance, Texas.
29	Alexander Brown, esq.....	Tracing showing wharves of Charleston city, S. C.
1859.		
Jan. 5	Prof. L. Agassiz.....	Tracing showing Sombrero and Delta shoals, Florida reefs.
21	G. W. Blunt, esq.....	Tracing of hydrography of coast of Maine, from Kennebunkport to Isle of Shoals.
21	E. L. Meyer, esq.....	Description of Coast Survey stations used in the triangulation in vicinity of Newark bay, N. J.
21	G. W. Blunt, esq.....	Tracing of deep-sea soundings, Gulf of Mexico, from Delta of the Mississippi to Havana.
Feb. 29	Moses Bates, esq.....	Tracing of topography of Plymouth harbor and vicinity, Mass.
18	James H. North, esq.....	Tracing of topography of Currituck sound, from Rattlesnake island to Currituck Court-House, N. C.
March 12	Mr. Winning.....	Geographical positions of certain Coast Survey stations in New York city.
14	J. C. Brevoort, esq.....	Tracing of topography of Long island, from Brooklyn to Jamaica bay, N. Y.
15	Light-house Board.....	Tracing of entrance to Matagorda bay, showing changes at Pass Cavallo, Texas
April 15	J. W. Adams, esq.....	Results of current observations taken in East river, N. Y.
4	Com. W. H. Hutchings, U. S. mail steamship Galveston.	Tracing of hydrographic reconnaissance, from St. Mark's to St. Joseph's bay, Fla.
4	John Kendall, esq.....	Tracing showing soundings recently made at the Rigolets, La.
6	Prof. J. D. Dana.....	Tracing of off-shore chart, from Point Judith, R. I., to Cape Henlopen, Del.
7	Capt. H. W. Benham, corps of engineers.....	Results of tidal observations at Sandy Hook, N. J., in 1858.
7	.....do.....	Distances from Sandy Hook light-house to East and West beacons, New York bay.
7	G. M. Hopkins, jr., esq.....	Tracings of topography of coast of New Jersey, south of Manasquam river.
May 25	Hon. W. H. Seward.....	Chart of Hudson river, between Troy and Haverstraw, N. Y.
20	Editor of Indianola Courier.....	Distances between points in vicinity of Indianola, Texas.
28	G. K. Walker, esq.....	Information relative to terminal point for a railroad on Apalachicola bay, Fla.
June 31	A. Lindenkohl, esq.....	Tracing of topography of New York harbor.
10	Messrs. Allen & Co.....	Tracing of Foot Point, Daw island, and vicinity, near Port Royal sound, S. C.
30	M. Parks, esq., President A. & C. Canal Co.....	Tracing of topography of Currituck sound, N. C.

## APPENDIX No. 6—Continued.

Date.	To whom communicated.	Information communicated.
1859.		
July 18	Washington Irving, esq .....	Tracing of topography of Hudson river, near Irving village, N.Y.
29	Hon S. R. Mallory .....	Tracing of Pensacola city and vicinity, Fla.
30	Lieut. Col. J. D. Graham, topographical eng'rs.	Tracing of Pensacola city and vicinity, Fla.
August 2	Messrs. Lowell & Senter .....	Tracing of Bang's island, Portland harbor, Me.
11	Alexander Major, esq. ....	Tracing of hydrography of Boston harbor from Egg rock to Grover's cliff, Mass.
12	S. J. Martinet, esq. ....	Tracing of Chester river, Md.
13	Simeon Stevens, esq. ....	Tracing of hydrography of Sheepscot river from Wiscasset to Hendrick Head light, Me.
31	Lieut. Con. R. E. DeRussey, corps of engineers.	Tracing of coast of Rhode Island from Beaver Tail light to East rock.

# APPENDIX No. 7.

Statistics of field and office-work of the United States Coast Survey during the years—

	Previous to 1844.	1844.	1845.	1846.	1847.	1848.	1849.	1850.	1851.	1852.	1853.	1854.	1855.	1856.	1857.	1858.	Total.
<b>Reconnaissance—</b>																	
Area, in square miles.....	2,642	1,140	3,739	1,830	2,950	3,940	10,159	3,280	3,510	1,706	1,708	795	1,487	4,072	2,855	709	53,592
Parties, number of, in each year.....	4	2	4	5	5	7	6	4	6	6	5	13	7	5	8	4	.....
<b>Base lines—</b>																	
Primary, number of.....	1	2	.....	.....	1	1	.....	1	.....	.....	1	.....	2	.....	1	.....	10
Secondary, number of.....	2	.....	.....	.....	2	1	4	3	3	4	5	2	8	8	1	4	47
Length of, in miles.....	19½	16	.....	.....	9½	13	6½	17½	2	4½	18½	3½	24½	9½	9	3½	150½
<b>Triangulation—</b>																	
Area, in square miles.....	9,076	795	2,166	1,185	1,903	2,592	4,091	2,097	2,465	1,703	3,089	2,701	2,739	2,793	1,640	3,033	44,058
Extent of general coast, in miles.....	570	179	162	123	159	115	285	216	243	220	94	246	188	320	357	278	3,755
Extent of shore-line, in miles, including bays, sounds, islands, and rivers.....	1,588	589	554	1,018	541	796	1,328	730	1,097	1,104	884	1,269	1,401	1,895	1,481	1,715	17,900
Horizontal angle stations occupied.....	750	130	80	197	120	98	204	157	184	223	224	204	410	544	385	384	4,284
Geographical positions determined.....	1,183	147	148	372	194	227	319	294	307	446	346	388	584	1,240	777	603	7,575
Vertical angle stations occupied.....	15	2	5	7	3	1	18	13	22	14	7	89	6	1	4	11	218
Elevations determined, number of.....	44	12	7	46	44	1	59	22	53	66	9	127	6	12	15	14	537
Parties, number of, in each year.....	4	5	8	7	8	10	13	14	14	13	18	17	17	20	20	19	.....
<b>Astronomical operations—</b>																	
Stations occupied for azimuth.....	9	8	2	2	3	3	4	4	6	6	9	5	4	2	1	2	70
Stations occupied for latitude.....	9	8	5	3	8	2	4	6	8	17	20	6	4	6	3	5	114
Stations occupied for longitude.....	1	1	.....	2	3	3	7	3	7	18	21	4	1	1	2	2	76
Permanent longitude stations.....	.....	1	1	2	1	1	2	3	5	5	5	4	3	1	1	1	.....
Special longitude stations for occulta- tions, &c.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23	30	.....
Parties, number of, in each year.....	1	3	2	2	3	3	5	5	8	4	7	7	6	4	3	4	.....
Magnetic stations occupied, number of.....	.....	14	21	28	19	4	11	9	10	8	13	9	8	23	4	5	186
Parties, number of, in each year.....	.....	2	3	3	3	3	5	4	3	2	3	6	3	4	3	3	.....
<b>Topography—</b>																	
Area surveyed, square miles.....	6,131	185	503	750	595	471	532	652	681	653	554	513	656	536	1,003	719	15,144
Length of general coast, in miles.....	414	110	168	119	117	185	95	133	260	236	251	174	176	165	309	172	3,084
Length of shore line, in miles, including rivers, creeks, and ponds.....	7,667	424	879	1,120	1,460	1,703	1,709	1,557	1,760	1,737	2,100	1,796	2,138	2,398	3,913	3,362	35,723
Length of roads, in miles.....	11,734	395	997	1,402	1,354	640	504	511	500	732	502	618	733	750	1,404	924	23,700
Parties, number of, in each year.....	6	5	6	8	9	9	11	11	13	13	17	12	17	17	23	23	.....
<b>Hydrography—</b>																	
Parties, number of, in each year.....	2	5	5	6	6	8	11	11	12	9	9	10	11	12	12	10	.....
Number of miles run while sounding.....	29,214	1,857	3,493	3,559	3,138	8,047	4,299	5,995	10,590	9,534	9,050	9,141	13,115	15,305	12,377	8,582	147,296
Area sounded out, square miles.....	9,601	683	677	574	979	2,185	1,335	2,012	3,200	2,823	2,061	1,937	3,433	3,743	2,705	1,674	39,572
Miles run additional, of outside or deep- sea soundings.....	1,800	1,020	.....	.....	210	2,340	.....	1,198	2,037	360	1,902	2,793	5,219	1,202	3,218	2,092	25,291

# APPENDIX No. 7—Continued.

	Previous to 1844.	1844.	1845.	1846.	1847.	1848.	1849.	1850.	1851.	1852.	1853.	1854.	1855.	1856.	1857.	1858.	Total.
<b>Hydrography—</b>																	
Soundings, number of.....	808,147	120,827	125,173	220,402	226,402	255,003	265,824	264,718	371,660	268,375	305,377	162,454	526,875	439,614	506,034	513,607	5,402,492
Soundings in Gulf Stream for tempera- ture .....			118	581	207	425					1,053	257	310		478	172	3,601
Tidal stations, permanent.....		2	2	2	3	3	3	3	4	4	7	7	7	8	8	8	
Tidal stations occupied temporarily...	127	14	33	39	33	29	35	41	51	76	78	89	80	77	74	35	911
Tidal parties, number of, in each year..	9	5	5	5	5	8	11	11	12	9	11	12	13	14	14	11	
Current stations occupied .....		27	42	41	59	54	98	44	41	24	89	10	84	84	156	47	830
Current parties, number of, in each year.....		3	5	3	3	4	6	4	7	7	5	3	5	6	6	2	
Specimens of bottom, number of.....	1,029	2,776	69	129	371	769	287	381	278	215	141	135	255	146	422	236	7,659
<b>Records—</b>																	
Triangulation, originals, number of vols.	97	12	17	23	17	32	38	40	33	33	64	46	79	96	76	96	799
Astronomical observations, originals, number of volumes .....	17	10	11	10	16	23	72	30	41	48	29	88	35	12	35	63	539
Magnetical observations, originals, num- ber of volumes.....	4	2	1	6	7	4	3	5	5	7	6	4	33	13	4	10	114
Duplicates of the above, number of vols.	27	26	32	32	44	49	19	23	45	73	78	84	139	101	140	168	1,078
Computations, number of volumes.....	78	25	17	21	26	23	57	24	40	72	101	91	109	99	83	101	967
Hydrographic soundings and angles, originals, volumes.....	186	22	26	152	54	154	134	170	213	206	183	66	332	197	319	322	2,738
Hydrographic soundings and angles, duplicates, volumes.....	26	2	5	4	11	11	12	12	16	27	15	7	26	27	21	20	244
Tidal and current observations, origi- nals, volumes .....	127	23	47	51	44	40	67	88	114	139	123	70	196	110	213	104	1,556
Tidal and current observations, dupli- cates, volumes.....		23	47	51	44	41	63	79	385	132	114	79	87	100	67	74	1,366
Sheets from self-registering tide-gauges, number of .....										26	72	106	80	103	119	141	647
Tidal reductions, number of volumes..		46	94	102	88	80	16	58	22	26	17	99	79	73	63	64	927
Total number of volumes of records....	566	191	297	452	351	456	481	539	914	763	728	634	1,115	828	1,021	1,022	10,348
<b>Maps and charts—</b>																	
Topographical maps, originals.....	168	14	16	25	29	20	22	30	41	47	54	45	55	51	74	44	735
Hydrographic charts, originals .....	142	9	8	18	18	21	16	20	47	56	66	52	65	62	51	31	672
Reductions from original sheets, num- ber of.....	15	9	15	16	17	13	18	22	26	48	35	27	36	39	40	35	411
Total number of manuscript maps and charts .....	325	32	39	59	64	54	56	72	114	151	145	124	156	152	165	110	1,818
Number of sketches made in field and office .....	311	24	33	32	29	48	83	85	126	137	103	101	132	125	132	127	1,627
<b>Engraving and printing—</b>																	
Engraved plates of finished charts, number of .....	5	2	3	5	8	6	3	5	6	5	4	2	7	3	7	6	79

# APPENDIX No. 7—Continued.

122

REPORT OF THE SUPERINTENDENT OF

	Previous to 1844.	1844.	1845.	1846.	1847.	1848.	1849.	1850.	1851.	1852.	1853.	1854.	1855.	1856.	1857.	1858.	Total.
<b>Engraving and printing—</b>																	
Engraved plates of preliminary charts, sketches, and diagrams for Coast Survey reports, number of .....				4	5	7	6	10	38	20	39	42	46	51	51	25	344
Electrotype plates made in each year .....					1	7	6	25	16	23	47	77	50	09	79	95	495
Finished charts published in each year .....		4	3	4	3	10	3	4	6	6	3	2	8	3	5	6	70
Preliminary charts and hydrographic sketches published .....				2	4	2	4	10	36	19	34	34	34	38	41	22	280
Printed sheets of maps and charts distributed .....		169	416	1,708	1,104	2,923	1,846	326	5,649	5,799	8,042	5,195	5,392	8,858	19,147	4,209	70,785
Printed sheets of ditto deposited with sale agents .....			880	1,686	4,981	5,016	1,506	3,115	5,168	6,866	4,375	3,232	2,577	2,696	648	1,717	44,665
<b>Library—</b>																	
Number of volumes .....						655	95	590	333	171	273	155	250	389	106	116	3,133
<b>Instruments—</b>																	
Cost of .....							\$8,326	\$4,652	\$4,603	\$3,835	\$5,296	\$5,402	\$3,958	\$5,369	\$3,185	\$1,324	.....

## GENERAL NOTE.

*Parties.*—An average number is given for the years previous to 1844. A party operating in more than one section during the year is counted but once.

*Triangulation.*—The extent of general coast is measured in general outline, including Delaware and Chesapeake, as well as all open bays; but omitting the minor indentations of the sea-coast. The extent of shore-line is also measured in general outline, and includes such rivers only as have been triangulated.

*Topography.*—The length of the general coast is measured similarly to that under triangulation; but the shore-line under topography represents the whole water-line surveyed, including all the minor indentations, as represented on the plane-table sheets.

*Records.*—The total number of volumes of records given in the table is greater than the number now on hand, owing to the binding up of separate volumes.

*Engraved Plates.*—Progress sketches (averaging fourteen yearly) are not counted.

*Library.*—The number of volumes purchased and donated up to 1849 was 655.

It is to be remarked that the numbers appearing in the column of this table for the year immediately preceding that of its compilation are, in some cases, subject to be changed, more or less, in the succeeding Report, owing to data not being, at the time of compilation, fully turned into the office from the distant parties in the field.

## APPENDIX No. 8.

*General list of Coast Survey discoveries and developments to 1858, inclusive.*

1. Temple's ledge, near Cape Small Point, Me., 1857.
2. Determination of the position of a sunken rock on which the steamer Daniel Webster struck, in Casco bay, on the evening of the 13th of October, 1856.
3. Determination of the dimensions of Alden's rock, near Cape Elizabeth, Me., 1854.
4. Fishing ledge off Kennebunk, Me., thoroughly sounded, 1858.
5. A rock one mile to the southward and westward of Boon island, with seventeen feet water. The sea breaks on it in heavy weather, 1858.
6. Development of Boon Island ledge, coast of Maine, 1858.
7. A rock off Cape Neddick, Me., determined in position, 1858.
8. A detached rock two-thirds of a mile northward and eastward of York ledge, Me., 1858.
9. Determination of the position of a rock more than a mile off the mouth of York river, Me.; bare at low tides and dangerous to coasters, 1858.
10. Development of Duck Island ledge, 1858.
11. A very dangerous rock, with only six and a half feet water, off the entrance to Portsmouth harbor, N. H., about four nautical miles eastward from the Whale's Back light, 1858.
12. A rock, with twelve feet at mean low water, about four miles and a third eastward of the Whale's Back, 1858.
13. Determination of rocks off Marblehead and Nahant, 1855.
14. A rock (not on any chart) in the inner harbor of Gloucester, Mass.; discovered in 1853.
15. A bank, ninety miles eastward of Boston, with about thirty-six fathoms of water, probably a knoll connected with Cashe's ledge, but with deep water between it and the ledge, 1853.
16. Boston harbor; Broad Sound channel thoroughly surveyed and marks recommended. 1848.
17. Several rocks in the fair channel way in Boston harbor entrance, 1854.
18. An extension of the sand-spit to the southward of Sunken ledge, Boston harbor, since the survey of 1847, 1858.
19. A bank (Stellwagen's bank) with ten and a half to fourteen and a half fathoms of water on it, at the entrance to Massachusetts bay, and serving as an important mark for approaching Boston and other harbors, 1854.
20. Extension of Stellwagen's bank to the southward and eastward some sixteen or seventeen square miles, enclosed by the twenty-fathom curve, 1855.
21. Changes in the vicinity of East harbor, (Cape Cod,) 1857.
22. A dangerous sunken ledge (Davis' ledge) to the eastward and in the neighborhood of Minot's ledge, 1854.
23. Development of a reef extending between Minot's and Scituate light, 1856.
24. A sunken rock, with only six feet on it at low water, off Webster's Flag-Staff, Massachusetts bay, 1856.
25. A dangerous rock near Saquish Head, entrance to Plymouth harbor, 1856.
26. Three rocks determined in position, partly bare at low water, off Manomet Point, Massachusetts bay, 1856.



27. Determination of a very dangerous rock off Indian hill, and four miles southward of Manomet Point, Massachusetts bay, with as little as six feet water on it, 1856.

28. Probable connection of George's bank and the deep-sea banks north and east of Nantucket, 1855.

29. The decrease of depth, with general permanence of form, of George's bank, off the coast of Massachusetts, 1857.

30. A shoal spot near Little George's bank, 1857.

31. Non-existence determined of "Clark's bank" and "Crab ledge," laid down on certain charts as distinct from an immense shoal ground off Cape Cod peninsula, 1856.

32. Nantucket shoals; Davis' New South shoals, six miles south of the old Nantucket South shoals, in the track of all vessels going between New York and Europe, or running along the coast from the eastern to the southern States, or to South America; discovered in 1846.

33. Two new shoals north and east of Nantucket; discovered in 1847.

34. Six new shoals near Nantucket; the outermost fourteen and a half miles from land, and with only ten feet water; discovered in 1848.

35. McBlair's shoals, off Nantucket; discovered in 1849.

36. The tidal currents of Nantucket shoals and the approaches, 1854.

37. Davis' bank, Nantucket shoals; discovered in 1848 and survey finished in 1851.

38. Fishing Rip, a large shoal extending north and south, about ten miles to the eastward of Davis' bank, and thirty miles from Nantucket, with four and a half fathoms: surveyed in 1852.

39. A ridge connecting Davis' New South shoal and Davis' bank; found in 1853.

40. A small bank or knoll with but five fathoms on it, about five miles east of Great Rip, with twelve fathoms between it and Davis' bank and Fishing Rip, the water gradually deepening outside of it to the northward and eastward beyond the limits of the series of shoals, 1853.

41. Discovery of Edward's shoal, one mile and seven-eighths southward of Nantucket light-boat, 1855.

42. Examination of the interference tides of Nantucket and Martha's Vineyard sounds, 1855.

43. The study of the tidal currents of the Vineyard and Nantucket sounds, 1857.

44. Contraction of the inlet at the north end of Monomoy island, and opening of a new entrance to Chatham harbor, 1853.

45. Muskeget channel; surveyed by Lieut. C. H. Davis in 1848 and Lieut. C. H. McBlair in 1850.

46. Discovery of two shoal spots, with twelve and thirteen feet water, eastward from Great and Little Round shoals, Nantucket sound, 1856.

47. Determination of two shoal spots near the northern extremity of Davis' bank, with fourteen and eighteen feet water, 1856.

48. Further development of Edward's shoal, three-fourths of a mile from the Southern Cross Rip, Nantucket sound, 1856.

49. Shoal sand ridges discovered northward of Great Point light, Nantucket sound, 1856.

50. Important changes in geographical feature at the southeastern end of Martha's Vineyard, Muskeget channel, 1856.

51. Numerous rocks in Martha's Vineyard sound, Long Island sound, and the various bays and harbors connected with them.

52. Luddington rocks, determined in position, about ten yards apart, a mile and a half (nautical) southwest, by compass, from New Haven light, 1858.
53. The tidal currents of Long Island sound, 1854.
54. The tidal currents of Hell Gate, 1857.
55. Least water on the Hell Gate rocks, determined by dragging, 1857.
56. Tidal currents in East river, N. Y., and surface and sub-currents investigated in New York harbor, the lower bay, and on the bar, 1858.
57. The currents of the great bay between Massachusetts, Rhode Island, Connecticut, New York, and New Jersey, 1855.
58. Gedney's channel into New York bay, having two feet more water than the old channels. Had the true depth of this channel been known in 1778, (then probably existing, as seen by comparing old and new charts,) the French fleet under Count D'Estaing would have passed into the bay and taken the assembled British vessels, 1845.
59. The changes in New York harbor, near New York city, between 1845 and 1858.
60. Increase of depth in Buttermilk channel, ascertained and made known in 1848 by survey of Lieut. D. D. Porter, U. S. N.
61. Shoal in the main ship-channel of New York harbor, 1855.
62. The tides of Hudson river, 1856.
63. Sandy Hook; its remarkable increase traced from the surveys of the topographical engineers and others, and by several successive special surveys made between 1844 and 1857.
64. Delaware bay; Blake's channel at the entrance, discovered in 1844; open when the eastern channel is closed by ice. This discovery has served to develop strikingly the resources of that portion of Delaware.
65. Blunt's channel, in Delaware bay.
66. Changes in the Delaware, near the Pea Patch, 1847.
67. The true extent and position of the dangerous shoals near Chincoteague inlet, Va., 1852.
68. Metomkin inlet, Va., shoaling from eleven to eight feet in the channel during 1852.
69. Two channels into Wachapreague inlet, Va.; one from the northward and the other from the eastward; both with seven feet water at low tide, 1852.
70. A shoal half a mile in extent, not put down on any chart, five and a half miles east from the north end of Paramore's island, Va. It has but four fathoms water on it, and nine fathoms around it, 1852.
71. Great Machipongo inlet, Va. Found to have a fine wide channel, with eleven feet water on the bar at low ebb, and fourteen at high tide. Good anchorage inside, in from two to eight fathoms. The best harbor between the Chesapeake and Delaware entrances, 1852.
72. Two shoals near the entrance to the Chesapeake; one four and three-quarter nautical miles SE. by E. from Smith's island light-house, with seventeen feet water upon it; the other E. by S. nearly seven and three-quarter miles from the same light, with nineteen and a half feet upon it, 1853.
73. Only three feet water upon the "Inner Middle," the shoal part of the Middle Ground, west of the "north channel," at the Chesapeake entrance, 1852.
74. A twenty-five fathom hole two and a half miles W.SW. from Tazewell triangulation point, eastern shore of the Chesapeake; all other charts give not more than sixteen fathoms in this vicinity.

75. A shoal at the mouth of the Great and Little Choptank, in Chesapeake bay, 1848.
76. The sounding and measurement of the bars in Rappahannock river, 1855.
77. The general permanence of the Bodkin channel and shoals in its vicinity, at the entrance of the Patapsco river, between 1844 and 1854.
78. A shoal (New Point shoal) in Chesapeake bay, with sixteen feet water on it, southeast from New Point Comfort light-house, off Mobjack bay, 1854.
79. Re-examination of York spit, Chesapeake bay, and least water determined, (nine feet,) 1855.
80. York river, Va., as a harbor, 1857.
81. A reconnaissance of the Wimble shoals, near Nag's head, coast of N. C., 1854.
82. Submarine range of hills beyond the Gulf Stream tracked from Cape Florida to Cape Lookout, 1855.
83. Deep water found on Diamond shoal, and a dangerous nine-feet shoal off Cape Hatteras, 1850.
84. A new channel, with fourteen feet water, into Hatteras inlet, formed during the year 1852, which is better and straighter than the old channel.
85. Changes at Hatteras and Ocracoke inlets, 1857.
86. The general permanence in depth on the bar of Beaufort, N. C., with the change of position of the channel, 1854.
87. Changes on the bar of Beaufort, N. C., 1857.
88. The well ascertained influence of prevailing winds in the movement of the bars at Cape Fear and New Inlet entrances, and the gradual shoaling of the main bar; the latter fact being of great importance to the extensive commerce seeking that harbor, 1853.
89. Changes in the main Western and New Inlet channels in Cape Fear, 1855.
90. Frying Pan shoals, off Cape Fear, N. C.; a channel of two and a half fathoms upwards of a mile wide, distant eleven nautical miles from Bald Head light-house, across the Frying Pan shoals. A channel extending from three to four miles from the point of Cape Fear to eight or eight and a half miles from it, with sufficient water at low tide to allow vessels drawing from nine to ten feet to cross safely. A channel at the distance of fourteen nautical miles from Bald Head light-house, one mile wide, with three and a half to seven fathoms water on it. The Frying Pan shoals extend twenty nautical miles from Bald Head light-house, and sixteen, seventeen, and eighteen feet water is found seventeen and eighteen nautical miles out from the light, 1851.
91. Shoaling of Cape Fear river bar thoroughly examined for purposes of improvement, 1852.
92. Changes of shore-line and hydrography determined at the Cape Fear entrances, N. C., 1858.
93. Changes of the Cape Fear bars and channels, 1857.
94. Changes at the entrance of Winyah bay and Georgetown harbor, and the washing away of Light-house point at the same entrance, 1853.
95. Maffitt's new channel, Charleston harbor, with the same depth of water as the ship channel, 1850.
96. The changes in Maffitt's channel, Charleston harbor, S. C., from 1852 to 1857.
97. Increase of depth developed in Maffitt's channel, Charleston harbor, S. C., 1858.
98. Changes in the main ship channel, Charleston harbor, 1855.

99. Changes in the channels at the entrance of Charleston harbor, 1852.
100. The remarkable discovery of continuous deep-sea soundings off Charleston, and of soundings in the depth of between four and five hundred fathoms beyond the Gulf Stream, 1853.
101. Development of the changes affecting the entrance to North Edisto river, S. C., 1856.
102. Discovery of a new channel between Martin's Industry (shoal) and the southeast breakers, Port Royal entrance, S. C., 1856.
103. Discovery of cold water at the bottom of the ocean below the Gulf Stream, along the coasts of N. and S. Carolina, Georgia, and Florida, 1853.
104. The discovery of the cold wall, alternate warm and cold bands, and various other features of the Gulf Stream, especially such as concern its surface and deep-sea temperatures, and its distribution relative to the shore and bottom of the ocean.
105. Various facts relative to the distribution of minute shells on the ocean bottom, of probable use to navigators for recognizing their positions.
106. Examination of Doboy, St. Simon's, and Cumberland entrances, 1855.
107. A shoal inside of the entrance to Amelia river, Fla., 1857.
108. Hetzel shoal, off Cape Cañaveral, Fla., 1850.
109. Temperature of  $34^{\circ}$  beneath the Gulf Stream, thirty-five miles east of Cape Florida, at a depth of three hundred and seventy fathoms, 1855.
110. A harbor of refuge (Turtle harbor) to the northward and westward of Carysfort light-house, Florida reef, with a depth of water of twenty-six feet at the entrance, 1854.
111. A new passage, with three fathoms water, across the Florida reef to Legare harbor, under Triumph reef, (latitude  $25^{\circ} 30' N.$ , longitude  $80^{\circ} 03' W.$ ,) which, if properly buoyed, will be valuable as a harbor of refuge, 1852.
112. A safe rule for crossing the Florida reef near Indian key, 1854.
113. A new channel into Key West harbor, 1850.
114. Cotidal lines for the Atlantic coast of the United States, 1854.
115. Rules for navigators in regard to the tidal currents of the coast, 1857.
116. Isaac shoal, near Rebecca shoal, Florida reef; not laid down on any chart, 1852.
117. Channel No. 4, a northwest entrance into Cedar Keys bay, 1852.
118. Directions for entering the harbor from Crystal river offing, western coast of Florida peninsula, 1856.
119. A new channel discovered, leading into St. George's sound, (Apalachicola, Fla.,) at the east end of Dog island, and anchorage connected with it, 1858.
120. Shoals near the East and West passes of St. George's sound, (Apalachicola, Fla.,) and a new channel found between St. George's and St. Vincent's islands, 1858.
121. Mobile bay entrance bar; in 1832 only seventeen feet at low water could be carried over it; in 1841 it had nineteen, and in 1847 it had twenty feet and three-quarters, as shown by successive surveys, 1847.
122. The diminution, almost closing, of the passage between Dauphine and Pelican islands, at the entrance of Mobile bay, 1853.
123. Horn Island channel, Mississippi sound, 1852.
124. The removal of the east spit of Petit Bois island, in the hurricane of 1852, opening a new communication between the Gulf and Mississippi sound, and the rendering of Horn Island Pass more easy of access by the removal of knolls, 1853.

125. The accurate determination of Ship shoal, off the coast of La., in connection with the site for a light-house, 1853.
126. An increase of depth of water on the bar of Pass Fourchon, La., 1854.
127. Deep-sea soundings in the Gulf of Mexico, 1855-'56.
128. Tidal phenomena of the Gulf, 1855.
129. The changes at Aransas Pass., Tex., as bearing on the question of a light-house site, 1853.
130. Co-tidal lines of the Gulf of Mexico, 1856.
131. On the effect of wind in disturbing the tides of the Gulf of Mexico, 1856.
132. Development of a bar at the entrance of San Diego bay, Cal., 1856.
133. A shoal inside of Ballast Point, San Diego bay, with only twelve and a half feet water; not laid down on any chart, 1852.
134. The determination of the position and soundings on Cortez bank, off the coast of Cal., 1853.
135. Complete hydrographic survey and determination of a point of rock on Cortez shoal, 1856.
136. Tides of San Diego, San Francisco, and Astoria, 1854.
137. The non-existence of San Juan island, usually laid among the Santa Barbara group, 1852.
138. Co-tidal lines of the Pacific coast, 1855.
139. Determination of Uncle Sam rock, 1855.
140. Investigation of the currents of Santa Barbara channel, 1856.
141. Red sand marking the inner entrance to the Golden Gate, 1855.
142. Channel sounded out between Yerba Buena and the Contra Costa, San Francisco bay, 1855.
143. A reef developed off the Contra Costa flats, San Francisco bay, Cal., 1858.
144. Whiting's rock, determined in position, near the "Brothers," at the entrance of San Pablo bay, Cal., 1858.
145. Further development of the extent of Commission rock, San Pablo bay, 1856.
146. Changes in the channel entrance of Humboldt bay or harbor, Cal., 1852 and 1853.
147. South channel, Columbia river, surveyed and made available to commerce, 1851. Changes of channels, their southward tendency, and a new three-fathom channel from Cape Disappointment, due west to open water, Columbia entrance, 1852; further changes, 1853.
148. The depth of water on the bars at the entrance of Rogue river and Umpquah river, Oregon, 1853.
149. A shoal at the northern entrance to the Strait of Rosario, W. T., giving good holding ground in thirty-three feet, 1854.
150. Boulder reef, northwest of Sinclair island, Rosario strait, partly bare at unusually low tides and surrounded by kelp, 1854.
151. A bank of three and a half fathoms, about a mile off the southwest point of Sucia island, at the northern entrance of Washington sound, W. T., 1858.
152. Belle rock, in the middle of Rosario strait, visible only at extreme low tides, 1854.
153. Entrance rock, at the entrance of Rosario strait, 1854.
154. Unit rock, in the Canal de Haro, W. T., visible only at extreme low tides, 1854.

155. A three-fathom shoal in the Strait of Juan de Fuca, off the southeast part of Bellevue or San Juan island, 1854.
156. Allen's bank, Admiralty inlet, W. T., 1857.
157. A five-fathom shoal, in the Strait of Juan de Fuca, between Canal de Haro and Rosario strait, 1854.
158. A bank in eleven fathoms, off the southern entrance to Canal de Haro, 1854.
159. The non-existence of two islands at the northern entrance of Canal de Haro, laid down on charts, 1853.
160. Various surveys and charts of small harbors on the Pacific coast of the U. S., and a continuous reconnaissance of the entire western coast and islands adjacent, a great part of which was imperfectly known.
161. Winds of the western coast of the U. S., 1857.

*Additional list for 1859.*

1. Only eighteen feet at mean low water found on the rock one mile to the southward of Seguin island, coast of Maine.
2. True position of the Hussey rock in Casco bay determined, correcting the erroneous one assigned on previous charts.
3. Determination of the position of the "Hue & Cry," the "Old Proprietor," and other dangers off Cape Elizabeth, Me.
4. Development of a rock off Ogunquit, bare at low tides, and very little known.
5. A fishing bank sounded out off Wood island, coast of Maine.
6. Huzzey's rock, south of Fletcher's neck, Me., determined in position.
7. Development of a four-fathom bank off Cape Porpoise, Me.
8. Determination of the position of a small rock with less than four feet at mean low water, near the channel, and in the vicinity of Great rock, Hyannis harbor, Mass.
9. The existence of a seventeen foot spot on the shoal off the battery, New York harbor; the extension of the shoal towards the channel, and the shoaling of the water generally between the shoal and shore.
10. The existence and character of sub-currents, ascertained as bearing on the physical conditions of New York harbor.
11. Changes developed in the shore-lines at the entrance of Little Annemessex river, Chesapeake bay.
12. Less water found off Cape Romain by preliminary examination, than has been heretofore assigned.
13. Further explorations in developing the character of the Gulf Stream in the Florida channel.

## APPENDIX No. 9.

*Letter to the Secretary of the Treasury, communicating the position of a sunken rock off Seguin island, coast of Maine, determined by Lieut. Comg. J. Wilkinson, U. S. N., assistant Coast Survey.*

COAST SURVEY STATION,  
Near Lane's Brook, Me., September 12, 1859.

SIR: I have the honor to communicate as additional to the information contained in my letter of August 30, which reported the development by Lieut. Comg. J. Wilkinson, U. S. N., assistant Coast Survey, of a less depth than has heretofore been assigned for a sunken rock off Seguin island, coast of Maine; the following bearing, etc., for the determination of its position, since furnished by that officer.

"*Bearing.*—From Seguin island light-house, S.  $9^{\circ} 30'$  E., true; S. a little west by compass.

"*Distance.*—From south point of Seguin island, three-quarters of a nautical mile.

"*Range.*—Pond island light-house, just open on the southwest side of Seguin island."

The rock, as before stated, is surrounded by deep water, but has only eighteen feet on it at mean low tide, and lies in the track of vessels bound into the Kennebec river.

I would respectfully request authority to publish this letter in the usual form, as a notice to mariners.

Very respectfully, yours,

A. D. BACHE, *Superintendent.*

Hon. HOWELL COBB, *Secretary of the Treasury.*

## APPENDIX No. 10.

*Letter to the Secretary of the Treasury, communicating bearings and ranges from the true position of the Hussey rock in Casco bay, as determined by Lieut. Comg. John Wilkinson, U. S. N., assistant Coast Survey.*

PHILADELPHIA, October 14, 1859.

SIR: I have the honor to report that in the progress of the soundings made this season in Casco bay, Me., by the party of Lieut. Comg. John Wilkinson, U. S. N., assistant Coast Survey, the true position of the Hussey rock has been determined and found to be more than a quarter of a nautical mile northwest of the position assigned hitherto on charts of the vicinity. The rock is small and has only twelve feet on it at mean low water. The following bearings and ranges from it are taken from the report of Lieut. Comg. Wilkinson:

"*Bearings.*—Middle of Green island, SE.  $\frac{1}{4}$  E., by compass (S.  $59^{\circ}$  E. true.)

"Cape Elizabeth east light-house, SW.  $\frac{3}{4}$  S., southerly by compass (S.  $23^{\circ} 30'$  W. true.)

"Portland light-house, SW. by W.  $\frac{3}{4}$  W., by compass (S.  $52^{\circ}$  W. true.)

"*Ranges.*—South end of Ram island and Portland light-house, in range.

"Poorduck church, three-quarters of a point open from White Head Bluff.

"School-house on Long Island, in range with the east end of Marsh island."

"A buoy that formerly marked the position of the Hussey rock parted from its moorings several years ago, and has not yet been replaced. Luckse's sound is a fine harbor of refuge for ships that are unable to work into Portland, and is resorted to by such, especially during the

winter when the wind is from the northward and westward. The Hussey lies directly in their track and should be marked by a buoy."

I would respectfully request that a copy of this communication may be furnished to the Light-House Board, and also authority for publishing it in the usual form as a notice to mariners.

Very respectfully, yours,

A. D. BACHE, *Supt. U. S. Coast Survey.*

Hon. HOWELL COBB, *Secretary of the Treasury.*

---

### APPENDIX No. 11.

*Letter to the Secretary of the Treasury reporting the development of a rock off Ogunquit, coast of Maine, by Lieut. Comg. Alexander Murray, U. S. N., assistant Coast Survey.*

COAST SURVEY OFFICE, *November 9, 1859.*

SIR: I have the honor to communicate that in the progress of hydrographic operations on the coast of Maine, in August last, Lieut. Comg. Alexander Murray, U. S. N., assistant Coast Survey, developed the position of a rock, bare at low tide, off Ogunquit. It is about a mile and a half (nautical) from that village, and was unknown to the residents of the adjoining coast. The rock rises boldly from the bottom, from four to seven fathoms of water being found in its immediate vicinity, and in the opinion of Lieut. Comg. Murray should be marked by a spindle.

I would respectfully request that a copy of this letter may be furnished to the Light-house Board, and that authority may be given for publishing it in the usual form as a notice to mariners.

Very respectfully, yours,

A. D. BACHE,  
*Superintendent.*

Hon. HOWELL COBB,  
*Secretary of the Treasury.*

---

### APPENDIX No. 12.

*Report of Lieut. Comg. John Wilkinson, U. S. N., assistant Coast Survey, on determining the position of a small rock at the entrance to Hyannis harbor, Massachusetts.*

UNITED STATES COAST SURVEY STEAMER CORWIN,  
*Portland, Maine, July 29, 1859.*

SIR: In obedience to your directions I have examined the locality in the main entrance to Hyannis harbor, where a rock was reported by Commander M. Smith, U. S. N., Light-house Inspector of the Second District, and succeeded in finding and determining its position. After running many lines and sweeping carefully over the ground within a hundred yards of the spar buoy, which has been placed to mark its supposed position or vicinity, without finding it, I obtained information which satisfied me that it was not situated in the channel, but near the



Great Rock. It is about eight feet square, and upon its crest there is a depth of three and a half feet at mean low water, increasing suddenly to twelve feet all around it.

The following are bearings and ranges from spar buoy "red No. 2:"

Centreville church spire, NW. by W. (westerly) true, NW. (westerly) by compass.

Hyannis west spire, north (easterly) true, N. by E. by compass.

Point Gammon light-house E. SE. true, SE. by E.  $\frac{1}{4}$  E. by compass.

From the new rock the bearings are:

Centreville church spire, NW. by W. (westerly) true, NW.  $\frac{1}{4}$  W. by compass.

Hyannis west spire, N.  $\frac{1}{4}$  W. true, N.  $\frac{3}{4}$  E. by compass.

Point Gammon light-house, SE. by E.  $\frac{3}{4}$  E. true, SE.  $\frac{3}{4}$  E. (easterly) by compass.

Great Rock spindle bears N. NW.  $\frac{1}{2}$  W. true, or N. by W.  $\frac{1}{2}$  W. by compass, and is distant two hundred yards.

*Range.*—The new rock and Great Rock spindle in range with two houses situated on the top of a low sand hill, distant five hundred yards from the foot of the western wharf, and two hundred yards from the beach.

The spar buoy "red No. 2" bears W.  $\frac{1}{4}$  N. true, or W. by N. (northerly) by compass, and is distant three hundred and twenty-five yards.

Very respectfully, your obedient servant,

J. WILKINSON,

*U. S. N., Assistant Coast Survey.*

Prof. A. D. BACHE,

*Superintendent U. S. Coast Survey.*

### APPENDIX No. 13.

*Letter of the Superintendent, addressed to the President of the New York Chamber of Commerce, with the report of Lieut. Comg. T. A. Craven, U. S. N., stating the result of an examination of the Battery shoal.*

COAST SURVEY STATION,

*Near Lane's Brook, Maine, September 27, 1859.*

DEAR SIR: The report that one or more vessels had struck upon the shoal off the Battery, where it was generally supposed there was deep water, induced one of the pilot commissioners, George W. Blunt, esq., to call my attention to the desirableness of a resurvey of the shoal. It was assigned to Lieut. Comg. T. A. Craven, then assistant in the Coast Survey, who having been charged with the hydrography of New York harbor, for the commissioners on harbor encroachments, was familiar with every part of the shoal. His report, recently presented to me, gives in detail the changes which have occurred, and shows prospectively those which may be expected. It is important, and I therefore beg leave through you to call the attention of the Chamber of Commerce to it. The filling up between pier No. 1 and the Castle may readily be avoided by dredging, and no doubt the entire completion of the Battery work would retard the now rapid increase of the shoal. The shoal must, however, in a general way, be related to the new shore, line as the old was to the former shore, and thus the shoal while

changed in form must be pushed out to a distance, not equal, but corresponding to the addition to the shore-line of the Battery.

Yours, respectfully,

A. D. BACHE,  
*Superintendent U. S. Coast Survey.*

PELATIAH PERIT, Esq.,  
*President Chamber of Commerce, New York.*

---

*Report of Lieut. Comg. T. A. Craven, U. S. N., to Prof. A. D. Bache, Superintendent Coast Survey, on the results of the resurvey of the shoal off the New York Battery.*

NEW YORK, *September 20, 1859.*

SIR: In compliance with your directions in July last, I made an examination of the shoal off the Battery, New York, for the purpose of ascertaining what changes have taken place in that locality, and I herewith submit to you a map of the survey, scale  $\frac{1}{6000}$ , on which I have also had the soundings placed from the surveys of 1855 and 1856 for comparison.

The soundings of 1855 and 1856 are in red figures, and the curves are also distinctly drawn.

In order to make this discussion as explicit as possible, I divide the shoal into sections, and call your attention to each position separately; you will be much interested in observing the rapidity with which the shoal is accumulating, and with what regularity the deposits are being made:

*Section I*, from pier No. 1, North river, to Castle Garden.

In the angle formed by the line of the Battery and the pier there has been a very rapid filling up, the 3-fathom curve has been pushed outward eighty yards beyond the line of 1856; the 17 feet spot in the outer part of this section is extending towards pier No. 1, and there is an average decrease of three feet in depth throughout this section.

*Section II* extends to the 3-fathom curve of 1856.

In this portion of the shoal the change has been not less considerable than in the angle of pier No. 1. The 3-fathom curve was, in 1856, about seventy-five yards south of the Castle, it will be seen that it has extended towards the Castle wharf, and embraces a considerable area where formerly we had five fathoms; outside of this curve, we find in this section a general decrease of five feet in the depth.

*Section III* embraces the general shoal to the southeastern portion of the curve of 3 fathoms.

Excepting in the part already indicated, there has been no material change in the general contour of the shoal, but in following the curve to its southernmost point it will be seen that it has extended about one hundred feet to the southward.

*Section IV* extends from last section to the East river piers.

In calling your attention to this section, I will merely refer to the knoll lying about W.S.W. from pier No. 1, East river. This knoll has eighteen feet water upon it, is very small, and has deep water outside and close to it; there is no change in depth on the knoll, but it is extending itself towards the north, and it will be seen that in that direction there is a decrease of two feet in the depth near the shoal.

East of this knoll there is no apparent change. Drawing a waved line from the last mentioned

knoll to the Castle Garden, you mark out the eddy waters of this part of the river; the currents of the two rivers meeting here at ebb and dividing at flood; this portion of the stream being too sluggish to carry off matters held in suspension, they are rapidly and constantly deposited.

Although from natural causes there must always have been a shoal off this point of the island, its accumulation has been evidently aided to a startling degree by the extension of the Battery. The currents which formerly flowed between the Castle Garden and the shore, made the greater portion of their deposit so near the shores as to cause no great injury to the operations of commerce, and the process of deposit was so gradual that it would have required an interval of many years ere the shoal would have seriously encroached on the waters of the bay, but the battery extension has already accomplished that which would have required a half century of the operations of nature, having pushed the shoal out as the shore line was changed.

In illustration of this assertion, we have but to look at the extraordinary heaping up of the earth in the angle formed by the Battery wall and pier No. 1; a heaping up, made by the ebb current of the North river, which as it comes around the pier is now turned back and formed into eddies by the Battery walls. This current formerly ran through the space now covered by the filling in, and poured the suspended matter into the East river, off White Hall, from whence it was carried away and distributed in the deep waters of the bay, but now a large portion of the sediment brought down by the ebb is doubtless filling in the space here with great rapidity; its effects are still more strongly visible in the section off the Castle, where we see changes of six and eight feet in the space of three years; this is due to the united efforts of the ebbs from the two rivers, and the time cannot be far distant when, unless dredging is resorted to, the entire space from the Castle to the head of pier No. 1 will be quite filled in.

In addition to the material damage done by thus forcing out into the stream a shoal which was heretofore of little consequence, it may safely be presumed that in filling in for the Battery extension very liberal supplies have been contributed to the shoal from the dirt carts, as without the security of a regular sea wall, immense quantities of the loose earth must from time to time be washed away and added to the shoal, and it is probable that when the slowly progressing enlargement is completed and the walls finished the changes will be less rapid.

The injury is now without other remedy than that of hastening to its completion a work which has proved so seriously disastrous to this already crowded part of the harbor, and by legislation preventing any extensions beyond the lines of the city as defined by the harbor commissioners.

I am, very respectfully, your obedient servant,

T. AUGS. CRAVEN,  
*Lieutenant Commanding.*

Prof. A. D. BACHE,  
*Superintendent U. S. Coast Survey.*

---

#### REPORT ON HARBOR ENCROACHMENTS.

Mr. G. W. Blunt presented the report of the committee on the subject of harbor encroachments, as follows:

The committee appointed to report upon the evils arising from the extension of the Battery, having been requested to extend their inquiries in order to ascertain if any and what other

abuses existed in the harbor, beg leave to report a few of the most important, and to propose a mode of abating or remedying them.

First in order among the abuses is that of an encroachment. The committee would mention West Washington Market, where five acres have been taken or filled in from the waters of the North river; likewise pier No. 51, North river, extended thirty-three feet beyond the exterior line established by law. These are the acts of the city authorities.

The Lowber extension at the foot of Fourteenth street, East river, and the piles just driven at the outer end of pier No. 29, East river, which pier was already some twenty-five feet beyond the established limits, are instances of encroachments by private parties.

Next in order is the sewerage. It has been ascertained that the slips in the harbor have been filled up nearly eighteen inches each year, by material discharged from the sewers, of which only four out of one hundred and ten discharge at the outer end of the piers, the remainder discharge into the still waters of the slips or basins, where there is no current to carry off the deposits.

#### *Dumping grounds.*

These are the places where the dirt swept from the streets of the city is deposited by order of the city inspector. They are eight in number, viz: At the foot of Vesey, Watts, Gansevoort, and Twenty-sixth streets, North river; Roosevelt, Stanton, Fifth, and Twenty-third streets, East river.

The dirt is continually being dropped into the waters of the harbor and filling up the slips, from the practice of heaping it up on the piers and bulkheads. During last month the pier at the foot of twenty-third street, East river, gave way from the accumulation of dirt upon it, and 3,000 cart loads were thus thrown into the river.

#### *Remedies.*

All parties encroaching upon the waters of the harbor, beyond the established limits, should be punished by sufficient penalties, and the harbor commissioners should have power to remove the encroachments at once, the offending parties to pay all expenses incurred in such removal. All new sewers should be carried to the outer ends of the piers, (which we believe to be the intention of the Croton Aqueduct department, which has charge of the construction of sewers,) and, where practicable, the termination of those now built should be changed so as to empty in like manner with the new ones. The cisterns at the corners of the streets communicating with the sewers should invariably be cleaned out weekly, which would be the great preventive of filling up the slips from the sewers.

No dumping should be permitted upon or near the piers or bulkheads, under a penalty; and the city inspectors should be required to have scows or other vessels provided and ready to receive the dirt from the carts, there being no good reason why dirt should have a preference over all other articles in the use of our piers and bulkheads.

The shore-line belonging to the State of New York, in the harbor of New York, under the control of the harbor commissioners, is over seventy miles in extent; no part of it can be extended into the rivers beyond the established limits, without doing injustice to the harbor and injustice to those who respect the law.

An instance is before us in the case of pier No. 51, North river, extended beyond the line as above stated; the comptroller of the city having allowed the lessee of pier 52 one thousand dollars reduction on his rent, on account of the damage done to him by the illegal extension.

The committee would recommend to the chamber that application be made to the legislature to legalize the remedies suggested in this report, and to the corporation of this city, that measures be taken to finish the extension of the Battery at once.

In closing their report, the committee would bear testimony to the great and continued interest shown by Professor A. D. Bache, Superintendent of the United States Coast Survey, for the preservation of our harbor, in having obtained and furnished to it all the information necessary to the forming of an intelligent opinion upon the subject under consideration.

GEORGE W. BLUNT.  
ROBERT L. TAYLOR.  
CHARLES H. MARSHALL.  
ROBERT B. MINTURN.  
ROYAL PHELPS.  
JOHN D. JONES.  
GEORGE OPDYKE.  
RUSSELL STURGIS.

NEW YORK, *November 1, 1859.*

---

#### APPENDIX No. 14.

*Tide tables for the use of navigators, prepared from the Coast Survey observations by A. D. Bache, Superintendent. (Furnished, by authority of the Treasury Department, to E. & G. W. Blunt, New York, and revised October, 1859.)*

The following tables will enable navigators to ascertain the time and height of high and low water in some of the principal ports of the United States. The results are approximate, the observations being still in progress; but they may safely be used for practical purposes. The number of places of observation, and the time during which many of them have been made, are steadily on the increase as the Coast Survey advances.

The tides on the coast of the United States, on the Atlantic, Gulf of Mexico, and Pacific, are of three different classes. Those of the Atlantic are of the most ordinary type, ebbing and flowing twice in twenty-four hours, and having but moderate differences in height between the two successive high waters or low waters, one occurring before noon, the other after noon.

Those of the Pacific coast also ebb and flow twice during twenty-four hours; but the morning and afternoon tides differ very considerably in height, so much so that at certain periods a rock which has three feet and a half water upon it at low tide may be awash on the next succeeding low water. The intervals, too, between successive high and successive low waters may be very unequal.

The tides of ports in the Gulf of Mexico, west of Cape St. George, ebb and flow, as a rule, but once in twenty-four hours, or are single day tides. At particular parts of the month there are two small tides in the twenty-four hours. The rise and fall in all these ports is small. East of Cape St. George the rise and fall increases; there are two tides, as a rule, during the twenty-four hours, and the daily inequality referred to in the Pacific tides is large.

These peculiarities require a different way of treating the cases, and in some of them separate tables.

I propose to enable the navigator to find, from the Nautical Almanac and the following tables, the time and height of high and low water at any date within the ordinary range of difference produced by winds and other variable circumstances. I will endeavor to divest the matter of unfamiliar technical expressions as far as practicable, though, for shortness' sake, some such terms may be employed after defining them. The discussion of the Gulf tides has not been carried so far as to enable me to present the results in as definite a form as the others.

As is well known, the interval between the time of the moon's crossing the meridian (moon's transit) and the time of high water at a given place is nearly constant; that is, this interval varies between moderate limits, which can be assigned. The interval at full and change of the moon is known as the establishment of the port, and is ordinarily marked on the charts. As it is not generally the average of the interval during a month's tide, it is a less convenient and less accurate quantity for the use of the navigator than the average interval which is used on the Coast Survey charts, and is sometimes called the "mean" or "corrected establishment."\* The following table gives the principal tidal quantities for the different ports named in the first column, where they are arranged under specific heads. The third column of the table gives the mean interval, in hours and minutes, between the moon's transit and the time of high water next after the transit; the fourth, the difference between the greatest and the least interval occurring in different parts of the month, (lunar.) A simple inspection of this column will show how important it is to determine these changes in many of the ports where they amount to more than half an hour, or to more than fifteen minutes from the average interval. The fifth, sixth, and seventh columns refer to the height of the tide. The fifth gives, in feet, the average rise and fall, or average difference between high and low water. The sixth gives the greatest difference, commonly known as the rise and fall of spring tides; and the seventh the least difference, known as the rise and fall of the neap tides.

The average duration of the flood or rising tide is given in the eighth column; of the ebb or falling tide in the ninth; and of the period during which the tide neither rises nor falls, or the "stand," in the tenth. The duration of the flood is measured from the middle of the stand at low water to the middle of the stand at high water; so that the whole duration from one high water to the next, or from one low water to the next, should be given by the sum of the numbers in the eighth and ninth columns. At most of these places given in the list a mark of reference has been established for the height of the tide. I have omitted the description of these marks (except in the following localities) as of no particular interest in this connection.

#### BENCH-MARKS.

*Boston.*—The top of the wall or quay at the entrance of the dry dock in the Charlestown navy yard is fourteen feet  $\frac{7}{10}$  (or 14.76 feet) above mean low water.

*New York.*—The lower edge of a straight line cut in a stone wall, at the head of a wooden wharf on Governor's island, is thirteen feet  $\frac{7}{10}$  (or 13.97 feet) above mean low water. The letters U. S. C. S. are cut in the same stone.

\* This term was introduced by the Rev. Dr. Whewell, who has done so much for the investigation of the laws of the tides.

*Old Point Comfort, Va.*—A line cut in the wall of the light-house, one foot from the ground, on the SW. side, is eleven feet (11 feet) above mean low water.

*Charleston, S. C.*—The outer and lower edge of embrasure of gun No. 3, at Castle Pinckney, is ten feet  $\frac{1}{10}$  (10.13 feet) above mean low water.

TABLE I.  
*Tide table for the coast of the United States.*

PORT.	STATE.	INTV. BETWEEN TIME OF MOON'S TRANSIT AND TIME OF HIGH WATER.		RISE AND FALL.			MEAN DURATION OF—		
		Mean interval.	Diff. between greatest and least int'val.	Mean.	Spring tides.	Neap tides.	Flood tide.	Ebb tide.	Stand.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
COAST FROM PORTLAND TO NEW YORK.									
		<i>A. M.</i>	<i>A. M.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>A. M.</i>	<i>A. M.</i>	<i>A. M.</i>
Hanniwell's Point, Kennebec river.....	Maine.....	11 15	1 14	8.1	9.3	7.0	6 16	6 11	0 22
Portland.....	do.....	11 25	0 44	8.9	9.9	7.6	6 14	6 12	20
Portsmouth.....	New Hampshire.....	11 23	53	8.6	9.9	7.2	6 22	6 7	21
Newburyport.....	Massachusetts.....	11 22	50	7.8	9.1	6.6	5 16	7 9	24
Rockport.....	do.....	10 57	42	8.6	10.2	7.1	6 17	6 9	30
Salem.....	do.....	11 13	50	9.2	10.6	7.6	6 19	6 6	6
Boston Light.....	do.....	11 12	35	9.3	10.9	8.1	6 20	6 6	15
Boston.....	do.....	11 27	43	10.0	11.3	8.5	6 13	6 13	9
Plymouth.....	do.....	11 19	51	10.2	11.4	9.0	6 13	6 17	29
Wellsfleet.....	do.....	11 5	1 13	11.2	13.2	9.2	6 6	6 17	15
Provincetown*.....	do.....	11 22	40	9.2	10.8	7.7	6 16	6 10	21
Monomoy.....	do.....	11 58	37	3.8	5.3	2.6	6 25	5 59	36
Nantucket.....	do.....	12 24	37	3.1	3.6	2.6	6 23	5 44	9
Hyannis.....	do.....	12 22	30	3.2	3.9	1.8	6 44	5 41	9
Edgartown.....	do.....	12 16	34	2.0	2.5	1.6	6 51	5 29	24
Holmes's Hole.....	do.....	11 43	31	1.7	1.8	1.3	6 41	5 21	12
Tarpaulin Cove.....	do.....	8 4	49	2.3	2.8	1.8	6 9	6 17	34
Wood's Hole, north side.....	do.....	7 59	53	4.0	4.7	3.1	6 51	5 31	38
Wood's Hole, south side.....	do.....	8 24	45	1.6	2.0	1.2	5 17	7 10	59
Menemsha Bight.....	do.....	7 45	1 0	2.7	3.9	1.2	6 14	6 14	4
Quick's Hole, north side.....	do.....	7 31	1 15	3.7	4.3	2.9	6 31	5 54	39
Quick's Hole, south side.....	do.....	7 36	1 10	3.1	3.8	2.3	6 29	5 55	40
Cuttyhunk.....	do.....	7 40	49	3.5	4.2	2.9	6 31	5 54	39
Kettle Cove.....	do.....	7 48	1 0	4.3	5.0	3.7	6 17	6 4	29
Bird Island Light.....	do.....	7 59	45	4.4	5.3	3.5	6 51	5 58	.....
New Bedford entrance, (Dumpling Rock).....	do.....	7 57	41	3.6	4.6	2.8	6 50	5 33	42
Newport.....	Rhode Island.....	7 45	24	3.9	4.6	3.1	6 21	6 3	23
Point Judith.....	do.....	7 32	46	3.1	3.7	2.6	6 12	6 10	1 0
Block Island.....	do.....	7 35	41	2.8	3.5	2.0	6 23	6 2	5
Montauk Point, L. I.....	New York.....	8 20	1 11	1.9	2.4	1.8	6 17	6 7	31
Sandy Hook.....	do.....	7 29	47	4.8	5.6	4.0	6 10	6 15	21
New York.....	do.....	8 13	43	4.3	5.4	3.4	6 0	6 25	26
HUDSON RIVER.									
Dobb's Ferry.....	New York.....	9 19	44	3.6	4.4	2.7	6 5	6 18	17
Tarrytown.....	do.....	9 57	58	3.5	4.0	2.7	6 6	6 20	43
Verplanck's Point.....	do.....	10 8	34	3.1	3.8	2.5	5 25	7 12	16
West Point.....	do.....	11 3	37	2.7	3.2	2.0	5 28	7 10	20
Poughkeepsie.....	do.....	12 34	54	3.2	3.9	2.4	5 41	6 44	22
Tivoli.....	do.....	1 24	51	4.0	4.6	3.2	5 40	6 54	25
Stuyvesant.....	do.....	3 23	48	3.8	4.4	3.0	5 18	7 2	31
Castleton.....	do.....	4 29	55	2.7	3.0	2.3	5 1	7 23	20
Greenbush.....	do.....	5 22	40	2.3	2.5	1.9	4 26	7 59	.....

\* From Major J. D. Graham's observations.

TABLE I—Continued.

PORT.	STATE.	INTV. BETWEEN TIME OF MOON'S TRANSIT AND TIME OF HIGH WATER.		RISE AND FALL.			MEAN DURATION OF—		
		Mean interval.	Diff. between greatest and least int'val.	Mean.	Spring tides.	Neap tides.	Flood tide.	Ebb tide.	Stand.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
LONG ISLAND SOUND.									
Watch Hill.....	Rhode Island.....	9 0	0 23	2.7	3.1	2.4	6 25	5 56	0 14
Stonington.....	Connecticut.....	9 7	30	2.7	3.2	2.2	6 15	6 10	25
Little Gull Island.....	New York.....	9 38	1 07	2.5	2.9	2.3	6 1	6 21	37
New London.....	Connecticut.....	9 28	52	2.6	3.1	2.1	5 56	6 26	22
New Haven.....	do.....	11 16	1 8	5.9	6.2	5.2	6 24	6 5	33
Bridgeport.....	do.....	11 11	1 3	6.5	8 0	4.7	6 1	6 7	30
Oyster Bay, L. I.....	New York.....	11 7	51	7.3	9.2	5.4	6 8	6 24	25
Sand's Point, L. I.....	do.....	11 13	31	7.7	8.9	6.4	5 55	6 30	14
New Rochelle.....	do.....	11 22	32	7.6	8.6	6.6	5 51	6 35	12
Throg's Neck.....	do.....	11 29	39	7.3	9.2	6.1	5 50	6 33	43
COAST OF NEW JERSEY.									
Cold Spring Inlet.....	New Jersey.....	7 32	51	4.4	5.4	3.6	6 8	6 18	19
Cape May Landing.....	do.....	8 19	47	4.8	6.0	4.3	6 11	6 15	20
DELAWARE BAY AND RIVER.									
Delaware Breakwater.....	Delaware.....	8 0	50	3.5	4.5	3.0	6 15	6 6	26
Higbee's, Cape May.....	New Jersey.....	8 33	43	4.9	6.2	3.9	6 26	6 0	19
Egg Island Light.....	do.....	9 4	51	6.0	7.0	5.1	5 52	6 27	36
Mahon's River.....	Delaware.....	9 52	48	5.9	6.9	5.0	6 11	6 11	26
Newcastle.....	do.....	11 53	24	6.5	6.9	6.6	5 6	6 43	47
Philadelphia.....	Pennsylvania.....	13 44	44	6.0	6.8	5.1	4 52	7 6	15
CHESAPEAKE BAY AND RIVERS.									
Old Point Comfort.....	Virginia.....	8 17	60	2.5	3.0	2.0	6 1	6 25	14
Point Lookout.....	Maryland.....	12 58	45	1.4	1.9	0.7	5 59	6 19	35
Annapolis.....	do.....	17 4	40	0.9	1.0	0.8	6 11	6 15	32
Bodkin Light.....	do.....	18 8	48	1.0	1.3	0.8	5 23	7 8	15
Baltimore.....	do.....	18 59	44	1.3	1.5	0.9	5 54	6 33	44
Washington.....	Dist. of Columbia..	20 10	52	3.0	3.4	2.6	5 37	6 49	.....
James River, (City Point).....	Virginia.....	14 37	1 0	2.8	3.0	2.5	5 14	6 58	32
Richmond.....	do.....	16 54	1 6	2.9	3.4	2.3	4 53	7 31	35
Tappahannock.....	do.....	12 58	46	1.6	1.9	1.3	5 21	7 6	.....
COAST OF NORTH AND SOUTH CAROLINA, GEORGIA, AND FLORIDA.									
Hatteras inlet.....	North Carolina.....	7 4	57	2.0	2.2	1.8	6 7	6 7	50
Beaufort.....	do.....	7 26	50	2.8	3.3	2.2	6 11	6 10	42
Bald Head.....	do.....	7 26	34	4.3	5.0	3.4	6 18	6 17	31
Smithville.....	do.....	7 19	38	4.5	5.5	3.8	6 1	6 26	26
Wilmington.....	do.....	9 6	1 0	2.7	3.1	2.2	4 45	7 40	30
Georgetown entrance.....	South Carolina.....	7 56	42	3.8	4.7	2.7	6 4	6 19	35
Bull's Island Bay.....	do.....	7 16	57	4.8	5.7	3.7	6 20	6 6	30
Charleston, (Custom-house wharf).....	do.....	7 26	48	5.1	6.0	4.1	6 19	6 7	33
St. Helena sound.....	do.....	7 8	1 0	5.9	7.4	4.4	6 13	6 12	23
Fort Pulaski, (Savannah entrance).....	Georgia.....	7 20	40	7.0	8.0	5.9	5 49	6 35	26
Savannah, (Dry Dock wharf).....	do.....	8 13	51	6.5	7.6	5.5	5 4	7 22	14
Doboy Light-house.....	do.....	7 33	55	6.6	7.8	5.4	6 2	6 20	.....
St. Simon's.....	do.....	7 43	46	6.8	8.2	5.4	6 10	6 16	20
Fort Clinch.....	Florida.....	7 53	1 6	5.9	6.7	5.3	6 9	6 17	.....
St. John's River.....	do.....	7 28	48	4.5	5.5	3.7	5 58	6 28	16
St. Augustine.....	do.....	8 21	43	4.2	4.9	3.6	6 5	6 11	32
Cape Florida.....	do.....	8 34	51	1.5	1.8	1.2	6 0	6 26	45
Indian Key.....	do.....	8 18	49	1.8	2.4	1.2	6 36	5 48	19
Sand Key.....	do.....	8 40	.....	1.2	2.0	0.6	6 31	5 55	13



TABLE I—Continued.

PORT.	STATE.	INTV. BETWEEN TIME OF MOON'S TRANSIT AND TIME OF HIGH WATER.		RISE AND FALL.			MEAN DURATION OF—		
		Mean interval.	Diff. between greatest and least int'val.	Mean.	Spring tides.	Neap tides.	Flood tide.	Ebb tide.	Stand.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
COAST OF NORTH AND SOUTH CAROLINA, GEORGIA, AND FLORIDA—Continued.									
		A. m.	A. m.	Feet.	Feet.	Feet.	h. m.	h. m.	h. m.
Key West, .....	Florida .....	9 22	1 7	1.3	1.6	1.0	6 59	5 25	0 12
Tortugas, .....	do.....	9 56	1 32	1.2	1.5	0.6	6 43	5 40	.....
Tampa Bay, (Egmont Key) .....	do.....	11 21	1 33	1.4	1.8	1.0	6 36	6 11	43
Cedar Keys, (Depot Key) .....	do.....	13 15	1 55	2.6	3.2	1.6	6 12	6 13	.....
St. Mark's .....	do.....	13 36	2 0	2.2	2.9	1.4	6 12	6 11	.....
WESTERN COAST.									
San Diego, .....	California.....	9 38	1 35	3.7	5.0	2.3	6 22	6 0	30
San Pedro .....	do.....	9 39	1 48	3.7	4.7	2.2	6 18	6 5	30
Cuyler's Harbor .....	do.....	9 25	1 2	3.7	5.1	2.8	6 13	6 5	.....
San Luis Obispo .....	do.....	10 8	1 52	3.6	4.8	2.4	6 25	5 58	.....
Monterey .....	do.....	10 22	40	3.4	4.3	2.5	6 31	6 2	35
South Farallone .....	do.....	10 37	1 16	3.6	4.4	2.8	6 18	6 9	.....
San Francisco, (north beach) .....	do.....	12 6	1 4	3.6	4.3	2.8	6 39	5 51	34
Mare Island, (San Francisco bay) .....	do.....	13 40	1 15	4.8	5.2	4.1	6 13	6 7	.....
Benicia .....	do.....	14 10	1 0	4.5	5.1	3.7	6 26	5 59	.....
Ravenswood .....	do.....	12 36	57	6.3	7.3	4.9	6 15	6 11	.....
Bodega .....	do.....	11 17	1 54	3.6	4.7	2.7	6 19	5 59	.....
Humboldt Bay .....	do.....	12 2	1 11	4.4	5.5	3.5	6 19	6 0	.....
Port Orford .....	Oregon Territory...	11 26	1 6	5.1	6.8	3.7	6 19	6 7	39
Astoria .....	do.....	12 42	1 13	6.1	7.4	4.6	6 3	6 28	33
Nee-ah Harbor .....	Washington Terr...	12 33	1 28	5.6	7.4	4.8	6 20	6 6	.....
Port Townshend* .....	do.....	3 49	1 3	4.6	5.5	4.0	6 34	5 52	.....
Steilacoom* .....	do.....	4 46	1 6	9.2	11.1	7.2	6 3	6 25	28
Semi-ah-moo Bay* .....	do.....	4 50	1 2	5.7	6.6	4.8	6 11	6 19	26

\* See remarks on page 144 and following.

NOTE.—The mean interval in column 3 has been increased by 12h. 26m. (half a mean lunar day) for some of the ports in Delaware river and Chesapeake bay, so as to show the succession of times from the mouth. Therefore, 12h. 26m. ought to be subtracted from the establishments which are greater than that quantity before using them.

The foregoing Table I gives the means of determining, roughly, the time and height of high water at the several ports named. The hour of transit of the moon preceding the time of high water is to be taken from the Almanac, and, the mean establishment being added, the time of high water results. Thus:

*Example I.*—It is required to find the time of high water at New York on November 5, 1854. The American Almanac gives 0h. 0m. as the time of transit of the moon on that day. The mean interval for New York, from Table I, column 3, is 8h. 13m., which, as the transit was at 0h., is, roughly, the time of high water. The moon being full, the height is that of spring tides of column 6, viz: 5.4 feet. If the soundings on the chart are reduced to low water spring tides, 5.4 feet are to be added to them to give the depth at high water. If the soundings are reduced to mean low water, the rise and fall of mean tides being 1.1 foot less than for springs, the rise or increase of depth will be half of this, or 0.6 of a foot less than 5.4 feet, which is 4.8 feet, or nearly four feet ten inches.

*Example II.*—Required the time of high water at Boston on January 23, 1851. From the

American Almanac we find the time of the moon's southing or transit, on that day, 5*h.* 18*m.* a. m., and from Table I the mean interval at Boston dry dock is 11*h.* 27*m.*

We have then 5*h.* 18*m.* time of transit;

To which add 11 27 mean interval from Table I.

16	45	time of high water, or 4 <i>h.</i> 45 <i>m.</i> p. m.
----	----	---

If the Greenwich Nautical Almanac is used, add 2*m.* to the time of transit of Greenwich for every hour of west longitude, and its proportional part for less than an hour. It will suffice to take the half hour which may be over any number of hours, as the correction for less than this would be less than one minute, and need not be taken into account. Thus, Boston is 4*h.* 44*m.* west of Greenwich. The correction to be applied to the time of transit of the moon is, for the four hours, eight minutes, and for the 44 minutes, one minute. The time of transit on the date assumed in the preceding example is 17*h.* 9*m.* of the 22d, or 5*h.* 9*m.* a. m. of the 23d, to which add nine minutes; the correction just found gives 5*h.* 18*m.*, as before ascertained from the American Almanac.

In using the United States Nautical Almanac, in the astronomical part of which the transits of the moon are given for the meridian of Washington, the corrections required may, in this first approximation for the Atlantic coast, be neglected. To find the time of the next following low water add from Table I the duration of ebb tide.

This gives 4*h.* 45*m.* p. m., time of high water.

6	13	duration of ebb tide from Table I.
10	58	p. m.

By subtracting the duration of flood tide we obtain the time of the preceding low water, 10*h.* 32*m.* a. m., recollecting that 4*h.* 45*m.* p. m. is the same as 16*h.* 45*m.* reckoned from midnight.

The height of this tide, corresponding to the transit of 5*h.*, will bring it nearly to a neap tide, and the rise and fall obtained from column 7, Table I, is 8.5 feet. The next following high water may be had by adding to the time of low water the duration of flood from Table I. Thus:

10*h.* 58*m.* p. m., time of low water January 23.

6	13	duration of flood from Table I.
---	----	---------------------------------

Sum	17	11	or 5 <i>h.</i> 11 <i>m.</i> on January 24.
-----	----	----	--

On having found the time of high water, the time of the next following high water may be found by adding the duration of flood and ebb together, and their sum to the time of high water found, thus:

6*h.* 13*m.* duration of ebb tide, from Table I.

6	13	duration of flood.
---	----	--------------------

Sum	12	26	duration of whole tide.
-----	----	----	-------------------------

4	45	p. m., January 23, time of high water.
---	----	--

Sum	17	11	or 5 <i>h.</i> 11 <i>m.</i> a. m., 24th January, time of the next succeeding high water.
-----	----	----	--

Subtracting the same quantity will give the time of the preceding high water, thus:

4*h.* 45*m.* p. m., or 16*h.* 45*m.* from midnight, is the time of high water.

12	26	duration of flood and ebb tide.
----	----	---------------------------------

4	19	a. m. of the 23d for the preceding high water.
---	----	--

The duration of the flood and the ebb being reckoned from the middle of one stand or slack water to the middle of the next, the time of beginning of stand of ebb or flood will be found by subtracting half the duration of stand or slack water given by column 10, Table I, from the time of high or low water, and the time of the end of the stand of ebb or flood by adding the same. A nearer approximation to the times and heights of high water may be obtained by the use of Tables II and III.

TABLE II.

*Interval between the time of moon's transit and the time of high water for different hours of transit, and for several different ports.*

Time of moon's transit.	Boston, Mass.	New York, N. Y.	Philadelphia, Pa.	Old Pt. Comfort, Va.	Baltimore, Md.	Smithville, N. C.	Charleston, S. C.	Ft. Pulaski, Savannah, Ga.	Key West, Fla.	San Francisco, Cal.
<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
0 0	11 38	8 20	1 31	8 33	6 47	7 26	7 36	7 30	9 26	12 5
0 30	11 33	8 18	1 28	8 27	6 49	7 21	7 33	7 25	9 19	11 59
1 0	11 28	8 15	1 25	8 21	6 37	7 16	7 27	7 19	9 12	11 53
1 30	11 24	8 10	1 21	8 15	6 31	7 13	7 21	7 15	9 6	11 47
2 0	11 20	8 6	1 18	8 9	6 26	7 9	7 16	7 11	9 0	11 41
2 30	11 16	8 0	1 14	8 4	6 21	7 6	7 12	7 8	8 55	11 36
3 0	11 13	7 55	1 11	8 0	6 17	7 4	7 8	7 6	8 51	11 33
3 30	11 10	7 52	1 8	7 56	6 13	7 3	7 5	7 5	8 50	11 33
4 0	11 7	7 52	1 6	7 52	6 11	7 2	7 2	7 4	8 49	11 38
4 30	11 6	7 52	1 3	7 49	6 10	7 3	7 2	7 3	8 53	11 46
5 0	11 6	7 53	1 0	7 48	6 10	7 4	7 3	7 4	8 57	11 55
5 30	11 9	7 56	0 59	7 50	6 13	7 6	7 7	7 6	9 7	12 3
6 0	11 13	7 59	0 59	7 53	6 19	7 9	7 12	7 8	9 17	12 11
6 30	11 19	8 5	1 1	8 0	6 25	7 13	7 19	7 12	9 28	12 16
7 0	11 25	8 11	1 7	8 7	6 32	7 17	7 24	7 16	9 39	12 23
7 30	11 32	8 17	1 15	8 15	6 39	7 23	7 32	7 22	9 45	12 29
8 0	11 38	8 23	1 23	8 24	6 44	7 28	7 38	7 28	9 52	12 34
8 30	11 43	8 27	1 29	8 33	6 49	7 33	7 45	7 34	9 54	12 37
9 0	11 47	8 32	1 34	8 40	6 52	7 37	7 48	7 39	9 56	12 36
9 30	11 48	8 34	1 39	8 45	6 54	7 39	7 50	7 42	9 53	12 34
10 0	11 49	8 35	1 42	8 48	6 53	7 40	7 50	7 43	9 51	12 30
10 30	11 48	8 34	1 43	8 48	6 52	7 40	7 47	7 41	9 45	12 24
11 0	11 47	8 31	1 41	8 46	6 50	7 36	7 44	7 37	9 39	12 17
11 30	11 43	8 25	1 37	8 40	6 48	7 30	7 41	7 34	9 32	12 9

TABLE III.

*Showing the rise and fall of tides, and corrections to be applied to determine the depth at high water of soundings on charts referred to mean low water, and to low water spring tides.*

Time of moon's transit.	Boston, Mass.			New York, N. Y.			Philadelphia, Pa.			Old Point Comfort, Va.			Baltimore, Md.			Time of moon's transit.
	A.	B.	C.	A.	B.	C.	A.	B.	C.	A.	B.	C.	A.	B.	C.	
<i>Hour.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Hour.</i>
0	11.2	10.6	11.3	4.9	4.5	4.9	6.3	6.2	6.3	2.9	2.6	2.9	1.5	1.4	1.6	0
1	11.3	10.6	11.3	4.9	4.5	4.9	6.4	6.4	6.5	3.0	2.7	3.0	1.5	1.4	1.6	1
2	11.2	10.5	11.2	4.7	4.4	4.8	6.6	6.5	6.6	2.9	2.7	2.9	1.5	1.3	1.5	2
3	10.6	10.3	11.0	4.3	4.2	4.6	6.6	6.5	6.6	2.6	2.6	2.8	1.4	1.3	1.5	3
4	10.0	10.0	10.7	3.8	4.0	4.4	6.4	6.4	6.5	2.3	2.4	2.7	1.3	1.2	1.4	4
5	9.2	9.7	10.4	3.5	3.8	4.2	6.1	6.2	6.3	2.1	2.3	2.6	1.1	1.1	1.3	5
6	8.8	9.4	10.1	3.3	3.7	4.1	5.7	5.9	6.0	2.0	2.2	2.5	0.9	1.1	1.3	6
7	8.6	9.3	10.0	3.3	3.7	4.1	5.4	5.6	5.7	2.0	2.3	2.5	0.9	1.1	1.3	7
8	8.9	9.5	10.2	3.6	3.8	4.2	5.2	5.3	5.4	2.2	2.4	2.6	1.0	1.2	1.4	8
9	9.4	9.7	10.4	4.0	4.0	4.4	5.4	5.4	5.5	2.5	2.5	2.8	1.1	1.3	1.5	9
10	10.1	10.0	10.7	4.3	4.3	4.7	5.7	5.7	5.8	2.8	2.7	2.9	1.3	1.4	1.6	10
11	10.7	10.3	11.0	4.8	4.5	4.9	6.0	6.0	6.1	3.0	2.8	3.0	1.4	1.4	1.6	11

TABLE III—Continued.

Time of moon's transit.	Smithville, N. C.			Charleston, S. C.			Fort Pulaski, Savannah entrance.			Key West, Fla.			San Francisco, Cal.			Time of moon's transit.
	A.	B.	C.	A.	B.	C.	A.	B.	C.	A.	B.	C.	A.	B.	C.	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	5.2	4.8	5.1	6.0	5.5	6.0	7.8	7.4	7.8	1.6	1.4	1.6	4.5	4.0	4.4	0
1	5.1	4.8	5.1	5.9	5.5	5.9	7.9	7.4	7.9	1.6	1.4	1.6	3.9	3.7	4.1	1
2	5.0	4.7	5.0	5.7	5.4	5.8	7.6	7.3	7.7	1.5	1.4	1.5	3.7	3.6	4.1	2
3	4.6	4.5	4.8	5.3	5.2	5.6	7.1	7.0	7.5	1.4	1.3	1.5	3.5	3.5	4.0	3
4	4.3	4.4	4.7	4.7	4.9	5.4	6.5	6.7	7.2	1.2	1.2	1.4	3.1	3.3	3.8	4
5	4.0	4.3	4.6	4.4	4.8	5.2	6.1	6.5	7.0	1.0	1.1	1.3	2.8	3.1	3.6	5
6	3.8	4.2	4.5	4.2	4.6	5.1	5.8	6.4	6.8	1.0	1.1	1.3	2.7	3.1	3.6	6
7	3.8	4.1	4.4	4.3	4.7	5.1	6.0	6.5	6.9	1.0	1.1	1.3	3.0	3.3	3.7	7
8	4.0	4.2	4.5	4.5	4.8	5.3	6.4	6.7	7.1	1.1	1.2	1.3	3.4	3.5	3.9	8
9	4.3	4.3	4.6	5.0	5.0	5.5	6.9	6.9	7.4	1.3	1.3	1.4	3.8	3.6	4.1	9
10	4.7	4.6	4.9	5.5	5.3	5.8	7.4	7.0	7.6	1.4	1.3	1.5	4.0	3.8	4.2	10
11	5.0	4.7	5.0	5.9	5.5	5.9	7.8	7.2	7.8	1.6	1.4	1.6	4.2	3.8	4.3	11

In these, the variations in the interval between the moon's transit and high water are shown for some of the principal ports contained in Table I. These variations of intervals depend upon the age of the moon, and as they go through their values in half a lunar month, are known as the half-monthly inequality of interval. The table extends from the 0*h.* of transit, midnight of the calendar day, or full of the moon, to 11½ hours. The numbers for change of the moon correspond to those of 0*h.*, and for 13 hours (or 1*h.* p. m. of the calendar day) to 1 hour, and so on up to 23 hours. The ports for which the numbers are given are designated by the heading of the columns.

The mean interval, it will be seen, does not occur at full and change, but nearly two days afterwards, on the Atlantic coast. At Key West it occurs more nearly at full and change, and at San Francisco still more nearly.

The same remark applies to the heights; spring tides occur about two days after the full and change of the moon, and neaps two days after the first and last quarters. The use of this table of nearer approximation is quite as simple as that of Table I.

*Rule to find the time of high water*—Look in the Almanac for the time of moon's transit (or southing) for the date required. In the table corresponding to that time, will be found the number to be added to the time of transit.

*Example III.*—Required the time of high water at New York, October 1, 1856. Using the United States Nautical Almanac, we find the time of moon's transit 1*h.* 24*m.*, astronomical reckoning, or 1*h.* 24*m.* p. m., calendar time. From Table II, we have, under the heading of New York, for 1*h.* 30*m.*, (the nearest number to the 1*h.* 24*m.* in the table,) 8*h.* 10*m.*

Thus, to 1*h.* 24*m.*, time of moon's transit,

Add 8 10 interval found from Table III.

The sum, 9 34 p. m., is the time of high water on the 1st of October, 1856.

If the sum of these numbers had exceeded twelve, the tide would have belonged to October 2, and we must have gone back to the transit of the day before, and computed with it, to obtain the tide of October 1.

*Rule to find the height of high water.*—Enter Table III, column 1, with the time of moon's transit. In the column headed with the name of the place, and marked A, will be found the rise and fall corresponding to the time of transit; in column B, the number to be added to

soundings on the chart, where the soundings are given for mean low water; in column C, the number to be added to charts of which the soundings are given for low water, spring tides.

In the foregoing example, (III,) the time of transit being between 1 and 2 hours, we find from Table III, the rise and fall of tides on 1st October, 1856, between 4.9 and 4.7; the number to be added to soundings given for mean low water 4.5 feet, (column B,) and for low water spring tides, (column C,) 4.9. feet.

Having found the time of high water, that of low water may be obtained nearly by adding the duration of ebb from column 9, Table I. The time of the next preceding low water may be found by subtracting the duration of flood from column 8, Table I. The time of the next following high water may be found by adding the duration of both flood and ebb; and of the next preceding high water, by subtracting the same duration of the whole tide.

*Example IV.*—To find the next high water following that of Example III.

The duration of flood, column 8, Table I, for New York, is 6*h.* 0*m.*; and of ebb, from column 9, is 6*h.* 25*m.*; the sum is 12*h.* 25*m.*

To 9*h.* 34*m.* p. m., October 1, time of high water found,

Add 12 25 duration of flood and ebb.

Sum 21 59, or 9*h.* 59*m.* a. m. of October 2, the time of the next high water.

#### TIDES OF THE PACIFIC COAST.


On the Pacific coast there is, as a general rule, one large and one small tide during each day, the height of the two successive high waters occurring one a. m. the other p. m. of the same twenty-four hours, and the intervals from the next preceding transit of the moon are very different. The inequalities depend upon the moon's declination; they disappear near the time of the moon's declination being nothing, and are greatest about the time of its being greatest. The inequalities for low water are not the same as for high, though they disappear and have the greatest value at nearly the same times.

In Puget Sound the inequalities for the interval of high water and for the height of low water follow this rule, but those for the interval of low water and height of high water disappear about one day before the moon's declination is greatest, and are greatest about four or five days before the greatest declination.

When the moon's declination is north, the highest of the two tides of the twenty-four hours occurs at San Francisco about eleven and a half hours after the moon's southing, (transit;) and when the declination is south, the lowest of the two high tides occurs about that interval.

The lowest of the two low waters of the day is the one which follows next the highest high water. The nature of these tides will probably appear more plainly from the annexed diagrams. In them the height of the tide is set off at the side on a scale of feet, and the hours of the day are at the top. At 12 noon, for example, the tide-gauge marked 6.7 feet. Joining all the heights observed in the twenty-four hours, we have a curve like that marked in the figure.

The two high waters are  $a$  and  $c$ , and the two low waters  $b$  and  $d$ . If  $a$  is the high water, which occurs about twelve hours after the transit of the moon, when the declination is south, the ebb  $a b$  is quite small, and the high water,  $a$ , is much lower than the next high water,  $c$ . If the moon's declination is north, it is the large high water,  $a$ , of the second diagram, which occurs next after the transit, and about twelve hours from it. Tables IV and V, give the number to be added to the time of moon's transit to find the time of high water almost as readily as in the former case. They are of double entry, the time of transit being, as before, placed in the first column. The number of days from the day at which the moon had the greatest declination is arranged at the top of the table. Entering the first column with the time of transit, and following the line horizontally until we come under the column containing the days from the greatest declination, we find the number to be added to the time of transit to give the time of high water. If the moon's declination is south, Table IV is to be used; if north, Table V.



Tables IV to IX, inclusive, have been recomputed, using more complete data for the inequalities above referred to, and to those for San Francisco similar tables have been added for San Diego, Astoria, and Port Townshend. For the other places on the Western Coast given in Table I the following rules will give sufficiently close approximations.

To obtain the times of high or low water for San Pedro, Cuyler's harbor, and San Luis Obispo, compute first the time for San Diego, by Table IV, V, or VIII; then add to the time thus obtained 30 minutes, to obtain the time for San Luis Obispo, and subtract 13 minutes for Cuyler's harbor. At San Pedro the time of high or low water is sensibly the same as at San Diego.

For Monterey, South Farallon, Mare island, Benicia, Ravenswood, and Bodega, compute first the time for San Francisco, then subtract from the time thus obtained 1 h. 44 m. for Monterey, 1 h. 29 m. for the South Farallon, and 49 m. for Bodega, and add 34 m. for Mare island, 1 h. 4 m. for Benicia, and 30 m. for Ravenswood. For Thunderbolt bay, Port Orford, and Neeah harbor, compute first the time for Astoria, then subtract from it 40 m. for Humboldt bay, 1 h. 16 m. for Port Orford, and 9 m. for Neeah harbor.

For Steilacoom and Semi-ah-moo bay, compute first the time for Port Townshend, and add to it 57 m. for Steilacoom, and 1 h. for Semi-ah-moo. The approximation will be only a rough one for Steilacoom.

For the heights, Tables VI, VII, and IX for San Diego, can be used without change for San Pedro, Cuyler's harbor, and San Luis Obispo. These tables for San Francisco are also applicable to Monterey, South Farallon, and Bodega. For Mare island, add 1.2 foot, for Benicia, 0.9 foot, and for Ravenswood, 2.7 feet to the quantities for San Francisco.

For Humboldt bay, Port Orford, and Neeah harbor, the tables for Astoria may be used, subtracting 1.7 foot for Humboldt bay, and 1.0 foot for Port Orford. For Neeah harbor, the tables will give approximate results without change.

For Semi-ah-moo bay, add one foot to the quantities in the tables for Port Townshend. For Steilacoom, a rough approximation may be obtained by adding 4.6 feet to them.

TABLE IV.—SAN DIEGO.

SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.																		Time of moon's transit.
Time of moon's transit.	Before—								After—									
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7			
	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>			
0 0	9 25	9 40	9 52	10 3	10 12	10 20	10 25	10 29	10 29	10 25	10 19	10 10	10 0	9 47	9 30	0 0		
0 30	9 15	9 30	9 42	9 53	10 2	10 10	10 15	10 19	10 19	10 15	10 9	10 0	9 50	9 27	9 20	0 30		
1 0	9 8	9 23	9 35	9 46	9 55	10 3	10 8	10 12	10 12	10 8	10 2	9 53	9 43	9 30	9 13	1 0		
1 30	9 1	9 16	9 28	9 39	9 48	9 56	10 1	10 5	10 5	10 1	9 55	9 46	9 36	9 23	9 6	1 30		
2 0	8 54	9 9	9 21	9 32	9 41	9 49	9 54	9 58	9 58	9 54	9 48	9 39	9 29	9 16	8 59	2 0		
2 30	8 49	9 4	9 16	9 27	9 36	9 44	9 49	9 53	9 53	9 49	9 43	9 34	9 24	9 11	8 54	2 30		
3 0	8 48	9 3	9 15	9 26	9 35	9 43	9 48	9 52	9 52	9 48	9 42	9 33	9 23	9 10	8 53	3 0		
3 30	8 48	9 3	9 15	9 26	9 35	9 43	9 48	9 52	9 52	9 48	9 42	9 33	9 23	9 10	8 53	3 30		
4 0	8 52	9 7	9 19	9 30	9 39	9 47	9 52	9 56	9 56	9 52	9 46	9 37	9 27	9 14	8 57	4 0		
4 30	8 56	9 11	9 23	9 34	9 43	9 51	9 56	10 0	10 0	9 56	9 50	9 41	9 31	9 18	9 1	4 30		
5 0	9 15	9 30	9 42	9 53	10 2	10 10	10 15	10 19	10 19	10 15	10 9	10 0	9 50	9 37	9 20	5 0		
5 30	9 37	9 52	10 4	10 15	10 24	10 32	10 37	10 41	10 41	10 37	10 31	10 22	10 12	9 59	9 42	5 30		
6 0	9 55	10 10	10 22	10 33	10 42	10 50	10 55	10 59	10 59	10 55	10 49	10 40	10 30	10 17	10 0	6 0		
6 30	10 12	10 27	10 39	10 50	10 59	11 7	11 12	11 16	11 16	11 12	11 6	10 57	10 47	10 34	10 17	6 30		
7 0	10 18	10 33	10 45	10 56	11 5	11 13	11 18	11 22	11 22	11 18	11 12	11 3	10 53	10 40	10 23	7 0		
7 30	10 20	10 35	10 47	10 58	11 7	11 15	11 20	11 24	11 24	11 20	11 14	11 5	10 55	10 42	10 25	7 30		
8 0	10 22	10 37	10 49	11 0	11 9	11 17	11 22	11 26	11 26	11 22	11 16	11 7	10 57	10 44	10 27	8 0		
8 30	10 24	10 39	10 51	11 2	11 11	11 19	11 24	11 28	11 28	11 24	11 18	11 9	10 59	10 46	10 29	8 30		
9 0	10 18	10 33	10 45	10 56	11 5	11 13	11 18	11 22	11 22	11 18	11 12	11 3	10 53	10 40	10 23	9 0		
9 30	10 10	10 25	10 37	10 48	10 57	11 5	11 10	11 14	11 14	11 10	11 4	10 55	10 45	10 32	10 15	9 30		
10 0	10 0	10 15	10 27	10 38	10 47	10 55	11 0	11 4	11 4	11 0	10 54	10 45	10 35	10 22	10 5	10 0		
10 30	9 53	10 8	10 20	10 31	10 40	10 48	10 53	10 57	10 57	10 53	10 47	10 38	10 28	10 15	9 58	10 30		
11 0	9 45	10 0	10 12	10 23	10 32	10 40	10 45	10 49	10 49	10 45	10 39	10 30	10 20	10 7	9 50	11 0		
11 30	9 36	9 51	10 3	10 14	10 23	10 31	10 36	10 40	10 40	10 36	10 30	10 21	10 11	9 58	9 41	11 30		

TABLE V.—SAN DIEGO.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.																Time of moon's transit.
	Before—							After—									
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7		
<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
0 0	9 30	9 16	9 4	8 53	8 44	8 36	8 31	8 27	8 27	8 31	8 37	8 46	8 56	9 9	9 26	0 0	0 0
0 30	9 21	9 6	8 54	8 43	8 34	8 26	8 21	8 17	8 17	8 21	8 27	8 36	8 46	8 59	9 16	0 30	0 30
1 0	9 14	8 59	8 47	8 36	8 27	8 19	8 14	8 10	8 10	8 14	8 20	8 29	8 39	8 52	9 9	1 0	1 0
1 30	9 7	8 52	8 40	8 29	8 20	8 12	8 7	8 3	8 3	8 7	8 13	8 22	8 32	8 45	9 2	1 30	1 30
2 0	9 0	8 45	8 33	8 22	8 13	8 5	8 0	7 56	7 56	8 0	8 6	8 15	8 25	8 38	8 55	2 0	2 0
2 30	8 55	8 40	8 28	8 17	8 8	8 0	7 55	7 51	7 51	7 55	8 1	8 10	8 20	8 33	8 50	2 30	2 30
3 0	8 54	8 39	8 27	8 16	8 7	7 59	7 54	7 50	7 50	7 54	8 0	8 9	8 19	8 32	8 49	3 0	3 0
3 30	8 54	8 39	8 27	8 16	8 7	7 59	7 54	7 50	7 50	7 54	8 0	8 9	8 19	8 32	8 49	3 30	3 30
4 0	8 58	8 43	8 31	8 20	8 11	8 3	7 58	7 54	7 54	7 58	8 4	8 13	8 23	8 36	8 53	4 0	4 0
4 30	9 2	8 47	8 35	8 24	8 15	8 7	8 2	7 58	7 58	8 2	8 8	8 17	8 27	8 40	8 57	4 30	4 30
5 0	9 21	9 6	8 54	8 43	8 34	8 26	8 21	8 17	8 17	8 21	8 27	8 36	8 46	8 59	9 16	5 0	5 0
5 30	9 43	9 28	9 16	9 5	8 56	8 48	8 43	8 39	8 39	8 43	8 49	8 58	9 8	9 21	9 38	5 30	5 30
6 0	10 1	9 46	9 34	9 23	9 14	9 6	9 1	8 57	8 57	9 1	9 7	9 16	9 26	9 39	9 56	6 0	6 0
6 30	10 18	10 3	9 51	9 40	9 31	9 23	9 18	9 14	9 14	9 18	9 24	9 33	9 43	9 56	10 13	6 30	6 30
7 0	10 24	10 9	9 57	9 46	9 37	9 29	9 24	9 20	9 20	9 24	9 30	9 39	9 49	10 2	10 19	7 0	7 0
7 30	10 26	10 11	9 59	9 48	9 39	9 31	9 26	9 22	9 22	9 26	9 32	9 41	9 51	10 4	10 21	7 30	7 30
8 0	10 28	10 13	10 1	9 50	9 41	9 33	9 28	9 24	9 24	9 28	9 34	9 43	9 53	10 6	10 23	8 0	8 0
8 30	10 30	10 15	10 3	9 52	9 43	9 35	9 30	9 26	9 26	9 30	9 36	9 45	9 55	10 8	10 25	8 30	8 30
9 0	10 24	10 9	9 57	9 46	9 37	9 29	9 24	9 20	9 20	9 24	9 30	9 39	9 49	10 2	10 19	9 0	9 0
9 30	10 16	10 1	9 49	9 38	9 29	9 21	9 16	9 12	9 12	9 16	9 22	9 31	9 41	9 54	10 11	9 30	9 30
10 0	10 6	9 51	9 39	9 28	9 19	9 11	9 6	9 2	9 2	9 6	9 12	9 21	9 31	9 44	10 1	10 0	10 0
10 30	9 59	9 44	9 32	9 21	9 12	9 4	8 59	8 55	8 55	8 59	9 5	9 14	9 24	9 37	9 54	10 30	10 30
11 0	9 51	9 36	9 24	9 13	9 4	8 56	8 51	8 47	8 47	8 51	8 57	9 6	9 16	9 29	9 46	11 0	11 0
11 30	9 42	9 27	9 15	9 4	8 55	8 47	8 42	8 38	8 38	8 42	8 48	8 57	9 7	9 20	9 37	11 30	11 30

TABLE IV.—SAN FRANCISCO.

Time of moon's transit.	SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.																Time of moon's transit.
	Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7		
h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	
0 00	11 43	11 59	12 15	12 33	12 50	13 03	13 17	13 20	13 19	13 14	13 07	12 57	12 45	12 32	12 18	0 00	
0 30	11 37	11 53	12 09	12 27	12 44	12 57	13 11	13 14	13 13	13 08	13 01	12 51	12 39	12 26	12 12	0 30	
1 00	11 31	11 47	12 03	12 21	12 38	12 51	13 05	13 08	13 07	13 02	12 55	12 45	12 33	12 20	12 06	1 00	
1 30	11 25	11 41	11 57	12 15	12 32	12 45	12 59	13 02	13 01	12 56	12 49	12 39	12 27	12 14	12 00	1 30	
2 00	11 19	11 35	11 51	12 09	12 26	12 39	12 53	12 56	12 55	12 50	12 43	12 33	12 21	12 08	11 54	2 00	
2 30	11 14	11 30	11 46	12 04	12 21	12 34	12 48	12 51	12 50	12 45	12 38	12 28	12 16	12 03	11 49	2 30	
3 00	11 11	11 27	11 43	12 01	12 18	12 31	12 45	12 48	12 47	12 42	12 35	12 25	12 13	12 00	11 46	3 00	
3 30	11 11	11 27	11 43	12 01	12 18	12 31	12 45	12 48	12 47	12 42	12 35	12 25	12 13	12 00	11 46	3 30	
4 00	11 16	11 32	11 48	12 06	12 23	12 36	12 50	12 53	12 52	12 47	12 40	12 30	12 18	12 05	11 51	4 00	
4 30	11 24	11 40	11 56	12 14	12 31	12 44	12 58	13 01	13 00	12 55	12 48	12 38	12 26	12 13	11 59	4 30	
5 00	11 33	11 49	12 05	12 23	12 40	12 53	13 07	13 10	13 09	13 04	12 57	12 47	12 35	12 22	12 08	5 00	
5 30	11 41	11 57	12 13	12 31	12 48	13 01	13 15	13 18	13 17	13 12	13 05	12 55	12 43	12 30	12 16	5 30	
6 00	11 49	12 05	12 21	12 39	12 56	13 09	13 23	13 26	13 25	13 20	13 13	13 03	12 51	12 38	12 24	6 00	
6 30	11 54	12 10	12 26	12 44	13 01	13 14	13 28	13 31	13 30	13 25	13 18	13 08	12 56	12 43	12 29	6 30	
7 00	12 01	12 17	12 33	12 51	13 08	13 21	13 35	13 38	13 37	13 32	13 25	13 15	13 03	12 50	12 36	7 00	
7 30	12 07	12 23	12 39	12 57	13 14	13 27	13 41	13 44	13 43	13 38	13 31	13 21	13 09	12 56	12 42	7 30	
8 00	12 12	12 28	12 44	13 02	13 19	13 32	13 46	13 49	13 48	13 43	13 36	13 26	13 14	13 01	12 47	8 00	
8 30	12 15	12 31	12 47	13 05	13 22	13 35	13 49	13 52	13 51	13 46	13 39	13 29	13 17	13 04	12 50	8 30	
9 00	12 14	12 30	12 46	13 04	13 21	13 34	13 48	13 51	13 50	13 45	13 38	13 28	13 16	13 03	12 49	9 00	
9 30	12 12	12 28	12 44	13 02	13 19	13 32	13 46	13 49	13 48	13 43	13 36	13 26	13 14	13 01	12 47	9 30	
10 00	12 08	12 24	12 40	12 58	13 15	13 28	13 42	13 45	13 44	13 39	13 32	13 22	13 10	12 57	12 43	10 00	
10 30	12 02	12 18	12 34	12 52	13 09	13 22	13 36	13 39	13 38	13 33	13 26	13 16	13 04	12 51	12 37	10 30	
11 00	11 55	12 11	12 27	12 45	13 02	13 15	13 29	13 32	13 31	13 26	13 19	13 09	12 57	12 44	12 30	11 00	
11 30	11 47	12 03	12 19	12 37	12 54	13 07	13 21	13 24	13 23	13 18	13 11	13 01	12 49	12 36	12 22	11 30	

TABLE V.—SAN FRANCISCO.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.																Time of moon's transit.
	Before—							0	After—								
	7	6	5	4	3	2	1		1	2	3	4	5	6	7		
h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	
0 00	12 27	12 11	11 55	11 37	11 20	11 07	10 53	10 50	10 51	10 56	11 03	11 13	11 25	11 38	11 52	0 00	
0 30	12 21	12 05	11 49	11 31	11 14	11 01	10 47	10 44	10 45	10 50	10 57	11 07	11 19	11 32	11 46	0 30	
1 00	12 15	11 59	11 43	11 25	11 06	10 55	10 41	10 38	10 39	10 44	10 51	11 01	11 13	11 26	11 40	1 00	
1 30	12 09	11 53	11 37	11 19	11 02	10 49	10 35	10 32	10 33	10 38	10 45	10 55	11 07	11 20	11 34	1 30	
2 00	12 03	11 47	11 31	11 13	10 56	10 43	10 29	10 26	10 27	10 32	10 39	10 49	11 01	11 14	11 28	2 00	
2 30	11 58	11 42	11 26	11 08	10 51	10 38	10 24	10 21	10 22	10 27	10 34	10 44	10 56	11 09	11 23	2 30	
3 00	11 55	11 39	11 23	11 05	10 48	10 35	10 21	10 18	10 19	10 24	10 31	10 41	10 53	11 06	11 20	3 00	
3 30	11 55	11 39	11 23	11 05	10 48	10 35	10 21	10 18	10 19	10 24	10 31	10 41	10 53	11 06	11 20	3 30	
4 00	12 00	11 44	11 28	11 10	10 53	10 40	10 26	10 23	10 24	10 29	10 36	10 46	10 58	11 11	11 25	4 00	
4 30	12 08	11 52	11 36	11 18	11 01	10 48	10 34	10 31	10 32	10 37	10 44	10 54	11 06	11 19	11 33	4 30	
5 00	12 17	12 01	11 45	11 27	11 10	10 57	10 43	10 40	10 41	10 46	10 53	11 03	11 15	11 28	11 42	5 00	
5 30	12 25	12 09	11 53	11 35	11 18	11 05	10 51	10 48	10 49	10 54	11 01	11 11	11 23	11 36	11 50	5 30	
6 00	12 33	12 17	12 01	11 43	11 26	11 13	10 59	10 56	10 57	11 02	11 09	11 19	11 31	11 44	11 58	6 00	
6 30	12 38	12 22	12 06	11 48	11 31	11 18	11 04	11 01	11 02	11 07	11 14	11 24	11 36	11 49	12 03	6 30	
7 00	12 45	12 29	12 13	11 55	11 38	11 25	11 11	11 08	11 09	11 14	11 21	11 31	11 43	11 56	12 10	7 00	
7 30	12 51	12 35	12 19	12 01	11 44	11 31	11 17	11 14	11 15	11 20	11 27	11 37	11 49	12 02	12 16	7 30	
8 00	12 56	12 40	12 24	12 06	11 49	11 36	11 22	11 19	11 20	11 25	11 32	11 42	11 54	12 07	12 21	8 00	
8 30	12 59	12 43	12 27	12 09	11 52	11 39	11 25	11 22	11 23	11 28	11 35	11 45	11 57	12 10	12 24	8 30	
9 00	12 58	12 42	12 26	12 08	11 51	11 38	11 24	11 21	11 22	11 27	11 34	11 44	11 56	12 09	12 23	9 00	
9 30	12 56	12 40	12 24	12 06	11 49	11 36	11 22	11 19	11 20	11 25	11 32	11 42	11 54	12 07	12 21	9 30	
10 00	12 52	12 36	12 20	12 02	11 45	11 32	11 18	11 15	11 16	11 21	11 28	11 38	11 50	12 03	12 17	10 00	
10 30	12 46	12 30	12 14	11 56	11 39	11 26	11 12	11 09	11 10	11 15	11 22	11 32	11 44	11 57	12 11	10 30	
11 00	12 39	12 23	12 07	11 49	11 32	11 19	11 05	11 02	11 03	11 08	11 15	11 25	11 37	11 50	12 04	11 00	
11 30	12 31	12 15	11 59	11 41	11 24	11 11	10 57	10 54	10 55	11 00	11 07	11 17	11 29	11 42	11 56	11 30	



TABLE IV.—ASTORIA.

Time of moon's transit.	SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.
0 0	12 42	12 55	13 5	13 18	13 28	13 38	13 41	13 45	13 46	13 44	13 40	13 34	13 24	13 14	13 2	0 0
0 30	12 36	12 49	13 59	13 12	13 22	13 32	13 35	13 39	13 40	13 38	13 34	13 28	13 18	13 8	12 56	0 30
1 0	12 29	12 42	13 52	13 5	13 15	13 25	13 28	13 32	13 33	13 31	13 27	13 21	13 11	13 1	12 49	1 0
1 30	12 23	12 36	13 46	12 59	13 9	13 19	13 22	13 26	13 27	13 25	13 21	13 15	13 5	12 55	12 43	1 30
2 0	12 15	12 28	13 38	12 51	13 1	13 11	13 14	13 18	13 19	13 17	13 13	13 7	12 57	12 47	12 35	2 0
2 30	12 9	12 22	13 32	12 45	12 55	13 5	13 8	13 12	13 13	13 11	13 7	13 1	12 51	12 41	12 29	2 30
3 0	12 3	12 16	12 26	12 39	12 49	12 59	13 2	13 6	13 7	13 5	13 1	12 55	12 45	12 35	12 23	3 0
3 30	11 58	12 11	12 21	12 34	12 44	12 54	12 57	13 1	13 2	13 0	12 56	12 50	12 40	12 30	12 18	3 30
4 0	11 57	12 10	12 20	12 33	12 43	12 53	12 56	13 0	13 1	12 59	12 55	12 49	12 39	12 29	12 17	4 0
4 30	12 0	12 13	12 23	12 36	12 46	12 56	12 59	13 3	13 4	13 2	12 58	12 52	12 42	12 32	12 20	4 30
5 0	12 8	12 21	12 31	12 44	12 54	13 4	13 7	13 11	13 12	13 10	13 6	13 0	12 50	12 40	12 28	5 0
5 30	12 15	12 28	12 38	12 51	13 1	13 11	13 14	13 18	13 19	13 17	13 13	13 7	12 57	12 47	12 35	5 30
6 0	12 25	12 38	12 48	13 1	13 11	13 21	13 24	13 28	13 29	13 27	13 23	13 17	13 7	12 57	12 45	6 0
6 30	12 36	12 49	12 59	13 12	13 22	13 32	13 35	13 39	13 40	13 38	13 34	13 28	13 18	13 8	12 56	6 30
7 0	12 45	12 58	13 8	13 21	13 31	13 41	13 44	13 48	13 49	13 47	13 43	13 37	13 27	13 17	13 5	7 0
7 30	12 55	13 8	13 18	13 31	13 41	13 51	13 54	13 58	13 59	13 57	13 53	13 47	13 37	13 27	13 15	7 30
8 0	13 3	13 16	13 26	13 39	13 49	13 59	14 2	14 6	14 7	14 5	14 1	13 55	13 45	13 35	13 23	8 0
8 30	13 8	13 21	13 31	13 44	13 54	14 4	14 7	14 11	14 12	14 10	14 6	14 0	13 50	13 40	13 28	8 30
9 0	13 10	13 23	13 33	13 46	13 56	14 6	14 9	14 13	14 14	14 12	14 8	14 2	13 52	13 42	13 30	9 0
9 30	13 9	13 22	13 32	13 45	13 55	14 5	14 8	14 12	14 13	14 11	14 7	14 1	13 51	13 41	13 29	9 30
10 0	13 5	13 18	13 28	13 41	13 51	14 1	14 4	14 8	14 9	14 7	14 3	13 57	13 47	13 37	13 25	10 0
10 30	12 59	13 12	13 22	13 35	13 45	13 55	13 58	14 2	14 3	14 1	13 57	13 51	13 41	13 31	13 19	10 30
11 0	12 53	13 6	13 16	13 29	13 39	13 49	13 52	13 56	13 57	13 55	13 51	13 45	13 35	13 25	13 13	11 0
11 30	12 46	12 59	13 9	13 22	13 32	13 42	13 45	13 49	13 50	13 48	13 44	13 38	13 28	13 18	13 6	11 30

TABLE V.—ASTORIA.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.
0 0	13 10	12 57	12 47	12 34	12 24	12 14	12 11	12 7	12 6	12 8	12 12	12 18	12 28	12 38	12 50	0 0
0 30	13 4	12 51	12 41	12 28	12 18	12 8	12 5	12 1	12 0	12 2	12 6	12 12	12 22	12 32	12 44	0 30
1 0	12 57	12 44	12 34	12 21	12 11	12 1	11 58	11 54	11 53	11 55	11 59	12 5	12 15	12 25	12 37	1 0
1 30	12 51	12 38	12 28	12 15	12 5	11 55	11 52	11 48	11 47	11 49	11 53	11 59	12 9	12 19	12 31	1 30
2 0	12 43	12 30	12 20	12 7	11 57	11 47	11 44	11 40	11 39	11 41	11 45	11 51	12 1	12 11	12 23	2 0
2 30	12 37	12 24	12 14	12 1	11 57	11 41	11 38	11 34	11 33	11 35	11 39	11 45	11 55	12 5	12 17	2 30
3 0	12 31	12 18	12 8	11 55	11 45	11 35	11 32	11 28	11 27	11 29	11 33	11 39	11 49	11 59	12 11	3 0
3 30	12 26	12 13	12 3	11 50	11 40	11 30	11 27	11 23	11 22	11 24	11 28	11 34	11 44	11 54	12 6	3 30
4 0	12 25	12 12	12 2	11 49	11 39	11 29	11 26	11 22	11 21	11 23	11 27	11 33	11 43	11 53	12 5	4 0
4 30	12 28	12 15	12 5	11 52	11 42	11 32	11 29	11 25	11 24	11 26	11 30	11 36	11 46	11 56	12 8	4 30
5 0	12 36	12 23	12 13	12 0	11 50	11 40	11 37	11 33	11 32	11 34	11 38	11 44	11 54	12 4	12 16	5 0
5 30	12 43	12 30	12 20	12 7	11 57	11 47	11 44	11 40	11 39	11 41	11 45	11 51	12 1	12 11	12 23	5 30
6 0	12 53	12 40	12 30	12 17	12 7	11 57	11 54	11 50	11 49	11 51	11 55	12 1	12 11	12 21	12 33	6 0
6 30	13 4	12 51	12 41	12 28	12 18	12 8	12 5	12 1	12 0	12 2	12 6	12 12	12 22	12 32	12 44	6 30
7 0	13 13	13 0	12 50	12 37	12 27	12 17	12 14	12 10	12 9	12 11	12 15	12 21	12 31	12 41	12 53	7 0
7 30	13 23	13 10	13 0	12 47	12 37	12 27	12 24	12 20	12 19	12 21	12 25	12 31	12 41	12 51	13 3	7 30
8 0	13 31	13 18	13 8	12 55	12 45	12 35	12 32	12 28	12 27	12 29	12 33	12 39	12 49	12 59	13 11	8 0
8 30	13 36	13 23	13 13	13 0	12 50	12 40	12 37	12 33	12 32	12 34	12 38	12 44	12 54	13 4	13 16	8 30
9 0	13 38	13 25	13 15	13 2	12 52	12 42	12 39	12 35	12 34	12 36	12 40	12 46	12 56	13 6	13 18	9 0
9 30	13 37	13 24	13 14	13 1	12 51	12 41	12 38	12 34	12 33	12 35	12 39	12 45	12 55	13 5	13 17	9 30
10 0	13 33	13 20	13 10	12 57	12 47	12 37	12 34	12 30	12 29	12 31	12 35	12 41	12 51	13 1	13 13	10 0
10 30	13 27	13 14	13 4	12 51	12 41	12 31	12 28	12 24	12 23	12 25	12 29	12 35	12 45	12 55	13 7	10 30
11 0	13 21	13 8	12 58	12 45	12 35	12 25	12 22	12 18	12 17	12 19	12 23	12 29	12 39	12 49	13 1	11 0
11 30	13 14	13 1	12 51	12 38	12 28	12 18	12 15	12 11	12 10	12 12	12 16	12 22	12 32	12 42	12 54	11 30

TABLE IV.—PORT TOWNSHEND.

Time of moon's transit.	SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.																Time of moon's transit.
	Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7		
h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	
0 0	3 45	3 21	2 51	2 2	1 32	1 13	1 26	1 44	2 2	2 21	2 42	2 57	3 15	3 33	3 45	0 0	
0 30	3 38	3 14	2 44	1 55	1 25	1 6	1 19	1 37	1 55	2 14	2 35	2 50	3 8	3 26	3 38	0 30	
1 0	3 32	3 8	2 38	1 49	1 19	1 0	1 13	1 31	1 49	2 8	2 29	2 44	3 2	3 20	3 32	1 0	
1 30	3 26	3 2	2 32	1 43	1 13	0 54	1 7	1 25	1 43	2 2	2 23	2 38	2 56	3 14	3 26	1 30	
2 0	3 21	2 57	2 27	1 38	1 8	0 49	1 2	1 20	1 38	1 57	2 18	2 33	2 51	3 9	3 21	2 0	
2 30	3 18	2 54	2 24	1 35	1 5	0 46	0 59	1 17	1 35	1 54	2 15	2 20	2 48	3 6	3 18	2 30	
3 0	3 16	2 52	2 22	1 33	1 3	0 44	0 57	1 15	1 33	1 52	2 13	2 28	2 46	3 4	3 16	3 0	
3 30	3 17	2 53	2 23	1 34	1 4	0 45	0 58	1 16	1 34	1 53	2 14	2 29	2 47	3 5	3 17	3 30	
4 0	3 21	2 57	2 27	1 38	1 8	0 49	1 2	1 20	1 38	1 57	2 18	2 33	2 51	3 9	3 21	4 0	
4 30	3 26	3 2	2 32	1 43	1 13	0 54	1 7	1 25	1 43	2 2	2 23	2 38	2 56	3 14	3 26	4 30	
5 0	3 52	3 8	2 38	1 49	1 19	1 0	1 13	1 31	1 49	2 8	2 29	2 44	3 2	3 20	3 32	5 0	
5 30	3 41	3 17	2 47	1 58	1 28	1 9	1 22	1 40	1 58	2 17	2 38	2 53	3 11	3 29	3 41	5 30	
6 0	3 52	3 28	2 58	2 9	1 39	1 20	1 33	1 51	2 9	2 28	2 49	3 4	3 22	3 40	3 52	6 0	
6 30	4 1	3 37	3 7	2 18	1 48	1 29	1 42	2 0	2 18	2 37	2 58	3 13	3 31	3 49	4 1	6 30	
7 0	4 8	3 44	3 14	2 25	1 55	1 36	1 49	2 7	2 25	2 44	3 5	3 20	3 38	3 56	4 8	7 0	
7 30	4 15	3 51	3 21	2 32	2 2	1 43	1 56	2 14	2 32	2 51	3 12	3 27	3 45	4 3	4 15	7 30	
8 0	4 18	3 54	3 24	2 35	2 5	1 46	1 59	2 17	2 35	2 54	3 15	3 30	3 48	4 6	4 18	8 0	
8 30	4 19	3 55	3 25	2 36	2 6	1 47	2 0	2 18	2 36	2 55	3 16	3 31	3 49	4 7	4 19	8 30	
9 0	4 16	3 54	3 24	2 35	2 5	1 46	1 59	2 17	2 35	2 54	3 15	3 30	3 48	4 6	4 18	9 0	
9 30	4 15	3 51	3 21	2 32	2 2	1 43	1 56	2 14	2 32	2 51	3 12	3 27	3 45	4 3	4 15	9 30	
10 0	4 10	3 46	3 16	2 27	1 57	1 38	1 51	2 9	2 27	2 46	3 7	3 22	3 40	3 58	4 10	10 0	
10 30	4 6	3 42	3 12	2 23	1 53	1 34	1 47	2 5	2 23	2 42	3 3	3 18	3 36	3 54	4 6	10 30	
11 0	4 0	3 36	3 6	2 17	1 47	1 28	1 41	1 59	2 17	2 36	2 57	3 12	3 30	3 48	4 0	11 0	
11 30	3 54	3 30	3 0	2 11	1 41	1 22	1 35	1 53	2 11	2 30	2 51	3 6	3 24	3 42	3 54	11 30	

TABLE V.—PORT TOWNSHEND.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.																Time of moon's transit.
	Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7		
A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	A. m.	
0 0	3 45	4 9	4 39	5 28	5 58	6 17	6 4	5 46	5 28	5 9	4 48	4 33	4 15	3 57	3 45	0 0	
0 30	3 38	4 2	4 32	5 21	5 51	6 10	5 57	5 39	5 21	5 2	4 41	4 26	4 8	3 50	3 38	0 30	
1 0	3 32	3 56	4 26	5 15	5 45	6 4	5 51	5 33	5 15	4 56	4 35	4 20	4 2	3 44	3 32	1 0	
1 30	3 26	3 50	4 20	5 9	5 39	5 58	5 45	5 27	5 9	4 50	4 29	4 14	3 56	3 38	3 26	1 30	
2 0	3 21	3 45	4 15	5 4	5 34	5 53	5 40	5 22	5 4	4 45	4 24	4 9	3 51	3 33	3 21	2 0	
2 30	3 18	3 42	4 12	5 1	5 31	5 50	5 37	5 19	5 1	4 42	4 21	4 6	3 48	3 30	3 18	2 30	
3 0	3 16	3 40	4 10	4 59	5 29	5 48	5 35	5 17	4 59	4 40	4 19	4 4	3 46	3 28	3 16	3 0	
3 30	3 17	3 41	4 11	5 0	5 30	5 49	5 36	5 18	5 0	4 41	4 20	4 5	3 47	3 29	3 17	3 30	
4 0	3 21	3 45	4 15	5 4	5 34	5 53	5 40	5 22	5 4	4 45	4 24	4 9	3 51	3 33	3 21	4 0	
4 30	3 26	3 50	4 20	5 9	5 39	5 58	5 45	5 27	5 9	4 50	4 29	4 14	3 56	3 38	3 26	4 30	
5 0	3 32	3 56	4 26	5 15	5 45	6 4	5 51	5 33	5 15	4 56	4 35	4 20	4 2	3 44	3 32	5 0	
5 30	3 41	4 5	4 35	5 24	5 54	6 13	6 0	5 42	5 24	5 5	4 44	4 29	4 11	3 53	3 41	5 30	
6 0	3 52	4 16	4 46	5 35	6 5	6 24	6 11	5 53	5 35	5 16	4 55	4 40	4 22	4 4	3 52	6 0	
6 30	4 1	4 25	4 55	5 44	6 14	6 33	6 20	6 2	5 44	5 25	5 4	4 49	4 31	4 13	4 1	6 30	
7 0	4 8	4 32	5 2	5 51	6 21	6 40	6 27	6 9	5 51	5 32	5 11	4 56	4 38	4 20	4 8	7 0	
7 30	4 15	4 39	5 9	5 58	6 28	6 47	6 34	6 16	5 58	5 39	5 18	5 3	4 45	4 27	4 15	7 30	
8 0	4 18	4 42	5 12	6 1	6 31	6 50	6 37	6 19	6 1	5 42	5 21	5 6	4 48	4 30	4 18	8 0	
8 30	4 19	4 43	5 13	6 2	6 32	6 51	6 38	6 20	6 2	5 43	5 22	5 7	4 49	4 31	4 19	8 30	
9 0	4 18	4 42	5 12	6 1	6 31	6 50	6 37	6 19	6 1	5 42	5 21	5 6	4 48	4 30	4 18	9 0	
9 30	4 15	4 39	5 9	5 58	6 28	6 47	6 34	6 16	5 58	5 39	5 18	5 3	4 45	4 27	4 15	9 30	
10 0	4 10	4 34	5 4	5 53	6 23	6 42	6 29	6 11	5 53	5 34	5 13	4 58	4 40	4 22	4 10	10 0	
10 30	4 6	4 30	5 0	5 49	6 19	6 38	6 25	6 7	5 49	5 30	5 9	4 54	4 36	4 18	4 6	10 30	
11 0	4 0	4 24	4 54	5 43	6 13	6 32	6 19	6 1	5 43	5 24	5 3	4 48	4 30	4 12	4 0	11 0	
11 30	3 54	4 18	4 48	5 37	6 7	6 26	6 13	5 55	5 37	5 18	4 57	4 42	4 24	4 6	3 54	11 30	

If we disregard the daily inequality, the column headed San Francisco in Table II would give us, as in the examples on the Atlantic coast, the means of determining the time of high water.

*Example V.*—Required the time of high water at North Beach, San Francisco, Cal., on the 7th February, 1853.

1st. The time of the moon's transit at Greenwich, from the Nautical Almanac, is 11*h.* 41*m.*; the longitude of San Francisco 8*h.* 10*m.*; requiring a correction of 16*m.* to the time of transit for San Francisco, which is thus found to be 11*h.* 57*m.*

2d. The moon's declination is south, and at the time of transit about two days after the greatest. Entering Table IV we find 12*h.* (or 0*h.*) of transit, the nearest number to 11*h.* 57*m.* which the table gives; and following the line horizontally until we come to two days after the greatest declination we find 13*h.* 14*m.*

To 11*h.* 57*m.*, time of transit of the moon, February 7, San Francisco,  
Add 13 14 from column 0*h.* transit and two days after greatest declination.

The sum 25 11 or 1*h.* 11*m.*, February 8, is the time of high water corresponding to the transit which we took of February 7. If we desire the tide of February 7, we must go back to the moon's transit of the 6th. The example was purposely assumed to show this case:

11*h.* 1*m.*, time of transit February 6, 1853,

13 31 number for 11*h.* transit and one day from greatest declination.

Sum 24 32 time of high water 0*h.* 32*m.* a. m. February 7.

*The height of high water.*—The height of high water is obtained in a similar manner by the use of Table VI and Table VII, entering these in the same way with the time of transit and days from the greatest declination. Table VI is for south declination, and Table VII for north.

TABLE VI.—SAN DIEGO.

Time of moon's transit.	SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.	
	Before—								0	After—							
	7	6	5	4	3	2	1	1		2	3	4	5	6	7		
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.	
0	4.7	4.5	4.3	4.2	4.1	4.1	4.1	4.1	4.2	4.3	4.5	4.8	5.1	5.5	5.8	0	
1	4.6	4.4	4.2	4.1	4.0	4.0	4.0	4.0	4.1	4.2	4.4	4.7	5.0	5.4	5.7	1	
2	4.4	4.2	4.0	3.9	3.8	3.8	3.8	3.8	3.9	4.0	4.2	4.5	4.8	5.2	5.5	2	
3	4.1	3.9	3.7	3.6	3.5	3.5	3.5	3.5	3.6	3.7	3.9	4.2	4.5	4.9	5.2	3	
4	3.8	3.6	3.4	3.3	3.2	3.2	3.2	3.2	3.3	3.4	3.6	3.9	4.2	4.6	4.9	4	
5	3.6	3.4	3.2	3.1	3.0	3.0	3.0	3.0	3.1	3.2	3.4	3.7	4.0	4.4	4.7	5	
6	3.6	3.4	3.2	3.1	3.0	3.0	3.0	3.0	3.1	3.2	3.4	3.7	4.0	4.4	4.7	6	
7	3.7	3.5	3.3	3.2	3.1	3.1	3.1	3.1	3.2	3.3	3.5	3.8	4.1	4.5	4.8	7	
8	3.8	3.6	3.4	3.3	3.2	3.2	3.2	3.2	3.3	3.4	3.6	3.9	4.2	4.6	4.9	8	
9	4.4	4.2	4.0	3.9	3.8	3.8	3.8	3.8	3.9	4.0	4.2	4.5	4.8	5.2	5.5	9	
10	4.7	4.5	4.3	4.2	4.1	4.1	4.1	4.1	4.2	4.3	4.5	4.8	5.1	5.5	5.8	10	
11	4.6	4.4	4.2	4.1	4.0	4.0	4.0	4.0	4.1	4.2	4.4	4.7	5.0	5.4	5.7	11	

TABLE VII.—SAN DIEGO.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	5.7	5.9	6.1	6.2	6.3	6.3	6.3	6.3	6.2	6.1	5.9	5.6	5.3	4.9	4.6	0
1	5.6	5.8	6.0	6.1	6.2	6.2	6.2	6.2	6.1	6.0	5.8	5.5	5.2	4.8	4.5	1
2	5.4	5.6	5.8	5.9	6.0	6.0	6.0	6.0	5.9	5.8	5.6	5.3	5.0	4.6	4.3	2
3	5.1	5.3	5.5	5.6	5.7	5.7	5.7	5.7	5.6	5.5	5.3	5.0	4.7	4.3	4.0	3
4	4.8	5.0	5.2	5.3	5.4	5.4	5.4	5.4	5.3	5.2	5.0	4.7	4.4	4.0	3.7	4
5	4.6	4.8	5.0	5.1	5.2	5.2	5.2	5.2	5.1	5.0	4.8	4.5	4.2	3.8	3.5	5
6	4.6	4.8	5.0	5.1	5.2	5.2	5.2	5.2	5.1	5.0	4.8	4.5	4.2	3.8	3.5	6
7	4.7	4.9	5.1	5.2	5.3	5.3	5.3	5.3	5.2	5.1	4.9	4.6	4.3	3.9	3.6	7
8	4.8	5.0	5.2	5.3	5.4	5.4	5.4	5.4	5.3	5.2	5.0	4.7	4.4	4.0	3.7	8
9	5.4	5.6	5.8	5.9	6.0	6.0	6.0	6.0	5.9	5.8	5.6	5.3	5.0	4.6	4.3	9
10	5.7	5.9	6.1	6.2	6.3	6.3	6.3	6.3	6.2	6.1	5.9	5.6	5.3	4.9	4.6	10
11	5.8	6.0	6.2	6.3	6.4	6.4	6.4	6.4	6.3	6.2	6.0	5.7	5.4	5.0	4.7	11

TABLE VI.—SAN FRANCISCO.

Time of moon's transit.	SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	4.8	4.7	4.5	4.3	4.3	4.2	4.3	4.3	4.4	4.5	4.7	4.8	5.0	5.3	5.5	0
1	4.7	4.6	4.4	4.2	4.2	4.1	4.2	4.2	4.3	4.4	4.6	4.7	4.9	5.2	5.4	1
2	4.6	4.5	4.3	4.1	4.1	4.0	4.1	4.1	4.2	4.3	4.5	4.6	4.8	5.1	5.3	2
3	4.5	4.4	4.2	4.0	4.0	3.9	4.0	4.0	4.1	4.2	4.4	4.5	4.7	5.0	5.2	3
4	4.3	4.2	4.0	3.8	3.8	3.7	3.8	3.8	3.9	4.0	4.2	4.3	4.5	4.8	5.0	4
5	4.1	4.0	3.8	3.6	3.6	3.5	3.6	3.6	3.7	3.8	4.0	4.1	4.3	4.6	4.8	5
6	4.1	4.0	3.8	3.6	3.6	3.5	3.6	3.6	3.7	3.8	4.0	4.1	4.3	4.6	4.8	6
7	4.2	4.1	3.9	3.7	3.7	3.6	3.7	3.7	3.8	3.9	4.1	4.2	4.4	4.7	4.9	7
8	4.4	4.3	4.1	3.9	3.9	3.8	3.9	3.9	4.0	4.1	4.3	4.4	4.6	4.9	5.1	8
9	4.5	4.4	4.2	4.0	4.0	3.9	4.0	4.0	4.1	4.2	4.4	4.5	4.7	5.0	5.2	9
10	4.7	4.6	4.4	4.2	4.2	4.1	4.2	4.2	4.3	4.4	4.6	4.7	4.9	5.2	5.4	10
11	4.8	4.7	4.5	4.3	4.3	4.2	4.3	4.3	4.4	4.5	4.7	4.8	5.0	5.3	5.5	11

TABLE VII.—SAN FRANCISCO.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—								After—							
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	5.4	5.5	5.7	5.9	5.9	6.0	5.9	5.9	5.8	5.7	5.5	5.4	5.2	4.9	4.7	0
1	5.3	5.4	5.6	5.8	5.8	5.9	5.8	5.8	5.7	5.6	5.4	5.3	5.1	4.8	4.6	1
2	5.2	5.3	5.5	5.7	5.7	5.8	5.7	5.7	5.6	5.5	5.3	5.2	5.0	4.7	4.5	2
3	5.1	5.2	5.4	5.6	5.6	5.7	5.6	5.6	5.5	5.4	5.2	5.1	4.9	4.6	4.4	3
4	4.9	5.0	5.2	5.4	5.4	5.5	5.4	5.4	5.3	5.2	5.0	4.9	4.7	4.4	4.2	4
5	4.7	4.8	5.0	5.2	5.2	5.3	5.2	5.2	5.1	5.0	4.8	4.7	4.5	4.2	4.0	5
6	4.7	4.8	5.0	5.2	5.2	5.3	5.2	5.2	5.1	5.0	4.8	4.7	4.5	4.2	4.0	6
7	4.8	4.9	5.1	5.3	5.3	5.4	5.3	5.3	5.2	5.1	4.9	4.8	4.6	4.3	4.1	7
8	5.0	5.1	5.3	5.5	5.5	5.6	5.5	5.5	5.4	5.3	5.1	5.0	4.8	4.5	4.3	8
9	5.1	5.2	5.4	5.6	5.6	5.7	5.6	5.6	5.5	5.4	5.2	5.1	4.9	4.6	4.4	9
10	5.3	5.4	5.6	5.8	5.8	5.9	5.8	5.8	5.7	5.6	5.4	5.3	5.1	4.8	4.6	10
11	5.4	5.5	5.7	5.9	5.9	6.0	5.9	5.9	5.8	5.7	5.5	5.4	5.2	4.9	4.7	11

TABLE VI.—ASTORIA.

Time of moon's transit.	SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	8.0	8.3	8.4	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.3	8.1	7.7	7.4	7.0	0
1	8.0	8.2	8.4	8.5	8.6	8.6	8.6	8.5	8.5	8.4	8.2	8.1	7.7	7.4	7.0	1
2	7.8	8.1	8.2	8.4	8.4	8.4	8.4	8.6	8.3	8.2	8.1	7.9	7.5	7.2	6.8	2
3	7.5	7.8	7.9	8.1	8.1	8.1	8.1	8.1	8.0	7.9	7.8	7.6	7.2	6.9	6.5	3
4	7.1	7.6	7.5	7.7	7.7	7.7	7.7	7.7	7.6	7.5	7.4	7.2	6.8	6.5	6.1	4
5	6.7	7.0	7.2	7.3	7.3	7.3	7.3	7.3	7.2	7.1	7.0	6.8	6.5	6.1	5.7	5
6	6.5	6.8	7.0	7.1	7.1	7.1	7.1	7.1	7.0	6.9	6.8	6.6	6.3	5.9	5.5	6
7	6.7	7.0	7.1	7.2	7.3	7.3	7.3	7.3	7.2	7.1	7.0	6.8	6.4	6.1	5.7	7
8	7.0	7.3	7.5	7.6	7.6	7.6	7.6	7.6	7.5	7.4	7.3	7.1	6.8	6.4	6.0	8
9	7.5	7.8	8.0	8.1	8.1	8.1	8.1	8.1	8.0	7.9	7.8	7.6	7.3	6.9	6.5	9
10	7.9	8.2	8.4	8.5	8.5	8.5	8.5	8.5	8.4	8.3	8.2	8.0	7.7	7.3	6.9	10
11	8.1	8.4	8.6	8.7	8.7	8.7	8.7	8.7	8.6	8.5	8.4	8.2	7.9	7.5	7.1	11

TABLE VII.—ASTORIA.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	7.4	7.1	6.9	6.8	6.8	6.8	6.8	6.8	6.9	7.0	7.1	7.3	7.6	8.0	8.4	0
1	7.4	7.1	6.9	6.8	6.8	6.8	6.8	6.8	6.9	7.0	7.1	7.3	7.6	8.0	8.4	1
2	7.2	6.9	6.8	6.6	6.6	6.6	6.6	6.6	6.7	6.8	6.9	7.1	7.5	7.8	8.2	2
3	6.9	6.6	6.5	6.3	6.3	6.3	6.3	6.3	6.4	6.5	6.6	6.8	7.2	7.5	7.9	3
4	6.5	6.2	6.1	5.9	5.9	5.9	5.9	5.9	6.0	6.1	6.2	6.4	6.7	7.1	7.5	4
5	6.1	5.9	5.7	5.6	5.5	5.5	5.6	5.6	5.7	5.7	5.9	6.0	6.4	6.7	7.1	5
6	5.9	5.7	5.5	5.4	5.3	5.3	5.3	5.4	5.5	5.5	5.7	5.9	6.2	6.5	6.9	6
7	6.1	5.8	5.6	5.5	5.5	5.5	5.5	5.5	5.6	5.7	5.8	6.0	6.3	6.7	7.1	7
8	6.4	6.2	6.0	5.9	5.8	5.8	5.8	5.8	5.9	6.0	6.2	6.3	6.7	7.0	7.4	8
9	6.9	6.7	6.5	6.4	6.3	6.3	6.3	6.4	6.4	6.5	6.7	6.8	7.2	7.5	7.9	9
10	7.3	7.1	6.9	6.8	6.7	6.7	6.7	6.8	6.9	6.9	7.0	7.2	7.6	7.9	8.3	10
11	7.5	7.2	7.1	7.0	6.9	6.9	6.9	6.9	7.0	7.1	7.2	7.4	7.8	8.1	8.5	11

TABLE VI.—PORT TOWNSHEND.

Time of moon's transit.	NORTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	6.6	6.3	5.9	6.1	6.4	6.9	7.2	7.4	7.5	7.5	7.5	7.5	7.6	7.7	7.9	0
1	6.7	6.4	6.0	6.2	6.5	7.0	7.3	7.5	7.6	7.6	7.6	7.6	7.7	7.8	8.0	1
2	6.6	6.3	5.9	6.1	6.4	6.9	7.2	7.4	7.5	7.5	7.5	7.5	7.6	7.7	7.9	2
3	6.3	6.0	5.6	5.8	6.1	6.6	6.9	7.1	7.2	7.2	7.2	7.4	7.3	7.4	7.6	3
4	6.0	5.7	5.3	5.5	5.8	6.3	6.6	6.8	6.9	6.9	6.9	6.9	7.0	7.1	7.3	4
5	5.9	5.6	5.2	5.4	5.7	6.2	6.5	6.7	6.8	6.8	6.8	6.8	6.9	7.0	7.2	5
6	6.1	5.8	5.4	5.6	5.9	6.4	6.7	6.9	7.0	7.0	7.0	7.0	7.1	7.2	7.4	6
7	6.4	6.1	5.7	5.9	6.2	6.7	7.0	7.2	7.3	7.3	7.3	7.3	7.4	7.5	7.7	7
8	6.5	6.2	5.8	6.0	6.3	6.8	7.1	7.3	7.4	7.4	7.4	7.4	7.5	7.6	7.8	8
9	6.5	6.2	5.8	6.0	6.3	6.8	7.1	7.3	7.4	7.4	7.4	7.4	7.5	7.6	7.8	9
10	6.6	6.3	5.9	6.1	6.4	6.9	7.2	7.4	7.5	7.5	7.5	7.5	7.6	7.7	7.9	10
11	6.6	6.3	5.9	6.1	6.4	6.9	7.2	7.4	7.5	7.5	7.5	7.5	7.6	7.7	7.9	11

TABLE VII.—PORT TOWNSHEND.

Time of moon's transit.	SOUTH DECLINATION.—DAYS FROM MOON'S GREATEST DECLINATION.															Time of moon's transit.
	Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
Hour.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Hour.
0	7.6	7.9	8.3	8.1	7.8	7.3	7.0	6.8	6.7	6.7	6.7	6.7	6.6	6.5	6.3	0
1	7.7	8.0	8.4	8.2	7.9	7.4	7.1	6.9	6.8	6.8	6.8	6.8	6.7	6.6	6.4	1
2	7.6	7.9	8.3	8.1	7.8	7.3	7.0	6.8	6.7	6.7	6.7	6.7	6.6	6.5	6.3	2
3	7.3	7.6	8.0	7.8	7.5	7.0	6.7	6.5	6.4	6.4	6.4	6.4	6.3	6.2	6.0	3
4	7.0	7.3	7.7	7.5	7.2	6.7	6.4	6.2	6.1	6.1	6.1	6.1	6.0	5.9	5.7	4
5	6.9	7.2	7.6	7.4	7.1	6.6	6.3	6.1	6.0	6.0	6.0	6.0	5.9	5.8	5.6	5
6	7.1	7.4	7.8	7.6	7.3	6.8	6.5	6.3	6.2	6.2	6.2	6.2	6.1	6.0	5.8	6
7	7.4	7.7	8.1	7.9	7.6	7.1	6.8	6.6	6.5	6.5	6.5	6.5	6.4	6.3	6.1	7
8	7.5	7.8	8.2	8.0	7.7	7.2	6.9	6.7	6.6	6.6	6.6	6.6	6.5	6.4	6.2	8
9	7.5	7.8	8.2	8.0	7.7	7.2	6.9	6.7	6.6	6.6	6.6	6.6	6.5	6.4	6.2	9
10	7.6	7.9	8.3	8.1	7.8	7.3	7.0	6.8	6.7	6.7	6.7	6.7	6.6	6.5	6.3	10
11	7.6	7.9	8.3	8.1	7.8	7.3	7.0	6.8	6.7	6.7	6.7	6.7	6.6	6.5	6.3	11

Note.—To use these tables with a chart on which the soundings are referred to mean low water, subtract 1.2 foot from the numbers in the tables from San Diego to Astoria, 1.7 foot for Neé-ah harbor, 2.3 for Port Townsend, and 2.7 for Semiahmoo and Steilacoom.

*Example VI.*—In Example V, to obtain the height of tide on February 7, the declination being south, we enter Table VI, for San Francisco, with 0h. of transit, and two days after greatest declination, and find that the tide will be 4.5 feet above the mean of the lowest low water, or that 4.5 feet are to be added to the soundings of a chart reduced to the mean of the lowest low waters of each day. If the soundings of the chart were given for mean low water, then 1.2 feet ought to be subtracted from the Tables VI and VII; thus, in this example, it would be 3.3 feet.

The approximate time of the successive low and high waters of the day will be found by adding the numbers in Table VIII to the time of the first high water already determined. The table gives the numbers for the different days from the greatest declination.

Tables containing numbers to be added to the time of high water found from Tables IV and V, to obtain the successive low and high waters.

TABLE VIII.—SAN DIEGO.

Days from moon's greatest declination.		SOUTH DECLINATION.			NORTH DECLINATION.			Days from moon's greatest declination.	
		Low water. (Small.)	High water. (Large.)	Low water. (Large.)	Low water. (Large.)	High water. (Small.)	Low water. (Small.)		
Before.	7	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	Before.	
	6	5 44	12 28	18 44	6 16	12 16	18 00		
	5	5 18	11 58	18 40	6 42	12 46	18 04		
	4	5 00	11 34	18 34	7 00	13 10	18 10		
	3	4 47	11 12	18 25	7 13	13 32	18 19		
	2	4 34	10 54	18 20	7 26	13 50	18 24		
	1	4 24	10 38	18 14	7 36	14 06	18 30		
	0	4 17	10 28	18 11	7 43	14 16	18 33		
After.	0	4 12	10 20	18 08	7 48	14 24	18 36	After.	
	1	4 14	10 20	18 06	7 46	14 24	18 38		
	2	4 24	10 28	18 04	7 36	14 16	18 40		
	3	4 38	10 40	18 02	7 22	14 04	18 42		
	4	5 01	10 58	17 57	6 59	13 46	18 47		
	5	5 25	11 18	17 53	6 35	13 26	18 51		
	6	5 49	11 44	17 55	6 11	13 00	18 49		
	7	6 18	12 18	18 00	5 42	12 26	18 44		

TABLE VIII.—SAN FRANCISCO.

Days from moon's greatest declination.	SOUTH DECLINATION.			NORTH DECLINATION.			Days from moon's greatest declination.
	Low water. (Small.)	High water. (Large.)	Low water. (Large.)	Low water. (Large.)	High water. (Small.)	Low water. (Small.)	
Before.	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	Before.
	7 5 58	13 14	18 58	5 44	11 46	17 44	
	6 5 36	12 42	18 48	6 06	12 18	17 54	
	5 5 14	12 10	18 38	6 28	12 50	18 04	
	4 4 55	11 34	18 21	6 47	13 26	18 21	
	3 4 37	11 00	18 05	7 05	14 00	18 37	
	2 4 24	10 34	17 52	7 18	14 26	18 50	
After.	1 4 12	10 06	17 36	7 30	14 54	19 06	After.
	0 4 12	10 00	17 30	7 30	15 00	19 12	
	1 4 17	10 02	17 27	7 25	14 58	19 15	
	2 4 27	10 12	17 27	7 15	14 48	19 15	
	3 4 41	10 26	17 27	7 01	14 34	19 15	
	4 4 56	10 46	17 32	6 46	14 14	19 10	
	5 5 14	11 10	17 38	6 28	13 50	19 04	
	6 5 36	11 36	17 42	6 06	13 24	19 00	
	7 5 57	12 04	17 49	5 45	12 56	18 53	

TABLE VIII.—ASTORIA.

Days from moon's greatest declination.	SOUTH DECLINATION.			NORTH DECLINATION.			Days from moon's greatest declination.
	Low water. (Small.)	High water. (Large.)	Low water. (Large.)	Low water. (Large.)	High water. (Small.)	Low water. (Small.)	
Before.	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	Before.
	7 6 38	12 59	19 17	6 18	12 03	18 41	
	6 6 14	12 33	19 15	6 42	12 29	18 43	
	5 5 55	12 13	19 14	7 01	12 49	18 44	
	4 5 34	11 47	19 09	7 22	13 15	18 49	
	3 5 20	11 27	19 03	7 36	13 35	18 55	
	2 5 09	11 07	18 54	7 47	13 55	19 04	
After.	1 5 05	11 01	18 52	7 51	14 01	19 06	After.
	0 5 03	10 53	18 46	7 53	14 09	19 12	
	1 5 05	10 51	18 42	7 51	14 11	19 16	
	2 5 11	10 55	18 40	7 45	14 07	19 18	
	3 5 18	11 03	18 41	7 38	13 59	19 17	
	4 5 32	11 15	18 39	7 24	13 47	19 19	
	5 5 50	11 35	18 41	7 06	13 27	19 17	
	6 6 11	11 55	18 40	6 45	13 07	19 18	
	7 6 35	12 19	18 40	6 21	12 43	19 18	

TABLE VIII.—PORT TOWNSHEND.

Days from moon's greatest declination.		SOUTH DECLINATION.			NORTH DECLINATION.			Days from moon's greatest declination.	
		Low water.	High water.	Low water.	Low water.	High water.	Low water.		
Before.	7	h. m.	h. m.	h. m.	h. m.	h. m.	h. m.	After.	
	6	6 05	12 26	18 05	5 39	12 26	18 31		
	5	6 38	13 14	18 20	5 06	11 38	18 16		
	4	7 18	14 14	18 40	4 26	10 38	17 56		
	3	8 13	15 52	19 23	3 31	9 00	17 13		
	2	8 36	16 52	20 00	3 08	8 00	16 36		
	1	8 43	17 30	20 31	3 01	7 22	16 05		
After.	0	8 12	17 04	20 36	3 32	7 48	16 00	After.	
	1	7 40	16 28	20 32	4 04	8 24	16 04		
	2	7 18	15 52	20 18	4 26	9 00	16 18		
	3	6 59	15 14	19 59	4 45	9 38	16 37		
	4	6 38	14 32	19 36	5 06	10 20	16 58		
	5	6 24	14 02	19 22	5 20	10 50	17 14		
	6	6 10	13 26	19 00	5 34	11 26	17 36		
	7	5 59	12 50	18 35	5 45	12 02	18 01		
	7	5 42	12 26	18 28	6 02	12 26	18 08		

The days from the greatest declination are written in the first and last columns of the table. The second, third, and fourth columns refer to south declination, and the fifth, sixth, and seventh to north. The second column gives the number which is to be added, according to the declination, to the time of high water, obtained by means of Tables IV and V, to give the next low water, which is the small low water *b* of Diagram I. The third contains the numbers to be added to the same to give the second or large high water *c* of Diagram I. The fourth, the numbers to be added to the same to give the second or large low water *d* of Diagram I. The succeeding columns give the numbers to be used in the same way for north declination, to obtain the low water *b* (large) of Diagram II; the high water *c* (small) and the low water *d* (small) of the same diagram. The rise and fall of the same successive tides may be obtained by inspection from Table IX, in which the first column at the side contains the time of transit, and the successive columns the numbers corresponding to that time and to the number of days from greatest declination. The arrangement of this table is like that already given.

The numbers for the small ebb tide *a b* of Diagram I, or *c d* of Diagram II, are first given; then those for small low and large high waters *b c* of Diagram I, and *d e* of Diagram II; next, the large ebb tide *c d* of Diagram I, or *a b* of Diagram II; and, lastly, from the large low water to the small high water *d e* of Diagram I, or *b c* of Diagram II.



TABLE IX.—SAN DIEGO.

Hours of moon's transit.	SMALL EBB TIDE, OR FROM SMALL HIGH WATER TO SMALL LOW WATER.																FROM SMALL LOW WATER TO LARGE HIGH WATER.																Hours of moon's transit.
	Days from moon's greatest declination.																Days from moon's greatest declination.																
	Before—								After—								Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7			
0	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>				
0	4.0	3.4	3.0	2.6	2.3	2.1	2.0	2.0	2.1	2.3	2.7	3.2	3.8	4.6	5.2	5.1	4.9	4.7	4.5	4.4	4.3	4.2	4.2	4.1	4.1	4.0	4.0	3.9	3.9	4.0			
1	3.8	3.3	2.8	2.4	2.1	1.9	1.8	1.8	1.9	2.1	2.5	3.0	3.6	4.4	5.0	4.9	4.7	4.5	4.3	4.2	4.1	4.0	4.0	3.9	3.9	3.8	3.8	3.7	3.7	3.8			
2	3.5	2.9	2.5	2.1	1.8	1.6	1.5	1.5	1.6	1.8	2.2	2.7	3.3	4.1	4.7	4.6	4.4	4.2	4.0	3.9	3.8	3.7	3.7	3.6	3.6	3.5	3.5	3.4	3.4	3.5			
3	3.0	2.4	2.0	1.6	1.3	1.1	1.0	1.0	1.1	1.3	1.7	2.2	2.8	3.6	4.2	4.1	3.9	3.7	3.5	3.4	3.3	3.2	3.2	3.1	3.1	3.0	3.0	2.9	2.9	3.0			
4	2.2	1.6	1.2	0.8	0.5	0.3	0.2	0.2	0.3	0.5	0.9	1.4	2.0	2.8	3.4	3.3	3.1	2.9	2.7	2.6	2.5	2.4	2.4	2.3	2.3	2.2	2.2	2.1	2.1	2.2			
5	1.7	1.1	0.7	0.3	0.0	—	—	—	—	0.0	0.4	0.9	1.5	2.3	2.9	2.8	2.6	2.4	2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.7			
6	1.8	1.2	0.8	0.4	0.1	—	—	—	—	0.1	0.5	1.0	1.6	2.4	3.0	2.9	2.7	2.5	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.8			
7	2.3	1.7	1.3	0.9	0.6	0.4	0.3	0.3	0.4	0.6	1.0	1.5	2.1	2.9	3.5	3.4	3.2	3.0	2.8	2.7	2.6	2.5	2.5	2.4	2.4	2.3	2.3	2.2	2.2	2.3			
8	2.9	2.3	1.9	1.5	1.2	1.0	0.9	0.9	1.0	1.2	1.6	2.1	2.7	3.5	4.1	4.0	3.8	3.6	3.4	3.3	3.2	3.1	3.1	3.0	3.0	2.9	2.9	2.8	2.8	2.9			
9	3.7	3.1	2.7	2.3	2.0	1.8	1.7	1.7	1.8	2.0	2.4	2.9	3.5	4.3	4.9	4.8	4.6	4.4	4.2	4.1	4.0	3.9	3.9	3.8	3.8	3.7	3.7	3.6	3.6	3.7			
10	4.2	3.6	3.2	2.8	2.5	2.3	2.2	2.2	2.3	2.5	2.9	3.4	4.0	4.8	5.4	5.3	5.1	4.9	4.7	4.6	4.5	4.4	4.4	4.3	4.3	4.2	4.2	4.1	4.1	4.2			
11	4.3	3.7	3.3	2.9	2.6	2.4	2.3	2.3	2.4	2.6	3.0	3.5	4.1	4.9	5.5	5.4	5.2	5.0	4.8	4.7	4.6	4.5	4.5	4.4	4.4	4.3	4.3	4.2	4.2	4.3			
From <i>a</i> to <i>b</i> .....Diagram I. From <i>c</i> to <i>d</i> .....Diagram II.																From <i>b</i> to <i>c</i> .....Diagram I. From <i>d</i> to <i>e</i> .....Diagram II.																	

TABLE IX.—SAN DIEGO—Continued.

Hours of moon's transit.	LARGE EBB TIDE, OR FROM LARGE HIGH WATER TO LARGE LOW WATER.																FROM LARGE LOW WATER TO SMALL HIGH WATER.																Hours of moon's transit.
	Days from moon's greatest declination.																Days from moon's greatest declination.																
	Before—								After—								Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7			
0	5.2	5.8	6.2	6.6	6.9	7.1	7.2	7.2	7.1	6.9	6.5	6.0	5.4	4.6	4.0	4.1	4.3	4.5	4.7	4.8	4.9	5.0	5.0	5.1	5.1	5.2	5.2	5.3	5.3	5.2	0		
1	5.0	5.6	6.0	6.4	6.7	6.9	7.0	7.0	6.9	6.7	6.3	5.8	5.2	4.4	3.8	3.9	4.1	4.3	4.5	4.6	4.7	4.8	4.8	4.9	4.9	5.0	5.0	5.1	5.1	5.0	1		
2	4.7	5.3	5.7	6.1	6.4	6.6	6.7	6.7	6.6	6.4	6.0	5.5	4.9	4.1	3.5	3.6	3.8	4.0	4.2	4.3	4.4	4.5	4.5	4.6	4.6	4.7	4.7	4.8	4.8	4.7	2		
3	4.2	4.8	5.2	5.6	5.9	6.1	6.2	6.2	6.1	5.9	5.5	5.0	4.4	3.6	3.0	3.1	3.3	3.5	3.7	3.8	3.9	4.0	4.0	4.1	4.1	4.2	4.2	4.3	4.3	4.2	3		
4	3.4	4.0	4.4	4.8	5.1	5.3	5.4	5.4	5.3	5.1	4.7	4.2	3.6	2.8	2.2	2.3	2.5	2.7	2.9	3.0	3.1	3.2	3.2	3.3	3.3	3.4	3.4	3.5	3.5	3.4	4		
5	2.9	3.5	3.9	4.3	4.6	4.8	4.9	4.9	4.8	4.6	4.2	3.7	3.1	2.3	1.7	1.6	2.0	2.3	2.4	2.5	2.6	2.7	2.7	2.8	2.8	2.9	2.9	3.0	3.0	2.9	5		
6	3.0	3.6	4.0	4.4	4.7	4.9	5.0	5.0	4.9	4.7	4.3	3.8	3.2	2.4	1.8	1.9	2.1	2.3	2.5	2.6	2.7	2.8	2.8	2.9	2.9	3.0	3.0	3.1	3.1	3.0	6		
7	3.5	4.1	4.5	4.9	5.2	5.4	5.5	5.5	5.4	5.2	4.8	4.3	3.7	2.9	2.3	2.4	2.6	2.8	3.0	3.1	3.2	3.3	3.3	3.4	3.4	3.5	3.5	3.6	3.6	3.5	7		
8	4.1	4.7	5.1	5.5	5.8	6.0	6.1	6.1	6.0	5.8	5.4	4.9	4.3	3.5	2.9	3.0	3.2	3.4	3.6	3.7	3.8	3.9	3.9	4.0	4.0	4.1	4.1	4.2	4.2	4.1	8		
9	4.9	5.5	5.9	6.3	6.6	6.8	6.9	6.9	6.8	6.6	6.2	5.7	5.1	4.3	3.7	3.8	4.0	4.2	4.4	4.5	4.6	4.7	4.7	4.8	4.8	4.9	4.9	5.0	5.0	4.9	9		
10	5.4	6.0	6.4	6.8	7.1	7.3	7.4	7.4	7.3	7.1	6.7	6.2	5.6	4.8	4.2	4.3	4.5	4.7	4.9	5.0	5.1	5.2	5.2	5.3	5.3	5.4	5.4	5.5	5.5	5.4	10		
11	5.5	6.1	6.5	6.9	7.2	7.4	7.5	7.5	7.4	7.2	6.8	6.3	5.7	4.9	4.3	4.4	4.6	4.8	5.0	5.1	5.2	5.3	5.3	5.4	5.4	5.5	5.5	5.6	5.6	5.5	11		
From c to d. .... Diagram I.																From d to e. .... Diagram I.																	
From a to b. .... Diagram II.																From b to c. .... Diagram II.																	

Hours of moon's transit.	SMALL EBB TIDE, OR FROM SMALL HIGH WATER TO SMALL LOW WATER.																FROM SMALL LOW WATER TO LARGE HIGH WATER.																Hours of moon's transit.
	Days from moon's greatest declination.																Days from moon's greatest declination.																
	Before—								After—								Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7			
0	4.7	4.0	3.4	2.9	2.4	2.0	1.8	1.7	1.7	1.9	2.2	2.6	3.1	3.7	4.4	5.2	4.9	4.6	4.5	4.0	3.7	3.4	3.2	3.1	3.0	3.1	3.1	3.3	3.4	3.5	0		
1	4.5	3.8	3.2	2.7	2.2	1.8	1.6	1.5	1.5	1.7	2.0	2.4	2.9	3.5	4.2	5.0	4.7	4.4	4.3	3.8	3.5	3.2	3.0	2.9	2.8	2.9	2.9	3.1	3.2	3.3	1		
2	4.3	3.6	3.0	2.5	2.0	1.6	1.4	1.3	1.3	1.5	1.8	2.2	2.7	3.3	4.0	4.8	4.5	4.2	4.1	3.6	3.3	3.0	2.8	2.7	2.6	2.7	2.7	2.9	3.0	3.1	2		
3	4.0	3.3	2.7	2.2	1.7	1.3	1.1	1.0	1.0	1.2	1.5	1.9	2.4	3.0	3.7	4.5	4.2	3.9	3.8	3.3	3.0	2.7	2.5	2.4	2.3	2.4	2.4	2.6	2.7	2.8	3		
4	3.6	2.9	2.3	1.8	1.3	0.9	0.7	0.6	0.6	0.8	1.1	1.5	2.0	2.6	3.3	4.1	3.8	3.5	3.4	2.9	2.6	2.3	2.1	2.0	1.9	2.0	2.0	2.2	2.3	2.4	4		
5	3.2	2.5	1.9	1.4	0.9	0.5	0.3	0.2	0.2	0.4	0.7	1.1	1.6	2.2	2.9	3.7	3.4	3.1	3.0	2.5	2.2	1.9	1.7	1.6	1.5	1.6	1.6	1.8	1.9	2.0	5		
6	3.2	2.5	1.9	1.4	0.9	0.5	0.3	0.2	0.2	0.4	0.7	1.1	1.6	2.2	2.9	3.7	3.4	3.1	3.0	2.5	2.2	1.9	1.7	1.6	1.5	1.6	1.6	1.8	1.9	2.0	6		
7	3.4	2.7	2.1	1.6	1.1	0.7	0.5	0.4	0.4	0.6	0.9	1.3	1.8	2.4	3.1	3.9	3.6	3.3	3.2	2.7	2.4	2.1	1.9	1.8	1.7	1.8	1.8	2.0	2.1	2.2	7		
8	3.8	3.1	2.5	2.0	1.5	1.1	0.9	0.8	0.8	1.0	1.3	1.7	2.2	2.8	3.5	4.3	4.0	3.7	3.6	3.1	2.8	2.5	2.3	2.2	2.1	2.2	2.2	2.4	2.5	2.6	8		
9	4.1	3.4	2.8	2.3	1.8	1.4	1.2	1.1	1.1	1.3	1.6	2.0	2.5	3.1	3.8	4.6	4.3	4.0	3.9	3.4	3.1	2.8	2.6	2.5	2.4	2.5	2.5	2.7	2.8	2.9	9		
10	4.5	3.8	3.2	2.7	2.2	1.8	1.6	1.5	1.5	1.7	2.0	2.4	2.9	3.5	4.2	5.0	4.7	4.4	4.3	3.8	3.5	3.2	3.0	2.9	2.8	2.9	2.9	3.1	3.2	3.3	10		
11	4.7	4.0	3.4	2.9	2.4	2.0	1.8	1.7	1.7	1.9	2.2	2.6	3.1	3.7	4.4	5.2	4.9	4.6	4.5	4.0	3.7	3.4	3.2	3.1	3.0	3.1	3.1	3.3	3.4	3.5	11		
From <i>a</i> to <i>b</i> .....Diagram I.																	From <i>b</i> to <i>c</i> .....Diagram I.																
From <i>c</i> to <i>d</i> .....Diagram II.																	From <i>d</i> to <i>e</i> .....Diagram II.																

Hours of moon's transit.	LARGE EBB TIDE, OR FROM LARGE HIGH WATER TO LARGE LOW WATER.																FROM LARGE LOW WATER TO SMALL HIGH WATER.																Hours of moon's transit.
	Days from moon's greatest declination.																Days from moon's greatest declination.																
	Before—								After—								Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7			
	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>				
0	3.9	4.6	5.2	5.7	6.2	6.6	6.8	6.9	6.9	6.7	6.4	6.0	5.5	4.9	4.2	3.4	3.7	4.0	4.1	4.6	4.9	5.2	5.4	5.5	5.6	5.6	5.5	5.3	5.2	5.2			
1	3.7	4.4	5.0	5.5	6.0	6.4	6.6	6.7	6.7	6.5	6.2	5.8	5.3	4.7	4.0	3.2	3.5	3.8	3.9	4.4	4.7	5.0	5.2	5.3	5.4	5.3	5.3	5.1	5.0	5.0			
2	3.5	4.2	4.8	5.3	5.8	6.2	6.4	6.5	6.5	6.3	6.0	5.6	5.1	4.5	3.8	3.0	3.3	3.6	3.7	4.2	4.5	4.8	5.0	5.1	5.2	5.1	5.1	4.9	4.8	4.8			
3	3.2	3.9	4.5	5.0	5.5	5.9	6.1	6.2	6.2	6.0	5.7	5.3	4.8	4.2	3.5	2.7	3.0	3.3	3.4	3.9	4.2	4.5	4.7	4.8	4.9	4.8	4.8	4.6	4.5	4.5			
4	2.8	3.5	4.1	4.6	5.1	5.5	5.7	5.8	5.8	5.6	5.3	4.9	4.4	3.8	3.1	2.3	2.6	2.9	3.0	3.5	3.8	4.1	4.3	4.4	4.5	4.4	4.4	4.2	4.1	4.1			
5	2.4	3.1	3.7	4.2	4.7	5.1	5.3	5.4	5.4	5.2	4.9	4.5	4.0	3.4	2.7	1.9	2.2	2.5	2.6	3.1	3.4	3.7	3.9	4.0	4.1	4.0	4.0	3.8	3.7	3.7			
6	2.4	3.1	3.7	4.2	4.7	5.1	5.3	5.4	5.4	5.2	4.9	4.5	4.0	3.4	2.7	1.9	2.2	2.5	2.6	3.1	3.4	3.7	3.9	4.0	4.1	4.0	4.0	3.8	3.7	3.7			
7	2.6	3.3	3.9	4.4	4.9	5.3	5.5	5.6	5.6	5.4	5.1	4.7	4.2	3.6	2.9	2.1	2.4	2.7	2.8	3.3	3.6	3.9	4.1	4.2	4.3	4.2	4.2	4.0	3.9	3.9			
8	3.0	3.7	4.3	4.8	5.3	5.7	5.9	6.0	6.0	5.8	5.5	5.1	4.6	4.0	3.3	2.5	2.8	3.1	3.2	3.7	4.0	4.3	4.5	4.6	4.7	4.6	4.6	4.4	4.3	4.3			
9	3.3	4.0	4.6	5.1	5.6	6.0	6.2	6.3	6.3	6.1	5.8	5.4	4.9	4.3	3.6	2.8	3.1	3.4	3.5	4.0	4.3	4.6	4.8	4.9	5.0	4.9	4.9	4.7	4.6	4.6			
10	3.7	4.4	5.0	5.5	6.0	6.4	6.6	6.7	6.7	6.5	6.2	5.8	5.3	4.7	4.0	3.2	3.5	3.8	3.9	4.4	4.7	5.0	5.2	5.3	5.4	5.3	5.3	5.1	5.0	5.0			
11	3.9	4.6	5.2	5.7	6.2	6.6	6.8	6.9	6.9	6.7	6.4	6.0	5.5	4.9	4.2	3.4	3.7	4.0	4.1	4.6	4.9	5.2	5.4	5.5	5.6	5.5	5.5	5.3	5.2	5.2			

From c to d..... Diagram I.

From a to b..... Diagram II.

From d to e..... Diagram I.

From b to c..... Diagram II.

TABLE IX.—ASTORIA.

Hours of moon's transit.	SMALL EBB TIDE, OR FROM SMALL HIGH WATER TO SMALL LOW WATER.																FROM SMALL LOW WATER TO LARGE HIGH WATER.																Hours of moon's transit.
	Days from moon's greatest declination.																Days from moon's greatest declination.																
	Before—								After—								Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7			
	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.			
0	7.4	6.7	6.0	5.4	5.0	4.6	4.5	4.5	4.6	4.7	5.1	5.3	6.2	6.9	7.8	8.0	7.8	7.5	7.2	6.8	6.4	6.3	6.2	6.1	6.2	6.2	6.3	6.3	6.3	6.4			
1	7.5	6.8	6.1	5.5	5.1	4.7	4.6	4.6	4.7	4.8	5.2	5.6	6.3	7.0	7.9	8.1	7.9	7.6	7.3	6.9	6.5	6.4	6.3	6.2	6.3	6.3	6.4	6.4	6.4	6.5			
2	7.2	6.5	5.8	5.2	4.8	4.4	4.3	4.3	4.4	4.5	4.9	5.5	6.0	6.7	7.6	7.8	7.6	7.3	7.0	6.6	6.2	6.1	6.0	5.9	6.0	6.0	6.1	6.1	6.1	6.2			
3	6.6	5.9	5.2	4.6	4.2	3.8	3.7	3.7	3.8	3.9	4.3	4.7	5.4	6.1	7.0	7.2	7.0	6.7	6.4	6.0	5.6	5.5	5.4	5.3	5.4	5.4	5.5	5.5	5.5	5.6			
4	5.9	5.2	4.5	3.9	3.5	3.1	3.0	3.0	3.1	3.2	3.6	4.0	4.7	5.4	6.3	6.5	6.3	6.0	5.7	5.3	4.9	4.8	4.7	4.6	4.7	4.7	4.8	4.8	4.8	4.9			
5	5.2	4.5	3.8	3.2	2.8	2.4	2.3	2.3	2.4	2.5	2.9	3.3	4.0	4.7	5.6	5.8	5.6	5.3	5.0	4.6	4.2	4.1	4.0	3.9	4.0	4.0	4.1	4.1	4.1	4.2			
6	4.8	4.1	3.4	2.8	2.4	2.0	1.9	1.9	2.0	2.1	2.5	2.9	3.6	4.3	5.2	5.4	5.2	4.9	4.6	4.2	3.8	3.7	3.6	3.5	3.6	3.6	3.7	3.7	3.7	3.8			
7	5.0	4.3	3.6	3.0	2.6	2.2	2.1	2.1	2.2	2.3	2.7	3.1	3.8	4.5	5.4	5.6	5.4	5.1	4.8	4.4	4.0	3.9	3.8	3.7	3.8	3.8	3.9	3.9	3.9	4.0			
8	5.5	4.8	4.1	3.5	3.1	2.7	2.6	2.6	2.7	2.8	3.2	3.6	4.3	5.0	5.9	6.1	5.9	5.6	5.3	4.9	4.5	4.4	4.3	4.2	4.3	4.3	4.4	4.4	4.4	4.5			
9	6.3	5.6	4.9	4.3	3.9	3.5	3.4	3.4	3.5	3.6	4.0	4.4	5.1	5.8	6.7	6.9	6.7	6.4	6.1	5.7	5.3	5.2	5.1	5.0	5.1	5.1	5.2	5.2	5.2	5.3			
10	7.0	6.3	5.6	5.0	4.6	4.2	4.1	4.1	4.2	4.3	4.7	5.1	5.8	6.5	7.4	7.6	7.4	7.1	6.8	6.4	6.0	5.9	5.8	5.7	5.8	5.8	5.9	5.9	5.9	6.0			
11	7.3	6.6	6.0	5.3	4.9	4.5	4.4	4.4	4.5	4.6	5.0	5.4	6.1	6.8	7.7	7.9	7.7	7.4	7.1	6.7	6.3	6.2	6.1	6.0	6.1	6.1	6.2	6.2	6.2	6.3			
From a to b ..... Diagram I.																From b to c ..... Diagram I.																	
From c to d ..... Diagram II.																From d to e ..... Diagram II.																	

TABLE IX.—ASTORIA—Continued.

Hours of moon's transit.	LARGE EBB TIDE, OR FROM LARGE HIGH WATER TO LARGE LOW WATER.																FROM LARGE LOW WATER TO SMALL HIGH WATER.																Hours of moon's transit.
	Days from moon's greatest declination.																Days from moon's greatest declination.																
	Before—								After—								Before—								After—								
	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7	7	6	5	4	3	2	1	0	1	2	3	4	5	6	7			
0	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>	0			
1	7.0	7.7	8.4	9.0	9.4	9.8	9.9	9.9	9.8	9.7	9.3	8.9	8.2	7.5	6.6	6.4	6.6	6.9	7.2	7.6	8.0	8.1	8.2	8.3	8.2	8.2	8.1	8.1	8.1	8.0	1		
2	7.1	7.8	8.5	9.1	9.5	9.9	10.0	10.0	9.9	9.8	9.4	9.0	8.3	7.6	6.7	6.5	6.7	7.0	7.3	7.7	8.1	8.3	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.1	2		
3	6.8	7.5	8.2	8.8	9.2	9.6	9.7	9.7	9.6	9.5	9.1	8.7	8.0	7.3	6.4	6.2	6.4	6.7	7.0	7.4	7.8	7.9	8.0	8.1	8.0	8.0	7.9	7.9	7.8	7.7	3		
4	6.2	6.9	7.6	8.2	8.6	9.0	9.1	9.1	9.0	8.9	8.5	8.1	7.4	6.7	5.8	5.6	5.8	6.1	6.4	6.8	7.2	7.3	7.4	7.5	7.4	7.4	7.3	7.3	7.3	7.2	4		
5	5.5	6.2	6.9	7.5	7.9	8.3	8.4	8.4	8.3	8.2	7.8	7.4	6.7	6.0	5.1	4.9	5.1	5.4	5.7	6.1	6.5	6.8	6.7	6.8	6.7	6.7	6.6	6.6	6.6	6.5	5		
6	4.8	5.5	6.2	6.8	7.2	7.6	7.7	7.7	7.6	7.5	7.1	6.7	6.0	5.3	4.4	4.2	4.4	4.7	5.0	5.4	5.8	5.9	6.0	6.1	6.0	6.0	5.9	5.9	5.9	5.8	6		
7	4.4	5.1	5.8	6.4	6.8	7.2	7.3	7.3	7.2	7.1	6.7	6.3	5.6	4.9	4.0	3.8	4.0	4.3	4.6	5.0	5.4	5.5	5.6	5.7	5.6	5.6	5.5	5.5	5.4	5.3	7		
8	4.6	5.3	6.0	6.6	7.0	7.4	7.5	7.5	7.4	7.3	6.9	6.5	5.8	5.1	4.2	4.0	4.2	4.5	4.8	5.2	5.6	5.7	5.8	5.9	5.8	5.8	5.7	5.7	5.7	5.6	8		
9	5.1	5.8	6.5	7.1	7.5	7.9	8.0	8.0	7.9	7.8	7.4	7.0	6.3	5.6	4.7	4.5	4.7	5.0	5.3	5.7	6.1	6.2	6.3	6.4	6.3	6.3	6.2	6.2	6.1	6.0	9		
10	5.9	6.6	7.3	7.9	8.3	8.7	8.8	8.8	8.7	8.6	8.2	7.8	7.1	6.4	5.5	5.3	5.5	5.8	6.1	6.5	6.9	7.0	7.1	7.2	7.1	7.1	7.0	7.0	6.9	6.8	10		
11	6.6	7.3	8.0	8.6	9.0	9.4	9.5	9.5	9.4	9.3	8.9	8.5	7.8	7.1	6.2	6.0	6.2	6.5	6.8	7.2	7.6	7.7	7.8	7.9	7.8	7.8	7.7	7.7	7.7	7.6	11		
	6.9	7.6	8.3	8.9	9.3	9.7	9.8	9.8	9.7	9.6	9.2	8.8	8.1	7.4	7.5	6.3	6.5	6.8	7.1	7.5	7.9	8.0	8.1	8.2	8.1	8.1	8.0	8.0	8.0	7.9			
From c to d. .... Diagram I.																	From d to e. .... Diagram I.																
From a to b. .... Diagram II.																	From b to c. .... Diagram II.																

TABLE IX.—PORT TOWNSHEND.

Hours of moon's transit.	SMALL EBB TIDE, OR FROM SMALL HIGH WATER TO SMALL LOW WATER.															FROM SMALL LOW WATER TO LARGE HIGH WATER.															Hours of moon's transit.
	Days from moon's greatest declination.															Days from moon's greatest declination.															
	Before—							0	After—							Before—							0	After—							
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	7	6	5	4	3	2	1		1	2	3	4	5	6	7	
	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.		Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	
0	4.5	5.6	6.9	8.0	8.6	8.9	8.8	8.8	8.7	8.7	8.5	8.0	7.3	6.6	5.5	3.5	3.9	4.6	6.0	7.2	8.4	9.0	9.5	9.6	9.4	9.2	8.7	8.2	7.9	7.1	0
1	4.5	5.6	6.9	8.0	8.6	8.9	8.8	8.8	8.7	8.7	8.5	8.0	7.3	6.6	5.5	3.5	3.9	4.6	6.0	7.2	8.4	9.0	9.5	9.6	9.4	9.2	8.7	8.2	7.9	7.1	1
2	4.4	5.5	6.8	7.9	8.5	8.8	8.7	8.7	8.6	8.6	8.4	7.9	7.2	6.5	5.4	3.4	3.8	4.5	5.9	7.1	8.3	8.9	9.4	9.5	9.3	9.1	8.6	8.1	7.8	7.0	2
3	4.1	5.2	6.5	7.6	8.2	8.5	8.4	8.4	8.3	8.3	8.1	7.6	6.9	6.2	5.1	3.1	3.5	4.2	5.6	6.8	8.0	8.6	9.1	9.2	9.0	8.8	8.3	7.8	7.5	6.7	3
4	3.5	4.6	5.9	7.0	7.6	7.9	7.8	7.8	7.7	7.7	7.5	7.0	6.3	5.6	4.5	2.5	2.9	3.6	5.0	6.2	7.4	8.0	8.5	8.6	8.4	8.2	7.7	7.2	6.9	6.1	4
5	3.1	4.2	5.5	6.6	7.2	7.5	7.4	7.4	7.3	7.3	7.1	6.6	5.9	5.2	4.1	2.1	2.5	3.2	4.6	5.8	7.0	7.6	8.1	8.2	8.0	7.8	7.3	6.8	6.5	5.7	5
6	3.1	4.2	5.5	6.6	7.2	7.5	7.4	7.4	7.3	7.3	7.1	6.6	5.9	5.2	4.1	2.1	2.5	3.2	4.6	5.8	7.0	7.6	8.1	8.2	8.0	7.8	7.3	6.8	6.5	5.7	6
7	3.3	4.4	5.7	6.8	7.4	7.7	7.6	7.6	7.5	7.5	7.3	6.8	6.1	5.4	4.3	2.3	2.7	3.4	4.8	6.0	7.2	7.8	8.3	8.4	8.2	8.0	7.5	7.0	6.7	5.9	7
8	3.5	4.6	5.9	7.0	7.6	7.9	7.8	7.8	7.7	7.7	7.5	7.0	6.3	5.6	4.5	2.5	2.9	3.6	5.0	6.2	7.4	8.0	8.5	8.6	8.4	8.2	7.7	7.2	6.9	6.1	8
9	3.7	4.8	6.1	7.2	7.8	8.1	8.0	8.0	7.9	7.9	7.7	7.2	6.5	5.8	4.7	2.7	3.1	3.8	5.2	6.4	7.6	8.2	8.7	8.8	8.6	8.4	7.9	7.4	7.1	6.3	9
10	4.1	5.2	6.5	7.6	8.2	8.5	8.4	8.4	8.3	8.3	8.1	7.6	6.9	6.2	5.1	3.1	3.5	4.2	5.6	6.8	8.0	8.6	9.1	9.2	9.0	8.8	8.3	7.8	7.5	6.7	10
11	4.4	5.5	6.8	7.9	8.5	8.8	8.7	8.7	8.6	8.6	8.4	7.9	7.2	6.5	5.4	3.4	3.8	4.5	5.9	7.1	8.3	8.9	9.4	9.5	9.3	9.1	8.6	8.1	7.8	7.0	11

TABLE IX.—PORT TOWNSHEND—Continued.

Hours of moon's transit.	LARGE EBB TIDE, OR FROM LARGE HIGH WATER TO LARGE LOW WATER.																FROM SMALL LOW WATER TO LARGE HIGH WATER.																Hours of moon's transit.
	Days from moon's greatest declination.																Days from moon's greatest declination.																
	Before—							0	After—							Before—							0	After—									
	7	6	5	4	3	2	1		1	2	3	4	5	6	7	7	6	5	4	3	2	1		1	2	3	4	5	6	7			
	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.		Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.	Fl.			
0	6.5	5.4	4.1	3.0	2.4	2.1	2.2	2.2	2.3	2.3	2.5	3.0	3.7	4.4	5.5	7.5	7.1	6.4	5.0	3.8	2.6	2.0	1.5	1.4	1.6	1.8	2.3	2.8	3.1	3.9	0		
1	6.5	5.4	4.1	3.0	2.4	2.1	2.2	2.2	2.3	2.3	2.5	3.0	3.7	4.4	5.5	7.5	7.1	6.4	5.0	3.8	2.6	2.0	1.5	1.4	1.6	1.8	2.3	2.8	3.1	3.9	1		
2	6.4	5.3	4.0	2.9	2.3	2.0	2.1	2.1	2.2	2.2	2.4	2.9	3.6	4.3	5.4	7.4	7.0	6.3	4.9	3.7	2.5	1.9	1.4	1.3	1.5	1.7	2.2	2.7	3.0	3.8	2		
3	6.1	5.0	3.7	2.6	2.0	1.7	1.8	1.8	1.9	1.9	2.1	2.6	3.3	4.0	5.1	7.1	6.7	6.0	4.6	3.4	2.2	1.6	1.1	1.0	1.2	1.4	1.9	2.4	2.7	3.5	3		
4	5.5	4.4	3.1	2.0	1.4	1.1	1.2	1.2	1.3	1.3	1.5	2.0	2.7	3.4	4.5	6.5	6.1	5.4	4.0	2.8	1.6	1.0	0.5	0.4	0.6	0.8	1.3	1.8	2.1	2.9	4		
5	5.1	4.0	2.7	1.6	1.0	0.7	0.8	0.8	0.9	0.9	1.1	1.6	2.3	3.0	4.1	6.1	5.7	5.0	3.6	2.4	1.2	0.6	0.1	0.0	0.2	0.4	0.9	1.4	1.7	2.5	5		
6	5.1	4.0	2.7	1.6	1.0	0.7	0.8	0.8	0.9	0.9	1.1	1.6	2.3	3.0	4.1	6.1	5.7	5.0	3.6	2.4	1.2	0.6	0.1	0.0	0.2	0.4	0.9	1.4	1.7	2.5	6		
7	5.3	4.2	2.9	1.8	1.2	0.9	1.0	1.0	1.1	1.1	1.3	1.8	2.5	3.2	4.3	6.3	5.9	5.2	3.8	2.6	1.4	0.8	0.3	0.2	0.4	0.6	1.1	1.6	1.9	2.7	7		
8	5.5	4.4	3.1	2.0	1.4	1.1	1.2	1.2	1.3	1.3	1.5	2.0	2.7	3.4	4.5	6.5	6.1	5.4	4.0	2.8	1.6	1.0	0.5	0.4	0.6	0.8	1.3	1.8	2.1	2.9	8		
9	5.7	4.6	3.3	2.2	1.6	1.3	1.4	1.4	1.5	1.5	1.7	2.2	2.9	3.6	4.7	6.7	6.3	5.6	4.2	3.0	1.8	1.2	0.7	0.6	0.8	1.0	1.5	2.0	2.3	3.1	9		
10	6.1	5.0	3.7	2.6	2.0	1.7	1.8	1.8	1.9	1.9	2.1	2.6	3.3	4.0	5.1	7.1	6.7	6.0	4.6	3.4	2.2	1.6	1.1	1.0	1.2	1.4	1.9	2.4	2.7	3.5	10		
11	6.4	5.3	4.0	2.9	2.3	2.0	2.1	2.1	2.2	2.2	2.4	2.9	3.6	4.3	5.4	7.4	7.0	6.3	4.9	3.7	2.5	1.9	1.4	1.3	1.5	1.7	2.2	2.7	3.0	3.8	11		

*Example VII.*—Thus, in Example VI, the high water of February 7 was found to be 3.3 feet above mean low water. The declination being south, Diagram I applies, and this high water is the small one. To obtain the fall of the next low water or small low water, we enter Table IX, for San Francisco, with 0 $\frac{1}{2}$  of moon's transit, and two days after the greatest declination in the first part of the table, and find 1.9 foot, which will be the difference in height of this high and low water. Entering with the same transit and day in the second part, we find 3.0 feet, which is the rise of the large high above the small low water; the difference between 1.9 and 3.0 or 1.1 foot is the difference of height of the two successive high waters.

It is easy to see how, in this way, the soundings of a chart can be reduced to what they would be approximately at all the successive high and low waters. A similar set of tables is in preparation for Key West and some of the other ports on the Gulf of Mexico, where the tides are of the same character.

## TIDES OF THE GULF OF MEXICO.

On the coast of Florida, from Cape Florida, around the Peninsula, to St. Mark's, the tides are of the ordinary kind, but with a daily inequality which, small at Cape Florida, goes on increasing as we proceed westward to the Tortugas. From the Tortugas to St. Mark's the daily inequality is large and sensibly the same, giving the tides a great resemblance to those of the Pacific coast, though the rise and fall is much smaller. Between St. Mark's and St. George's island, Apalachicola entrance, the tides change to the single day class, ebbing and flowing but once in the twenty-four (lunar) hours.

At St. George's island there are two tides a day, for three or four days, about the time of the moon's declination being zero. At other times there is but one tide a day, with a long stand at high water of from 6 to 9 hours. From Cape St. Blas to and including the mouth of the Mississippi the single day tides are very regular, and the small and irregular double tides appear only for two or three days, (and frequently even not at all,) about the time of zero declination of the moon. The stand at high and low water is comparatively short, seldom exceeding an hour.

To the west of the mouth of the Mississippi the double tides reappear. At Isle Dernière they are distinct, though a little irregular, for three or four days, near the time of the moon's zero declination. At all other times the single day type prevails, the double tides modifying it, however, in the shape of a long stand of from 6 to 10 hours at high water. This stand is shortest at the time of the moon's greatest declination, sometimes being reduced to but one hour. At Calcasieu the tides are distinctly double, but with a large daily inequality. The rise and fall being small, they would often present to the ordinary observer the same appearance as at Isle Dernière. At Galveston the double tides are plainly perceptible, though small, for five or six days at the time of moon's zero declination. At other times they present the single day type, with the peculiarity that, after standing at high water for a short time, the water falls a small distance and stands again at that height for several hours, then continues to fall to low water. Sometimes it falls very slowly for nine or ten hours following high water, and then acquires a more rapid rate to low water. At Aransas Pass and Brazos Santiago the single day tides prevail. Small, irregular double tides are only perceived for two or three days at the moon's zero declination. At all other times there is but one high water in the day, with a long stand of from 6 to 9 hours, during which there are often small, irregular fluctuations or a very slow fall. In the following table the mean rise and fall of tides at the above stations are given.

The highest high and the lowest low waters occur when the greatest declination of the moon happens at full or change; the least tide when the moon's declination is nothing at the first or last quarter. The rise and fall being so small, the times and heights are both much influenced by the winds, and are thus rendered quite irregular.

TABLE X.

*Rise and fall at several stations on the Gulf of Mexico.*

STATIONS.	MEAN RISE AND FALL OF TIDES.		
	Mean.	At moon's greatest declination.	At moon's least declination.
	<i>Ft.</i>	<i>Ft.</i>	<i>Ft.</i>
St. George's island, Florida.....	1. 1	1. 8	0. 6
Pensacola, Florida.....	1. 0	1. 5	0. 4
Fort Morgan, Mobile bay, Alabama.....	1. 0	1. 5	0. 4
Cat island, Mississippi.....	1. 3	1. 9	0. 6
Southwest Pass, Louisiana.....	1. 1	1. 4	0. 5
Isle Dernière, Louisiana.....	1. 4	2. 2	0. 7
Entrance to Lake Calcasieu, Louisiana.....	1. 9	2. 4	1. 7
Galveston, Texas.....	1. 1	1. 6	0. 8
Aranzas Pass, Texas.....	1. 1	1. 8	0. 6
Brazos Santiago, Texas.....	0. 9	1. 2	0. 5

TO DETERMINE THE RISE AND FALL OF THE TIDES FOR ANY GIVEN TIME FROM HIGH OR LOW WATER.

It is sometimes desirable to know how far the tide will rise in a given time from low water, or fall in a given time from high water, or to approximate to the time which has elapsed from low or high water, by knowing the rise or fall of the tide in the interval. If the proportion of the rise and fall in a given time were the same in the different ports, this would easily be shown in a single table giving the proportional rise and fall, which, by referring to Table I, showing the rise and fall of the tide at the port, would give the rise and fall in feet and decimals. The proportion, however, is not the same in different ports, nor in the same ports for tides of different heights. The following Table XI shows the relation between the heights above low water for each half hour for New York and Old Point Comfort and for spring and neap tides at each place. Units express the total rise of high water above low water, and the figures opposite to each half hour denote the proportional fall of the tide from high water onward to low water. For example, at New York, three hours after high water, a spring tide has fallen six-tenths (sixty hundredths) of the whole fall. Suppose the whole rise and fall of that day to be 5.4 feet, (Table I,) then, three hours after high water, the tide will have fallen 3.24 feet, or three feet three inches, nearly. Conversely, if we have observed that a spring tide has fallen three feet three inches, we may know that high water has passed about three hours.

TABLE XI.

*Giving the height of the tide above low water for every half hour before or after high water, the total range being taken as equal to 1.*

Time before or after high water.	NEW YORK.		OLD POINT COMFORT.	
	Spring tide.	Neap tide.	Spring tide.	Neap tide.
<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
0 0	1.00	1.00	1.00	1.00
0 30	0.98	0.98	0.98	0.98
1 0	0.94	0.93	0.95	0.94
1 30	0.89	0.86	0.88	0.87
2 0	0.80	0.72	0.80	0.78
2 30	0.72	0.59	0.70	0.68
3 0	0.60	0.45	0.59	0.57
3 30	0.49	0.31	0.49	0.44
4 0	0.39	0.19	0.37	0.34
4 30	0.28	0.10	0.26	0.22
5 0	0.18	0.02	0.17	0.13
5 30	0.09	0.00	0.08	0.05
6 0	0.05	-----	0.03	0.01
6 30	0.00	-----	0.00	0.00

## TIDES IN COASTING.

By observing the time of high water and low water along the coast we find the places at which they are the same. The map of co-tidal lines (Sketch No. 65, C. S. Rep., 1857,) shows that it is high water nearly at the same hour all along the coast from Sandy Hook to Cape Cañaveral; of course, not in the bays and harbors and up the rivers, but on the outer coast.

It is high water exactly at the same hour all along the line marked XII, seen on the chart, near Sandy Hook, and north and south of Hatteras, and, with small interruptions, at Cape Lookout and Cape Fear, all the way to near Cape Cañaveral. This same line extends eastward to near Block island, and south of Nantucket, and then passes away from our coast. At full and change of the moon, along this line, (approximately,) it is high water at XII o'clock, Greenwich time, the local time of high water depending upon the longitude of the place; or, to speak more correctly, in the average of a lunar month it is high water so many hours after the time of the moon's passing the meridian of Greenwich. By these lines, called co-tidal lines, we can determine what tidal currents the navigators must expect to meet in coasting; and for this purpose we divide the ports of the coast into two sets, those south and those north of New York.

The sailing lines of coasters bound to southern ports this side of the straits of Florida are marked upon the map, and also of those bound through the sounds to eastern ports, and, outside, to Halifax and European ports.

## VESSELS TO AND FROM PORTS SOUTH OF NEW YORK.

South of Sandy Hook, New Jersey, the line of XII hours is nowhere more than 18 miles from the coast; that of  $XI\frac{3}{4}$  nowhere more than 35 miles; that of  $XI\frac{1}{2}$  nowhere more than 48; and XI nowhere more than 110. The distance of these lines of XII to XI hours, (corresponding within four minutes to VII and VI of New York time,) from different parts of the coast, is shown from Table A, where the first column gives the name of the place, and the second, third, fourth, fifth, respectively, the distances of the co-tidal lines of XII,  $XI\frac{3}{4}$ ,  $XI\frac{1}{2}$ , and XI hours.

The distances are measured from the ports on perpendiculars to the co-tidal lines. They may be taken as if measured on the parallel of latitude at all the points for the line of XII hours, and at all between Sandy Hook and Cape Hatteras for the lines of  $XI\frac{3}{4}$  and  $XI\frac{1}{2}$  hours.

## A.

Names of locations.	Distance from coast, measured on perpendicular to co-tidal lines.			
	At XII hours.	At $XI\frac{3}{4}$ hours.	At $XI\frac{1}{2}$ hours.	At XI hours.
	<i>Naut. miles.</i>	<i>Naut. miles.</i>	<i>Naut. miles.</i>	<i>Naut. miles.</i>
Sandy Hook.....	12	32	53	100
Barnegat.....	2	29	39	78
Cape May.....	15	30	46	92
Cape Henlopen.....	18	33	47	92
Assateague.....	7	22	36	82
Cape Henry.....	12	28	43	100
Cape Hatteras.....	-----	8	20	63
Ocracoke inlet.....	-----	11	26	71
Cape Lookout.....	-----	7	18	56
Beaufort entrance, North Carolina.....	6	15	24	63
Cape Fear.....	-----	6	16	55
Cape Roman.....	-----	10	21	67
Charleston light.....	3	16	27	70
Port Royal entrance.....	5	17	29	78
Tybee entrance.....	6	17	31	82
St. Mary's entrance.....	12	25	40	110
St. John's entrance.....	17	35	48	-----
Cape Cañaveral.....	16	-----	-----	-----
Cape Florida.....	-----	-----	-----	-----

The co-tidal lines are in such directions that at 10, 20, and 30 miles from the coast, between Sandy Hook and the St. John's, there is but a variation of seven minutes, and even to Cape Cañaveral only of eight minutes.

Keeping ten miles from the shore, the coaster would pass from XII hours at Sandy Hook to XI hours 45 minutes at Hatteras, and increase again irregularly to XII hours 7 minutes at the St. John's, as shown more explicitly in table B. These three tracks of 10, 20, and 30 miles are inside of the cold wall of the Gulf Stream, and generally in the cold current, except at Cape Cañaveral.



## B.

Names of stations.	Co tidal hour at 10, 20, and 30 nautical miles from the coast, perpendicular to the coast.		
	Ten miles off.	Twenty miles off.	Thirty miles off.
	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
Sandy Hook .....	12 0	11 52	11 45
Barnegat .....	11 52	11 44	11 35
Cape May .....	12 5	11 53	11 45
Cape Henlopen .....	12 7	11 57	11 48
Assateague .....	12 0	11 48	11 37
Cape Henry .....	12 5	11 48	11 42
Cape Hatteras .....	11 45	11 30	11 22
Ocracoke inlet .....	11 47	11 36	11 25
Cape Lookout .....	11 45	11 30	11 20
Beaufort entrance, North Carolina .....	11 55	11 38	11 25
Cape Fear .....	11 38	11 25	11 18
Cape Roman .....	11 45	11 33	11 24
Charleston light .....	11 52	11 38	11 25
Port Royal entrance .....	11 57	11 45	11 32
Tybee entrance .....	11 55	11 43	11 30
St. Mary's entrance .....	12 8	11 57	11 47
St. John's entrance .....	12 7	11 57	11 50
Cape Canaveral .....	12 8	-----	-----
Cape Florida .....	13 10	-----	-----

It follows, then, as a general thing, from these two tables that the coaster, in passing from Sandy Hook to the St. John's would have the tides the same, within some fifteen minutes, as if he remained at Sandy Hook. So that leaving, for example, a high water, he would, according to the elapsed time, have the ebb and flood alternating every six hours and a quarter, nearly, as if he had remained near Sandy Hook. As the flood tide sets in generally to the northward and on shore, and the ebb to the southward and off shore, he would know by the time that elapsed from his departure and the period of the tide at which he started what tidal currents he might expect to meet as he passed along the coast. This, of course, is not peculiar to Sandy Hook as a point of departure, but would be true for any of the entrances given in the table, taking care not to mistake the time of tides within for that at the entrance.

By referring to George W. Blunt, esq., I have obtained the tracks of sailing and steam vessels passing from New York to ports to the south of it, as shown by the lines on the chart accompanying this paper.—(See Sketch No. 65, C. S. Rep., 1857.) Tracing these on the map of co-tidal lines, I have determined how the navigator would find the tides as he passes from port to port. The results are shown in the annexed table, (C,) in which the port between which and Sandy Hook the mariner passes is at the head of the table, and, at the side, the place off which the co-tidal hours will be found, as stated in the table.

## C.

Off—	Co tidal hours on sailing lines measured on parallel of latitudes of places named in the first column, between New York and—							
	Delaware bay.	Chesapeake bay.	Ocracoke inlet.	Cape Fear.	Charleston.	Savannah.	St. John's.	Cape Florida.
	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
Sandy Hook .....	12 5	12 5	12 5	12 5	12 5	12 5	12 5	12 5
Barnegat .....	11 57	11 57	11 57	11 57	11 57	11 57	11 57	11 57
Cape May .....	12 10	11 52	11 45	11 45	11 45	11 45	11 45	11 45
Cape Henlopen .....		11 51	11 43	11 43	11 43	11 43	11 43	11 43
Assateague .....		11 55	11 33	11 33	11 33	11 33	11 33	11 33
Cape Henry .....		12 13	11 24	11 24	11 24	11 24	11 24	11 24
Cape Hatteras .....			11 48	11 48	11 48	11 48	11 48	11 48
Ocracoke inlet .....				11 42	11 42	11 42	11 42	11 42
Cape Lookout .....				11 39	11 39	11 39	11 32	11 24
Beaufort entrance .....				11 39	11 39	11 39	11 32	11 24
Cape Fear .....					11 36	11 36	11 24	11 0
Cape Roman .....					11 46	11 46	11 19	
Charleston Light .....						11 52	11 18	
Port Royal entrance .....						12 3	11 18	
Tybee entrance .....							11 16	
St. Mary's entrance .....							11 55	
St. John's entrance .....							12 10	
Cape Cañaveral .....								
Cape Florida .....								

Thus, from Sandy Hook to Delaware bay, starting with XII hours 5 minutes, off Barnegat there would be, at the same instant, XI hours 57 minutes, and off Cape May XII hours 10 minutes, so that the navigator would have the same succession of tides, whether he remained at Sandy Hook or passed onward to Delaware bay, or whether he came from Delaware bay to Sandy Hook. So from Sandy Hook to Charleston he will find, at the same instant, XII hours 5 minutes at Sandy Hook, XI hours 57 minutes off Barnegat, XI hours 45 minutes off Cape May, and so onward upon the parallels of latitude for the several points. *For all practical purposes, then, of coasting, the succession of the tides, and, of course, of the tidal currents of flood and ebb, will be the same as if the navigator remained stationary.* Leaving at low water, he will meet the flood for 6 hours 15 minutes, and then the ebb for another 6 hours 15 minutes, and so on. It is the simplest of all rules that has thus come out of this investigation. That remarkable change of the temperature between the waters of the inshore cold current, and the warm waters of the Gulf Stream, occurring in so short a distance that Lieutenant Bache called it the "cold wall," takes place at distances off the coast of from 170 to 29 miles, (see Table D,) between Sandy Hook and Cape Cañaveral, measured from the several points named in the table, at right angles to the direction of the course, or measured along the parallels of latitude of the points, at distance from 195 to 28 miles between Assateague and Cape Cañaveral.—(Table D.) The points where the parallels north of Assateague meet this division line have not been accurately determined.

The annexed table shows these distances, measured at right angles and on the parallels.

## D.

Distance from coast to "cold wall" of Gulf Stream, off—	Measured at right angles to coast.	Measured on parallel of latitude.
	<i>Naut. miles.</i>	<i>Naut. miles.</i>
Sandy Hook .....	170	-----
Barnegat .....	135	-----
Cape May .....	137	-----
Cape Henlopen .....	137	-----
Assateague .....	95	195
Cape Henry .....	92	107
Cape Hatteras .....	30	31
Ocracoke inlet .....	53	52
Cape Lookout .....	53	65
Beaufort entrance .....	62	-----
Cape Fear .....	54	97
Cape Roman .....	57	103
Charleston light .....	61	95
Port Royal entrance .....	79	97
Tybee entrance .....	79	95
St. Mary's .....	90	87
St. John's .....	85	82
Cape Cañaveral .....	29	28
Cape Florida .....	-----	-----

The coasting line of thirty miles keeps inside of the cold wall all the way to Cañaveral, and all the routes traced on the chart from Sandy Hook to southern ports are on the inside of it. The Gulf Stream lines drawn on the chart show how the route to Bermuda and to the Bahamas cuts the alternate bands of warm and cold water of the Gulf Stream.

*Vessels to and from ports east of New York.*

The plate shows the sailing lines of vessels bound from New York to eastern ports and to Halifax, outside. The annexed table (E) gives the Greenwich time of high water off the several points named in the first column on the routes to and from the places named in the heading of the table. The distances are measured at right angles to the co-tidal curves.

## E.

Off—	Co-tidal hours on sailing lines between New York and—						
	Newport.	New Bedford.	Nantucket.	Boston.	Portsmouth.	Portland.	Halifax.
	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
Sandy Hook .....							12 5
Throg's Point .....	16 16	16 16	16 16	16 16	16 16	16 16	-----
Fisher's Island .....	13 48	13 48	13 48	13 48	13 48	13 48	-----
Block Island .....	12 16	12 16	12 16	12 16	12 16	12 16	11 30
Monomoy .....				16 10	16 10	16 10	-----
Cape Cod .....				14 35	14 35	14 35	12 15
Cape Ann .....					15 00	14 40	-----
Portland .....						15 30	-----

In passing from New York to an eastern port, the first great change in the tides and tidal currents is between the East river and Long Island Sound; the difference between Governor's island and Negro Point, on Ward's island, at the eastern entrance to Hell Gate, is two hours and forty-five minutes. Between this point and Throg's Point the change is small. The mariner is now in the full tide of the sound, and between Throg's Point and Fisher's island there is a difference of time of but two hours and twenty minutes, the greatest part of which is at the head of the sound and at its entrance—that is, near Throg's Point and Fisher's island. From off New London to off Sand's Point the difference is but one hour and forty minutes; so that if the mariner, instead of remaining at Throg's Point, passes onward to Fisher's island, he would lose but half a tide in the whole passage. In other words, he would have the same succession of rise and fall, according to the time elapsed, whether stationary or passing onward within two hours and a half, or less than half a tide.

The tidal current lines show that even a less allowance is to be made for the change of current than for the change of tide, the difference in the change of current between Throg's Point and Fisher's island, along the middle of the sound, being of no practical importance. Passing out of Long Island Sound, the tidal hours grow earlier, until off Block island that of Sandy Hook is again reached. The co-tidal line of Sandy Hook and Block island being the same, it is the struggle of the same tide through New York bay and the narrow East river and obstructed Hell Gate, and through Fisher's island and Long Island Sound and to Throg's Point. The tidal currents meet near Throg's Point.

The lower part of Narragansett bay has the co-tidal hour XII hours nearly. Buzzard's bay has nearly the same co-tidal hour, the tide wave reaching the shore at nearly the same time all around the bay. It would be impossible to give in a small compass a minute account of the tides of Martha's Vineyard and Nantucket sound. In general it may be said that as far as Holmes' Hole and Wood's Hole they resemble those of Block island sound, and afterwards those of Monomoy at the eastern entrance; but this generalization is unsatisfactory without more details than there is space here to give. In these sounds takes place the remarkable change of between three and four hours, the greatest change of our coast, dislocating, as it were, the times of high water at places south and west and east and north of Nantucket. The whole of this change takes place between the eastern entrance of Nantucket sound and the western of Martha's Vineyard, giving rise to quite a complex condition of both tides and currents, which it has occupied much time to unravel. The dominant co-tidal line of our coast, from Block island to Cape Cañaveral, is that of XII hours of Greenwich time; that of our eastern coast, from Nantucket to Passamaquoddy, is, in general, XV hours. Passing out of Nantucket sound, coasters carry nearly the same co-tidal hour to Cape Cod, and thence vary their time about half an hour in passing to Boston, to Portsmouth, to Portland, or to Passamaquoddy. It has long been known that the tidal almanac for Boston might practically be used for eastern ports. Vessels from New York to Halifax, and New York to Europe, which keep outside, and should keep well off the Nantucket shoals, and off George's, as shown by the track on the chart, vary their co-tidal hour but little, keeping between the lines of XII and XI½ until quite well on their course, and beyond Cape Sable. The same rule will apply to their case as has been given for vessels between New York and a southern port.

## APPENDIX No. 15.

Table showing the least water in the channels of certain harbors, rivers, and anchorages on the coasts of the United States; reprinted from the list of 1857 and revised with additions and tidal data.

Places.	Limits between which depths are given.	LEAST WATER IN CHANNEL WAY.				Authorities.
		Mean.		Spring tides.		
		Low water.	High water.	Low water.	High water.	
Portland, Maine .....	From Cape Elizabeth to Portland light .....	<i>Fet.</i> 45	<i>Fet.</i> 53.9	<i>Fet.</i> 44.5	<i>Fet.</i> 54.4	C. S., 1850, 1853, and 1854.
	* From Portland light to breakwater .....	36	44.9	35.5	45.4	
	From breakwater to end of Munjoy Point .....	30	38.9	29.5	39.4	
	From breakwater to anchorage .....	16	24.9	15.5	25.4	
Portsmouth, N. H. ....	Channel-way off town and wharves .....	27	35.9	26.5	36.4	C. S., 1851.
	From Munjoy to railroad bridge .....	19.5	28.4	19	28.9	
	From Whale's Back to Fort Constitution .....	42	50.6	41.4	51.3	
	From Fort Constitution to the Narrows .....	51	59.6	50.4	60.3	
Newburyport .....	From the Narrows to the city .....	45	53.6	44.4	54.3	C. S., 1857.
	Off the wharves .....	63	71.6	62.4	72.3	
	Over bar .....	7	14.8	6.6	15.7	
	Ipswich .....	Over bar .....	7.5	16.1	6.6	
Annisquam .....	Over bar .....	6.5	15.5	5.6	16.4	C. S., 1854.
Gloucester .....	Channel into southeast harbor .....	30	38.9	29.1	39.8	
	Inner harbor channel to abreast Ten Pound Island light .....	31	39.9	30.1	40.8	
	Up into inner harbor .....	24	32.9	23.1	33.8	
Salem, Mass. ....	Northern ship channel, between Baker's and Misery islands .....	53	61.2	51.3	61.9	C. S., 1850 and 1851.
	Southern ship channel, passing Half-way Rock, Gooseberry and Eagle islands to the northward, and Cat island and Coney island to the southward .....	28	37.2	27.3	37.9	
	Inside of Salem Neck .....	19	28.2	18.3	28.9	
Boston, Mass. ....	Main ship channel, between Lovel's and Gallop's islands .....	28.5	38.5	27.8	39.1	
	Broad sound, south channel .....	19.5	29.5	18.8	30.1	
	President's roads, anchorage .....	31.5	41.5	30.8	42.1	
		Main ship channel, between Governor's island and Castle island .....	18	28	17.3	28.6
Plymouth .....	Entrance off Gurnet lights .....	21	31.2	20.3	31.7	C. S., 1857.
	South of Duxbury pier, in mid channel .....	48	58.2	47.3	58.7	
	Up to anchorage inside the pier-head on Long Beach .....	14	24.2	13.3	24.7	
	At anchorage inside the pier-head .....	21	34.2	23.3	34.7	
	Anchorage in the Cow Yard .....	24	34.2	23.3	34.7	
Narragansett bay to Prudence island.	Entering with Boston Neck on port hand, Beavertail and Dutch island lights on starboard hand, passing between Canonicut Point and Hope island .....	25	28.9	24.6	29.2	Com. Wadsworth, 1832.
	Entering with Beavertail light on the port and Castle Hill on starboard hand, up to Goat island .....	60	63.9	59.6	64.2	
	Anchorage southward and westward of Goat island .....	33	36.9	32.6	37.2	
	Abreast of wharves inside of Goat island .....	21	24.9	20.6	25.2	
New York .....	From Newport harbor, inside of Gull Rocks to Prudence island .....	31	34.9	30.6	35.2	C. S., 1848.
	To Mount Hope bay .....	42	45.9	41.6	46.2	
	To Mount Hope bay, with Cormorant Rock, Sachuest Point on port, and Saugkonnet Point on starboard hand .....	20	23.9	19.6	24.2	
	Gedney's channel .....	23	27.8	22.6	28.1	
Arthur's Kill .....	Swash channel .....	17	21.8	18.6	22.1	C. S., 1855 and 1856.
	Old South channel .....	91	95.8	90.6	96.1	
	Main ship channel, passing Sandy Hook to SW. spit buoy .....	31	35.8	30.6	36.1	
	Main ship channel, after passing SW. spit buoy on NE. course, one mile up the bay for New York .....	23	27.8	22.6	28.1	
Kill van Kull .....	Anchorage at Perth Amboy .....	22	26.9	21.5	27.5	C. S., 1855.
	From anchorage to Woodbridge wharf .....	22	26.9	21.5	27.5	
	From Woodbridge wharf to Rossville .....	13.5	18.6	13.0	19.2	
	From Rossville to Chelsea .....	14	19.1	13.5	19.7	
Newark bay .....	From Chelsea, in the western channel, to Elizabethport .....	13	18.1	12.5	18.7	C. S., 1855.
	From Elizabethport to Shooter's island .....	6.5	10.9	6.0	11.5	
	From Shooter's island to Bergen Point light-house .....	10	14.3	9.5	14.9	
	From Bergen Point light-house to New Brighton .....	27	31.3	26.5	31.9	
Hudson river .....	* From Bergen Point light-house to the mouth of Hackensack river .....	7	11.6	6.5	12.2	G. S., 1855.
	From Castle Garden to Manhattanville .....	32	36.0	31.6	36.8	Do.
	From Manhattanville to Yonkers .....	27	30.8	26.7	31.3	Do.
	** From Yonkers to Piermont Ferry .....	39	42.6	38.7	43.0	C. S., 1853.
	From Piermont Ferry to Sing Sing .....	24.5	28.0	24.3	28.3	Do.
	From Sing Sing to Haverstraw .....	26	29.1	25.8	29.8	Do.
	From Haverstraw to Peekskill .....	27	30.1	26.8	30.8	C. S., 1854.

\* The depth in channel way varies between 6 and 8½ fathoms.

† Two bars, each a quarter of a mile, have a less depth than 18 feet.

‡ A small shoal, with 12 feet, lies in the middle of the Kill, opposite the wharf at Blazing Star; and another, with 10 feet, a quarter of a mile to the northward; but deeper water is found on east side of both.

§ A shoal, of 4 feet, obstructs the eastern channel, half way between Chelsea and its junction with the main channel.

|| Channel very narrow in the vicinity of Black beacon.

¶ From Bergen Point light, half way to Newark Bay light-house, 17 feet may be carried.

\*\* In a straight line.

†† A shoal of 21.5 feet occurs about a mile below Sing Sing.

## APPENDIX No. 15—Continued.

Places.	Limits between which depths are given.	LEAST WATER IN CHANNEL WAY.				Authorities.
		Mean.		Spring tides.		
		Low water.	High water.	Low water.	High water.	
Delaware bay.....	* Main ship channel, passing Delaware breakwater..... Off Brandywine light house..... Main ship channel, passing False Liston's tree to abreast of Bombay Hook light..... Blake's channel, along Flogger shoal..... Blake's channel, passing Manon river light..... Main ship channel approaching Liston's Point..... Main ship channel up to Reedy island..... Main ship channel, opposite Reedy Island light-house..... Opposite Delaware City..... Up to Christiana Creek light..... Up to Marcus Hook..... Opposite Chester..... Bar off Hog island..... Between Greenwich Point and Gloucester Point..... From Greenwich point up to Philadelphia..... From capes at entrance to Hampton roads..... Anchorage in Hampton Roads..... From Hampton Roads to Sewall's Point..... South of Sewall's Point, (one mile and a half)..... Up to Norfolk..... From Hampton Roads to James river, entering to the northward of Newport News middle ground..... From Hampton Roads to James river, entering to the southward of Newport News middle ground..... From abreast the tail or York spit up to Yorktown..... Between Norfolk and navy yard..... Entrance..... Anchorage in Oliver's channel..... Over bulkhead into Pamphico sound..... Over bar..... Anchorage in Wallico's channel.....	Feet. 61 43  27.5 13.5 13.5 20 20 24.5 30 20.5 20.5 24.5 18.5 31.5 21.5 30 59 25 21 23  27 33 25.5 19 13 7 10 19  7 5.5 5 15.5 7 8 8 27 9 13 21 11 10 11 13 14 10 17 8 16 20 18 19 31 11  24 17 38 21 14.5 7 23  20 19 20 26 11 21 18 34 14	Feet. 64.5 46.5  33.4 19.4 19.4 25.9 26 30.5 36 27 27 30.7 24.7 37.5 27.5 32.5 61.5 27.5 23.5 24.5  29.5 35.5 28 21 15 9 12.4 21.4  ..... ..... ..... 18.3 9.8 12.5 10.8 20.8 12.6 10.8 16.8 18.8 19.9 15.9 22.9 13.9 23 27 25 26 11.5 25.1  21.5 20.5 21.5 27.5 12.5 22.8 19.3 35.3 15.3	Feet. 60.4 42.4  27.3 13.3 13.3 19.8 19.6 24.1 29.6 20.3 20.3 24.4 18.4 31.4 21.4 23.8 58.8 24.8 20.8 22.8  26.7 32.7 25.3 18.9 12.9 6.9 8.8 18.8  ..... ..... ..... 15.3 6.8 7.5 6.7 26.7 8.7 12.6 20.6 10.8 9.8 10.8 10.5 12.5 13.3 9.3 16.3 7.3 15.5 19.5 17.5 18.4 30.4 10.6  14.7 23.2 16.3 37.3 20.3 18.5 6.4 22.5 19.9 19.9 25.9 10.9 20.7 17.7 33.7 13.7	Feet. 64.9 46.9  34.2 20.2 21.2 26.7 26.3 30.8 36.3 27.2 27.2 31.2 25.2 34.2 26.2 32.8 61.8 27.8 23.8 25.8  29.8 35.8 28.3 21.1 15.1 9.1 12.6 21.6  ..... ..... ..... 18.6 10.1 13 11.3 31.3 18.3 26.3 17.1 16.1 17.1 17.4 19.4 20.7 16.7 21.7 14.7 23.5 27.5 25.5 26.5 34.5 18.2  22.5 31 24.5 45.5 28.5 20.7 25.2 11.9 23.5  21.7 20.7 21.7 27.7 12.7 23.1 19.5 35.5 15.5	C. S., from 1840 to 1844, inclusive.   

\* Soundings varying between 10 and 15 fathoms.

## APPENDIX No. 15—Continued.

Places.	Limits between which depths are given.	LEAST WATER IN CHANNEL WAY.				Authorities.
		Mean.		Spring tides.		
		Low water.	High water.	Low water.	High water.	
Key West.	Main ship channel to middle buoy on shoals.	Feet. 27	Feet. 28.3	Feet. 26.9	Feet. 28.5	1850 and 1851.
	From shoals to anchorage.	30	31.3	29.9	31.5	
	East channel, entering.	30	31.3	29.9	31.5	
	On course N. N. W. & W. (light on O'Hara's observatory) and passing between shoals.	28	29.3	27.9	29.5	
	From 14-foot shoals to anchorage.	30	31.3	29.9	31.5	
	At anchorage.	27	28.3	26.9	28.5	
	Rock Key channel.	20	21.3	19.9	21.5	
	Sand Key channel.	27	28.3	26.9	28.5	
	West channel.	30	31.3	29.9	31.5	
	Northwest channel up to abreast Northwest light.	15	16.3	14.9	16.5	
Tortugas.	Over Northwest channel bar.	12	13.3	11.9	13.5	1855.
	Northwest channel.	45	46.2	44.8	46.4	
	Southwest channel.	54	55.2	53.8	55.4	
Tampa bay.	Over bar.	19	20.4	18.8	20.6	
	Channel between Egmont and Passage key.	17	18.4	16.8	18.6	
Waccasassa bay.	Channel up to anchorage.	8	10.6	7.7	10.9	
Cedar keys.	Main channel.	9	11.6	8.7	11.9	
	Northwest channel over bar.	11	13.6	10.7	13.9	
St. Mark's.	Over bar.	9	11.2	8.7	11.5	
	Channel at Middle buoy.	12	14.2	11.7	14.5	
	In mid-channel, off light-house.	15	17.2	14.7	17.5	1856.
	Up to Fort St. Mark's.	7	9.2	6.7	9.5	
St. George's sound.	East entrance over bar.	15.5				
	Main ship channel.	14				
	Swash channel.	13				
	At anchorage.	19				
Apalachicola.	Over bar.	39				
	In mid-channel, off beacon on St. Vincent's island.	10				
	Up to anchorage.	13				
St. Andrew's bay.	*Main ship channel, over bar.	13	14	12.8	14.3	
	Swash channel, over bar.	7	8	6.8	8.3	1855.
	West Pass, over bar.	7	8	6.8	8.3	
Pensacola.	*Over bar.	22.5	23.5	22.3	23.8	
	From bar to navy yard.	27	28	26.8	28.3	
	Off wharf at Pensacola.	21	22	20.8	22.3	
Mobile bay and river.	*Over outer bar.	21	22	20.7	22.2	
	Main ship channel to Fort Morgan.	36	37	35.7	37.2	
	To the upper fleet.	12	13	11.7	13.2	
	*Grant's Pass.	6.5	7.5	6.3	7.8	
Mississippi sound.	*From Grant's Pass to Pascagoula mail wharf.	7.5	8.7	7.2	9	
	Horn Island Pass, over bar.	15	16.2	14.7	16.5	
	Anchorage inside Horn Island.	19	20.2	18.7	20.5	1852 and 1853.
	Up to Pascagoula mail wharf.	8	9.2	7.7	9.5	
Ship Island harbor.	*Channel.	10	20.3	18.7	20.6	
	Northwest channel.	19.5	20.8	19.2	21.1	
	Anchorage, Man-of-war harbor.	18	19.3	17.7	19.6	
Cat Island harbor.	*Ship channel.	16	17.3	15.7	17.6	
	South Pass.	14	15.3	13.7	15.6	
	Shell Bank channel.	15.2	16.5	14.9	16.8	
Mississippi delta.	*Pass & l'Outre, North channel.	9.5	10.6	9.3	10.7	
	South channel.	12	13.1	11.6	13.2	
Northeast Pass.	*Over bar, north entrance.	9.5	10.6	9.3	10.7	
	Over bar, south entrance.	9	10.1	8.8	10.2	1851 and 1852.
Southeast Pass.	*Entering.	10	11.1	9.8	11.2	
South Pass.	*Channel.	8	9.1	7.8	9.2	
Southwest Pass.	*Channel.	13	14.1	12.8	14.9	
Barrataria bay.	*Over bar outside of Grand Pass.	7.5	8.7	7.2	8.9	
	Grand passage to Independence island.	15	16.2	14.7	16.4	
Dernière or Last island.	*Channel inside, and north of Ship Island Shoal light ship.	27	28.4	26.7	28.8	
	Channel north of Ship Island shoal, one mile from beach of Dernière island.	14	15.4	13.7	15.8	
Atchafalaya bay.	*From entrance to Cut-off Channel buoy.	8	9.6	7.6	10.0	
	On the Narrows.	6.5	8.1	6.1	8.5	
	On Bulkhead.	6.5	8.1	6.1	8.5	
	Mouth of Atchafalaya river in mid channel.	48	49.6	47.6	50.0	1853.
Vermilion bay.	*Over bar.	5.5	7.4	5.3	7.6	
	In mid-channel off light-house.	42	43.6	41.6	44	
Calcasieu river.	*Entrance over bar.	5.5	7.4	5.3	7.6	
Sabine Pass.	*Across the bar.	7.5	9	7.2	9.3	
Galveston bay.	*Entrance over bar.	12	13.1	11.7	13.3	
San Luis Pass.	*Over bar.	8	9.1	7.8	9.3	
Brizos river.	Over bar.	8	9.1	7.8	9.3	
Matagorda bay.	*Entrance over bar.	9	10.1	8.8	10.3	
Aransas Pass.	*Channel.	9	10.1	8.7	10.5	
Rio Grande.	*Channel.	4	4.9	3.8	5	

\* The highest tides occur at the moon's greatest declination, and are applied in the column headed "spring tides."

## APPENDIX No. 15—Continued.

Places.	Limits between which depths are given.	LEAST WATER IN CHANNEL WAY.						Date.
		Mean, lowest of day.		Spring tides, lowest of day.		Spring tides, lowest of day.		
		Low water.	High water.	Low water.	High water.	Low water.	High water.	
San Diego bay .....	Entrance .....	Fect. 27.4	Fect. 31.5	Fect. 26.8	Fect. 32.1	Fect. 26.3	Fect. 31.8	1851.
San Diego .....	Midway between south end of Zuniga shoal and Point Loma light-house, bearing N. 61½ W. by compass, distant nearly a statute mile .....	20	24.1	19.4	21.7	18.9	24.4	1856.
	Middle Ground light house, bearing N. 67½ W. by compass, distant three-fourths of a statute mile .....	18	22.1	17.4	22.7	16.9	22.4	1856.
	Midway and nearly in range between Ballast Point and point opposite .....	23	26.1	21.4	26.7	20.9	26.4	1856.
	Abreast of La Plaza, 160 yards from shore .....	18	22.1	17.4	22.7	16.9	22.4	1856.
	At end of wharf, (Newtown) .....	23	27.1	22.4	27.7	21.9	27.4	1856.
San Clemente island, (SE. end.) .....	About midway between NE and SW. points at anchorage in deepest bight, 450 yards from shore .....	40	44.1	39.4	44.7	38.9	44.4	1856.
San Clemente island, (NW. end.) .....	About 200 yards from shore at anchorage .....	36	40.1	35.4	40.7	34.9	40.4	1852.
Mission San Juan Capistrano .....	At anchorage .....	42	46.1	41.4	46.7	40.9	46.4	1853.
Santa Catalina island, (SW. side.) .....	Anchorage in Catalina harbor .....	21	25.0	20.5	25.5	19.9	25.1	1852.
San Pedro .....	In range between Point Pedro and half a mile from Dead Man's island .....	18	22.0	17.5	22.5	16.9	22.1	1852.
Point Duma .....	Anchorage .....	54	58.0	53.5	58.5	52.9	58.1	1853.
San Buenaventura .....	At anchorage half a mile from shore .....	36	40.1	35.5	40.9	33.0	40.4	1855.
Santa Cruz island .....	Anchorage, Prisoner's harbor .....	75	79.1	74.5	79.9	74.0	79.4	1852.
Santa Barbara .....	Anchorage inside of Kelp, 450 yards from shore .....	18	22.1	17.5	22.9	17.0	22.4	1852.
San Miguel island .....	Anchorage, Cuyler's harbor .....	37	41.1	36.5	41.9	36.0	41.4	1852.
Coro harbor .....	Anchorage .....	34	34.1	29.5	34.9	29.0	34.4	1852.
San Luis Obispo .....	Anchorage in harbor .....	33	36.9	32.3	37.4	31.7	37.1	1852.
San Simeon .....	Harbor anchorage .....	24	27.9	23.3	28.4	22.7	28.1	1852.
Monterey harbor .....	Near shore .....	42	45.9	41.5	46.2	40.9	45.8	1852.
	Anchorage .....	30	33.9	29.5	34.3	28.9	33.8	1852.
Santa Cruz harbor .....	Anchorage .....	27	30.9	26.5	31.2	25.9	30.8	1852.
San Francisco bay .....	From 4 fathom bank around to southern shore .....	28	32.2	27.6	32.6	26.9	32.4	1851.
	Anchorage off Rincon Point, 450 yards from shore .....	66	70.2	65.6	70.6	64.9	70.4	1851.
	Anchorage off Market Street wharf, San Francisco .....	54	58.2	53.6	58.6	52.9	58.4	1851.
	Off Cunningham's wharf .....	36	40.2	35.6	41.6	34.9	40.4	1851.
	Off Clark's Point, 450 yards from shore .....	42	45.2	41.6	46.6	40.9	46.4	1851.
San Francisco harbor .....	On the bar .....	33	37.2	32.6	37.6	31.9	37.4	1855.
	At best wharves .....	20	24.2	19.6	24.6	18.9	24.4	1855.
Mare Island straits .....	In mid channel, between Commission Rock and western shore .....	25	30.5	24.8	30.7	24.0	30.3	1856.
	In mid channel, between navy yard and Vallejo .....	25	30.5	24.8	30.7	24.0	30.3	1856.
Ballenas bay .....	Inside of breakers on Duxbury reef, about a mile from shore .....	24	28.2	23.6	28.6	22.9	28.4	1853.
Sir Francis Drake's bay .....	Half a mile inside the point, and 400 yards from shore .....	17	21.2	16.6	21.6	15.9	21.4	1855.
Bodega bay .....	Half a mile inside of reef, at anchorage off point, 900 yards from shore .....	36	40.0	35.4	40.7	34.8	40.4	1853.
Coast .....	At Haven's anchorage .....	42	51.5	47.5	52.9	46.8	52.7	1853.
Albion river .....	Anchorage at entrance .....	42	51.5	47.5	52.9	46.8	52.7	1853.
Mendocino City .....	Anchorage inside of point .....	30	34.5	29.5	34.9	28.8	34.7	1853.
Shelter cove .....	Anchorage 500 yards inside of point .....	22	26.5	21.5	26.9	20.8	26.7	1853.
Humboldt bay .....	On bar, half a mile from shore .....	21	25.8	20.4	26.4	19.7	26.1	1853.
	Main channel .....	20	24.8	19.4	25.4	18.7	25.1	1851.
Crescent City harbor .....	Anchorage half a mile off Crescent City .....	21	26.2	20.4	26.9	19.7	26.5	1853.
Port Orford, or Ewing harbor .....	Anchorage three-fourths of a mile from Tichenor's Rock, and half a mile from B title Rock .....	46	51.7	47.4	52.4	44.7	52.0	1853.
Umpqua river .....	On bar, opposite mid-channel .....	13	19.1	15.4	19.6	11.7	19.3	1853.
Columbia river .....	North channel to Baker's bay .....	24	30.5	23.4	30.9	22.7	30.6	1852.
	* Entrance into south channel .....	19	25.5	18.4	25.9	17.7	25.6	1852.
	On bar of south channel .....	16	22.5	15.4	22.9	14.7	22.6	1852.
Shoalwater bay .....	On bar .....	18	24.5	17.1	25.1	16.4	24.5	1851.
	North channel .....	22.5	26.9	21.6	27.5	20.9	27.1	1855.
	South channel .....	25	31.5	24.1	32.1	23.4	31.5	1853.
Grenville harbor .....	Anchorage three-quarters of a mile inside of Point Grenville, and same distance from shore .....	22	28.5	21.1	29.1	20.4	28.5	1854.
Nes-ah harbor .....	Anchorage a mile inside of Waddah island, and 450 yards from shore .....	36	42.4	34.8	43.0	34.1	42.5	1851.
False Dungeness .....	Harbor anchorage .....	54	60.4	53.1	60.9	52.2	60.8	1853.
New Dungeness .....	do .....	45	51.4	41.1	51.7	43.2	51.8	1855.
Smith's island, (north side) .....	Anchorage near Kelp, 450 yards from shore .....	25	31.4	24.4	31.7	23.3	32.2	1854.
Beltingham bay .....	do .....	60	67.1	59.4	67.4	58.1	67.1	1855.
	Anchorage 400 yards southwest of Fitzhugh's wharf .....	18	25.1	17.4	25.4	16.1	25.1	1855.
Port Townsend .....	Anchorage 400 yards east of custom house .....	48	54.4	47.4	54.7	46.3	55.2	1854.
Port Ludlow .....	Anchorage .....	36	45.2	37.3	45.8	34.2	46.4	1855.
Port Gamble .....	do .....	18	27.2	17.9	27.8	16.2	27.4	1855.
Seattle .....	do .....	20	29.2	18.2	29.8	18.2	30.4	1854.
Blackly harbor .....	Anchorage 450 yards inside of entrance .....	46	55.2	45.2	55.8	44.2	56.4	1856.
Steilacoom harbor .....	Anchorage off Steilacoom creek, 400 yards .....	18	30.0	17.0	30.9	16.1	31.7	1855.
Olympia harbor .....	Mid channel, town 1½ mile distant, mission bearing E. NE .....	11	23.1	10.1	23.9	9.1	24.7	1855.

\* Twenty-one feet may be carried in at mean low water by keeping a little northward and westward, nearer the breakers of the middle sands, and, at the turn, hauling up for Cape Disappointment.



# APPENDIX No 16.

Table for navigators, showing the variation of the compass for the year 1858, compiled from the general chart of F. J. Evans, R. N.—(See Sketch No. 38.)

LATITUDE.		WEST LONGITUDE.																			LATITUDE.	
		180°	170°	160°	150°	140°	130°	120°	110°	100°	90°	80°	70°	60°	50°	40°	30°	20°	10°	0°		
		VARIATION OF THE COMPASS.																				
60 N.	15½ E.	20½ E.	25 E.	30 E.	33½ E.	35 E.	.....	.....	19 E.	7 W.	39 W.	53 W.	56½ W.	54½ W.	50½ W.	45½ W.	39 W.	31 W.	24½ W.	60 N.		
58	14½	19½	23½	28	30½	31½	.....	.....	.....	0½ W.	31	45½ W.	51½	51	46	43½	37½	29½	23½	58		
56	14½	18½	22½	26	28½	29	.....	.....	.....	2½ E.	22½	.....	46½	47	45½	41½	35½	28½	23	56		
54	13½	17½	21½	24½	26½	27½	25½ E.	.....	.....	.....	17	32½ W.	41½	43½	43	38½	34½	27½	22½	54		
52	13½	17½	20½	23	25	25½	24	.....	.....	.....	12	27	36½	40½	40½	38	32½	27½	21½	52		
50	13½	16½	19½	21½	23½	23½	22½	.....	.....	8 W.	22½	31½	37	38½	36½	31½	26½	21½	19½	50		
48	13½	16½	18½	20½	22	22½	21	NORTH	.....	.....	18½	27½	33½	36	34½	30	25½	20½	18½	48		
46	13½	16	18	19½	20½	20½	19½	AMERICA.	.....	.....	15½	24½	30	33½	32½	28½	24½	20	18½	46		
44	13	15½	17½	18½	19½	19½	18½	.....	.....	.....	13	21½	27½	30½	30½	27½	23½	19½	18½	44		
42	13	15½	16½	17½	18½	18½	17½	.....	.....	.....	11	18½	24½	27½	28½	26½	23	19½	18½	42		
40	13	14½	16	16½	17½	17½	16½	.....	.....	0½ E.	9½	16½	22½	25½	27	25½	22½	18½	17½	40		
38	12½	14½	15½	16	16½	16	15½	.....	.....	.....	1	7½	14½	20½	24½	25½	24½	22	17½	38		
36	12½	14½	14½	15	15½	15½	14½	.....	.....	.....	1½	6	12½	18½	22½	24½	24	21½	17½ W.	36		
34	12½	14	14	14½	14½	14½	13½	13½ E.	.....	8 E.	2½	4½	11	16½	21	23½	23½	21	.....	34		
32	12½	13½	13½	13½	13½	13½	12½	12½	.....	7½	2½	3½	9½	14½	19½	22½	22½	20½	.....	32		
30	12½	13	12½	12½	12½	12½	12	11½	10½ E.	7½	3½	2½	7½	13	17½	21½	21½	20	.....	30		
28	12½	12½	11½	11½	11½	11½	11	10	7½	4	1 W.	6½	11½	16	20½	21	19½	.....	.....	28		
26	12	11½	11	10½	10½	10½	10½	10½	9½	7½	4½	0	5½	10½	14½	19½	20½	.....	.....	26		
24	11½	11½	10½	10	11	10	10	9½	9	7½	4½	1 E.	4	9	13½	18½	20	.....	.....	24		
22	11½	10½	9½	9½	9½	9½	9½	8½	7½	5½	2	3	8	12½	17½	19½	AFRICA.	.....	.....	22		
20	11½	10	9½	8½	8½	8½	8½	8½	7½	5½	2½	1½	7	11½	16½	19½	.....	.....	.....	20		
18	10½	9½	9	8½	7½	7½	7½	8½	7½	5½	3	0½ W.	6	10½	15½	19	.....	.....	.....	18		
16	10½	9½	8½	8	7	7	7½	8½	7½	6	3½	0½ E.	5	10	15	19	.....	.....	.....	16		
14	10	9½	8½	7½	6½	6½	7	7½	8	7½	6½	3½	1	4½	9½	14½	18½	.....	.....	14		
12	9½	9½	8½	7½	6½	6½	6½	7½	7½	7½	6½	4½	1½	3½	8½	14	16½	.....	.....	12		
10	9½	9½	8½	7½	6½	6	6	7½	7½	8	6½	4½	2½	2½	8	1½	18	19½ W.	.....	10		
8	9½	9½	8	7	6½	5½	5½	7	7½	8½	7	5 E.	2½	2½	7½	13½	17½	19½	19½ W.	8		
6	9½	9	8	7	6	5½	5½	7	7½	8½	7½	.....	2½ E.	1½	7½	13	17½	19½	20½	6		
4	9½	9	8	7	6	5	5½	7	7½	8½	8	.....	.....	1½	7	12½	17½	20	20½	4		
2 N.	9½ E.	9 E.	8 E.	7 E.	5½ E.	5 E.	5½ E.	7 E.	8 E.	9 E.	8½ E.	.....	.....	0½ W.	6½ W.	12½ W.	17½ W.	20½ W.	21½ W.	2 N.		

APPENDIX No. 16—Continued.

LATITUDE.	WEST LONGITUDE.																			LATITUDE.
	180°	170°	160°	150°	140°	130°	120°	110°	100°	90°	80°	70°	60°	50°	40°	30°	20°	10°	0°	
	VARIATION OF THE COMPASS.																			
0	0 E.	0 E.	0 E.	7 E.	5½ E.	4½ E.	5 E.	6½ E.	8 E.	9½ E.	8½ E.	.....	.....	0½ W.	6½ W.	12½ W.	17½ W.	21 W.	23½ W.	0
28	9½	9	8	7	5½	4½	5	6½	8½	9½	8½	.....	.....	0½	6½	12½	17½	21½	22½	28.
4	9½	9	8	7	5½	5	5½	6½	8½	10	9½	.....	.....	0	6½	12½	17½	21½	23½	4
6	9½	9	8	7	6	5	5½	7	8½	10½	10	.....	SOUTH AMERICA.	.....	.....	12	18	22	23½	6
8	9½	9	8	7	6½	5½	5½	7	9	10½	10½	.....		.....	.....	11½	18	22½	24	8
10	9½	9	8	7½	6½	5½	6	7½	9½	11	10½	.....	.....	.....	5½ W.	11½	18	22½	24½	10
12	9½	9	8½	7½	6½	6	6½	7½	9½	11½	11½	.....	.....	.....	5	11½	17½	22½	24½	12
14	9½	9	8½	7½	6½	6½	6½	7½	10	11½	11½	10 E.	.....	.....	4½	11	17½	22½	25	14
16	10	9½	8½	7½	6½	6½	6½	8	10½	12	12½	10½	.....	.....	4½	10½	17	22½	25½	16
18	10	9½	8½	7½	7	6½	7	8½	10½	12½	12½	10½	.....	.....	4	10½	16½	22½	25½	18
20	10½	9½	8½	7½	7½	7	7½	8½	11	12½	13½	11½	.....	2½ E.	3½	10	16½	22½	25½	20
22	10½	9½	8½	8	7½	7½	7½	9	11½	13	13½	12	.....	2½	3½	9½	15½	21½	25½	22
24	10½	9½	8½	8½	7½	7½	7½	9½	11½	13½	14½	12½	.....	3	2½	9	15½	21½	25½	24
26	11	9½	9	8½	7½	7½	8	9½	12	14	14½	13½	.....	3½	2½	8½	15	21½	25½	26
28	11½	10½	9½	8½	8	8	8½	10	12½	14½	15½	14	.....	4	1½	8	14½	20½	25½	28
30	12	10½	9½	8½	8½	8	8½	10½	12½	15	16	14½	10½ E.	4½	1½	7½	13½	20	25	30
32	12½	11	9½	9	8½	8½	9	10½	13	15½	16½	15	10½	5½	0½ W.	7	13½	19½	2½	32
34	13	11½	10	9	8½	8½	9½	11	13½	16½	17½	15½	11½	5½	0	6½	12½	18½	24½	34
36	13½	11½	10½	9½	9	9	9½	11½	14	16½	17½	16	12½	6½	0½ E.	5½	12	19½	2½	36
38	14	12½	10½	9½	9½	9½	10	12	14½	17½	18½	16½	12½	7½	1½	5	11½	17½	23½	38
40	14½	12½	1½	10	9½	9½	10½	12½	15½	18½	19½	17½	13½	8	1½	4½	10½	16½	23½	40
42	15½	13½	11½	10½	10	10	11	13	16	19	19½	17½	14	8½	2½	3½	10½	16½	23	42
44	15½	14	12½	11	10½	10½	11½	13½	16½	20	2½	18½	14½	9½	3½	3	9½	15½	21½	44
46	16	14½	12½	11½	11	11	12	14½	17½	20½	21½	19½	15½	10½	4½	2½	8½	14½	20½	46
48	16½	15½	13½	12	11½	11½	12½	15	18½	21½	22	20	16	11½	5	1½	7½	13½	19½	48
50	17½	15½	14	12½	12	12½	13½	16	19½	22½	23½	20½	16½	11½	6	1 W.	7	13	19	50
52	17½	16½	14½	13½	12½	12½	14	17	20½	23½	23½	21½	17½	12½	7	0	6	12½	18	52
54	18½	16½	15½	14	13½	13½	15	18½	22	24½	24½	22½	18½	13½	8	1 E.	5½	1½	17	54
56	18½	17½	16	15	14½	14½	16	19½	23½	25	25½	23½	19½	14	8½	2	4½	10½	16½	56
58	20	18½	17	16	15½	15½	17½	21½	24½	26½	26½	24½	21	15½	9½	3½	3½	9½	15½	58
60S.	21½ E.	19½ E.	18½ E.	17½ E.	17 E.	17½ E.	19½ E.	2½ E.	26½ E.	27½ E.	27½ E.	25½ E.	21½ E.	16½ E.	10½ E.	4 E.	3 W.	9 W.	15 W.	60S.

THE UNITED STATES COAST SURVEY.

APPENDIX No. 16—Continued.

174

REPORT OF THE SUPERINTENDENT OF

LATITUDE.		EAST LONGITUDE.																		LATITUDE.	
		0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°	120°	130°	140°	150°	160°	170°		
VARIATION OF THE COMPASS.																					
60 N	24½ W.	17½ W.	11 W.	5 W.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3 W.	0	5½ E.	10½ E.	15½ E.	60 N.	
58	23½	17½	11	5½ W.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3½	0½ W.	4½	10	14½	58	
56	23	17	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3½	0½	4½	9½	14½	56	
54	22½	16½	11 W.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3½	0½	4½	9½	13½	54	
52	21½	16½ W.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3½	0½	4½	8½	13½	52	
50	21½	EUROPE.														3½	0½	4½	8½	13½	50
48	20½	.....	.....	5½ W.	2 W.	1½ E.	4 E.	.....	As. (A.)	.....	.....	.....	.....	.....	3½	0½	4½	8½	13½	48	
46	20	15½ W.	.....	6	2½	1	4	.....	.....	.....	.....	.....	.....	5½ W.	3½	0½ W.	4½	9½	13½	46	
44	19½	15½	10½ W.	6	2½	0½ E.	3	.....	.....	.....	.....	.....	.....	.....	4½	3	0	5	9½	44	
42	19½	15	10½	6½	2½	0	2½ E.	.....	.....	.....	.....	.....	.....	.....	3½ W.	4½	3	0	5½	42	
40	18½	11½	10½	6½	2½	0½ W.	.....	.....	.....	.....	.....	.....	.....	3	4	2½	0½ E.	5½	10	40	
38	17½	14½	10½	6½	3 W.	0½	.....	.....	.....	.....	.....	.....	.....	2½	3½	2½	0½	5½	10	38	
36	17½ W.	14½	10½	6½	.....	1 W.	.....	.....	.....	.....	.....	.....	.....	2½	3½	2½	0½	5½	10½	36	
34	.....	14½	11	6½	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3½	2½	1½	6	10½	34	
32	.....	14½ W.	11	7	.....	1½ W.	.....	.....	.....	.....	.....	.....	.....	1½	2½	1½	1½	6½	10½	32	
30	.....	.....	11 W.	7½ W.	.....	1½	0½ W.	.....	.....	.....	.....	.....	.....	1½	2½	1½	2	6½	10½	30	
28	.....	.....	.....	.....	.....	1½	0½	.....	.....	.....	.....	.....	.....	1	2	1½	2½	6½	10½	28	
26	.....	.....	.....	.....	.....	1½	0½	.....	.....	2½ E.	.....	.....	.....	0½	1½	0½	2½	6½	10½	26	
24	.....	.....	.....	.....	.....	2	1	0½ E.	.....	2½	.....	1½ E.	.....	0½	1½	0½ W.	3	6½	10½	24	
22	.....	AFRICA.			.....	4½ W.	2½ W.	1	0	.....	2½	.....	1½	.....	0½	1½	0	3½	6½	22	
20	.....	.....	.....	.....	5	.....	1½	0	1½ E.	2½	.....	1½	.....	0½ W.	1	0½ E.	2½	7	10½	20	
18	.....	.....	.....	.....	5	2½ W.	1½	0	1	2	.....	1½	.....	0	0½	0½	3½	7	10½	18	
16	.....	.....	.....	.....	5½	3	1½	0	1	2	.....	2½ E.	1½	0½ E.	0½	1	4	7½	10	16	
14	.....	.....	.....	.....	5½	3	1½	0½ W.	1	2	.....	2½	1½	0½	0½ W.	1½	4½	7½	9½	14	
12	.....	.....	.....	.....	5½ W.	3½	1½	0½	0½	1½	.....	2½	1½	0½	0	1½	4½	7½	9½	12	
10	.....	.....	.....	.....	.....	3½	1½	0½	0½	1½	2	1½	.....	0½	0½ E.	2	4½	7½	9½	10	
8	19½ W.	18 W.	.....	.....	.....	3½	1½	0½	0½	1½	2	1½	.....	0½	0½	2½	4½	7½	9½	8	
6	20½	19	.....	.....	.....	4	2	0½	0½	1½	1½	1½	.....	0½	1	2½	5	7½	9½	6	
4	20½	19½	.....	.....	.....	4½	2½	0½	0½ E.	1½	1½	1½	.....	1	1	2½	5	7½	9½	4	
2 N.	21½ W.	20½ W.	.....	.....	.....	4½ W.	2½ W.	1 W.	0	1 E.	1½ E.	1½ E.	.....	1 E.	1½ E.	3 E.	5½ E.	8 E.	9½ E.	2 N.	

APPENDIX No. 16—Continued.

LATITUDE.	EAST LONGITUDE.																		LATITUDE.	
	0°	10°	20°	30°	40°	50°	60°	70°	80°	90°	100°	110°	120°	130°	140°	150°	160°	170°		180°
	VARIATION OF THE COMPASS.																			
0	22½ W.	21½ W.	.....	.....	8 W.	4½ W.	2½ W.	1½ W.	0	0½ E.	1½ E.	1½ E.	1 E.	1½ E.	3 E.	5½ E.	8 E.	9½ E.	9½ E.	0
28	22½	22½	.....	.....	8½	5	3	1½	0½ W.	0½	1½	1½	1	1½	3½	5½	8½	9½	9½	28
4	23½	23	.....	.....	9½	5½	3½	1½	0½	0½	1	1	0½	1½	3½	5½	8½	9½	9½	4
6	23½	23½	.....	.....	10	6	3½	2	0½	0½ E.	0½	0½	0½	1½	3½	6	8½	9½	9½	6
8	24	24	.....	.....	11	6½	4	2½	1½	0½ W.	0½ E.	0½ E.	0½ E.	1½	3½	6½	8½	9½	9½	8
10	24½	24½	.....	.....	12	7½	4½	2½	1½	0½	0	0	0	1½	4	6½	8½	9½	9½	10
12	24½	25½	.....	.....	12	8½	5	3½	2	1	0½ W.	0½ W.	0½ W.	1½	4	6½	8½	9½	9½	12
14	25	25½	.....	.....	14	9½	5½	3½	2½	1½	1½	1	0½	1½	4½	7	8½	9½	9½	14
16	25½	26½	.....	.....	15½	10½	6½	4½	3	2½	2	1½	0½	1½	4½	7½	9	10	10	16
18	25½	26½	.....	.....	16½	11½	7½	5½	3½	3	2½	2	1	1½ E.	4½ E.	7½	9½	10½	10	18
20	25½	27	.....	.....	17½	13	8½	6½	4½	4½	3½	2½	1½	.....	.....	7½	9½	10½	10½	20
22	25½	27½	.....	.....	19	14½	10	7½	6½	5½	4½	3	1½ W.	.....	.....	8	10	10½	10½	22
24	25½	27½	.....	.....	20½	15½	11½	8½	7½	7	5½	3½	AUSTRALIA.			8½	10½	11½	10½	24
26	25½	28	.....	.....	21½	17	12½	10½	9½	8½	7½	4½	.....	.....	.....	8½ E.	10½	11½	11	26
28	2½	28	.....	26½ W.	2½	18½	15	11½	10½	10	8½	5½	.....	.....	.....	.....	11	12½	11½	28
30	25	28	28½ W.	27½	2½	20	16½	13½	12½	11½	10	6½	3½ W.	0½ E.	.....	.....	11½	12½	12	30
32	24½	28	29½	28½	25½	2½	18	15½	13½	13½	11½	8	3½	0½	5½ E.	9½ E.	12	13	12½	32
34	24½	27½	29½	29½	26½	23½	19½	17½	15½	15	12½	9	4½	0½ E.	6	9½	12½	13½	13	34
36	23½	27½	30	29½	28	25	20½	19	17½	16½	14½	10	5½	0	6	10½	12½	14	13½	36
38	23½	27½	30½	30½	29	26½	23½	20½	19	17½	15½	11	5½	0½ W.	6	10½	13½	14½	14	38
40	22½	27½	30½	31½	30	27½	25½	22½	21	19½	16½	12	6½	0½	6½	10½	13½	14½	14½	40
42	22	27	30½	31½	31	29	26½	24½	23	21	17½	13	7	0½	6½	11½	14	15½	15½	42
44	21½	26½	30	32½	32	30½	28½	26½	25½	23½	19½	14½	7½	1½	6½	11½	14½	15½	15½	44
46	20½	26	30	32½	33	31½	30	28½	27½	25½	21½	15½	8½	1½	6½	12	14½	16½	16	46
48	19½	25½	29½	32½	33½	33	31½	30	29½	28½	23½	17½	9½	2	6½	12½	15½	16½	16½	48
50	19	24½	29½	33	34½	34½	33½	32½	32	30½	26½	19	10½	2½	6½	12½	15½	17½	17½	50
52	18	24	29½	33	35½	35½	35	35	35	33½	29	21½	12	3	6½	13½	16½	17½	17½	52
54	17	23½	29	33	35½	36½	36½	37½	37½	36½	31½	23½	14 W	3½	6½	13½	17½	19	18½	54
56	16½	22½	28½	33	36½	37½	38½	39½	40	39½	34½	26	.....	4½	6	14½	18	20	19½	56
58	15½	21½	27½	33	36½	38½	40	42½	43½	42½	38	28½ W.	.....	5½	6	14½	19½	21	20	58
60 S.	15 W.	21 W.	27½ W.	33 W.	36½ W.	39 W.	42½ W.	45 W.	47 W.	46 W.	42 W.	.....	.....	6½ W.	6 E.	14½ E.	21 E.	22 E.	21½ E.	60 S.

## APPENDIX No. 17.

*Report of Capt. W. R. Palmer, U. S. Topographical Engineers, Assistant Coast Survey in charge of the office, and sub-reports of the chiefs of office divisions.*

COAST SURVEY OFFICE, October 1, 1859.

DEAR SIR: In conformity with the instructions of the Superintendent, I have the honor to submit herewith the usual annual reports of the chiefs of the different divisions of the Coast Survey office. These reports narrate with critical exactness the amount of work executed in this office since my first report, dated one year ago.

It will doubtless be apparent to the Superintendent, from a close examination of these reports, that the quantity of work done has been so great that it could only have been accomplished by steady industry and attention to duty on the part of those engaged in it.

The character of the work and the execution of the finished maps, in my judgment, merit high praise; yet the loss of some three or more able assistants during the past year is severely felt by this office; industry, zeal, and intelligence on the part of those who have succeeded to their duties will soon, I hope, enable them to thoroughly fill the places of their predecessors.

Three officers of the army, viz: First Lieut. J. C. Tidball, 2d artillery, First Lieut. R. Saxton, 4th artillery, and First Lieut. J. P. Roy, 2d infantry, have been detached from duty within the past year, and two officers only, viz: First Lieut. J. R. Smead, 2d artillery, and First Lieut. Thomas Wilson, 5th infantry, have been assigned to duty here.

I shall now refer to the different divisions of this office in their order of precedence, commencing with the—

*Computing Division.*—This division, the varied labors of which includes all the computations and comparisons necessary in the primary, secondary, and tertiary triangulations, the astronomical, chronometric, and magnetic observations, measurements of bases, and, in addition, many incidental calculations, remains under the charge of its experienced chief, Assistant C. A. Schott.

One of the computers (Mr. J. Wiessner) resigned on the 1st of April last, to join one of the western exploring expeditions. The report herewith submitted will furnish the Superintendent with the details of occupation of his six assistants and himself during the past year.

*Tidal Division.*—The tidal division is under the charge of Assistant L. F. Pourtales, who is assisted by five regular computers, and such “aids” as may be available from time to time in the intervals of their field service; their names and occupation are given in the annexed report of the chief of the division. In addition to the regular duties of this division, in reducing and furnishing to the office the requisite tidal data for our charts, it has other special occupations under the immediate direction of the Superintendent, as will be seen by reference to Appendix No. 27.

*Drawing Division.*—This division, First Lieutenant J. C. Tidball, 2d artillery, in charge until 30th of June last, has not only promptly executed the various demands that have been constantly made upon it, in the projecting, upon the sheets required by the parties in the field, of the astronomical and trigonometrical points, in the furnishing of many tracings for the different departments and bureaux of the government, for office use, for public corporations, and for

many private citizens, (these latter tracings being given only with the sanction of the honorable Secretary of the Treasury,) but has also with a reduced force gained a further advance upon the engraving. In the language of First Lieutenant T. Wilson, 5th infantry, who, three months since, succeeded to the charge of this division, "Confidence is felt in its ability to meet in a prompt and satisfactory manner every demand that can be made upon it."

The Superintendent will doubtless concur with me in the expression of regret which all who have been associated with him feel at the loss to this office of the services of First Lieutenant J. C. Tidball, 2d artillery. He received orders to join his regiment on the 12th of August last, thus dissolving his connection with this work.

Lieut. Wilson's report, hereto annexed, and the lists accompanying it, will acquaint the Superintendent with the progress of the division, and the special occupation of each of the draughtsmen during the past year.

*Engraving Division.*—The division of the Coast Survey office to which I deem it my duty most particularly to invite the attention of the Superintendent at the present time is that of the engraving, which, notwithstanding the increase in force in various grades of engravers a few years since, is hardly at the present time able to keep up with the Drawing Division. A thorough study of the details of this subject will, no doubt, enable us to apply the remedy. As you have this subject under special consideration, I do not deem it necessary at present to enlarge upon it.

The charge of this division for the first half of the year continued with First Lieut. Rufus Saxton, U. S. A., when his detail by the War Department for duty at the United States Military Academy, at West Point, deprived this office of his valuable services.

During the past six months Mr. Edward Wharton succeeded to the duties of Lieut. Saxton. His zeal and industry merit my commendation.

*Electrotype Division.*—Under the direction of Mr. George Mathiot, chief electrotypist, assisted by Mr. D. Hinkle, this division has made during the present year eighty-seven copies of engraved plates, eighty-three being for the use of this office and four for other departments of the government, thus preserving unimpaired our original or standard plates, and using, in lieu of them, the electrotypes for printing.

I had the honor to state, in my previous report, that increased success had followed the experiments in photography, especially with a view to its use in the preparation of the reductions from the original plane-table sheets, and I have now the satisfaction of stating that, to a great extent, these reductions have proved successful. I would instance that of coast chart No. 29, from Green Run inlet to Little Machipongo inlet, Virginia, a proof of which was submitted to the Superintendent on the 28th of July last, after having been engraved from the photographic reduction. I have examined with care the criticisms of both the Drawing and Engraving Divisions upon it; it has been pronounced accurate. The cost of this reduction did not exceed one-fourth the cost of making the same reduction by hand.

Two other reductions, viz: San Pablo, California,  $\frac{1}{8} \times \frac{1}{8}$ , and New York bay and harbor, also  $\frac{1}{8} \times \frac{1}{8}$ , having been subjected to the closest criticism of experts in both the Drawing and Engraving Division, and proving accurate, are being now engraved as received from the photographer.

The report of the chief electrotypist, hereto appended, promises additional results by the use of photography in other branches of the survey.

*Archives and Library.*—The arrangement for the archives continues unchanged. The very limited space remaining for the records of the survey at the date of the last annual report is being rapidly filled, and great inconvenience is felt from the want of sufficient room for the proper disposal of those turned in from day to day, from the various field and hydrographic parties. There have been added to the library, during the calendar year 1859, one hundred and sixteen volumes, of which fifty were presented to the survey from home departments and institutions, and from those of foreign governments.

*Miscellaneous division.*—As stated in my last annual report the miscellaneous division, consisting of the printing and distribution of maps, charts, and Coast Survey Reports, had only then been organized less than a year and had improved upon its previous separate working. The experience of the year exhibits a large advancement upon the results then stated, without an increase in the number of its employés. The number of impressions from Coast Survey maps, charts, and sketches printed, amounting to over fifteen thousand, including proofs for distribution, quarterly records, &c., against near twelve thousand of the previous year. With this increase, still, the number of impressions taken is scarcely up to the demand made upon the office by our sale agents and for the distribution to libraries and other institutions authorized by the Treasury Department, which amounted in the last year to far more than double the number distributed in the previous year, including seven thousand eight hundred impressions of thirteen charts, sent to the principal departments of the government to foreign institutions, &c., and to certain libraries and other public depositories designated by members of the House of Representatives in their respective districts throughout the entire country.

The distribution of the Superintendent's Annual Report for 1857, from the time of its reception from the congressional binders, was made in less time than in any previous year. The annual report for the past year, it is confidently hoped, will be ready for distribution by the commencement of the coming session of Congress. It will, doubtless, be a source of much regret to those who have heretofore received the results of the operations of the Coast Survey in this form, that the number of extra copies ordered by Congress was reduced to five thousand from the twenty thousand, heretofore distributed by members of Congress direct to their constituents, and from this office to foreign governments and institutions, the libraries of our vessels-of-war, of colleges, and scientific institutions, and to individuals interested in science, commerce, and navigation throughout the Union.

This division is under the charge of First Lieut. J. R. Smead, U. S. A., who, in June last, relieved his predecessor, First Lieut. J. P. Roy, U. S. A., the valuable services of the latter having been called for by the War Department.

I would respectfully call the attention of the Superintendent to the details of work as reported by Lieut. Smead, which is hereto submitted.

*Carpentry.*—The carpenters' work necessary for the use and transportation of instruments for the surveying parties has been at all times during the year promptly executed. There have been made twelve new stands and thirty-three fine cases for instruments; twenty-six drawing and plane-table boards; seven large cases for books, maps, and copper-plates; five large vats, and eighteen frames for electrotypes and photograph purposes; patterns for castings, and one hundred and forty-three packing boxes; the wood-work for two self-registering tide-gauges, and new instruments for magnetic observations; a machine for winding sounding-lines, and a vibrating stand for comparing base rods. All the instruments sent to and returned from the field parties have been packed and unpacked, and repairs made where needed; fifty tin tubes

for filing original maps and charts have been painted and numbered, and the requisite repairs and additions made to the Coast Survey buildings.

The work of the carpenter's shop is executed by Mr. A. Yeatman, master carpenter, assisted by one carpenter and one apprentice.

*Instrument Shop.*—The instruments made during the year are twenty-eight geodetic, three astronomical, sixteen magnetic and telegraphic, twenty-two telegraphic, ten hydrographic, twelve drawing, sixty-two engraving, and nineteen miscellaneous. Repairs have been made upon sixty-seven geodetic, five astronomical, six magnetic and telegraphic, ninety-six topographic, sixty hydrographic, thirty-five drawing and engraving, and three miscellaneous instruments. The force employed consists of Mr. J. Vierbuchen, master instrument maker, whose services and management are satisfactory, and five instrument makers.

I would express my acknowledgments to Commander S. S. Lee, U. S. N., who has recently been assigned to the charge of the Hydrographic Division of this office; to Prof. W. P. Trowbridge, assistant in the Coast Survey; Samuel Hein, esq., general disbursing agent, and Joseph Saxton, esq., assistant to the superintendent of weights and measures, for their prompt and cheerful co-operation with, and aid rendered to, the office on all subjects pertaining to their respective duties.

First Lieut. A. P. Hill, 1st artillery, U. S. A., still acts as general assistant; his merits are so well known to the Superintendent that it is superfluous for me to enlarge upon them.

In concluding this report I would add that the chief clerk in my office, A. W. Russell, esq., performs his duties with characteristic industry and ability. I shall, from a sense of duty, in a separate communication, strongly recommend an increase to the compensation of one or more of the gentlemen comprising the clerical force of this office, in order that they may be placed more nearly upon an equality, as to pay, with those of no higher grade or merit in the other departments and bureaux of the government.

I have the honor to be, very respectfully, your obedient servant,

W. R. PALMER,

*Capt. Topl. Engineers, Assist. C. S., in charge of office.*

Prof. A. D. BACHE,

*Superintendent U. S. Coast Survey.*

---

*Report of Assistant Charles A. Schott, in charge of the Computing Division.*

COAST SURVEY OFFICE, October 1, 1859.

In conformity with the regulations of the office, the usual annual report on the occupation of the several computers for the year ending October 1, 1859, is herewith respectfully submitted.

During a part of the year the number of computers was less than in the previous year. Mr. J. Wiessner resigned his position in this division on the 1st of April, to join one of the western wagon-road expeditions. The somewhat contracted state of the records received in the first half of the year permitted to continue the reductions of the current work without filling the place vacated by Mr. Wiessner, although it necessitated an increase of, and close attention to, duty on the part of the computers in general.

During the month of July, in accordance with instructions received from the Superintendent,



I was engaged on a magnetic survey, extending to Sections I and II; these observations were partly reduced by myself, and fully discussed in regard to the secular change of the magnetic declination, on which subject a report at some length was submitted in answer to a call from the Superintendent. The least square reduction of the primary triangulation between Kent Island and Washington was considerably advanced by me and reported on. The ordinary routine business of the office has all been attended to; it comprises principally the furnishing of geographical positions to topographical and hydrographic parties, and the examinations and reports of all computations, discussions, and revisions, either geodetic, astronomical, or magnetic.

The general distribution of the reductions has remained the same as in last year. The following statement contains in detail the amount of work done by each computer during the year ending October 1.

*Assistant Theodore W. Werner* computed the triangulation between St. Helena and Calibogue sounds, Section V; reduced Assistant Gerdes' triangulation on the Mississippi delta; made out a least square abstract of horizontal angles at station Humpback, Section I; reduced and computed rectangular co-ordinates of the Charlotte harbor triangulation, Section VI. He also computed the triangulation of the Gulf of Georgia, Washington Territory; made a second calculation of the astronomical latitude of yard, Section II; reduced the triangulations of Chandeleur sound, Section VIII, and near the mouth of the Potomac, Section III; also the triangulation connecting St. George's and St. Mark's, Section VII, computing new L. M. Z. for the whole work; the reduction of the triangulation between Sapelo and St. Simon's, Section V, 1858-'59, completes the work.

*Mr. Eugene Nulty* computed the astronomical latitude of Pensacola and Warrington, Section VII; of Lower Mississippi, Section VIII, and the azimuth of Plantation Hill and Warrington, Section VII, and of Humpback, Section I; also, the latitude of Humpback, Rutherford Observatory, N. Y., and of New Orleans. He also made a second reduction of the Seaton latitude, and reduced time and azimuth, and the latitude at station Smithville, N. C.

*Mr. James Main* made the revision of the two independent computations of the following astronomical work: The azimuths at Santa Cruz, Section X; at Allston and New Cut, Section V, and of Plantation hill, Section VII; the latitudes at Allston, Breach inlet, East Base, and Savannah, in Section V; of Pensacola and Warrington, in Section VII; of Thomas' hill, Bangor, and Humpback, in Section I; of New York city and Washington city. He also revised the magnetic reductions at Humpback and Mississippi city, computed the magnetic constants for magnet C. 6, and made a reduction of my magnetic observations in July last.

*Dr. Gottlieb Rumpf* attended to the revision and insertion of the geographical positions in the registers; made the second least square reduction of the horizontal angles at stations Hill, Causteu, and Seminary, Section III; made a second reduction of the James river triangulation of 1857, revised the reduction of the Mississippi delta triangulation, reduced the triangulation of Tomales bay and Petaluma creek, Section X, and of Sub-Assistant Harris' triangulation in the vicinity of New Orleans. He also made a least square abstract of the horizontal angles of the primary triangulations in Section V, and assisted in the reduction of vertical angles for elevations in Section I. He also reduced Assistant Blunt's work on the Hudson river, completing the triangulation up to Hudson City; assisted me in the discussion of the secular change of the magnetic declination, and in the preparation of the list of geographical positions printed in this year's report.

*Mr. John Weissner* computed the triangulation of Sheepscot river, Section I, and assisted in

the discussion of some magnetic reductions; he also supplied the L. M. Z. to the observers' computation of the Tomales bay triangulation, assisted in the least square reduction of the primary triangulation near Washington, and in the computation of L. M. Z. to the triangulation near New Orleans. He completed the reduction of vertical angles for heights in the vicinity of the Sheepscot river, 1855-'57, and reduced vertical angles at stations Saunders, Sebattis, and Ragged, of the primary series. Mr. Wiessner's resignation took effect on the first of April last.

*Mr. William D. Storke* assisted in the reduction of horizontal angles at Humpback, Section I; reduced the triangulation on Pensacola bay, 1858, and of Sub-Assistant Bagwell's triangulation south of the Cedar Keys; computed the triangulation of Assistant Bolles', south and west of Cape Fear river entrance, 1855 to 1858; made himself acquainted with the reduction of transit observations, and assisted in the preparation of geographical positions for the present report. He also reduced the horizontal angles at Smithville, N. C., in connection with the astronomical azimuth; assisted Mr. Rumpf in the L. M. Z. computations on Hudson river triangulation, and also assisted in the preparation of the statistical table for this year.

*Mr. John T. Hoover* attended to the clerical duties of the division, and principally assisted in the preparation of the geographical positions for the 1859 report, duplicating and revising the same. He also made a number of diagrams.

*R. Freeman* supplied the extra copying required for field or office.

---

*Report of Assistant L. F. Pourtales, in charge of Tidal Division.*

COAST SURVEY OFFICE, November 1, 1859.

The following report on the occupation of the computers in this division during the past year is respectfully submitted:

*Mr. R. S. Avery* has finished the discussion of the nine years' series of tidal observations at Boston, and has made comparisons of twelve years' observations with the predictions made by means of the coefficients obtained. He has also prepared ephemerides for future years.

*Mr. S. Walker* has examined and registered the observations received from the tidal stations, and has had charge of the correspondence with the observers. He has also read off the sheets of the self-registering tide-gauges, and supervised the gauge established at the navy yard in this city, besides making miscellaneous computations.

*Mr. John Downes* has made graphical decompositions of the tidal curves of the Florida stations, and reductions and comparisons of the results obtained.

*Sub-Assistant C. Fendall* was attached temporarily to this division from April 11 to June 16, and made decompositions of the tidal curves from the Florida reef, and worked out the diurnal inequality for some of the same.

*Mr. J. Gilliss* was engaged from November 26 to January 17 in making ordinary reductions, working out daily inequalities, drawing diagrams, and miscellaneous work.

*Mr. R. E. Evans* joined the division May 25, and has since been engaged on ordinary reductions, diagrams, and decompositions of tidal curves.

*Messrs. J. Donegan, O. Henrich, and T. C. Bowie* were engaged for short periods, in the intervals of their field duties, in miscellaneous work, chiefly ordinary reductions of tides.

*Mr. A. W. King* made, during part of the year, ordinary first and second reductions by contract.

The meteorological observations of the Pacific coast have continued to be discussed by *M. Thomas*, who has also done miscellaneous work and copying.

Most of the reductions of the observations of the permanent stations were made by *S. D. Pendleton*.

---

*Report of Lieut. Thomas Wilson, U. S. A., assistant in charge of the Drawing Division.*

COAST SURVEY OFFICE, November 1, 1859.

Pursuant to instructions, the following report is respectfully submitted of the operations of the drawing division of the United States Coast Survey office during the past official year, under the supervision of my able predecessor, Lieut. J. C. Tidball, U. S. A., until the 30th of June last, and since then in the charge of the undersigned.

During this time I have had the benefit of the assistance of Mr. G. A. Porterfield, whose experience in the office of several years has been successfully given to further the best interests of the division.

It is a material and gratifying fact that the division has been equal to the demands upon it by the extensive operations of the field and afloat, and the work is marked with great accuracy and superior professional ability and elegance.

\* \* \* \* \*

Below are presented the details of the duties and labors of the several draughtsmen employed. This outline of the past year's labors of this division furnishes some idea of its ability for promptly realizing in form and presenting in tangible shape the topographical and hydrographical results of the active service in the field and afloat.

As an incident to the draughting duties proper, yet of no ordinary importance, is the exact and methodical arrangement of the returns of the field service and other archives on which our maps and charts are founded. This arrangement is kept up with punctilious attention, and in such a manner that now and hereafter the maps and charts produced can be brought to the immediate test as to accuracy of the original data upon which they are founded, or renewed in the future, should every vestige of our present labors disappear by time or circumstance. It is proper also to report that not only have we kept pace with the field service, furnished projections to field parties, made projections on copper, and attended to these and other miscellaneous duties, legitimate but incidental, yet also are we still in advance of the engraving division, as, indeed, our system requires; so that not a moment is lost, nor the least delay possible, in its receiving from our hands a constant and abundant supply of material. For the purpose of presenting this fact more practically to the Superintendent, the paper marked A has been prepared, that he may see at a glance how the work on the projects in the drawing division stands with regard to its engraving.

It is a gratifying fact, too, that in co-operating with the purposes of a just and prudential economy of the Superintendent, we have been able to realize his wishes in a reduction of three during the past year; and with our present reduced force, looking to its efficacy, zeal, and

energy, we feel confident in an ability promptly and satisfactorily to meet every demand that may be made upon this division of the United States Coast Survey Office.

*Assistant W. M. C. Fairfax* has been employed upon the reduction of topography of coast maps and charts No. 7, from Muscongus bay to Portland harbor, Me., scale  $\frac{1}{80000}$ ; No. 10, from Ipswich harbor to Green's harbor, Mass.,  $\frac{1}{80000}$ ; No. 11, from Plymouth harbor to Hyannis harbor, Mass.,  $\frac{1}{80000}$ ; Nos. 35 and 36, Chesapeake bay, from Pocomoke sound to entrance, Md. and Va.,  $\frac{1}{80000}$ ; and No. 53, from Stono inlet to Fripp's inlet, S. C.,  $\frac{1}{80000}$ .

*Assistant M. J. McClery* has drawn additions to the Congress map,  $\frac{1}{180000}$ , and been occupied upon the topography of coast map and chart No. 21, New York harbor and vicinity,  $\frac{1}{80000}$ .

*Mr. A. Boschke* has been employed upon projects for maps and charts according to the general plan adopted for the entire coast.

*Mr. A. Lindenkohl* has reduced the reconnaissance of the coast of Texas, from Matagorda Bay entrance to Aransas pass,  $\frac{1}{200000}$ ; has made additions to Alden's reconnaissance of the western coast,  $\frac{1}{120000}$ , and has been employed upon Cape Fear River entrances, N. C. comparative charts, 1851-'58,  $\frac{1}{100000}$ ; coast map and chart, No. 58, from the St. Mary's to the St. John's river, Fla.,  $\frac{1}{80000}$ ; San Francisco bay, Cal.,  $\frac{1}{80000}$ ; projections for field parties; projections on copper and verifications; and has assisted in the application of photography to topographic reductions.

*Mr. A. Balbach* was employed upon the hydrography of coast maps and charts, No. 68, Florida reefs, from Key Biscayne to Carysfort reef,  $\frac{1}{80000}$ , and No. 72, (ditto,) from Key West to Marquesas keys,  $\frac{1}{80000}$ , until the 29th of November, when he was transferred to the hydrographic division.

*Mr. E. Hergesheimer* entered the office on the 13th of December, and has been engaged upon the hydrography of coast maps and charts, No. 14, from Cuttyhunk island to Block island, Mass. and R. I.,  $\frac{1}{30000}$ ; Nos. 70, 71, 72, Florida reefs, from Long Key to Marquesas keys,  $\frac{1}{80000}$ ; San Francisco and San Pablo bays, Cal.,  $\frac{1}{80000}$ ; Boston harbor, Mass., (additions for new edition,)  $\frac{1}{40000}$ ; Muskeget channel, (ditto,)  $\frac{1}{80000}$ ; Humboldt bay, Cal.,  $\frac{1}{80000}$ ; general coast chart, No. IV, from Cape May, N. J., to Currituck, N. C.,  $\frac{1}{40000}$ ; drawings from microscopic enlargement of specimens of bottom taken in deep sea soundings, Gulf Stream, and verifications and examinations.

*Mr. W. P. Schultz* has reduced St. George's sound, (eastern part,) Fla.,  $\frac{1}{40000}$ ; additions to Charleston harbor, (for new edition,) S. C.,  $\frac{1}{30000}$ ; has drawn diagrams illustrating changes of temperature in Gulf Stream, with depths, and has been employed upon the reduction of Patuxent river, Md.,  $\frac{1}{80000}$ , progress sketches, projects, and projections.

*Mr. L. D. Williams* has made additions to preliminary seacoast charts, Nos. 11 and 12, from Cape Hatteras to Cape Fear, N. C.,  $\frac{1}{200000}$ ; additions to Canal de Haro and Strait of Rosario, W. T.,  $\frac{1}{200000}$ ; and has been engaged upon Hudson river, from entrance to Sing Sing, N. Y.,  $\frac{1}{80000}$ ; general coast chart No. II, from Cape Ann to Gay Head, Mass. and R. I.,  $\frac{1}{40000}$ ; additions to Congress map,  $\frac{1}{180000}$ ; projections on copper; projections for field parties and verifications.

*Mr. A. Strausz* has been engaged upon the reduction of hydrography of coast maps and charts, Nos. 105, 106, 107, and 108, from Galveston bay to Lavacca bay, Texas,  $\frac{1}{80000}$ ; No. 9, from Cape Neddick, Me., to Cape Ann, Mass.,  $\frac{1}{80000}$ ; No. 11, from Plymouth harbor to Hyannis harbor, Mass.,  $\frac{1}{80000}$ ; No. 33, Chesapeake bay, from the Hudson to the Potomac

river, Md.,  $\frac{1}{80000}$ ; No. 53, from Stono inlet to Fripp's inlet, S. C.,  $\frac{1}{80000}$ ; preliminary seacoast chart No. 3, from Cape Small Point, Me., to Cape Cod, Mass.,  $\frac{1}{200000}$ ; Cedar Keys, Fla., (additions for new edition,)  $\frac{1}{80000}$ , and verifications of hydrographic reductions.

*Mr. W. T. Martin* has been engaged upon the topography of coast maps and charts, No. 28, from Cape Henlopen, Del., to Green Run inlet, Md.,  $\frac{1}{80000}$ ; No. 71, Florida reefs, from Newfound Harbor key to Boca Grande key,  $\frac{1}{80000}$ ; Nos. 107 and 108, from Oyster bay to Lavacca bay, Texas,  $\frac{1}{80000}$ , and verifications.

*Mr. P. Witzel* has drawn Sapelo sound, Ga.,  $\frac{1}{80000}$ ; Atchafalaya bay, La.,  $\frac{1}{80000}$ ; completed York river, from West Point to King's creek, Va.,  $\frac{1}{80000}$ ; and has been employed upon Kennebec river, from entrance to Bath, Me.,  $\frac{1}{80000}$ ; Portland harbor, Me.,  $\frac{1}{200000}$ ; coast maps and charts, No. 48, from Barren inlet to Lockwood's Folly inlet, N. C.,  $\frac{1}{80000}$ ; No. 88, from Choctawhatchee bay to Pensacola bay, Fla.,  $\frac{1}{80000}$ ; Cape Fear river entrances, (comparative charts, 1851-'58,) N. C.,  $\frac{1}{100000}$ ; projections for field parties and projections on copper.

*Mr. S. B. Linton* has been employed upon Apalachicola bay, Fla.,  $\frac{1}{40000}$ ; Charleston harbor, (additions for new edition,) S. C.,  $\frac{1}{80000}$ ; Lynn harbor, Mass.,  $\frac{1}{200000}$ ; lettering reductions; additions to progress sketches, and measurement of original topographic and hydrographic sheets.

*Mr. F. Fairfax* was occupied upon the topography of the upper sheet of James' river, Va.,  $\frac{1}{40000}$ ; the sketches of Port Townshend, W. T.,  $\frac{1}{40000}$ , and Brazos River entrance, Texas,  $\frac{1}{100000}$ ; progress sketches and tracings, until the 31st of March, when he left the office.

*Mr. B. Hooe, jr.*, has been continued upon tracings.

*Artificer J. A. Campbell, U. S. A.*, has continued upon tracings and statistics and in care of miscellaneous maps.

## A.

GENERAL COAST CHARTS.—SCALE $\frac{1}{400000}$ .						PRELIMINARY SEACOAST CHARTS.—SCALE $\frac{1}{200000}$ .					
Nos.	Project approved.	Drawing.		Engraving.		Nos.	Project approved.	Drawing.		Engraving.	
		Commenced.	Completed.	Commenced.	Completed.			Commenced.	Completed.	Commenced.	Completed.
I	I					1					
II	II	II		II		2					
III	III		III		III	3	3	3		3	
IV	IV	IV				4	4		4		4
V	V	V				5					
VI	VI					6					
VII	VII					7					
VIII						8					
IX						9					
X						10					
XI						11		11		11	
XII						12		12			
XIII						13					
XIV						14		14		14	
XIV bis.						15					
XV						16					
						17					
						18					
						19	19	19		19	
						20	20	20			
						21					
						22					
						23					
						24	24				
						25	25				
						26	26	26			
						27	27				
						28	28				
						29	29				
						30	30				
						31	31	31		31	
						32					

## A—Continued.

COAST MAPS AND CHARTS.—SCALE $\frac{1}{80000}$ —						COAST MAPS AND CHARTS.—SCALE $\frac{1}{80000}$ —					
Nos.	Project approved.	Drawing.		Engraving.		Nos.	Project approved.	Drawing.		Engraving.	
		Commenced.	Completed.	Commenced.	Completed.			Commenced.	Completed.	Commenced.	Completed.
1						57					
2						58		58			
3						59					
4						60					
5						61					
6						62					
7		7				63					
8						64					
9		9				65					
10		10				66					
11		11				67					
12	12		12	12		68	68	68		68	
13	13		13	13		69	69	69			
14	14	14		14		70	70	70			
15	15		15		15	71	71	71			
16	16		16		16	72	72	72			
17	17		17		17	73	73				
18	18		18		18	74					
19	19		19		19	75					
20	20		20		20	76					
21	21	21		21		77					
22	22					78					
23	23					79					
24	24					80					
25	25		25		25	81					
26	26		26		26	82					
27	27		27		27	83					
28	28	28				84	84				
29	29			29 (Phot.	red'n.)	85	85				
30						86					
30 bis.	30 bis.					87					
31	31		31	31		88					
32	32		32	32		89					
33	33	33		33		90	90		90		90
34	34	34		34		91	91		91	91	
35	35	35		35		92	92	92		92	
36	36	36		36		93	93	93			
37						94					
38						95					
39						96					
40	40	40		40		97					
41	41	41		41		98					
42						99					
43						100					
44						101					
45						102					
46						103					
47						104					
48		48				105		105			
49						106	106	106		106	
50						107	107	107		107	
51						108	108	108			
52	52					109					
53	53	53				110					
54	54					111					
55						112					
56						113					

*List of maps and sketches completed or in progress during the year ending November 1, 1859,  
arranged in order of sections.*

Name.	Scale.	Description.	Remarks.
<b>SECTION I.—Coast of Maine, New Hampshire, Massachusetts, and Rhode Island.</b>			
Progress sketch A .....	1-600,000	.....	Completed.
Progress sketch A bis .....	1-400,000	.....	Do.
Sheepscot river, Maine .....	1-40,000	Finished map .....	In progress.
Kennebec river, from entrance to Bath, Maine .....	1-30,000	do .....	Do.
Portland harbor, Maine .....	1-20,000	do .....	Do.
Preliminary sea-coast chart, No. 3, from Cape Small Point, Me., to Cape Cod, Mass. ....	1-200,000	Preliminary chart .....	Do.
Coast map and chart, No. 9, from Cape Neddick, Me., to Cape Ann, Mass. ....	1-80,000	Finished map and chart .....	Do.
General coast chart, No. 2, from Cape Ann, Mass., to Gay Head, R. I. ....	1-400,000	Finished chart .....	Do.
Coast map and chart, No. 10, from Ipswich harbor to Green's harbor, Mass. ....	1-80,000	Finished map and chart .....	Do.
Lynn harbor, Mass. ....	1-20,000	Finished map .....	Completed.
Boston harbor, (new edition,) Mass. ....	1-40,000	do .....	Do.
Coast map and chart, No. 11, from Plymouth harbor to Hyannis harbor, Mass. ....	1-80,000	Finished map and chart .....	In progress.
Muskeget channel, (new edition,) Mass. ....	1-60,000	Preliminary chart .....	Completed.
Coast map and chart, No. 14, from Cuttyhunk island, Mass., to Block island, R. I. ....	1-80,000	Finished map and chart .....	In progress.
<b>SECTION II.—Coast of Connecticut, New York, New Jersey and Delaware, north of Cape Henlopen.</b>			
Progress sketch B .....	1-400,000	.....	Completed.
Coast map and chart, No. 21, New York bay and harbor .....	1-80,000	Finished map and chart .....	In progress.
Hudson river, from entrance to Sing Sing, N. Y. ....	1-60,000	Finished map .....	Do.
<b>SECTION III.—Coast of Delaware, south of Cape Henlopen, Maryland and Virginia, north of Cape Henry.</b>			
Progress sketch C .....	1-400,000	.....	Completed.
General coast chart, No. 4, from Cape May, N. J., to Currituck, N. C. ....	1-400,000	Finished chart .....	In progress.
Coast map and chart, No. 28, from Cape Henlopen, Del., to Green Run inlet, Md. ....	1-80,000	Finished map and chart .....	Do.
Coast map and chart, No. 29, from Green Run inlet, Md., to Little Machipongo inlet, Va. ....	1-80,000	do .....	In progress by photography.
Coast map and chart, No. 33, Chesapeake bay, from Hudson river to Potomac river, Md. ....	1-80,000	do .....	In progress.
Coast map and chart, No. 35, Chesapeake bay, from Pocomoke sound to York river, Va. ....	1-80,000	do .....	Do.
Coast map and chart, No. 36, Chesapeake bay, from York river to entrance, Va. ....	1-80,000	do .....	Do.
York river, from West Point to King's creek, Va. ....	1-60,000	Finished map .....	Completed.
James river, from Richmond to City Point, Va. ....	1-40,000	do .....	In progress.
<b>SECTION IV.—Coast of Virginia, south of Cape Henry, and North Carolina, north of Cape Fear.</b>			
Progress sketch D .....	1-600,000	.....	Completed.
Preliminary sea-coast chart, No. 11, from Cape Hatteras to Cape Lookout, N. C. ....	1-200,000	Preliminary chart .....	In progress.
Preliminary sea-coast chart, No. 12, from Cape Lookout to Cape Fear, N. C. ....	1-200,000	do .....	Do.
Coast map and chart, No. 48, Cape Fear and vicinity, N. C. ....	1-80,000	Finished map and chart .....	Do.
Cape Fear river, New inlet, N. C. ....	1-10,000	Comparative chart, 1851-'58. ....	Completed.
Cape Fear river, southern entrance, N. C. ....	1-10,000	do .....	Do.
Diagrams illustrating changes of temperature in the Gulf Stream, with depths .....		Diagrams .....	Do.

*List of maps and sketches, &c.—Continued.*

Name.	Scale.	Description.	Remarks.
<b>SECTION V.—Coast of North Carolina, south of Cape Fear, South Carolina, and Georgia.</b>			
Progress sketch E.....	1-600,000	.....	Completed.
Coast map and chart, No. 53, from Stono inlet to Fripp's inlet, S. C.....	1-80,000	Finished map and chart.....	In progress.
Charleston harbor, (new edition,) S. C.....	1-30,000	Finished map.....	Completed.
Ossabaw sound, Ga.....	1-30,000	do.....	In progress.
Sapelo sound, Ga.....	1-30,000	do.....	Do.
<b>SECTION VI.—Coast of Florida, from St. Mary's river to St. Joseph's bay.</b>			
Progress sketch F, (showing a general reconnaissance).....	1-1,200,000	.....	Completed.
Progress sketch F, No. 2, (reefs and keys).....	1-400,000	.....	Do.
Coast map and chart, No. 58, from St. Mary's river to St. John's river.....	1-80,000	Finished map and chart.....	In progress.
Coast map and chart, No. 68, Florida reefs, from Key Biscayne to Carysfoot reef.....	1-80,000	do.....	Do.
Coast maps and charts, Nos. 70, 71, and 72, Florida reefs, from Long key to Marquesas keys.....	1-80,000	Finished maps and charts.....	Do.
<b>SECTION VII.—Coast of Florida, west of St. Joseph's bay, and Alabama, east of Mobile bay.</b>			
Progress sketch G.....	1-600,000	.....	Completed.
Cedar keys, (new edition,) Fla.....	1-50,000	Preliminary chart.....	Do.
St. George's sound, (eastern part,) Fla.....	1-40,000	Finished map.....	In progress.
Apalachicola bay, Fla.....	1-40,000	do.....	Do.
Coast map and chart, No. 88, from Choctawhatchee bay to Pensacola bay, Fla.....	1-80,000	Finished map and chart.....	Do.
<b>SECTION VIII.—Coast of Alabama, west of Mobile bay, Mississippi and Louisiana, east of Vermilion bay.</b>			
Progress sketch H.....	1-600,000	.....	Completed.
Atchafalaya bay, La.....	1-50,000	Preliminary chart.....	Do.
<b>SECTION IX.—Coast of Louisiana, west of Vermilion bay, and of Texas.</b>			
Progress sketch I.....	1-600,000	.....	Completed.
Coast maps and charts, Nos. 105, 106, 107, and 108, from Galveston bay to Lavacca bay, Texas.....	1-80,000	Finished maps and charts.....	In progress.
Brazos river entrance, Texas.....	1-10,000	Sketch.....	Completed.
Coast of Texas, from Matagorda bay entrance to Aransas Pass, Texas.....	1-20,000	do.....	Do.
<b>SECTION X.—Coast of California.</b>			
Progress sketch J, (from San Diego to Point Sal).....	1-600,000	.....	Completed.
Progress sketch J, No. 2, (from Point Sal to Tomales bay).....	1-600,000	.....	Do.
Alden's reconnaissance of western coast, (additions).....	1-1,200,000	Sketch.....	Do.
Western coast of United States, (additions).....	1-7,000,000	do.....	Do.
San Francisco bay and vicinity.....	1-80,000	Finished map and chart.....	In progress.
<b>SECTION XI.—Coast of Oregon and Washington Territories.</b>			
Progress sketch K.....	1-600,000	.....	Completed.
Canal de Haro and Strait of Rosario, (additions).....	1-200,000	Sketch.....	Do.
Fort Townshend, W. T.....	1-20,000	do.....	Do.
Sketch showing progress of the survey on the Atlantic, Gulf of Mexico, and Pacific coasts.....	1-5,000,000	.....	Prepared by the Superintendent.
Diagrams illustrating discussion of magnetical and meteorological observations.....	.....	.....	Drawn in computing division.



*Report of Mr. Edward Wharton, acting in charge of Engraving Division.*

COAST SURVEY OFFICE, October 31, 1859.

I have the honor to present the annual report of the operations of this division during the year ending October 31, 1859.

The division remained under the charge of Lieut. Rufus Saxton, U. S. A., from the date of the last annual report until April 1, when he was relieved from duty. Since that time the division has been under my charge. The engraving force at present consists of twenty-one engravers, of various grades.

The division has met with a serious loss in the death of one of its oldest and most skilled engravers, Mr. F. Dankworth, who had been attached to the office since 1843, and whose death occurred last March. Mr. Dankworth ranked among the first topographical engravers in this country, and it gives me pleasure to testify to the faithfulness with which he discharged his duties, and the ability and skill he evinced in the execution of his work. His place will be difficult to supply.

The engraving of the finished maps of Patapsco river, Md.; entrance to Pensacola bay, Fla.; San Diego bay, Cal.; Mare Island straits, Cal.; and San Francisco bay, Cal., have been completed; and the two plates of the middle and eastern part of Long Island sound, commenced some years ago, have been also completed, to take the place of the two already published. Various changes and additions have also been made to the charts of Boston harbor and Charleston harbor.

The second class maps and sketches of Atchafalaya bay, La.; entrance to Brazos river, Texas; Humboldt bay, Cal.; Port Gamble, Port Townshend, and Semi-ah-moo bay, Washington Territory, have also been engraved, and a new edition of Canal de Haro and Strait of Rosario. The maps of Kennebec river, Maine, from entrance to Bath, and of Rockport harbor, Mass., have been published in a preliminary form.

The first class finished maps and charts, Nos. 12 and 13,  $\frac{1}{80000}$ , Eastern series, from Monomoy to Muskeget, and from Muskeget to New Bedford; and Chesapeake bay series,  $\frac{1}{80000}$ , Nos. 1, 2, 3, 4, 5, 6; coast charts Nos. 40 and 41,  $\frac{1}{80000}$ , Albemarle sound; No. 68,  $\frac{1}{80000}$ , Florida reefs, from Key Biscayne to Carysfort reef; Nos. 91 and 92,  $\frac{1}{80000}$ , Mississippi sound, from Bonsecours bay to Grand island; Nos. 106 and 107,  $\frac{1}{80000}$ , Texas, from Galveston bay to Matagorda bay, and San Pablo bay, Cal.,  $\frac{1}{80000}$ , have made considerable progress towards completion; and the outlines of coast chart No. 29, from Green River inlet to Little Machipongo inlet, Del. and Md., have been engraved from a photographic reduction.

Mr. McCoy has completed the topography upon coast chart No. 13, Eastern series, No. 2,  $\frac{1}{80000}$ , and twelve views for coast charts Nos. 12, 13, and 14, extending from Monomoy to Newport.

Mr. Dankworth was engaged, up to the time of his death, upon the topography of coast chart No. 32,  $\frac{1}{80000}$ , Chesapeake bay, from Magothy river to Hudson river.

Mr. Enthoffer has executed all the topography upon coast chart No. 33,  $\frac{1}{80000}$ , Chesapeake bay, from Hudson river to Potomac river.

Mr. Knight has been employed upon the soundings and miscellaneous lettering of coast charts Nos. 15 and 16,  $\frac{1}{80000}$ , Long Island sound; the soundings of coast chart No. 13,  $\frac{1}{80000}$ , Eastern series, No. 2; Nos. 34 and 35, Chesapeake bay, from Potomac river to York river, Va.,  $\frac{1}{80000}$ ;

Boston harbor, Mass; Patapsco river, Md.; Monterey bay, Cal.; and other miscellaneous lettering.

*Mr. Rollé* has nearly completed the topography of coast chart No. 31, Chesapeake bay, No. 1,  $\frac{1}{80000}$ , and has executed some miscellaneous work.

*Mr. Sengteller* has completed the topography of the lower part of coast chart No. 12, Eastern series,  $\frac{1}{80000}$ , and has also nearly completed that of the upper part.

*Mr. Blondeau* has completed the topography of entrance to San Francisco bay,  $\frac{1}{80000}$ , and has made considerable progress upon that of San Pablo bay,  $\frac{1}{80000}$ .

*Mr. Phillips* has finished the topography and one-half the sand of coast chart No. 92, Mississippi sound, from Round island to Grand island,  $\frac{1}{80000}$ , and has executed some miscellaneous work.

*Mr. Metzgeroth* has completed the sand and views upon entrance to San Francisco bay,  $\frac{1}{80000}$ ; the sand of San Diego bay,  $\frac{1}{80000}$ ; and of the upper half of coast chart No 13, Eastern series, No. 2,  $\frac{1}{80000}$ , from Muskeget to New Bedford, and some miscellaneous work.

*Mr. Barnard* has engraved the sand upon coast chart No. 41, Albemarle sound, eastern part,  $\frac{1}{80000}$ ; a portion of the sand upon general coast chart No. 2, from Cape Ann to Gay Head, Patapsco river, Md., and coast chart No. 92, Mississippi sound,  $\frac{1}{80000}$ , and miscellaneous work.

*Mr. Kondrup* engraved a portion of the outlines upon coast charts Nos. 32 and 34, Chesapeake bay, Nos. 2 and 4,  $\frac{1}{80000}$ ; all the outlines, soundings, and general lettering upon the preliminary chart of Kennebec river, Maine; and is now engaged upon the topography of the same.

*Mr. Evans* has engraved portions of new work, and has made various corrections upon coast charts Nos. 15 and 16, Long Island sound, eastern and middle plates,  $\frac{1}{80000}$ ; re-engraved the topography of Captain's island, E. and W., and new work upon the plate of Charleston harbor,  $\frac{1}{80000}$ .

*Mr. Throop* has engraved the soundings and bottoms of general coast chart No. 2, from Cape Ann to Gay Head; coast chart No. 41, Albermarle sound, east; and Sapelo sound, Georgia; the notes and lettering of Port Gamble, Humboldt bay, Pensacola bay, and executed other miscellaneous lettering; and is now engaged upon the notes of coast charts No. 91, Mississippi sound, from Bonsecours bay to Round island.

*Mr. Maedel* has engraved the topography and sand of Port Gamble, Washington Territory; the sand of Rockport harbor, Mass., Muskeget channel, Mass., preliminary sea coast chart No. 14, from Cape Roman, S. C., to Tybee river, Georgia; a portion of the sand of entrance to Cape Fear river, and miscellaneous work.

*Mr. E. A. Maedel* has engraved the title, notes, and soundings of coast chart No. 106, from Galveston bay to Oyster bay, Texas, and Rockport harbor, Mass.; the title and soundings of coast chart No. 107, from Oyster bay to Matagorda bay, and some miscellaneous work; and is now engaged upon the soundings of coast chart No. 71, Florida reefs, from Newfound Harbor key to Boca Grande key.

*Mr. Petersen* has engraved the title and notes of Canal de Haro and Strait of Rosario and of Semi-ah-moo bay, Washington Territory; a portion of the soundings of sea-coast chart No. 3, from Cape Small Pt., Maine, to Cape Cod, Mass.; the notes of Patapsco river, Md., coast chart, No. 107, from Oyster bay to Matagorda bay, and of general coast chart No. 2, from Cape Ann to Gay Head; all the soundings of San Pablo bay, Cal., and the soundings of Pensacola harbor,

Fla., and miscellaneous work ; and is now engaged upon the hydrography of New York bay and harbor,  $\frac{1}{80000}$ .

*Mr. Langran* has engraved the title, soundings, and notes of York river, Va., from King's creek to West Pt., Atchafalaya bay, La., Port Townshend, Washington Territory ; a portion of the notes and soundings on sea-coast charts No. 11, from Cape Hatteras to Cape Lookout, and No. 14, from Cape Roman to Tybee river, and various miscellaneous lettering.

*Mr. Ogilvie* has engraved all the soundings, notes, and title on coast chart No. 68, Florida reefs, from Key Biscayne to Carysfort reef ; a portion of the notes on sea-coast chart No. 4, from Cape Cod, Mass., to Saugkonnet Pt., R. I. ; the soundings of Humboldt bay, Cal. ; the general lettering on coast chart No. 41, Albermarle sound east, and other miscellaneous lettering.

*Mr. Klakring* has engraved all the topography, soundings, title and notes of Mare Island straits, Cal. ; the topography of Humboldt bay, Cal. ; and has executed some miscellaneous work ; his employment by the office ceased on the 1st of July.

*Mr. Bartle* has engraved all the topography of Port Townshend, Washington Territory, and of entrance to Brazos river, Texas ; and miscellaneous work upon various plates, and is now engaged upon the topography of Rockport harbor, Mass.

Messrs. *Benner*, *Thompson* and *Sipe* have been employed upon the engraving of progress and other sketches, and such miscellaneous work as was required by the office.

In addition to the amount of work performed by the engravers, five of the sketches for the Report of 1858, have been lithographed or engraved upon stone under the direction of the Superintendent of Public Printing.

A more detailed account of the work performed, progress made, &c., can be found in the accompanying list of maps, charts, preliminary charts, and sketches, engraved or engraving, during the year ending November 1, 1859, arranged in order of sections ; and in the complete list of Coast Survey maps, charts, preliminary charts, and sketches engraved, and arranged geographically.

*List of maps, preliminary charts, and sketches, engraved or engraving, during the year ending October 31, 1859, arranged in order of sections.*

Name.	Scale.	Description.	Remarks.
SECTION I.			
Progress sketch A.....	1-400,000	.....	Engraved.
Do. A bis.....	1-600,000	.....	Do.
Kennebec river, Maine, from entrance to Bath.....	1-30,000	Preliminary chart.....	Do.
Rockport harbor, Mass.....	1-20,000	do.....	Do.
General coast chart, No. 2, from Cape Ann to Gay Head.....	1-400,000	General coast chart.....	Engraving.
Preliminary sea-coast chart, No. 3, from Cape Small Point, Maine, to Cape Cod, Mass.....	1-200,000	Preliminary chart.....	Do.
Preliminary sea-coast chart, No. 4, from Cape Cod, Mass., to Saugkonnet point, R. I.....	1-200,000	do.....	Engraved.
Coast map and chart, No. 12, Eastern series, No. 3, from Monomoy to Muskeget, Mass.....	1-80,000	Finished map and chart..	Engraving.
Coast map and chart, No. 13, Eastern series, No. 2, from Muskeget to Buzzard's bay.....	1-80,000	do.....	Do.
Coast map and chart, No. 14, Eastern series, No. 1, from Buzzard's bay to Narragansett bay.....	1-80,000	do.....	Do.
Kennebec river, Maine, from entrance to Bath.....	1-30,000	do.....	Do.
Rockport harbor, Mass.....	1-20,000	do.....	Do.
Lynn harbor, Mass.....	1-30,000	do.....	Do.
Muskeget channel, Mass., (new edition).....	1-60,000	do.....	Do.

*List of maps, preliminary charts, &c.—Continued.*

Name.	Scale.	Description.	Remarks.
SECTION II.			
Progress Hudson river triangulation.....	1-400,000	.....	Engraved.
Coast map and chart, No. 15, Long Island sound, east.....	1-80,000	Finished map and chart...	Do.
Do.....do..... No. 16.....do.....middle.....	1-80,000	.....do.....	Do.
Captain's island, east and west, (new edition).....	1-20,000	Finished chart.....	Do.
Coast map and chart, No. 21, New York bay and harbor.....	1-80,000	Finished map and chart...	Engraving.
SECTION III.			
Progress sketch C.....	1-400,000	.....	Engraved.
Coast map and chart, No. 31, Chesapeake bay, from head of bay to Magothy river, Maryland.....	1-80,000	Finished map and chart...	Engraving.
Coast map and chart, No. 32, Chesapeake bay, from Magothy river to Hudson river, Maryland.....	1-80,000	.....do.....	Do.
Coast map and chart, No. 33, Chesapeake bay, from Hudson river to Potomac river, Maryland.....	1-80,000	.....do.....	Do.
Coast map and chart, No. 34, Chesapeake bay, from Potomac river to Pocomoke sound, Virginia.....	1-80,000	.....do.....	Do.
Coast map and chart, No. 35, Chesapeake bay, from Pocomoke sound to York river, Virginia.....	1-80,000	.....do.....	Do.
Coast map and chart, No. 36, Chesapeake bay, from York river Virginia to entrance of bay.....	1-80,000	.....do.....	Do.
Patapsco river, Maryland.....	1-60,000	Finished chart.....	Engraved.
York river, Virginia, from King's creek to West point.....	1-60,000	Preliminary chart.....	Engraving.
Coast map and chart, No. 29, from Green Run inlet to Little Machipongo inlet, Delaware and Maryland.....	1-80,000	Finished map and chart...	Do.
SECTION IV.			
Progress sketch D.....	1 400,000	.....	Engraved.
Coast map and chart, No. 40, Albemarle sound west, from head of sound to Pasquotank river, North Carolina.....	1-80,000	Finished map and chart...	Engraving.
Coast map and chart, No. 41, Albemarle sound east, from Pasquotank and Alligator rivers, to entrance, North Carolina.....	1-80,000	.....do.....	Do.
Preliminary sea-coast chart, No. 11, from Cape Hatteras to Cape Lookout, North Carolina.....	1-200,000	Preliminary chart.....	Do.
Cap Fear river entrances, showing changes from 1851 to 1858, (two plates).....	1-10,000	Comparative chart.....	Engraved.
SECTION V.			
Progress sketch E.....	1-600,000	.....	Engraved.
Preliminary sea-coast chart, No. 14, from Cape Roman to Tybee, Georgia.....	1-200,000	Preliminary chart.....	Do.
Charleston harbor, (additions).....	1-30,000	.....do.....	Do.
Sapelo sound, Georgia.....	1-30,000	.....do.....	Engraving.
SECTION VI.			
Progress sketch F.....	1-1,200,000	.....	Engraved.
Progress sketch F, lower sheet, Florida keys.....	1-400,000	.....	Do.
Coast map and chart, No. 68, Florida reefs, from Key Biscayne to Carysfort reef.....	1-80,000	Finished map and chart...	Engraving.
SECTION VII.			
Progress sketch G.....	1-600,000	.....	Engraved.
Entrance to Pensacola bay, Florida.....	1-30,000	Preliminary chart.....	Do.
Eastern part St. George's sound, Florida.....	1-40,000	.....do.....	Engraving.
Apalachicola bay, Florida.....	1-40,000	.....do.....	Engraved.
SECTION VIII.			
Progress sketch H.....	1-600,000	.....	Engraved.
Atchafalaya bay, La.....	1-50,000	Preliminary chart.....	Do.
Coast map and chart, No. 91, from Bonsecours bay to Round island, Miss.....	1-80,000	Finished map and chart...	Engraving.
Coast map and chart, No. 92, from Round island to Grand island, Miss.....	1-80,000	.....do.....	Do.

*List of maps, preliminary charts, &c.—Continued.*

Name.	Scale.	Description.	Remarks.
SECTION IX.			
Progress sketch I.....	1-600,000	.....	Engraved.
Entrance to Brazos river, Texas.....	1-10,000	Preliminary chart.....	Do.
Coast map and chart, No. 106, from Galveston bay to Oyster bay, Texas.....	1-80,000	Finished map and chart.....	Engraving.
Coast map and chart, No. 107, from Oyster bay to Matagorda bay, Texas.....	1-80,000	.....do.....	Do.
Reconnaissance of coast of Texas, from Matagorda bay to Aransas Pass.....	1-200,000	Reconnaissance.....	Engraved.
SECTION X.			
Progress sketch J, lower sheet.....	1-600,000	.....	Engraved.
Progress sketch J, middle sheet.....	1-600,000	.....	Do.
San Diego bay, Cal.....	1-40,000	Finished chart.....	Do.
Mare Island straits, Cal.....	1-30,000	.....do.....	Do.
Entrance to San Francisco bay, Cal.....	1-50,000	.....do.....	Do.
San Pablo bay, Cal.....	1-50,000	.....do.....	Engraving.
Humboldt bay, Cal.....	1-30,000	Preliminary chart.....	Engraved.
San Francisco city, Cal.....	1-10,000	Map.....	Do.
SECTION XI.			
Progress sketch K.....	1-600,000	.....	Engraved.
Canal de Haro and Strait of Rosario, Washington Territory, (new edition).....	1-200,000	Reconnaissance.....	Do.
Port Gamble, Washington Territory.....	1-20,000	Finished map.....	Do.
Port Townshend, Washington Territory.....	1-40,000	.....do.....	Do.
Semi-ah-moo bay, Washington Territory.....	1-30,000	Reconnaissance.....	Do.
MISCELLANEOUS			
Diagrams illustrating the descent of sounding weight and line in deep-sea soundings.....	.....	Diagram.....	Engraved.
Project limits for finished maps, 1-80,000, on Atlantic and Gulf coasts.....	1-5,000,000	.....do.....	Do.
Sketch showing progress of coast survey to November, 1859.....	1-5,000,000	Sketch.....	Engraving.
Sketch showing limits of Gulf Stream.....	1-5,000,000	.....do.....	Do.
Diagrams of magnetical and meteorological observations at Girard College, Philadelphia, in 1840, 1841, 1842, 1843, 1844, and 1845.....	.....	Diagram.....	Engraved.
Diagrams of observations for temperature, wind, and atmospheric pressure, made by Dr. E. K. Kane at Van Rensselaer harbor, in 1853 and 1855.....	.....	.....do.....	Do.
Three sketches illustrating Superintendent's paper on currents of Sandy Hook.....	.....	.....do.....	Do.

Engraved on stone, under the direction of the Superintendent of Public Printing.

*List of Coast Survey maps, preliminary charts, and sketches engraved, geographically arranged.*

## 1. LIST OF MAPS AND CHARTS ENGRAVED.

No.	1. Richmond's island, Maine.....	10000
	2. Newburyport harbor, Massachusetts.....	10000
	3. Ipswich and Annis Squam harbors, Massachusetts.....	10000
	4. Gloucester harbor.....do.....	10000
	5. Salem harbor.....do.....	10000
	6. Boston harbor—new edition, 1859.....do.....	10000
	7. Plymouth harbor.....do.....	10000
	8. Provincetown harbor.....do.....	10000

9. Monomoy shoals . . . . . Massachusetts . . . . .	$\frac{1}{40000}$
10. Bass River harbor . . . . . do . . . . .	$\frac{1}{40000}$
11. Wellfleet harbor . . . . . do . . . . .	$\frac{1}{20000}$
12. Nantucket harbor . . . . . do . . . . .	$\frac{1}{20000}$
13. Hyannis harbor . . . . . do . . . . .	$\frac{1}{30000}$
14. Harbor of Edgartown . . . . . do . . . . .	$\frac{1}{20000}$
15. Harbor of Wood's Hole . . . . . do . . . . .	$\frac{1}{20000}$
16. Harbors of Holmes's Hole and Tarpanlin Cove, Massachusetts . . . . .	$\frac{1}{20000}$
17. Harbor of New Bedford, Massachusetts . . . . .	$\frac{1}{40000}$
18. General chart of the coast from Gay Head to Cape Henlopen . . . . .	$\frac{1}{400000}$
19. Fisher's Island sound, Connecticut . . . . .	$\frac{1}{40000}$
20. Harbor of New London . . . . . do . . . . .	$\frac{1}{20000}$
21. Mouth of Connecticut river . do . . . . .	$\frac{1}{20000}$
22. Harbor of New Haven, Connecticut—new edition, 1852 . . . . .	$\frac{1}{30000}$
23. Harbors of Black Rock and Bridgeport, Connecticut—new edition, 1852 . . . . .	$\frac{1}{20000}$
24. Harbors of Sheffield and Cawkin's Island . . . do . . . . . do . . . . . 1852 . . . . .	$\frac{1}{20000}$
25. Huntington bay, New York . . . . .	$\frac{1}{30000}$
26. Oyster bay or Syosset harbor, New York . . . . .	$\frac{1}{30000}$
27. Harbors of Captain's Islands, east and west, Connecticut . . . . .	$\frac{1}{20000}$
28. Hart and City islands, and Sachem's Head harbor, New York . . . . .	$\frac{1}{100000}, \frac{1}{20000}$
29. Hell Gate, New York . . . . .	$\frac{1}{30000}$
30. Long Island sound, east . . . . .	$\frac{1}{80000}$
31. Do . . . do . . . middle . . . . .	$\frac{1}{60000}$
32. Do . . . do . . . west . . . . .	$\frac{1}{80000}$
33. New York bay and harbor, and the environs, New York, sheet No. 1 . . . . .	$\frac{1}{20000}$
34. Do . . . . . do . . . . . do . . . . . do . . . . . do . . . . . No. 2 . . . . .	$\frac{1}{30000}$
35. Do . . . . . do . . . . . do . . . . . do . . . . . do . . . . . No. 3 . . . . .	$\frac{1}{30000}$
36. Do . . . . . do . . . . . do . . . . . do . . . . . do . . . . . No. 4 . . . . .	$\frac{1}{30000}$
37. Do . . . . . do . . . . . do . . . . . do . . . . . do . . . . . No. 5 . . . . .	$\frac{1}{30000}$
38. Do . . . . . do . . . . . do . . . . . do . . . . . do . . . . . No. 6 . . . . .	$\frac{1}{30000}$
39. Do . . . . . do . . . . . do . . . . . do . . . . .	$\frac{1}{80000}$
40. Western part of south coast of Long Island, New York . . . . .	$\frac{1}{80000}$
41. Middle part of . . . . . do . . . . . do . . . . . do . . . . .	$\frac{1}{80000}$
42. Eastern part of . . . . . do . . . . . do . . . . . do . . . . .	$\frac{1}{80000}$
43. Little Egg harbor, New Jersey . . . . .	$\frac{1}{80000}$
44. Delaware bay and river, sheet No. 1, Delaware . . . . .	$\frac{1}{80000}$
45. Do . . . . . do . . . . . sheet No. 2, New Jersey and Pennsylvania . . . . .	$\frac{1}{80000}$
46. Delaware bay and river, sheet No. 3 . . . . .	$\frac{1}{80000}$
47. Patapsco river, Maryland . . . . .	$\frac{1}{60000}$
48. Harbor of Annapolis and Severn river, Maryland . . . . .	$\frac{1}{60000}$
49. Mouth of Chester river, Maryland . . . . .	$\frac{1}{40000}$
50. Entrance to York river, Virginia . . . . .	$\frac{1}{60000}$
51. Pasquotank river, North Carolina . . . . .	$\frac{1}{60000}$
52. Beaufort harbor . . . . . do . . . . .	$\frac{1}{20000}$
53. Charleston harbor, South Carolina—new edition, 1858 . . . . .	$\frac{1}{30000}$

54. Key West harbor and approaches, Florida .....	$\frac{1}{80000}$
55. Entrance to Mobile bay, Alabama.....	$\frac{1}{40000}$
56. Mobile bay, Alabama.....	$\frac{1}{80000}$
57. Cat and Ship Island harbors, Mississippi .....	$\frac{1}{40000}$
58. Entrance to Galveston bay, Texas—new edition, 1856 .....	$\frac{1}{40000}$
59. San Diego bay, California.....	$\frac{1}{40000}$
60. Entrance to San Francisco bay, California.....	$\frac{1}{50000}$

## 2. LIST OF PRELIMINARY CHARTS AND SKETCHES ENGRAVED.

1. Alden's Rock, Maine.....	$\frac{1}{3000}$
2. Eggemoggin reach, Maine .....	$\frac{1}{20000}$
3. Kennebec river.....do .....	$\frac{1}{80000}$
4. Portland harbor.....do .....	$\frac{1}{20000}$
5. Portland harbor, (Commissioners' line,) Maine .....	$\frac{1}{100000}$
6. York River harbor, Maine .....	$\frac{1}{20000}$
7. Portsmouth harbor, New Hampshire .....	$\frac{1}{20000}$
8. Rockport harbor, Massachusetts .....	$\frac{1}{20000}$
9. Stellwagen's Bank—2d edition—Massachusetts .....	$\frac{1}{400000}$
10. Boston bay.....do .....	$\frac{1}{175000}$
11. Current chart, Boston bay.....do .....	$\frac{1}{100000}$
12. Minot's ledge.....do .....	$\frac{1}{100000}$
13. Sea-coast of the United States, No. 4, south part of Massachusetts ...	$\frac{1}{200000}$
14. Nantucket shoals, Massachusetts—new edition .....	$\frac{1}{200000}$
15. Tidal currents, Nantucket shoals, Massachusetts .....	$\frac{1}{200000}$
16. Muskeget channel.....do .....	$\frac{1}{80000}$
17. Sow and Pigs' reef.....do .....	$\frac{1}{240} \& \frac{1}{20000}$
18. Tidal currents, Long Island, New York .....	$\frac{1}{800000}$
19. Pot Rock and Way's reef.....do .....	
20. Hudson river, lower sheet.....do .....	$\frac{1}{80000}$
21. Buttermilk channel.....do .....	$\frac{1}{80000}$
22. Beacon ranges, New York harbor .....	$\frac{1}{40000}$
23. Romer shoals and Flynn's knoll, New York.....	$\frac{1}{40000}$
24. Changes in Sandy Hook, New Jersey.....	$\frac{1}{100000} \& \frac{1}{40000}$
25. Sea-coast of Delaware, Maryland, and part of Virginia.....	$\frac{1}{200000}$
26. Delaware and Chesapeake bays.....	$\frac{1}{400000}$
27. Chesapeake bay, (upper series,) Sheet No. 1 .....	$\frac{1}{80000}$
28. Do.....do.....do.....No. 2 .....	$\frac{1}{80000}$
29. Do.....do.....do.....No. 3 .....	$\frac{1}{80000}$
30. Chincoteague inlet, Virginia .....	$\frac{1}{40000}$
31. Sea-coast of Virginia and entrance to Chesapeake bay, Virginia.....	$\frac{1}{200000}$
32. James river, (upper sheet,).....do .....	$\frac{1}{40000}$
33. Rappahannock river, No. 1.....do .....	$\frac{1}{20000}$
34. Do.....do.....No. 2.....do .....	$\frac{1}{20000}$
35. Do.....do.....No. 3.....do .....	$\frac{1}{20000}$
36. Do.....do.....No. 4.....do .....	$\frac{1}{20000}$

37. Rappahannock river, No. 5 .....	Virginia .....	600000
38. Do.....do.. No. 6.....do .....	do .....	600000
39. York river, from King's creek to West Point.....do .....	do .....	600000
40. Wachapreague, Machipongo, and Metompkin inlets.....do .....	do .....	400000
41. Ship and Sand Shoal inlets.....do .....	do .....	400000
42. Entrance to Chesapeake bay.....do .....	do .....	100000
43. Cape Charles and vicinity.....do .....	do .....	800000
44. Cherrystone inlet .....	do .....	400000
45. Pungoteague creek .....	do .....	400000
46. Fishing or Donoho's battery, Maryland .....	do .....	800000
47. Albemarle sound, North Carolina .....	do .....	200000
48. Diagrams showing the effect of the wind in elevating and depressing the water in Albemarle sound.		
49. Hatteras shoals, North Carolina .....	do .....	200000
50. Cape Hatteras.....do .....	do .....	200000
51. Hatteras inlet.....do....fourth edition.....do .....	do .....	200000
52. Ocracoke inlet.....do.....do.....do .....	do .....	400000
53. Sea-coast, North Carolina, from Hatteras to Ocracoke.....do .....	do .....	200000
54. Wimble shoals, North Carolina .....	do .....	800000
55. Beaufort harbor.....do .....	do .....	200000
56. New river and bar....do .....	do .....	150000
57. Frying-pan shoals ....do .....	do .....	120000
58. Cape Fear river and New inlet, North Carolina .....	do .....	400000
59. Entrance to Cape Fear river, (new edition,) North Carolina .....	do .....	300000
60. Cape Fear river, from Federal Point to Wilmington, North Carolina ..	do .....	300000
61. Gulf Stream explorations, 1853.....do .....	do .....	500000
62. Diagrams, Gulf Stream explorations, 1853 .....	do .....	
63. Gulf Stream explorations, 1854.....do .....	do .....	500000
64. Diagrams, Gulf Stream explorations, 1854 .....	do .....	
65. Gulf Stream explorations, 1855.....do .....	do .....	500000
66. Co-tidal lines, Atlantic Coast.....do .....	do .....	1000000 & 1500000
67. Diagrams of secular variation of magnetic dip, Atlantic coast .....	do .....	
68. Cape Roman shoals, South Carolina .....	do .....	100000
69. Sea-coast of the United States, No. 14, South Carolina.....do .....	do .....	200000
70. Winyah bay and Cape Roman shoals.....do.....do .....	do .....	100000
71. Winyah bay and Georgetown harbor.....do.....do .....	do .....	400000
72. Bull's bay.....do.....do.....do .....	do .....	400000
73. Comparative chart, Maffitt's channel, South Carolina, (new edition) ....	do .....	500000
74. Maffitt's channel, (sections,) South Carolina .....	do .....	
75. North Edisto river, (new edition,) do.....do .....	do .....	500000
76. Romerly marshes .....	do .....	100000
77. Savannah river entrance, Georgia.....do .....	do .....	800000
78. Savannah city, front and back rivers, Georgia.....do .....	do .....	200000
79. Savannah river, Georgia .....	do .....	400000
80. Doboy bar and inlet, Georgia .....	do .....	400000



81. St. Simon's sound and Brunswick harbor, Georgia.....	200000
82. St. Andrew's shoals.....do.....	600000
83. St. Mary's bar and Fernandina harbor, Florida—comparative chart....	700000
84. St. Mary's river and Fernandina harbor, Florida.....	700000
85. St. John's river, from entrance to Brown's creek, Florida.....	250000
86. Mosquito inlet.....do.....	400000
87. Cape Cañaveral.....do.....	600000
88. Florida reefs.....do.....	200000
89. Turtle harbor, Florida reefs.....do.....	400000
90. Beacons on Florida reefs.....do.....	
91. Coffin's Patches.....do.....	200000
92. Key Biscayne, Cape Sable and bases.....do.....	400 & 600000
93. Legaré anchorage, (additions).....do.....	200000
94. Key West harbor, Florida—second edition.....	100000
95–101. Key West tidal diagrams, Florida.....	
102. Rebecca shoals.....do.....	600000
103. Reconnaissance vicinity of Cedar Keys, Florida.....	300000
104. Channel No. 4, Cedar Keys.....do.....	300000
105. Cedar Keys and approaches.....do.....	300000
106. Ocilla river.....do.....	200000
107. St. Mark's bar and channel.....do.....	400000
108. Middle, or main and western entrances, St. George's sound, Florida...	500000
109. St. Andrew's bay.....do.....	400000
110. Entrance to Pensacola bay.....do.....	300000
111. Sea-coast of part of Alabama and Mississippi.....	200000
112. Mobile bay, (second edition,) Alabama.....	200000
113. Horn Island Pass and Grand bay, Mississippi.....	300000
114. Do.....do.....do.....new edition.....	400000
115. Pascagoula river, Mississippi.....	200000
116. Biloxi bay.....do.....	400000
117–126. Cat Island tidal diagrams.....do.....	
127. Pass Christian.....do.....	400000
128. Delta of the Mississippi, Louisiana.....	600000
129. Gulf of Mexico, with profiles of deep-sea soundings—new edition.....	2400000
130. Barataria bay entrance, Louisiana.....	300000
131. Pass Fourchon.....do.....	100000
132. Timballier bay entrance.....do.....	200000
133. Isle Dernière or Ship Island shoals, Louisiana.....	300000
134. Atchafalaya bay.....do.....	200000
135. Entrances to Vermilion bay and Calcasieu river, Louisiana.....	20000 & 40000
136. Sabine Pass, Texas.....	40000
137. Sea-coast of Texas from Galveston, south.....	200000
138. Sea-coast of the United States, No. 31, part of Texas.....	200000
139. San Luis Pass, Texas.....	200000
140. Aransas Pass—2d edition—Texas.....	200000

141. Entrance to Brazos river, Texas .....	$\frac{1}{100000}$
142. Entrance to Rio Grande ...do.....	$\frac{1}{200000}$
143. Diagrams of heights and lunitidal intervals of diurnal and semi-diurnal tides in the Gulf of Mexico.....	
144-145. Co-tidal lines, Gulf of Mexico—2 plates .....	
146. Type curves .....do.....	
147. Wind curves, Cat island.....	
148. Alden's reconnaissance Western Coast, lower sheet, San Francisco to San Diego—new edition—California .....	$\frac{1}{1200000}$
149. Cortez bank .....	$\frac{1}{100000}$ & $\frac{1}{1200000}$
150. San Diego entrance—new edition—California.....	$\frac{1}{150000}$ & $\frac{1}{250000}$
151. Geological map of San Diego.....do.....	$\frac{1}{1000000}$
152. Catalina harbor .....do.....	$\frac{1}{150000}$
153. San Pedro anchorage and vicinity of Santa Barbara, California .....	$\frac{1}{200000}$ & $\frac{1}{400000}$
154. Anacapa island, (sketch).....do.....	
155. Anacapa island and east end of Santa Cruz island, California.....	$\frac{1}{300000}$
156. Prisoner's harbor, Cuyler's harbor, and northwest anchorage, San Cle- mente island, California .....	$\frac{1}{200000}$
157. Santa Barbara, California .....	$\frac{1}{200000}$
158. Eastern entrance to Santa Barbara channel, California .....	$\frac{1}{800000}$
159. San Simeon, Santa Cruz, San Luis Obispo, and Coxo harbors, California.....	$\frac{1}{200000}$ & $\frac{1}{400000}$
160. Point Conception.....do.....	$\frac{1}{400000}$
161. Point Pinos .....do.....	$\frac{1}{200000}$
162. Monterey harbor .....do.....	$\frac{1}{400000}$
163. Monterey bay .....do.....	$\frac{1}{600000}$
164. Geological map of Monterey .....do.....	$\frac{1}{1500000}$
165. Santa Cruz and Año Nuevo harbors .....do.....	$\frac{1}{1200000}$ & $\frac{1}{400000}$
166. San Pedro harbor.....do.....	$\frac{1}{200000}$
167. Entrance to San Francisco bay.....do.....	$\frac{1}{400000}$
168. San Francisco city, (new edition).....do.....	$\frac{1}{100000}$
169. Geological map of San Francisco.....do.....	$\frac{1}{1500000}$
170. South Farallon island.....do.....	
171. Tidal diagrams, Rincon Point.....do.....	
172. Pulgas base.....do.....	$\frac{1}{400000}$ & $\frac{1}{400000}$
173. San Antonio creek .....do.....	$\frac{1}{200000}$
174. Mare Island straits.....do.....	$\frac{1}{300000}$
175. Alden's reconnaissance Western Coast, middle sheet, San Francisco to Umpquah river, California and Oregon.....	$\frac{1}{1200000}$
176. McArthur's reconnaissance Western Coast, from Monterey to mouth of Columbia river, sheet No. 1—3d edition .....	
177. McArthur's reconnaissance Western Coast, from Monterey to mouth of Columbia river, sheet No. 2—3d edition .....	
178. McArthur's reconnaissance Western Coast, from Monterey to mouth of Columbia river, sheet No. 3—3d edition .....	

179. Alden's reconnaissance Western Coast, northern sheet.....	1200000
180. Point Reyes and Drake's bay, California.....	200000
181. Geological map of Point Reyes.....do.....	1500000
182. Humboldt bay, (new edition).....do.....	800000
183. Trinidad bay.....do.....	200000
184. Shelter cove, Mendocino city, Crescent City harbors, and Port Orford, or Ewing harbor, California and Oregon.....	200000
185. Umpquah river, Oregon.....	200000
186. Mouth of Columbia river—2d edition—Oregon.....	400000
187. Do.....do.....	2000000
188. Entrance to Columbia river, Oregon.....	100000
189. Tidal diagrams Rincon Point, San Diego and Astoria, California and Oregon.....	100000
190. Co-tidal lines of the Pacific coast.....	1000000
191. Cape Disappointment, Washington Territory.....	100000
192. Shoalwater bay—new edition—Washington Territory.....	100000
193. Alden's reconnaissance Western Coast, from Grey's harbor to Admi- ralty inlet, Washington Territory.....	800000
194. Grenville harbor, Washington Territory.....	100000
195. Cape Flattery and Nèe-ah harbor, Washington Territory.....	400000
196. False Dungeness, Washington Territory.....	100000
197. New Dungeness.....do.....	100000
198. Canal de Haro and Strait of Rosario and approaches, Washington Ter- ritory.....	200000 & 200000
199. Port Townshend—new edition—Washington Territory.....	400000
200. Duwamish bay and Seattle harbor.....do.....	400000
201. Smith's or Blunt's island.....do.....	200000
202. Port Ludlow.....do.....	200000
203. Port Gamble.....do.....	100000
204. Olympia harbor.....do.....	200000
205. Steilacoom harbor.....do.....	100000
206. Bellingham bay.....do.....	100000
207. Blakely harbor.....do.....	100000
208. Semi-ah-moo bay.....do.....	100000
209. Base apparatus.....	500000
210. Self-registering tide-gauge.....	
211. Craven's current indicator.....	
212. Craven's specimen box for deep-sea soundings.....	
213. Mitchell's sea-coast tide-gauge.....	
214. Figures to illustrate Appendix No. 33, 1854.....	
215. Diagrams of secular variation in magnetic declination, 1855.....	
216. Lines of equal magnetic declination.....	1000000
217. Bontelle's scaffold for stations, and Farley's signal.....	
218. Bontelle's apparatus for measuring preliminary bases.....	
219. Diagrams illustrating earthquake waves at San Diego and San Francisco	

- 220. Diagrams of secular variation in magnetic declination, 1856 .....
- 221. Sands's gas-pipe tripod .....
- 222. Sands's specimen box for deep-sea soundings and revolving heliotrope ..
- 223. Map of magnetic declination .....
- 224. Map of magnetic dip and intensity .....
- 225. Apparatus for measuring minor bases .....
- 226. Polyconic development of sphere .....
- 227. Diagrams illustrating telegraphic methods for difference of longitude ..
- 228. Diagrams showing injury to boilers of steamer Hetzel .....
- 229. Project limits for charts,  $\frac{1}{800000}$  and  $\frac{1}{1000000}$  .....
- 230. Diagrams of winds of the Western Coast .....
- 231. Diagrams illustrating loss of magnetism .....
- 232. Apparatus for measuring preliminary base lines .....
- 233. Trenchard's tide-gauge .....
- 234. Mitchell's tide-gauge .....
- 235. Diagrams illustrating the descent of sounding weight and line in deep-sea soundings .....
- 236. Project limits for finished maps,  $\frac{1}{800000}$ , on Atlantic and Gulf coasts ....
- 237. Three sketches illustrating the Superintendent's paper on currents of Sandy Hook .....
- 238. Diagrams of magnetical and meteorological observations at Girard College, Philadelphia, in 1840, '41, '42, '43, '44, and '45 .....
- 239. Diagrams of observations for temperature, wind, and atmospheric pressure, made by Dr. E. K. Kane, U. S. N., at Van Rensselaer harbor in 1853 and 1855 .....
- 240-259. Progress sketches .....

---

*Report of Mr. George Mathiot, in charge of the Electrotpe Division.*

U. S. COAST SURVEY OFFICE, *September 17, 1859.*

I respectfully present the following report of the operations of this division since October 1, 1858.

By the electrotpe process we have made eighty-seven plates, of this number fifty were in basso, and thirty-three in alto. I append tables of the plates. We have also made *four* plates for other departments of the government.

During the year the experiments for employing photography in the production of the charts of the survey have been zealously prosecuted, and I am now enabled to decisively say that the photographic method of reduction, is now in successful operation in the office, and I doubt not that before long it will prove far preferable to all other methods for delineation and accuracy, and has incomparably the advantage in economy and rapidity of execution.

I have sought to make use of the photograph in the *construction* of our charts. I emphasize *construction* in order that I may direct attention to the true object of my labors. That facility, which the photograph offers for *copying*, and its almost universal employment for this purpose,

causes the idea to be very generally entertained that we are endeavoring to multiply copies of our charts by photography. Such, however, would be to employ photography for the multiplication or publication of the charts, instead of their *construction*. But, the latter being the true purpose, and the construction of the chart being an operation founded on the methods and purposes of every department of the survey, it will be seen that the proposition to employ photography in making the charts involves no trifling considerations, and prospectively may affect every branch of the survey.

That facility which the camera offers for producing reduced copies of drawings is the element which I have sought to introduce; of the many ways in which this might be done, the following is the method which has been chosen, after the experience of the multitude of experiments I have made for the purpose during the last five years.

It must be borne in mind that a small scale chart is not merely a diminished picture of a chart constructed on a large scale; that the same things are not found in both charts; that the same things are represented differently on the different scales, and that numerous large scale charts combine in the composition of the small scales; and, lastly, that the configurations in the large charts not only change their *size*, but alter also their shape in entering the reduced charts, and this according to the part the object occupies in the reduced scale.

The elements of the charts are hydrographic and topographic sheets, constructed on ship-board by the hydrographer, and on the plane-table in the field by the engineer; these sheets become distorted by the hygrometric action of the paper, and hence are not true maps, and require the hand of man for their rectification; but as the error is only that of a variety of scales on the same sheet, the rectification does not affect the value of the sheet for its data, and can always be made in its reduction to the smaller scales. This is effected in the photographic method which has been adopted, in the following manner:

On a piece of transparent vellum the latitude and longitude lines of the sheet are laid down anew on the same scale as the sheet, but in a form corresponding to that which the area will form in the reduction; on this projection the squares of the minutes of latitude and longitude will not *perceptibly* differ from the squares on the sheets; the plan is, then, simply to lay the transparent vellum on the sheet, so as to make the minute lines for a square on the vellum coincide with those on the sheet; then with a pen trace the geographical delineations on the sheet upon the vellum, and omitting all such parts as are not desired to appear on the reduced chart; in this way the sheet is copied square by square, and all errors of shrinkage rectified, a selection of the desired parts made, and prominent objects made to retain their conspicuousness in the reduction, by increasing their size. In this operation both the judgment of the topographer and the skill of the draughtsman are required, and here is also a great occasion opened for gaining knowledge by experience. What objects to trace and what to omit, and how to trace them, are matters not easily determined; experience, judgment, deliberation, and consultation of the most able topographers and engineers of the survey will be required to decide this.

The work being transferred from the sheet to the vellum, the next operation is to produce the reduced photographic copy; for this purpose it is put up against a white board, and the camera placed at such distance as will insure the required reduction; a "collodion negative" is then made of it, and from this "negative" a paper photograph is produced, which is a reduced copy of the tracing. The photograph is then placed in the hands of the engraver, who transfers it to the copper plate; sheet after sheet being thus reduced and transferred to

the copper by their latitude and longitude lines, the finished chart at length appears in the print from the engraved plate.

Although the method here described is now in successful practice, there still remains an enormous mass of matter, relative to the conventionalities of the charts and their different scales, yet to be decided, and it is easy to foresee that even years will not suffice to wholly determine these points.

By the method I have described, I have, during the past year, constructed four charts of the survey, as follows: San Pablo bay, which I announced in my last annual report as having been successfully reduced from  $\frac{1}{80000}$  to  $\frac{1}{100000}$ , has been twice constructed on  $\frac{1}{80000}$  scale from the original sheets of the survey; the selections, however, in the first tracings, not being deemed acceptable after examining the appearance of the reduction, the sheets were again traced, and a second reduction made; this last reduction I have learned from the office is entirely satisfactory, and will be engraved. No. 29 of the eastern series of  $\frac{1}{80000}$  charts has been constructed and engraved as far as the survey has been completed. New York bay and harbor,  $\frac{1}{80000}$ , has also been photographically reduced as far as the original sheets have been verified by the resurvey; the work, as far as done, is, however, already in the hands of the engraver.

I have given but a mere synopsis of the photographic method of constructing the reduced charts. A detailed description would be too voluminous to be given here, and, moreover, the various operations now employed may be superseded by others as experience is gained. I would be pleased, however, to prepare a full account of the photographic method of reducing for publication; and this should at some time be done, as many of the processes are original, and have been acquired by the expenditure of time and money.

I have also, as time would permit during the year, conducted other photographic experiments for the purpose of employing photography in other departments of the survey. Partial success has attended some of the experiments, particularly those I have made in conjunction with Mr. L. F. Pourtales, in charge of the tidal division, for photographing the minute shells found in the specimens of bottoms. In this labor I believe we have trodden an unexplored field, for, so far as I am informed, success has not elsewhere attended the efforts to produce enlarged photographs of *opaque* microscopic objects; but there is still room for improvement in our efforts here. Though we have successfully introduced the work of photographing the soundings, other and no small part of my labors have been wholly fruitless thus far, yet persevering industry will ultimately succeed.

During the past year I have been assisted by Mr. D. Hinkle. He has applied himself both in the electrotype and photographic operations. I desire to commend him to the office for his assiduity in the work.

*List of plates electrotyped in alto.*

Name of chart.	No. made.	Name of chart.	No. made.
Annisquam and Ipswich harbors.....	1	Biloxi bay.....	1
York river.....	1	Entrance to Pensacola bay.....	1
Provincetown harbor.....	1	Semi-ah-moo bay.....	1
Patapsco river.....	2	Pacific coast.....	1
Sow and Pig's reef.....	1	Atlantic and Pacific coasts.....	1
Wachapreague, Machipongo, and Metomkin inlets.	1	San Diego bay.....	1
Atlantic coast.....	1	Muskeget channel.....	1
Entrance to San Francisco bay.....	1	Hatteras inlet.....	1
St. Simon's sound and Brunswick harbor.....	1	Romer and Flynn's shoals.....	1
Frying Pan shoals and entrance to Cape Fear river.	1	Wimble shoals.....	1
Gulf Stream sketch.....	1	Eggemoggin Reach.....	1
Rockport harbor.....	1	Kennebec river.....	1
Entrance to Brazos river.....	1	Port Gamble.....	1
Port Townshend.....	1	Atchafalaya bay.....	1
Wood's Hole.....	1	Charleston harbor.....	1
York river, upper part.....	1	Boston harbor, scale $\frac{1}{175000}$ .....	1

*List of plates electrotyped in basso.*

Name of chart.	No. made.	Name of chart.	No. made.
Chesapeake bay, sheet No. 1.....	1	Sow and Pig's reef.....	1
San Diego bay.....	2	Cape Fear river, lower part.....	1
Western coast, sheet No. 1.....	1	St. Simon's sound and Brunswick harbor.....	1
Western coast, sheet No. 3.....	1	Entrance to Pensacola bay.....	1
Harbor of Pass Christian.....	1	Gulf Stream sketch.....	1
Middle part of the southern coast of Long Island.	2	Western part of southern coast of Long Island..	2
Canal de Haro and Rosario Strait.....	1	Atlantic and Pacific coasts.....	1
Boston harbor.....	2	Biloxi bay.....	1
Provincetown harbor.....	3	Semi-ah-moo bay.....	1
Frying Pan shoals and entrance to Cape Fear river.	2	Hatteras inlet.....	1
York river.....	1	Romer and Flynn's shoals.....	1
Annisquam and Ipswich harbors.....	4	Wimble shoals.....	1
Eastern part of Long Island sound.....	1	Eggemoggin Reach.....	1
Patapsco river.....	2	Frying Pan shoals.....	1
Atlantic coast.....	2	Kennebec river.....	1
Wachapreague, Machipongo, and Metomkin inlets.	1	Atchafalaya bay.....	1
Eastern part of the southern coast of Long Island.	1	Rockport harbor.....	1
Middle part of Long Island sound.....	1	York river, upper part.....	1
Entrance to San Francisco bay.....	1	Wood's Hole.....	1

*Report of Lieut. J. R. Smead, U. S. A., in charge of miscellaneous division.*

COAST SURVEY OFFICE,  
*Washington, November 1, 1859.*

The miscellaneous division, consisting of the printing office, the map room, and office for distribution of the maps and charts, and of the Coast Survey Report, was placed under my charge in the latter part of June of this year.

Lieut. James P. Roy, U. S. A., was in charge from the date of the last annual report up to the time of my being ordered to the survey.

The records of the division are kept by Mr. V. E. King, who also has charge of the map room, and distribution of maps, charts, sketches, and Coast Survey Reports, assisted by Mr. F. Holden up to September 1, subsequently by Mr. W. Mertz, the former having resigned his position on that date. Since then I have learned with regret of the sudden death of Mr. Holden from paralysis. In addition to these duties, Mr. King assists in the clerical duties in the office of the assistant in charge. In the miscellaneous division his services are invaluable, from his intimate acquaintance with the details of duty, his constant attendance, and the celerity with which he accomplishes his work.

Mr. W. Mertz, successor to Mr. Holden, in addition to his duties in the map room, backs and stretches paper, and backs and repairs plane-table and other sheets, for use in the drawing division of the office. He has only been employed since September 1, but so far gives entire satisfaction.

In the printing office, Mr. Rutherford, as printer, with his assistant, Mr. J. Barrett, have been industrious, and very constant in their attendance.

I have caused to be prepared, and herewith respectfully transmit, a statement of Coast Survey maps, charts, and sketches distributed during the year: of these 600 copies of each of thirteen different maps or charts, viz:

- Annisquam and Ipswich harbors, Massachusetts.
- Boston harbor, Massachusetts.
- Plymouth harbor, Massachusetts.
- Provincetown harbor, Massachusetts.
- Long Island sound—eastern sheet.
- Long Island sound—middle sheet.
- Long Island sound—western sheet.
- Eastern part of southern coast of Long Island.
- Middle part of southern coast of Long Island.
- Western part of southern coast of Long Island.
- York River entrance, Virginia.
- Beaufort harbor, North Carolina.

Cape Fear River entrances, North Carolina, have been presented, "in conformity with an act of Congress and by direction of the Treasury Department," to different institutions, societies, individuals, &c., both in this country and abroad.

I also transmit a statement of the distribution of Coast Survey Reports, and of the maps, charts, sketches, and miscellaneous matter printed since the date of the last annual report.



*List of Coast Survey maps, charts, and sketches distributed during the year, for sale, use of office, and gratuitously.*

Names of maps.	Turned over for sale.	For use of office.	Gratuitously distributed.	Total.
Richmond Island harbor.....		5	18	23
York River harbor.....	5	2	43	50
Newburyport harbor.....		3	34	37
Ipswich and Annisquam harbors.....	11	6	547	564
Gloucester harbor.....	10	4	29	43
Salem harbor.....	20	4	27	51
Wellfleet harbor.....		3	15	18
Boston harbor, 400000.....	32	9	568	609
Boston harbor, 175000.....	179		39	218
Plymouth harbor.....	10	7	578	595
Sea coast of United States from Plymouth, Mass., to Saughkonnet river, Rhode Island.....				
Provincetown harbor.....	12	6	562	580
Harbor of Wood's Hole.....				
Nantucket harbor.....	5	3	9	17
Edgartown harbor.....				
Hyannis harbor.....		3	16	19
Harbors of Holmes's Hole and Tarpaulin Cove.....		3	11	14
Harbor of New Bedford.....	15	7	18	40
General coast chart from Gay Head to Cape Henlopen.....		6	31	37
Long Island sound, eastern sheet.....	60	2	591	653
Long Island sound, middle sheet.....	60	2	588	650
Long Island sound, western sheet.....	60	4	589	653
Fisher's Island sound.....	20	2	12	34
Harbor of New London.....	10	4	22	36
Mouth of Connecticut river.....	10	3	9	22
Harbor of New Haven.....	5	8	14	27
Harbors of Blackrock and Bridgeport.....	10	2	9	21
Huntington bay.....	10	3	10	23
Harbors of Sheffield and Cawkin's island.....		2	9	11
Harbors of Captain's island, east and west.....				
Oyster bay or Syosset harbor.....	10	3	10	23
Hart and City islands and Sa-hem's Head harbor.....	10	2	9	21
Hell Gate.....	20	2	24	46
New York bay and harbor and the environs, 500000.....		3	5	8
New York bay and harbor and the environs, 300000.....	105	8	107	220
Eastern part of south coast of Long Island.....	3	5	570	578
Middle part of south coast of Long Island.....			526	526
Western part of south coast of Long Island.....	15	5	567	587
Delaware bay and river, upper sheet.....	90	7	28	125
Delaware bay and river, middle sheet.....	90	7	28	125
Delaware bay and river, lower sheet.....	90	7	28	125
Patapsco river.....			42	42
Mouth of Chester river.....		2	9	11
Harbor of Annapolis and Severn river.....	5	8	32	45

*List of Coast Survey maps, &c., distributed—Continued.*

Names of maps.	Turned over for sale.	For use of office.	Gratuitously distributed.	Total.
York River entrance .....	11	1	549	561
Pasquotank river .....		4	12	16
Beaufort harbor .....	15	1	574	590
Cape Fear River entrances .....			526	526
Cape Fear river from Federal Point to Wilmington.....				
Charleston harbor.....	10	17	77	104
Cat and Ship Island harbors.....		3	15	18
Mobile bay .....	10	10	75	95
Mobile Bay entrance.....	10	3	13	26
Galveston entrance .....	2	3	10	15
Key West harbor and approaches .....	150	3	54	207
Pensacola harbor.....			13	13
San Diego bay .....	50	1	1	52
Sketches of—Kennebec River entrance .....				
Minot's ledge .....			8	8
Muskeget channel .....	2	1	6	9
Nantucket shoals.....				
Comparative map of Hudson river .....				
Little Egg harbor .....	10	3	12	25
Delaware and Chesapeake bays .....	25		43	68
Sea-coast of Delaware, Maryland, and part of Virginia.....	10	1	22	33
Chincoteague inlet.....	1	1	7	9
Sea coast of Virginia and entrance to Chesapeake bay.....			46	46
Norfolk harbor.....				
Hampton Roads .....				
Albemarle sound .....		3	38	41
Comparative chart, Beaufort harbor.....				
Ocracoke inlet .....		1	5	6
Hatteras and Ocracoke inlets.....				
Comparative chart, Cape Fear entrances.....				
Frying Pan shoals .....		1	5	6
New river and lar.....			4	4
Sea-coast of South Carolina .....				
North Edisto .....			1	1
St. Helena sound .....		1		1
Winyah bay and Georgetown harbor .....			35	35
Entrance to Savannah river .....		2	19	21
Savannah city, Front and Back rivers .....	2	1	7	10
St. Simon's sound and Brunswick harbor.....			20	20
Formerly marshes.....	2		4	6
St. Mary's river and Fernandina harbor.....			10	10
St. Mary's bar and Fernandina harbor.....				
St. Mark's bar .....		1	8	9
St. John's river, from entrance to Brown's creek.....	10	1	40	51
Comparative chart, St. John's river.....				
Legaré anchorage.....	2	1	4	7
Waccasassa bay .....				

*List of Coast Survey maps, &c., distributed—Continued.*

Names of maps.	Turned over for sale.	For use of office.	Gratuitously distributed.	Total.
Sketches of—Cedar keys .....	7	2	38	47
Apalachicola river .....				
St. Andrew's bay .....	5	3	38	46
Sea-coast of Alabama and Mississippi .....		3	46	49
St. Louis bay and Shieldsboro' harbor .....				
Biloxi bay .....				
Mississippi City harbor .....				
Grand Island Pass .....				
Delta of Mississippi .....		2	11	13
Ship Island shoal .....			6	6
Galveston bay .....				
Entrance to Matagorda bay .....				
San Luis Pass .....			5	5
Reconnaissance of the western coast of the United States from San Francisco to San Diego .....	50	11	31	92
Reconnaissance of the western coast of the United States from San Francisco to Umpquah river .....	50	11	30	91
Reconnaissance of the western coast of the United States from Umpquah river to the boundary .....	52	10	28	90
Cortez bank .....				
Prisoner's, Cuyler's, and San Clemente harbors .....	50		11	61
San Clemente island, southeast end .....				
Santa Barbara .....	50		10	60
Anacapa island .....	52		12	64
San Simeon, Santa Cruz, San Luis Obispo, and Coxo .....	50		11	61
Santa Cruz and Año Nuevo .....	52		13	65
San Pedro harbor .....	50		7	57
Monterey harbor .....	55		5	60
Map of San Francisco city .....	557		728	1,285
San Pablo bay .....				
Humboldt bay .....	55		6	61
Trinidad bay .....	55		8	63
Port Orford, Shelter Cove, Mendocino City and Crescent City harbors .....	52		15	67
Entrance to Umpquah river .....	50		13	63
Entrance to Columbia river .....	56		6	62
Shoalwater bay .....	50		10	60
Reconnaissance from Gray's harbor to Admiralty inlet .....	51	1	14	66
Cape Flattery and Nee-ah harbor .....	50		11	61
False Dungeness harbor .....	50		11	61
Port Townshend .....	52	2	15	69
Canal de Haro .....	50	1	27	78
Port Ludlow .....	52	3	16	71
Port Gamble .....	52	2	15	69
Blakely harbor .....	52		15	67
Bellingham bay .....	52		15	67

*List of Coast Survey maps, &c., distributed—Continued.*

Names of maps.	Turned over for sale.	For use of office.	Gratuitously distributed.	Total.
Sketches of—Steilacoom harbor.....	52	.....	14	66
Olympia harbor .....	.....	.....	.....	.....
Semi-ah-moo bay .....	.....	.....	5	5
Eggemoggin Reach.....	.....	.....	3	3
Current chart, Boston harbor.....	1	.....	4	5
Stellwagen's bank .....	1	.....	14	15
Sow and Pig's reef .....	.....	.....	3	3
Romer Shoal and Flynn's Knoll .....	.....	.....	2	2
Changes in Sandy Hook.....	1	.....	3	4
Wachapreague, Machipongo, and Metomkin inlets .....	1	.....	3	4
Ship and Sand Shoal inlets .....	1	1	2	4
Cherrystone inlet.....	1	1	3	5
Pungoteague creek .....	1	1	3	5
Fishing or Donoho's battery .....	1	.....	12	13
Sea-coast of North Carolina.....	.....	.....	.....	.....
Hatteras shoals.....	.....	.....	.....	.....
Hatteras inlet.....	.....	.....	4	4
Winble shoals .....	1	.....	.....	1
Winyah bay and Cape Roman shoals .....	1	1	3	5
Bull's bay.....	1	1	4	6
Doboy bar and inlet .....	10	2	1	13
St. Andrew's shoals .....	1	.....	13	14
Mosquito inlet .....	1	2	13	15
Cape Canaveral.....	1	2	4	7
Rebecca shoal.....	1	1	13	15
Turtle harbor .....	1	1	14	16
Coffin's Patches .....	.....	1	3	4
Ocilla river .....	1	2	3	6
Entrance to St. George's sound.....	1	3	13	17
Horn Island Pass.....	.....	1	4	5
Pascagoula river.....	1	1	14	16
Pass Christian.....	1	1	14	16
Entrance to Barrataria bay .....	1	1	2	4
Pass Fourchon .....	1	.....	4	5
Timballier Bay entrance.....	1	.....	5	6
Vermillion bay and Calcasieu river.....	1	1	3	5
Aransas Pass.....	1	2	14	17
Sabine Pass.....	1	2	14	17
Entrance to Rio Grande river.....	10	1	4	15
San Pedro anchorage .....	51	.....	10	61
Mare Island straits .....	20	.....	9	29
Point Conception .....	51	.....	10	61
Point Pinos.....	50	.....	10	60
Point Reyes and Drake's bay.....	51	.....	9	60
Cape Hancock.....	50	.....	10	60
Grenville harbor .....	.....	.....	1	1

*List of Coast Survey maps, &c., distributed—Continued*

Names of maps.	Turned over for sale.	For use of office.	Gratuitously distributed.	Total.
Sketch of—Duwamish bay and Seattle harbor.....	51	-----	11	62
Diagrams to illustrate the secular variation in the magnetic declination.....	-----	-----	-----	-----
Lines of equal magnetic declination.....	-----	-----	-----	-----
Lines of equal magnetic dip and horizontal intensity .....	-----	-----	-----	-----
Map of the world on a policonic development of the sphere .....	-----	-----	-----	-----
Total .....	3,584	306	10,180	14,070

*Distribution made during the year of the reports of the United States Coast Survey for the years 1851, 1852, 1853, 1854, 1855, 1856, and 1857.*

Names of States, &c.	Report of 1851.			Report of 1852.			Report of 1853.			Report of 1854.			Report of 1855.			Report of 1856.			Report of 1857.		
	Individuals.	Institutions.	Total.	Individuals.	Institutions.	Total.	Individuals.	Institutions.	Total.	Individuals.	Institutions.	Total.	Individuals.	Institutions.	Total.	Individuals.	Institutions.	Total.	Individuals.	Institutions.	Total.
Maine.....	..	..	..	..	..	..	2	..	2	1	..	1	1	..	1	4	..	4	103	25	128
New Hampshire.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	68	14	82
Vermont.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	56	4	60
Massachusetts.....	1	..	1	1	..	1	1	..	1	2	..	2	2	..	2	12	..	12	405	69	474
Rhode Island.....	1	..	1	..	..	..	..	..	..	1	..	1	..	..	1	2	..	2	52	15	67
Connecticut.....	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	..	2	121	21	142	
New York.....	6	..	6	6	..	6	8	..	8	16	..	16	25	..	25	54	..	54	651	99	750
New Jersey.....	..	..	..	1	..	1	3	..	3	3	..	3	3	..	3	6	..	6	120	24	144
Pennsylvania.....	2	..	2	4	2	6	5	2	7	5	2	7	8	2	10	31	2	33	414	97	511
Delaware.....	..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	14	6	20
Maryland.....	..	..	..	1	..	1	1	..	1	4	..	4	6	..	6	14	..	14	184	13	197
District of Columbia.....	5	..	5	5	..	5	9	..	9	12	..	12	15	..	15	46	..	46	228	..	228
Virginia.....	..	..	..	1	..	1	2	..	2	2	..	2	4	..	4	12	..	12	165	24	189
North Carolina.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	3	78	9	87	
South Carolina.....	1	..	1	1	..	1	1	..	1	1	..	1	1	..	1	1	..	1	156	16	172
Georgia.....	1	..	1	2	..	2	2	..	2	1	..	1	1	..	1	3	..	3	76	10	86
Alabama.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	63	19	75
Mississippi.....	..	..	..	..	..	..	1	..	1	..	..	..	..	..	1	..	1	42	5	47	
Louisiana.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	63	11	74	
Ohio.....	1	..	1	1	..	1	1	..	1	3	..	3	2	..	2	9	..	9	221	62	283
Kentucky.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	91	28	119
Tennessee.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	75	28	103
Indiana.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	112	23	135
Illinois.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	91	35	129	
Missouri.....	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	3	..	3	75	21	96
Arkansas.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..	12
Michigan.....	1	..	1	1	..	1	..	..	1	..	1	1	..	1	6	..	6	53	15	68	
Florida.....	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	5	..	5	35	3	58
Texas.....	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	1	..	1	41	1	42
Iowa.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	2	18	13	31	
Wisconsin.....	..	..	..	..	..	..	..	..	1	..	1	..	..	..	2	..	2	50	13	63	
California.....	..	..	..	..	..	..	..	..	1	..	1	1	..	1	3	..	3	64	13	77	
Minnesota.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	4	12	
Oregon.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	10	1	11	
Territory of New Mexico.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	
Territory of Washington.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	7	
Territory of Kansas.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	
Territory of Nebraska.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	
Coast Survey Office and assistants.....	1	..	1	7	..	7	13	..	13	6	..	6	9	..	9	42	..	42	226	..	226
Officers of the army.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	..	5	150	..	150	
Officers of the navy.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	49	..	49	
Executive departments.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	94	..	94	
Receivers and registers of land offices.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	88	..	88	
Surveyors general of public lands.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	12	..	12	
Inspectors of steamboats.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	9	..	9	
Governors of States.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	33	..	33	
Collectors of customs, surveyors of ports, &c.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	154	..	154	
Revenue bureau.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..	30	
Newspapers.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	198	..	198	
National Observatory.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	50	..	50	
Light-house Board.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	30	..	30	
Smithsonian observers.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	286	..	286	
Members of Congress.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	7	..	..	..	
Foreign.....	1	..	1	2	..	2	5	..	5	6	..	6	5	..	5	12	..	12	61	..	61
Total.....	21	..	21	33	..	33	54	..	56	66	..	68	88	..	90	204	..	206	5,517	734	6,251

Aggregate..... 6,217.

*Statement of Coast Survey maps, charts, and sketches, printed during the year.*

## SECTION I.

	No. of impressions.
Sketch A .....	30
Sketch A bis .....	30
Boston harbor $\frac{1}{40000}$ .....	183
Boston harbor $\frac{1}{175000}$ .....	237
Provincetown harbor .....	730
Sea-coast chart from Portland to Race Point .....	30
Sea-coast chart from Plymouth to Saughkonnet .....	30
Portsmouth harbor .....	10
Harbors of Ipswich and Annisquam .....	705
Plymouth harbor .....	600
Rockport harbor .....	30
York River harbor .....	30

## SECTION II.

Hudson river $\triangle^n$ .....	60
Long Island sound—eastern sheet .....	600
Long Island sound—middle sheet .....	719
Long Island sound—western sheet .....	821
Eastern part of southern coast of Long Island .....	619
Middle part of southern coast of Long Island .....	609
Western part of southern coast of Long Island .....	601
Sandy Hook diagrams .....	20

## SECTION III.

Sketch C .....	30
Chesapeake bay, sheet No. 1 .....	30
Chesapeake bay, sheet No. 2 .....	30
Chesapeake bay, sheet No. 3 .....	30
Rappahannock river, sheet No. 5 .....	35
Rappahannock river, sheet No. 6 .....	35
York River entrance .....	719
Chesapeake bay notes .....	70
Chesapeake bay titles .....	30
Patapsco river .....	90
Delaware bay and river, upper sheet .....	40
Delaware bay and river, middle sheet .....	47
Delaware bay and river, lower sheet .....	40
Delaware and Chesapeake bays .....	50
York river, from King's creek to West Point .....	40
Mouth of Chester river .....	15

## SECTION IV.

	No. of impressions.
Sketch D.....	30
Beaufort harbor.....	677
Cape Fear River entrances .....	650
Pasquotank river.....	32
Sea-coast chart from Cape Hatteras to Cape Lookout.....	30

## SECTION V.

Winyah bay and Georgetown harbor.....	100
St. Simon's sound and Brunswick harbor.....	40
Sea-coast of South Carolina.....	30

## SECTION VI.

Sketch F.....	30
Sketch F bis.....	30
Entrance to Pensacola bay.....	150
Legaré anchorage .....	30
St. Mary's river and Fernandina harbor .....	40
Florida reefs.....	45

## SECTION VII.

Sketch G.....	30
---------------	----

## SECTION VIII.

Sketch H .....	30
Harbor of Pass Christian.....	200
Sea-coast of Alabama and Mississippi .....	30
Atchafalaya bay.....	30
Mobile bay.....	5

## SECTION IX.

Sketch I.....	30
San Luis Pass.....	50
Sea-coast of Texas.....	30
Entrance to Brazos river .....	30

## SECTION X.

Sketch J, middle sheet .....	30
Sketch J, lower sheet.....	30
Entrance to San Francisco bay .....	12
San Diego bay .....	171
Monterey bay.....	35
Prisoner's, Cuyler's, and San Clemente harbors .....	50
Santa Cruz and Año Nuevo.....	50
San Pedro harbor .....	50
Point Pinos.....	50



	No of impressions.
Point Conception .....	50
Point Reyes and Drake's bay .....	75
San Pedro anchorage .....	75
West Coast reconnaissance, lower sheet .....	160

## SECTION XI.

Sketch K .....	30
West Coast reconnaissance, northern sheet .....	175
Umpquah river .....	50
Cape Hancock .....	50
Duwamish bay and Seattle harbor .....	75
Reconnaissance from Gray's harbor to Admiralty inlet .....	100
Semi-ah-moo bay .....	10
Port Townshend .....	30
Port Gamble .....	30

## MISCELLANEOUS.

Circular protractors .....	125
Forms for engraving division .....	311
Chart of the Pleiades .....	400
Tidal diagrams .....	170
Isogonic lines .....	50
Progress of United States Coast Survey on Atlantic and Gulf coasts .....	428
Self-registering tide-gauge .....	40
State map of Virginia .....	28
Diagrams, descent of sounding weight and lines .....	20
Current diagrams .....	100
Proofs from finished and unfinished plates .....	1,730
	<u>15,194</u>

## APPENDIX No. 18.

*List of registered topographical sheets received subsequent to No. 680.*

Localities.	State.	Scale.	Date.	Topographers.	Register number.
Kennebec river.....	Maine.....	1-10,000	1858	R. M. Bache.....	728
Portland harbor and environs.....	do.....	1-10,000	1854-'58	A. W. Longfellow.....	735
North river .....	Massachusetts..	1-10,000	1858	A. M. Harrison .....	719
Rondout creek .....	New York.....	1-5,000	1858	C. Fendall.....	727
Esopus creek.....	do.....	1-5,000	1858	do.....	726
Northwestern part of Staten island and Bergen Point .....	do.....	1-10,000	1857	H. L. Whiting.....	751
Bergen Neck, from Centreville to New Jersey railroad.....	New Jersey...	1-10,000	1858	F. W. Dorr.....	733

## APPENDIX No. 18—TOPOGRAPHICAL SHEETS—Continued.

Localities.	State.	Scale.	Date.	Topographers.	Register number.
Passaic river and Newark neck .....	New Jersey	1-10,000	1858	F. W. Dorr.....	734
Western part of Newark bay and Staten island sound, from the mouth of Passaic river to Perth Amboy.....	do	1-10,000	1858	do.....	729
Chincoteague bay.....	Virginia	1-20,000	1858	C. Ferguson.....	723
Chincoteague inlet and bay.....	do	1-20,000	1858	N. S. Finney.....	704
York river, from Wormley to Clay Bank.....	do	1-20,000	1857	J. Seib.....	685
York river, from Clay Bank to Mount Folly.....	do	1-20,000	1857-'58	do.....	686
York river, from Mount Folly to West Point.....	do	1-20,000	1858	do.....	722
Richmond city.....	do	1-5,000	1857-'58	H. Adams.....	684
Cape Henry.....	do	1-20,000	1859	J. J. S. Hassler, J. Mechan.	753
Back bay.....	do	1-20,000	1859	do.....	743
North river.....	do	1-20,000	1859	J. Mechan.....	754
Head of Currituck sound.....	Va. and N. C.	1-20,000	1858	J. J. S. Hassler, J. Mechan.	736
Topsail sound, from Water's bay to old Topsail inlet.....	N. Carolina	1-20,000	1857-'58	John Mechan.....	711
Cape Fear river, lower part, including New inlet.....	do	1-10,000	1858	C. P. Bolles.....	709
Cape Fear river, lower part and approaches.....	do	1-10,000	1858	do.....	708
West of Cape Fear river.....	do	1-10,000	1858	do.....	725
Deweese and Capers islands.....	S. Carolina	1-20,000	1856-'57	Lieut. Com'g J. N. Maffitt.	681
Morris island and vicinity.....	do	1-10,000	1858	John Seib.....	715
Charleston city and vicinity.....	do	1-10,000	1857-'58	W. S. Edwards.....	710
Folly island and vicinity.....	do	1-20,000	1858	John Seib.....	714
Ossabaw sound and vicinity.....	Georgia	1-10,000	1858	A. M. Harrison.....	706
Ogeechee sound and vicinity.....	do	1-10,000	1858	do.....	707
Sapelo sound and vicinity.....	do	1-20,000	1857-'58	A. W. Longfellow.....	721
Saint Simon's sound.....	do	1-10,000	1856-'57	do.....	750
South of St. John's river, from entrance to General E. Hopkins's plantation.....	Florida	1-10,000	1858	John Mechan.....	712
South of St. John's river, from General Hopkins's to Diego plains.....	do	1-10,000	1858	do.....	713
Key Biscayne, from Shoal Point to Black Point.....	do	1-20,000	1859	C. T. Iardella.....	744
Key Biscayne, from Turtle Point to Fender Point.....	do	1-20,000	1859	do.....	745
Card's sound, from W. Arsenicker to Jew Point.....	do	1-20,000	1859	do.....	746
Barnes's sound.....	do	1-20,000	1859	do.....	747
Long island, Mud and Captain keys.....	do	1-20,000	1857	F. W. Dorr.....	690
Upper Matecumbe and Windly's island.....	do	1-20,000	1858	C. T. Iardella.....	696
Lower Matecumbe and Long key.....	do	1-20,000	1858	do.....	694
Duck, Channel, and Conch keys, and part of Long key.....	do	1-20,000	1857	F. W. Dorr.....	688
Crawl, Grassy, and Tom's Harbor keys, and part of Flat Deer key.....	do	1-20,000	1857	do.....	689
Buchanan and adjacent keys.....	do	1-20,000	1859	C. T. Iardella.....	748
Oyster and adjacent keys.....	do	1-20,000	1859	do.....	749

## APPENDIX No. 18—TOPOGRAPHICAL SHEETS—Continued.

Localities.	State.	Scale.	Date.	Topographers.	Register number.
San Carlos bay and approaches.....	Florida.....	1-20,000	1858	F. W. Dorr.....	693
Charlotte Harbor approaches.....	do.....	1-20,000	1859	F. W. Dorr, C. Fergu son.....	739
Charlotte Harbor approaches.....	do.....	1-20,000	1859	do.....	738
Homosassa river.....	do.....	1-10,000	1857	N. S. Finney.....	691
Crystal reefs and river.....	do.....	1-20,000	1858	do.....	705
From the Waccasassa to the Withlacoochee river.....	do.....	1-20,000	1858	do.....	699
Alligator harbor and St George's sound.....	do.....	1-20,000	1858	C. T. Iardella.....	695
St. George's sound from Royal Bluff, in- cluding Dog island.....	do.....	1-20,000	1858	G. D. Wise.....	697
St Vincent's sound and island.....	do.....	1-20,000	1858	do.....	698
Western part of Santa Rosa sound, Pensacola bay.....	do.....	1-10,000	1859	F. H. Gerdes.....	701
Part of Pensacola, Escambia, and East bays.....	do.....	1-20,000	1858	do.....	717
Pensacola bay, west side.....	do.....	1-20,000	1858	do.....	700
Part of Matagorda bay, from Trespalacios river to Carankaway bay.....	Texas.....	1-20,000	1856	M. Seaton.....	737
Lavaca bay, from Benado creek to Cox's bay.....	do.....	1-20,000	1858	do.....	742
Lavaca bay, from Garcitas bay to Chocolate bay.....	do.....	1-20,000	1858	do.....	740
Indianola and environs.....	do.....	1-20,000	1859	W. H. Dennis, M. Sea- ton.....	752
From Matagorda Bay entrance to Aransas Pass, (reconnaissance).....	do.....	1-50,000	1858	S. A. Gilbert.....	720
From Point Duma to Cañada de Isique.....	California.....	1-10,000	1857	W. M. Johnson.....	703
From Cañada de Isique to Punta Mugu.....	do.....	1-10,000	1857	do.....	702
From Santa Clara river to San Buenaventura.....	do.....	1-10,000	1855	do.....	683
Crescent City harbor.....	do.....	1-10,000	1859	J. S. Lawson.....	741
From Punta del Bolsa to Tunitas creek.....	do.....	1-10,000	1854	W. M. Johnson.....	682
San Francisco city and vicinity.....	do.....	1-10,000	1857-'58	A. F. Rodgers.....	687
Gulf of Georgia, southern part, from Matia islands to East Point.....	Wash'n Ter'y.....	1-20,000	1858	J. S. Lawson.....	730
Gulf of Georgia, southern part, from East Point to Deep bay.....	do.....	1-20,000	1858	do.....	731
Gulf of Georgia, southern part, from Deep bay to Rocky island.....	do.....	1-20,000	1858	do.....	732

## APPENDIX No. 19.

*List of registered hydrographic sheets received subsequent to No. 632.*

Localities.	State.	Scale.	Date.	Hydrographers.	Register number.
Sheepscot river, from Hendrick's Head light to Wiscasset.....	Maine.....	1-10,000	1858	Lieut. Comg J. H. Moore..	675
Sheepscot river, from Hendrick's Head light to Wiscasset.....	do.....	1-10,000	1858	do.....	676
Kennebec river, from Coxe's Head to Bath.....	do.....	1-10,000	1857	Lieut. Comg. S. D. Trenchard.....	639
Casco bay.....	do.....	1-40,000	1857-'58	Lieut. Comg. W. G. Temple..	664
From Kennebunk port to Isles of Shoals.....	do.....	1-40,000	1858	Lieut. Comg. A. Murray...	667
Salem harbor.....	Massachusetts..	1-5,000	1858	Lieut. Comg. W. G. Temple..	651
Lynn harbor.....	do.....	1-10,000	1858	Lieut. Comg. A. Murray...	662
Boston harbor.....	do.....	1-10,000	1858	Lieut. Comg. W. G. Temple..	652
Shirley's Gut, Boston harbor.....	do.....	1-5,000	1858	do.....	648
Shoal off New Haven light-house.....	Connecticut....	1 5,000	1858	do.....	647
General chart between Gay Head and Cape Henlopen.....	N. Y., N. J., and Delaware....	1-400,000	1859	A. Boschke.....	670
Harlem river and Spuyten Duyvel creek.....	New York.....	1-10,000	1856	Lieut. Comg. T. A. Craven..	646
East river, from south end of Blackwell's island to Harlem river.....	do.....	1-5,000	1856	do.....	645
Off the Battery, New York harbor.....	do.....	1-5,000	1859	do.....	678
Rondout creek.....	do.....	1-5,000	1858	Lieut. Comg. A. Murray...	665
Esopus creek.....	do.....	1-5,000	1858	do.....	666
Nanticoke river and Fishing bay.....	Maryland.....	1-20,000	1858	Com. W. T. Muse.....	673
Patuxent river.....	do.....	1-20,000	1857	do.....	641
St. Mary's river, from Point Lookout to Ford's Landing.....	do.....	1-20,000	1857	do.....	640
James river, from Little Brandon to Wyanoke Wharf, (reconnaissance).....	Virginia.....	1-10,000	1857	Lieut. Comg. J. N. Maffitt..	634
Off shore, from Cape Henry to Cape Hatteras..	Va. and N. C..	1-200,000	1859	Lieut. Comg. A. Murray...	674
Pamlico sound.....	N. Carolina....	1-40,000	1858	Com. W. T. Muse.....	672
Pamlico sound.....	do.....	1-20,000	1857	do.....	661
From Flagstaff to New River inlet.....	do.....	1-40,000	1858-'59	Lieut. Comg. A. Murray...	644
New inlet, northern entrance to Cape Fear river.....	do.....	1-10,000	1858	Lieut. Comg. T. B. Huger..	643
Cape Fear bar.....	do.....	1-10,000	1858	do.....	642
Deep-sea soundings between Winyah bay and Amelia island.....	S. C., Ga., and Florida.....	1-300,000	1858	do.....	653
Bull's bay.....	S. Carolina....	1-20,000	1859	Lieut. Comg. J. P. Bankhead	683
From Charleston to Savannah.....	do.....	1-40,000	1853-'57	Lieut. Comg. J. N. Maffitt..	649
Chechessee and Colleton rivers.....	do.....	1-10,000	1859	Lieut. Comg. C. N. Fauntleroy.....	679
Port Royal entrance.....	do.....	1-20,000	1859	do.....	677
Beaufort river, (reconnaissance.).....	do.....	1-10,000	1858	Lieut. Comg. J. N. Maffitt..	633

## APPENDIX No. 19—HYDROGRAPHIC SHEETS—Continued.

Localities.	State.	Scale.	Date.	Hydrographers.	Register number.
Sapelo sound .....	Georgia .....	1-10,000	1858	Lieut. Comg. J. H. Moore..	659
Sapelo sound and adjacent waters .....	do .....	1-10,000	1858	do .....	660
Florida reefs, from Bahia Honda to Key Vaccas .....	Florida .....	1-20,000	1858	Lieut. Comg. W. G. Temple..	663
Florida reefs, from American shoal to Sombrero key .....	do .....	1-20,000	1857	Lieut. Comg. T. A. Craven..	669
Florida reefs, from East Sambo to Loggerhead key .....	do .....	1-20,000	1856	do .....	650
Cedar keys, resurvey of Main and North keys and southwest channels .....	do .....	1-10,000	1858-'59	Lieut. Comg. T. B. Huger..	668
St. George's sound, East Pass .....	do .....	1-20,000	1858	Lieut. Comg. J. K. Duer..	655
St. George's sound, West Pass .....	do .....	1-20,000	1858	do .....	654
Rigolets .....	Louisiana .....	1-10,000	1859	W. S. Gilbert .....	671
Off shore, from Timbalier bay to Galveston bay .....	La. and Texas..	1-635,000	1858	Lieut. Comg. J. K. Duer..	657
Atchafalaya bay .....	Louisiana .....	1-20,000	1858	Com. B. F. Sands .....	658
Atchafalaya Bay approaches .....	do .....	1-20,000	1859	Lieut. Comg. T. B. Huger..	680
Atchafalaya bay .....	do .....	1-20,000	1859	do .....	681
Côte Blanche bay, eastern part .....	do .....	1-20,000	1859	do .....	682
Matagorda bay entrance, Pasa del Cavallo .....	Texas .....	1-20,000	1858	A. Balbach .....	635
Brazos River bar .....	do .....	1-10,000	1858	Lieut. Comg. J. K. Duer..	656
San Francisco bay, from Ravenswood to Coyote creek .....	California .....	1 10,000	1857-'58	Lieut. Comg. R. M. Cuyler..	636
San Francisco bay, Steinbergen and Redwood City creeks .....	do .....	1-10,000	1858	do .....	637
San Francisco bay, Coyote Hill and Union City creeks .....	do .....	1-10,000	1858	do .....	638

## APPENDIX No. 20.

*List of geographical positions determined by the United States Coast Survey, and continued from reports of 1851, 1853, 1855, and 1857.*

The present list is a continuation of that published in the annual reports for 1851, 1853, 1855, and 1857, and contains the geographical positions of points determined astronomically and trigonometrically, since the date of the former reports, with the repetition of a few points previously published for convenience of reference. The following explanations will give all the information required for the use of the tables.

For the purposes of the survey, the coast is divided into eleven sections, in all of which the work is carried on simultaneously. The survey being in different stages of progress in the several sections, and new results being added from year to year to those here given, the same divisions have been adopted in the publication.

The several sections are defined as follows :

SECTION I. From Passamaquoddy bay to Point Judith.

SECTION II. From Point Judith to Cape Henlopen.

SECTION III. From Cape Henlopen to Cape Henry.

SECTION IV. From Cape Henry to Cape Fear.

SECTION V. From Cape Fear to St. Mary's river.

SECTION VI. From St. Mary's river to St. Joseph's bay.

SECTION VII. From St. Joseph's bay to Mobile bay.

SECTION VIII. From Mobile bay to Vermilion bay.

SECTION IX. From Vermilion bay to the Rio Grande.

SECTION X. Coast of California, San Diego bay, to 42d parallel.

SECTION XI. Coast of Oregon and Washington Territory, 42d to 49th parallel.

The tables give the latitudes and longitudes of the trigonometrical points in each section, and their relative azimuths or bearings and distances. The manner in which these data have been obtained may be briefly explained here.

In each section a base line of from five to ten miles is measured with all possible accuracy. A series of triangles, deriving the length of their sides from this base, is then established along the coast by the measurement of the angles between the intervisible stations. In this primary series the triangles are made as large as the nature of the country will permit, because the liability to error increases with the number of triangles.

On the bases furnished by the sides of the primary triangles a secondary triangulation is next established, extending along the coast, and over the smaller bays and sounds, and determining a large number of points at distances a few miles apart for the use of the topographical and hydrographical surveys.

The distances between the points thus determined, as given in the tables, are liable to an average error of about one foot in six miles, until a final adjustment between the base lines shall have been made.

In some parts of the survey the base lines for the primary triangulations have not yet been measured, or the connection between the secondary and primary triangulation has not yet been made, in which cases the distances depend on preliminary base lines, measured with great care, and they are liable to an average error of one foot in three miles. This applies to the positions from the Savannah river to Sapelo sound in Section V, to a part of those in Section VI, and to the positions in Sections VII and IX, to a part of those in Section X, and to Section XI.

As on the completion of the primary or main triangulation in each section the several series form one connected chain, the different bases afford verifications of each other, and of the triangulation connecting them. The first four sections are thus connected, the last section and part of the fifth, however, only in a preliminary way.

Observations for latitude and azimuth are made at a number of stations of the primary triangulation in each section. The differences of latitude, longitude, and azimuth between these and other stations are then computed, under the supposition that the earth is a spheroid of revolution of the following dimensions, which are those determined by Bessel, from the reliable measurements made at the time, viz:

Equatorial radius = 6377397.16 metres.

Polar radius = 6356078.96 metres.

Eccentricity = 0.08169683.

It has been found that the differences of latitude and longitude, as computed in this manner from the distance and azimuth between two stations, and which are called geodetic, differ from

those obtained by astronomical observations at the several stations by quantities which are greater than the errors of the observations. Such disagreements are due to local irregularities in the figure and density of the earth, and the error resulting from them in the determinations of latitude and of the meridian plane is designated as station error. It amounts, according to the results obtained at present, to between one and four seconds of arc in the eastern section of the survey, and to about one second and a half in the sections south of the Delaware.

In order to eliminate the influence of station errors on the general result observations are made at a number of stations; the results are referred to a central station by means of the geodetic differences, and the mean of all is used for the computation of the positions given in the tables. The geographical positions must therefore be considered as liable to future changes from the accumulation of new observations, and from the final discussion of all the results obtained.

The *differences of longitude* are obtained, as has been stated, by computation from the distances, latitudes, and azimuths of the triangulation. In adding up the differences from station to station an accumulation of the incidental errors is probable. They are checked, however, by differences of longitude determined by means of the electro-magnetic telegraph in every section where the introduction of the latter makes it practicable.

*Seaton station*, in Washington city, has been selected as the centre for the telegraphic differences of longitude. The sections at present connected by telegraph are Sections I, II, III, IV, V, and VIII. The first three being also connected by primary triangulation, the check on the geodetic differences of longitude is here obtained, and the agreement is very close. The longitudes from Greenwich in the first five sections depend directly, and in other sections indirectly, upon that of Cambridge observatory, as determined by chronometric differences between Liverpool and Cambridge, and by occultations, eclipses, and moon culminations, observed at various observatories in the United States, and referred to Cambridge by means of telegraphic differences. The following statement shows the result up to the present time.

*Longitude of Cambridge, Mass., from Greenwich.*

	<i>h.</i>	<i>m.</i>	<i>s.</i>
By moon culminations observed at Cambridge; Hudson, Ohio; Wilkes' observatory; and National observatory .....	4	44	28.4
By eclipses and occultations at Cambridge, Brooklyn, Philadelphia, and Wilkes' observatory .....	4	44	29.6
By chronometric differences from 1,065 exchanges in 1849, 1851, and 1855 ....	4	44	31.9
The longitude as adopted in former reports, (since 1851,) viz: 4 <i>h.</i> 44 <i>m.</i> 29.5 <i>s.</i> , or 71° 07' 22.50", is still retained.			

	<i>o.</i>	<i>'</i>	<i>"</i>
In Section V the longitudes depend on the telegraphic determinations of			
Charleston and Savannah, viz: Charleston, Gibbs' observatory .....	79	56	00.0
Savannah Exchange .....	81	05	16.85
In Section VI the longitude of Fernandina has been assumed as it resulted			
from the chronometer exchanges with Savannah, viz: .....	81	27	42.78
For Cape Florida the following value was retained, viz: .....	80	09	24.0
Sand Key, (as before) .....	81	52	43.0

In Sections VII, VIII, and IX the longitudes are counted from some central station in each, for which we have at present the following data, subject to future corrections :

	°	'	"
Section VII. Depot key, Cedar keys.....	83	02	45
Sections VIII and IX. Depend on Fort Morgan, Mobile Point, west of Greenwich .....	88	00	25

The longitudes in Sections X and XI are reckoned from Greenwich. They depend on moon culminations observed at San Diego, Point Conception, Point Pinos, Presidio, Telegraph Hill, Port Orford, Cape Disappointment, and Cape Flattery, compared with corresponding observations at Greenwich and American observatories, and on chronometric differences between the same and other stations.

	°	'	"
In Section X the longitude of Presidio observatory, San Francisco, has been adopted.....	122	26	15.0
The Section XI longitudes depend upon Point Hudson astronomical station ..	122	44	33.0
And upon Lummi Island astronomical station.....	122	40	36.9

*Explanation of the tables.*

The first column on the left contains the name of the several stations or triangulation points. Their general locality is indicated by the heading at the top of the page, by means of which they may be readily found on the sketches accompanying the tables. Sub-headings in the first column indicate the locality more minutely where it is practicable.

The stations are generally either prominent objects of permanence, such as spires, light-houses, beacons, &c., or they are points on prominent hills, capes, and points of land where signals have been erected for the purposes of the survey, and which are marked on the ground. In a small number of cases in the first three sections, but much more frequently in the southern sections, where settlements on the coast are sparse and few permanent objects are to be found, the stations have no other distinguishing mark than the signal erected on the spot, and, after its decay, the mark left in the ground, to designate the station point. The latter generally consists of posts or stones set around the point, while the centre of the station is designated by an earthen cone or glass bottle buried under the surface of the ground, and marked on the top by a stone or post. Where the station is on a rock, a copper bolt or a hole filled with lead or sulphur will be found to designate the exact spot.

The sketches showing the configuration of the land, as well as the relative positions of the stations, no great difficulty will be experienced in finding the latter, when desired for local surveys or reference. In any case where minute descriptions of particular points are required they can be had by application addressed to the Coast Survey Office.

The second and third columns contain the latitudes and longitudes of the stations named.

The fourth column contains the azimuth of the line joining the station named in the first column with that named in the fifth; that is to say, the angle which that line makes with the meridian of the former station, reckoned from south around by west through the whole circle.

The sixth column gives the back azimuth of the same line, or the angle which it makes with the meridian of the latter station, reckoned as before; the difference between the azimuths in



the fourth and those in the sixth columns being  $180^\circ$  less the inclination of the meridians at the two stations.

The seventh, eighth, and ninth columns give the distances, in metres, yards, and miles, between the stations named in the first and fifth columns. The relation of the metre to the yard, used in obtaining these results, is:

1 metre = 1.0935696 yard, or 39.368505 United States standard inches.

For each station the azimuths and distances to two other stations are given. In every case the lines so given have actually been observed.

In each section the stations of the primary triangulation are distinguished by being printed in small capitals.

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section I.—Vicinity of Sheepscut River. Sketch No. 2.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Southport Ledge.....	43 48 56.65	69 38 57.06	333 40 38 296 03 29	Damiscove..... White Island.....	153 42 22 116 06 51	7608.3 7250.6	8329.2 7929.2	4.73 4.50
Mount Pisgah.....	43 51 06.89	69 36 51.05	35 01 11 332 50 37	Southport Ledge..... White Island.....	214 59 44 152 52 31	4905.9 8099.2	5366.0 8857.0	3.05 5.03
Griffith's Head.....	43 46 55.68	69 42 57.59	197 06 36 289 23 30	Bartoe..... Damiscove.....	17 08 31 109 28 01	12653.2 9280.3	13837.2 10148.7	7.86 5.77
Cushman.....	43 58 42.54	69 40 25.04	294 57 35 358 07 45	Edgecombe..... Bartoe.....	115 00 41 178 07 55	6593.8 9728.3	7210.8 10638.6	4.10 6.04
Haggett, (1).....	43 59 44.31	69 36 18.62	354 06 35 70 52 16	Edgecombe..... Cushman.....	174 06 50 250 49 25	4717.0 5812.5	5158.4 6356.4	2.93 3.61
Neguassett.....	43 57 39.59	69 44 57.25	320 34 41 252 12 57	Bartoe..... Cushman.....	140 38 00 72 16 06	10066.9 6370.9	11008.8 6967.0	6.25 3.96
Square Barn, centre.....	43 50 42.17	69 37 46.84	232 04 58 62 26 32	Edgecombe..... Cushman.....	152 06 14 242 24 42	5234.6 3976.8	5724.4 4348.9	3.25 2.47
Cottage, white chimney.....	43 59 12.56	69 41 05.27	298 20 53 261 15 11	Edgecombe..... Haggett, (1).....	118 24 27 61 13 30	7811.4 6461.2	8542.3 7065.8	4.85 4.01
Wiscasset, brown spire.....	44 00 17.72	69 39 41.42	318 49 10 18 18 17	Edgecombe..... Cushman.....	128 51 46 198 17 47	7602.1 3094.9	8313.4 3394.5	4.79 1.92
Yellow House, chimney.....	44 02 05.82	69 39 33.95	331 53 16 10 17 12	Edgecombe..... Cushman.....	151 55 47 190 16 37	10269.0 6376.5	11229.9 6973.1	6.38 3.96
Dunham's Hill.....	44 00 46.48	69 37 25.18	46 20 52 222 17 29	Cushman..... Haggett, (1).....	226 18 47 142 18 15	5539.6 2424.6	6037.9 2651.5	3.44 1.51
Stone Pile.....	43 59 17.73	69 37 43.73	73 11 43 246 35 46	Cushman..... Haggett, (1).....	253 09 56 66 36 45	3755.1 2066.2	4106.5 2259.5	2.33 1.28
Haggett, (2).....	43 58 24.03	69 36 04.77	355 28 04 95 38 19	Edgecombe..... Cushman.....	175 28 09 275 35 18	2931.1 5828.5	3498.9 6373.9	1.38 3.62
Breakheart Hill.....	43 57 34.89	69 38 13.98	292 51 06 212 45 59	Edgecombe..... Haggett, (1).....	102 52 41 32 47 19	3135.2 4749.7	3428.6 5194.1	1.95 2.95
Mathew's Hill.....	43 56 57.36	69 37 46.80	259 22 22 200 52 28	Edgecombe..... Haggett, (1).....	69 23 38 20 53 29	2492.4 5513.6	2725.6 6029.5	1.55 3.42
Allen's Flag.....	43 56 58.10	69 39 24.94	264 35 46 157 25 42	Edgecombe..... Cushman.....	84 38 12 337 25 00	4658.6 3489.7	5044.5 3816.2	2.89 2.17
One Story House, chimney in centre.....	43 58 28.68	69 36 01.51	357 30 39 170 43 16	Edgecombe..... Haggett, (1).....	177 30 42 350 43 04	2360.5 2364.8	2581.4 2586.1	1.47 1.47
Parson's Hill.....	43 56 11.73	69 40 20.37	357 35 24 252 20 16	Bartoe..... Edgecombe.....	177 35 31 72 23 19	5072.7 6164.5	5547.3 6741.3	3.15 3.83
Greenleaf's Hill.....	43 55 24.36	69 41 02.72	17 30 58 342 11 13	Parker's Island..... Bartoe.....	197 29 06 162 11 49	11742.5 3788.3	12841.2 4142.8	7.30 2.35
Red and White Flag, near school house.....	43 54 25.02	69 42 01.01	13 24 08 305 48 32	Parker's Island..... Bartoe.....	193 22 59 125 49 48	9629.1 3033.0	10530.1 3316.8	5.98 1.68
Lewis Hill.....	43 54 21.69	69 38 29.08	53 37 26 162 12 25	Bartoe..... Cushman.....	233 36 16 342 11 05	2819.5 8455.5	3093.3 9246.7	1.75 5.25
Davis Signal.....	43 52 23.41	69 42 42.39	13 06 29 239 40 29	Parker's Island..... Bartoe.....	193 05 48 59 42 14	5764.1 3919.6	6303.4 4286.4	3.58 2.43
Tall Hemlock, Westport island.....	43 53 28.61	69 42 16.43	13 53 34 270 40 35	Parker's Island..... Bartoe.....	193 52 36 90 42 02	7856.0 2805.4	8591.1 3067.9	4.88 1.74
Black and Red Flag, southwest part of Westport island.....	43 51 31.84	69 42 44.23	17 27 32 223 48 39	Parker's Island..... Bartoe.....	197 26 53 43 50 25	4216.7 4947.9	4611.2 5410.9	2.62 3.07
Campbell's Ledge.....	43 51 36.97	69 44 03.93	252 59 13 236 44 09	Parker's Island..... Bartoe.....	172 59 29 56 46 51	4212.8 6223.2	4607.0 6805.5	2.62 3.87
McMahan's Island.....	43 50 35.70	69 42 16.44	252 25 28 304 26 33	Mount Pisgah..... Southport Ledge.....	82 29 13 124 28 51	7330.8 5401.9	8016.7 5907.3	4.55 3.36
Thirty-Acre Island.....	43 51 22.11	69 40 26.57	185 11 50 275 33 19	Bartoe..... Mount Pisgah.....	5 12 01 95 25 48	3885.8 4835.8	4249.4 5288.3	2.41 3.00
Martin House, Southport.....	43 50 32.56	69 40 00.80	177 38 09 30 34 09	Bartoe..... Griffith's Head.....	357 38 02 210 32 07	5403.8 7772.1	5909.4 8499.3	3.36 4.83
Townsend Gut, red flag.....	43 50 49.46	69 39 46.52	173 29 48 262 10 12	Bartoe..... Mount Pisgah.....	353 29 31 82 12 14	4907.6 3955.7	5366.8 4325.8	3.05 2.46
Hendrick's Head-light.....	43 49 20.45	69 41 03.59	23 20 42 90 31 21	Seguin Light..... Parker's Island.....	203 17 51 270 20 32	13951.8 3515.2	15257.3 3844.1	8.67 2.18

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section I.—Vicinity of Sheepscut River. Sketch No. 2.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Boothbay Centre, white spire ...	43 52 29.15	69 37 42.90	118 37 34 335 29 02	Bartoe.....	298 35 51	3759.6	4111.4	2.34
				Mount Pisgah.....	155 29 38	2789.5	3050.5	1.73
Boothbay Harbor, white spire....	43 51 23.28	69 37 09.64	27 58 51 320 37 10	Southport Ledge.....	207 53 37	5121.0	5501.1	3.18
				Mount Pisgah.....	140 37 23	654.4	715.6	0.41
Hodgden's House, chimney in centre.	43 51 53.91	69 37 58.99	134 29 07 350 25 09	Bartoe.....	314 27 36	4123.1	4508.9	2.56
				Damiscove.....	170 26 13	12464.3	13630.6	7.74
Tall Pine, Edgcombe.....	43 57 35.93	69 37 00.20	297 20 22 193 10 48	Edgcombe.....	117 21 06	1589.7	1738.4	0.99
				Haggett, (1).....	13 11 17	4068.9	4449.6	2.53
Hunting Island, Cape Newagen..	43 47 02.48	69 39 14.37	43 09 10 311 13 52	Sequin Light.....	222 56 03	11691.4	12785.4	7.26
				Damiscove.....	131 15 48	5900.4	6468.3	3.11
Lower Mark Island.....	43 47 34.14	69 40 12.93	34 57 48 310 06 54	Sequin Light.....	214 54 22	11627.2	12715.1	7.22
				Damiscove.....	130 09 31	6930.3	7520.7	4.12
Burnt Island Light.....	43 49 29.27	69 38 05.22	308 03 41 49 00 50	White Island.....	128 06 27	6301.1	7437.5	4.22
				Southport Ledge.....	229 00 14	1531.7	1678.3	0.95
Squirrel Island.....	43 48 20.05	69 37 27.12	346 32 35 70 36 56	Damiscove.....	166 33 17	5851.4	6398.9	3.63
				Griffith's Head.....	250 33 07	7832.7	8565.6	4.87
Spruce Point.....	43 49 45.66	69 36 58.40	320 46 50 59 48 27	White Island.....	140 48 49	6106.1	6677.4	3.79
				Southport Ledge.....	239 47 05	3067.8	3354.8	1.90
Red Chimney of House.....	43 48 57.03	69 35 55.65	182 50 53 89 51 09	Mount Pisgah.....	342 50 15	4194.1	4586.5	2.60
				Southport Ledge.....	269 49 03	4053.5	4432.8	2.52
West Gable end of Barn.....	43 49 12.73	69 35 35.51	154 24 49 83 43 53	Mount Pisgah.....	334 23 57	3906.2	4271.7	2.43
				Southport Ledge.....	263 41 34	4530.9	4954.9	2.81
House on Hill, chimney.....	43 49 28.45	69 35 21.99	146 47 20 78 28 49	Mount Pisgah.....	326 46 18	3631.3	3971.1	2.26
				Southport Ledge.....	258 26 20	4904.9	5363.8	3.05
Methodist Meeting-house, chimney.	43 50 25.28	69 35 02.59	117 56 24 62 27 13	Mount Pisgah.....	297 55 09	2741.7	2998.2	1.70
				Southport Ledge.....	242 24 31	5909.4	6462.3	3.67
Lincoln's Neck, red flag.....	43 50 55.48	69 34 38.74	96 48 32 57 35 27	Mount Pisgah.....	978 47 00	2975.6	3254.0	1.85
				Southport Ledge.....	937 32 28	6837.2	7477.0	4.25
Fisherman's Island, chimney of house.	43 48 41.66	69 38 13.60	202 21 35 296 10 06	Mount Pisgah.....	22 22 32	4846.4	5299.9	3.01
				White Island.....	116 12 57	6175.2	6753.0	3.84
Outer Heron Island.....	43 46 32.90	69 34 44.44	214 47 25 128 10 52	White Island.....	34 47 53	1518.7	1660.8	0.94
				Southport Ledge.....	308 07 57	7121.6	7853.6	4.46

*Section II.—Vicinity of New York. Sketch B, No. 7.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
<i>Near East River.</i>								
St. Ann's Church.....	40 41 59.06	73 59 05.23	328 18 00 28 37 47	Mount Prospect.....	148 18 55	3746.1	4096.6	2.33
				Brooklyn Pilgrim Ch'ch.....	208 37 36	794.3	868.6	0.49
Naval Hospital Turret.....	40 41 52.83	73 57 35.49	2 39 23 95 13 32	Mount Prospect.....	162 39 19	2998.3	3278.8	1.85
				St. Ann's Church.....	275 12 33	2115.3	2313.2	1.31
Pier 28.....	40 42 22.36	73 59 37.12	345 25 41 313 49 41	Pilgrim Church.....	165 25 51	1462.9	1599.8	0.91
				St. Ann's Church.....	133 50 02	1037.6	1134.7	0.64
St. John's Church.....	40 43 13.37	74 00 04.51	12 05 20 328 28 27	Governor's Island, (2).....	192 05 01	3213.1	3513.7	2.00
				Mount Prospect.....	148 30 01	6427.1	7028.5	3.99
City Mills.....	40 42 07.73	73 59 23.38	144 28 06 127 52 47	Pier 28.....	324 27 57	554.8	606.7	0.34
				St. Paul's Church.....	207 52 13	1541.3	1685.5	0.96
Pier 37.....	40 42 27.83	73 59 19.22	68 07 53 339 41 26	Pier 28.....	248 07 41	452.8	495.2	0.28
				St. Ann's Church.....	159 41 35	946.0	1034.5	0.59
Pier 38.....	40 42 27.98	73 59 17.66	49 12 56 341 53 18	Pier 28.....	249 12 43	488.6	534.3	0.30
				St. Ann's Church.....	161 53 56	938.5	1026.3	0.58
Pier 40.....	40 42 28.75	73 59 12.50	349 26 13 7 25 00	St. Ann's Church.....	169 26 18	931.9	1019.1	0.56
				Pilgrim Church.....	187 24 54	1626.2	1778.4	1.01
Pier 41.....	40 42 29.06	73 59 10.72	352 03 56 71 30 41	St. Ann's Church.....	172 04 00	934.3	1021.7	0.58
				Pier 28.....	251 36 24	653.2	714.3	0.41
Pier 54.....	40 42 32.39	73 58 39.73	89 09 58 36 34 59	Pier 45.....	262 09 40	655.7	717.0	0.41
				St. Ann's Church.....	216 34 35	1220.0	1339.8	0.79

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of New York. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Ferrall .....	40 43 00.45	73 57 44.24	114 34 38 45 07 15	Holy Redeemer Church. St. Ann's Church .....	294 33 58 225 06 22	1563.0 2062.8	1731.1 2253.8	0.98 1.67
Roberts & Williams .....	40 42 49.42	73 57 46.13	125 35 30 44 43 53	Holy Redeemer Church. Brooklyn Gas Company.	305 34 51 224 43 27	1715.8 1346.2	1876.9 1472.2	1.07 0.84
South Ninth Street Pier .....	40 42 39.76	73 57 53.08	60 00 51 64 05 54	St. Ann's Church..... Brooklyn Gas Company.	240 00 04 244 05 32	1955.4 871.6	2138.4 953.2	1.21 0.54
East and Water Streets, post....	40 42 39.94	73 58 16.41	297 21 16 19 35 22	South Ninth Street Pier. Brooklyn Gas Company.	117 21 31 199 35 29	616.6 705.0	674.3 771.0	0.38 0.44
Pier 53 .....	40 42 31.90	73 58 40.12	30 12 19 322 26 30	St. Ann's Church..... Brooklyn Gas Company.	210 12 03 142 26 39	1171.7 542.8	1281.3 589.6	0.73 0.34
Pier 55, Jackson street.....	40 42 32.55	73 58 30.78	84 43 49 346 59 26	Pier 53 .....	264 43 43	920.0	240.6	0.14
Pier 50 .....	40 42 31.32	73 58 46.27	24 05 59 264 06 08	Brooklyn Gas Company. St. Ann's Church.....	166 59 29 204 05 47	447.7 1090.1	489.6 1192.1	0.28 0.68
F Street Pier.....	40 43 57.33	73 57 25.67	186 09 42 59 18 47	Pier 54..... Blackwell's Island, (2). Sevent'nth St. Bulk'h'd.	84 06 17 6 09 48 239 18 25	319.4 2018.9 907.9	349.3 2207.8 992.8	0.20 1.25 0.56
South First Street Pier, or Elys' Pier.	40 42 55.03	73 57 45.12	19 14 03 130 11 49	Peek Slip Ferry..... Holy Redeemer Church.	199 13 57 300 11 10	649.1 1641.7	709.8 1785.3	0.40 1.02
South Fourth Street Pier.....	40 42 45.65	73 57 46.93	129 00 34 27 54 20	Holy Redeemer Church. Peek Slip Ferry.....	308 59 56 207 54 15	1771.3 366.6	1937.0 400.9	1.10 0.23
South Eleventh Street Pier.....	40 42 26.13	73 57 52.82	127 33 40 73 14 01	East and Water Sts., post. Brooklyn Gas Company.	307 33 25 253 13 59	698.8 825.6	764.2 902.9	0.43 0.51
Ann Street, Williamsburg.....	40 42 12.58	73 57 51.09	144 51 10 174 28 48	East and Water Sts., post. South Eleventh St. Pier.	324 50 53 354 28 47	1032.4 418.8	1129.0 453.1	0.64 0.26
Navy Yard Wall, northwest corner.	40 42 14.29	73 58 23.72	194 09 03 243 16 56	Pier 55, Grand street... South Eleventh St. Pier.	14 09 09 63 17 16	884.8 812.1	967.6 888.1	0.55 0.50
Pier 59.....	40 42 50.37	73 58 09.73	275 05 44 242 32 06	Roberts & Williams.... Ferrall .....	93 05 59 62 22 23	554.4 674.0	606.3 737.1	0.34 0.42
Pier 61.....	40 42 56.89	73 58 10.22	292 14 16 259 47 52	Roberts & Williams .. Ferrall .....	112 14 32 79 48 09	610.6 619.5	667.7 677.5	0.38 0.38
Pier 56.....	40 42 45.48	73 58 12.27	315 22 20 258 50 36	South Ninth Street Pier. Roberts & Williams....	135 22 32 78 50 53	639.9 625.0	699.8 683.5	0.40 0.39
Pier 57.....	40 42 46.65	73 58 11.66	21 36 25 261 55 12	Pier 56 .....	901 26 25	38.6	42.2	0.02
Camphene Works, or South Sixth street.	40 42 41.95	73 57 48.44	50 53 14 90 29 31	Roberts & Williams .. Brooklyn Gas Company. Pier 55, Grand street...	81 55 29 230 52 49 270 29 14	605.0 1151.1 613.5	661.6 1253.8 670.9	0.38 0.71 0.39
South Second Street Pier.....	40 42 52.24	73 57 45.46	185 18 21 122 52 28	South First Street Pier .. Holy Redeemer Church.	5 18 21 302 51 49	86.3 1679.9	94.3 1837.1	0.05 1.04
K Street Pier.....	40 43 46.03	73 57 26.01	7 08 33 81 32 33	North Eighth Street Pier Sevent'nth St. Bulk'h'd.	187 08 30 261 32 12	871.9 781.7	953.5 854.8	0.54 0.48
Pier 71.....	40 43 28.39	73 58 01.92	293 36 29 334 17 49	North Eighth Street Pier. Ferrall .....	113 36 49 154 18 01	801.7 956.6	876.7 1046.1	0.50 0.59
Franklin .....	40 43 32.60	73 57 23.29	26 22 22 109 40 44	Ferrall .....	206 22 08	1106.9	1210.5	0.69
Pittston Coal Company .....	40 43 22.67	73 57 26.85	128 47 43 195 15 22	Sevent'nth St. Bulk'h'd. Franklin .....	229 40 21 15 15 24	888.8 317.4	972.0 347.1	0.55 0.20
Eighteenth Street and Avenue B.	40 43 52.38	73 58 16.14	128 47 43 262 33 40	Sevent'nth St. Bulk'h'd. F Street Pier .....	308 47 22 52 39 13	966.5 1193.8	1056.9 1305.5	0.60 0.74
Thirty-eighth Street Pier.....	40 44 42.27	73 57 55.10	2 47 48 333 31 42	Sevent'nth St. Bulk'h'd. F Street Pier .....	122 47 45 153 32 01	1851.7 1549.6	2025.0 1693.5	1.15 0.96
North Thirteenth Street Pier....	40 43 26.10	73 57 18.40	61 56 52 150 14 05	Pittston Coal Company. Franklin .....	241 56 46 330 14 02	224.7 231.0	245.7 252.6	0.14 0.14
Penny Bridge .....	40 43 21.44	73 57 12.26	96 20 02 143 03 38	Pittston Coal Company. Franklin .....	276 19 52 223 03 31	344.6 430.7	376.8 471.0	0.21 0.27
Empire Works Corner.....	40 44 06.22	73 58 00.49	357 11 33 288 33 32	Sevent'nth St. Bulk'h'd. F Street Pier.....	177 11 34 108 33 55	738.5 861.7	807.6 942.3	0.46 0.53
Fifteenth Street and Avenue B ..	40 43 45.67	73 58 21.13	209 22 19 231 17 21	Eight'nth St. & Avenue B Sevent'nth St. Bulk'h'd.	29 22 22 101 17 35	237.7 530.6	259.9 580.3	0.15 0.33
Bellevue Hospital .....	40 44 18.20	73 58 15.22	340 59 03 298 58 58	Sevent'nth St. Bulk'h'd. F Street Pier .....	160 59 14 118 59 30	1171.2 1322.8	1280.8 1453.1	0.73 0.82
Clark's Tavern, northwest corner.	40 44 06.17	73 58 16.08	209 50 20 232 58 10	Twenty-eighth St. Pier .. F Street Pier .....	29 50 26 102 58 43	408.4 1213.7	446.6 1327.3	0.25 0.75

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of New York. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Hunter's Point Station.....	40 44 48.36	73 56 52.02	85 46 30	Dutch Ref. Ch., marble steeple.	265 45 10	2878.7	3148.1	1.79
			206 38 22	F Street Pier .....	26 38 44	1760.3	1925.0	1.09
Terrace, Fifty-first Street Corner.	40 45 10.61	73 57 31.77	23 19 49	Eight'nth St. & Avenue B	203 19 19	2629.1	2875.1	1.63
			305 12 11	Blackwell's Island, (2) ..	125 12 21	440.2	481.4	0.27
Terrace, Fifty-first Street Mark..	40 45 11.17	73 57 31.57	307 11 09	Hunter's Point Station.	127 11 28	1164.6	1273.6	0.72
			356 31 07	F Street Pier .....	176 31 11	2361.5	2595.0	1.42
Hunter's Point R. W. ....	40 44 42.40	73 57 13.49	29 55 30	Sevent'nth St. Bulkh'd.	209 55 00	2138.5	2338.9	1.33
			11 37 41	F Street Pier ....	191 37 33	1419.2	1552.0	0.88
East and Water Streets Corner..	40 42 40.08	73 52 17.04	297 04 36	South Ninth Street Pier.	117 04 52	631.6	690.7	0.39
			18 20 43	Brooklyn Gas Company.	198 20 37	704.1	776.0	0.44
Montague.....	40 41 42.03	73 59 34.41	76 45 02	Governor's Island, (2) ..	253 44 24	1417.5	1550.1	0.88
			177 04 35	Pier 28 .....	357 04 33	1945.4	2131.9	0.77
Pier 1.....	40 41 59.13	74 00 28.39	292 34 41	Montague .....	112 35 16	1372.6	1501.0	0.85
			7 30 19	Governor's Island, (2) ..	187 30 16	859.5	939.9	0.53
Pier 5.....	40 41 59.09	74 00 18.27	22 21 49	Governor's Island, (2) ..	202 21 59	920.2	1006.3	0.57
			297 37 13	Pilgrim Church, Brooklyn	117 37 50	1505.8	1646.7	0.93
Pier 6.....	40 41 59.68	74 00 15.78	86 42 03	Pier 1 .....	266 42 11	296.5	324.2	0.18
			25 09 33	Governor's Island, (2) ..	205 09 44	960.4	1050.3	0.60
Pier 9.....	40 42 03.04	74 00 09.04	30 13 35	Governor's Island, (2) ..	210 13 19	1126.0	1231.4	0.70
			306 16 01	Pilgrim Church .....	126 16 32	1386.1	1515.7	0.86
Degraw Street .....	40 41 10.06	74 00 04.05	124 03 13	Governor's Island, (2) ..	314 02 54	951.2	1040.2	0.59
			202 27 17	Ford's Pier .....	22 27 28	1035.9	1132.8	0.64
Baltic Street Pier.....	40 41 20.19	73 59 58.03	112 55 17	Governor's Island, (2) ..	292 54 54	695.7	779.5	0.56
			149 19 01	Pier 1 .....	329 18 41	1396.4	1527.1	0.87
Sedgwick Street Pier.....	40 41 13.87	74 00 06.71	226 16 49	Baltic Street Pier .....	46 16 55	292.0	308.4	0.17
			121 12 00	Governor's Island, (2) ..	311 11 43	825.6	902.9	0.51
De Forrest's Pier.....	40 42 06.16	73 59 29.02	28 53 50	Ford's Pier .....	208 53 38	683.1	745.7	0.55
			114 59 01	Trinity Church, N. Y. ..	294 52 25	1429.4	1563.1	0.89
Bridge Street Ferry Pier.....	40 42 17.22	73 58 42.96	267 18 03	Brooklyn Gas Company.	87 18 14	387.2	423.4	0.24
			212 10 35	Pier 55, Jackson street ..	32 10 43	536.9	587.1	0.33
Congress Street Pier.....	40 41 22.96	73 59 56.34	106 56 34	Governor's Island, (2) ..	236 56 10	903.9	988.5	0.56
			200 59 58	Ford's Pier .....	21 00 04	599.2	655.3	0.37
Thompson's Pier.....	40 41 58.63	73 59 31.26	60 04 00	Governor's Island, (2) ..	240 03 20	1677.3	1834.2	1.04
			123 54 34	Trinity Church, N. Y. ..	303 53 59	1498.4	1638.6	0.93
Baxter's Pier.....	40 41 51.22	73 59 38.10	134 30 27	Trinity Church, N. Y. ..	314 29 57	1518.2	1660.3	0.94
			64 45 02	Governor's Island, (2) ..	244 47 26	1429.1	1563.8	0.89
Prentice's Pier.....	40 41 43.85	73 59 43.60	143 33 29	Trinity Church, N. Y. ..	323 32 54	1605.7	1755.9	1.00
			209 36 16	Baxter's Pier .....	29 36 17	261.3	285.7	0.16
Pier 11.....	40 42 05.01	74 00 05.87	31 48 32	Governor's Island, (2) ..	211 48 14	1216.3	1330.1	0.75
			310 10 22	Pilgrim Church .....	130 10 51	1365.2	1492.9	0.85
Pier 12.....	40 42 05.82	74 00 04.58	32 22 33	Governor's Island, (2) ..	212 22 14	1253.5	1370.8	0.78
			316 00 10	Montague .....	136 00 30	1019.8	1115.2	0.63
Pier 16.....	40 42 09.93	73 59 58.00	327 13 07	Montague .....	147 13 22	1023.3	1119.0	0.64
			34 51 22	Governor's Island, (2) ..	214 51 09	1444.6	1579.8	0.90
Pier 17.....	40 42 10.94	73 59 56.61	329 40 51	Montague .....	149 41 05	1022.6	1129.2	0.64
			35 12 48	Governor's Island, (2) ..	215 12 24	1488.8	1628.1	0.92
Pier 18.....	40 42 11.99	73 59 55.28	322 03 51	Montague .....	152 04 05	1045.7	1143.5	0.65
			279 58 03	City Mills .....	99 58 24	760.3	831.4	0.47
Pier 19.....	40 42 13.25	73 59 53.49	263 33 17	City Mills .....	103 33 37	737.2	795.2	0.45
			335 02 47	Montague .....	155 02 59	1061.8	1161.1	0.66
Wesmith's Pier .....	40 42 15.10	73 59 10.33	169 35 40	Pier 28 .....	229 35 23	667.4	729.8	0.41
			207 42 13	Pier 45 .....	27 43 19	501.2	548.1	0.31
Pier 20.....	40 42 14.31	73 59 51.87	286 52 10	City Mills .....	106 52 28	699.0	764.4	0.43
			36 17 49	Governor's Island, (2) ..	216 17 32	1638.9	1791.5	1.02
Pier 22.....	40 42 17.92	73 59 43.21	37 36 04	Governor's Island, (2) ..	217 35 33	1807.0	1976.1	1.12
			345 56 09	Montague .....	165 56 17	1140.9	1247.6	0.71
Haxton .....	40 42 13.95	73 59 18.23	221 06 31	Pier 45 .....	41 06 43	636.1	695.6	0.39
			326 23 41	St. Ann's Church .....	146 23 51	551.3	602.9	0.34
Pier 42.....	40 42 29.42	73 59 07.56	269 15 37	Pier 45 .....	89 15 42	167.9	183.6	0.10
			27 41 36	Haxton .....	207 41 31	536.8	586.2	0.33
Pier 44.....	40 42 30.08	73 59 02.78	298 14 27	Pier 45 .....	108 14 29	58.8	64.6	0.04
			79 39 09	Pier 42 .....	259 39 06	114.1	124.8	0.07

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of New York. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Pier 4.....	40 41 58.59	74 00 20.85	19 23 07 254 38 44	Governor's Island, (2).. Pier 5.....	199 22 59 74 38 46	885.8 58.2	968.7 63.6	0.55 0.04
Pier 7.....	40 42 00 94	74 00 12.71	302 57 27 61 44 45	Montague..... Pier 6.....	122 57 52 241 44 43	1071.6 82.0	1171.9 89.7	0.67 0.05
Pier 8.....	40 42 01.98	74 00 10.71	29 17 17 305 48 33	Governor's Island, (2).. Montague.....	209 17 03 125 48 57	1077.9 1051.1	1178.4 1149.4	0.67 0.65
Catharine Street Ferry.....	40 42 13.31	73 59 06.81	123 42 24 196 46 09	Nesmith's Pier..... Pier 45.....	303 42 22 16 46 13	99.4 521.0	108.7 570.2	0.06 0.32
Atlantic Stores, northwest corner	40 41 08.00	74 00 10.58	208 16 41 163 09 01	Ford's Pier..... Pier 1.....	28 16 56 345 08 49	1159.0 1631.3	1267.4 1783.9	0.72 1.01
Pier 10, 1856.....	40 42 04.15	74 00 07.48	30 55 03 311 17 42	Governor's Island, (2).. Montague.....	210 54 46 131 18 04	1173.9 1033.6	1283.7 1130.3	0.73 0.64
Pier 14.....	40 42 07.76	74 00 01.69	49 09 01 321 05 02	Pier 11..... Montague.....	229 08 58 141 05 20	129.7 1019.6	141.8 1115.0	0.08 0.63
Clinton Hotel Flag.....	40 41 27.54	73 59 42.51	165 15 42 132 07 35	Ford's Pier..... Pier 1.....	345 15 39 312 07 05	432.1 1452.3	472.5 1588.2	0.27 0.90
Long Island Depot.....	40 41 29.15	73 59 48.60	185 07 16 134 42 23	Ford's Pier..... Pier 1.....	5 07 17 314 41 57	369.9 1314.4	404.5 1437.4	0.23 0.82
Coenties and South, southwest corner.	40 42 04.81	74 00 18.35	53 20 20 18 42 22	Pier 1..... Governor's Island, (2).. Pier 12.....	233 20 13 188 42 12 136 42 50	293.7 1084.7 164.0	321.2 1184.7 179.3	0.18 0.67 0.10
Old Slip and South, southeast corner.	40 42 09.69	74 00 09.37	273 13 10	City Mills.....	93 13 40	1081.5	1182.7	0.67
Second Presbyterian Church, Williamsburg.	40 42 41.16	73 57 21.62	81 11 21 70 10 25	Pier 45..... City Mills.....	261 10 17 250 09 06	2316.2 3038.9	2565.7 3323.2	1.46 1.89
<i>Near North River.</i>								
Castle Point.....	40 44 37.25	74 01 05.33	20 09 26 267 34 13	Jersey City Spire..... Dutch Ref. Ch., marble steeple.	200 08 52 87 35 38	3507.7 3073.9	3835.9 3361.5	2.18 1.91
Cunard's Pier.....	40 42 50.82	74 01 35.29	192 04 41 329 11 49	Castle Point..... Governor's Island, (2).. Jersey City Spire.....	13 05 00 149 12 29 225 44 36	3357.1 2448.1 2970.0	3671.2 3144.6 3247.9	2.09 1.77 1.85
Pier 52.....	40 43 57.68	74 00 26.19	45 45 35 123 40 28	West Hoboken..... Jersey City Spire.....	303 39 22 266 47 01	2841.6 1381.9	3107.5 1511.2	1.77 0.66
New York and Erie Railroad Pier.	40 43 02.14	74 00 34.66	146 37 49 86 47 39	Bedloe's Island Signal.. Trinity Church, N. Y.....	326 36 49 220 01 22	3937.7 3602.3	4306.1 3939.4	2.45 2.24
Pier 21.....	40 42 46.19	74 00 40.68	40 02 26 323 32 51	Castle Point.....	148 33 02	739.8	809.0	0.46
Pier 20.....	40 42 44.54	74 00 40.93	325 56 01 170 38 37	Trinity Church, N. Y..... Castle Point.....	145 56 12 330 38 21	700.1 3523.1	765.6 3852.8	0.43 2.19
Pier 45.....	40 43 37.44	74 00 28.23	47 35 12 154 44 12	Cunard's Pier..... Castle Point.....	227 34 28 334 43 45	2131.5 2040.1	2330.9 2231.0	1.32 1.27
Pier 23.....	40 42 48.23	74 00 38.99	93 28 26 169 34 58	Cunard's Pier..... Castle Point.....	273 27 49 349 34 41	1323.6 3419.2	1447.4 3720.1	0.82 2.12
Pier 28.....	40 42 55.05	74 00 36.90	84 34 17 188 51 03	Cunard's Pier..... Pier 45.....	264 33 39 8 51 08	1376.3 1323.2	1505.1 1447.0	0.85 0.82
Pier 33.....	40 43 04.78	74 00 34.24	165 39 05 73 16 43	Castle Point..... Cunard's Pier.....	345 28 45 253 16 03	2944.0 1495.8	3219.5 1635.8	1.83 0.93
Pier 8.....	40 42 29.55	74 00 44.34	172 52 25 115 45 25	Castle Point..... Cunard's Pier.....	352 52 11 296 44 52	3949.3 1363.7	4340.7 1491.3	2.47 0.85
Pier 6.....	40 42 27.68	74 00 44.83	121 08 13 173 10 12	Cunard's Pier..... Castle Point.....	301 07 40 353 09 59	1380.7 4035.0	1509.9 4401.6	0.86 2.50
Pier 4.....	40 42 23.32	74 00 46.46	126 30 53 173 52 55	Cunard's Pier..... Castle Point.....	306 30 21 353 52 43	1425.6 4154.5	1559.0 4543.2	0.88 2.58
Pier 13.....	40 42 35.42	74 00 41.90	171 40 39 110 46 24	Castle Point..... Cunard's Pier.....	351 40 17 290 45 49	3797.9 1340.0	4153.3 1465.4	2.36 0.83
Pier 35.....	40 43 08.95	74 00 33.09	69 02 11 164 28 38	Cunard's Pier..... Castle Point.....	249 01 30 344 28 17	1503.1 2626.8	1709.4 3091.3	0.97 1.76
Pier 39.....	40 43 20.62	74 00 30.80	160 58 40 58 48 40	Castle Point..... Cunard's Pier.....	240 58 17 236 47 58	2590.3 1771.3	2734.3 1940.3	1.55 1.10
Pier 49.....	40 43 47.95	74 00 27.09	149 27 35 42 15 09	Castle Point..... Cunard's Pier.....	329 27 10 232 14 25	1765.9 2350.2	1931.1 2502.9	1.10 1.43
Pier 46.....	40 43 40.40	74 00 28.12	153 29 24 45 49 22	Castle Point..... Cunard's Pier.....	333 29 00 225 48 38	1956.5 2198.0	2139.6 2403.7	1.21 1.36

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of New York. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Fathoms.	Miles.
Pier 47.....	40 43 42.76	74 00 27.85	152 22 39 44 39 09	Castle Point .....	332 22 15	1896.8	2074.3	1.18
				Cunard's Pier.....	324 38 25	2251.8	2462.5	1.40
Pier 55.....	40 44 03.20	74 00 24.44	137 35 50 177 24 08	Castle Point .....	317 35 23	1492.7	1555.8	0.88
				Thirteenth Street Pier..	317 24 07	892.5	976.0	0.55
Pier 43.....	40 43 3.59	74 00 28.54	49 54 21 156 16 03	Cunard's Pier.....	229 53 38	2047.7	2239.3	1.27
				Castle Point .....	336 15 38	2145.1	2345.8	1.33
Long Dock, Hoboken.....	40 44 08.92	74 01 20.94	201 48 12 285 16 17	Castle Point.....	21 48 22	941.4	1029.5	0.58
				Pier 52.....	105 16 53	1215.0	1438.0	0.82
Pier 30.....	40 42 59.30	74 00 35.67	79 24 57 167 01 31	Cunard's Pier.....	259 24 18	1423.3	1556.5	0.88
				Castle Point .....	347 01 12	3100.3	3390.4	1.93
Pier 50.....	40 43 50.89	74 00 26.65	41 00 23 147 35 48	Cunard's Pier.....	220 59 38	2454.9	2684.6	1.52
				Castle Point .....	327 35 23	1693.7	1852.2	1.05
Pier 37.....	40 43 13.56	74 00 32.30	64 37 29 163 17 07	Cunard's Pier.....	244 36 48	1636.0	1789.1	1.09
				Castle Point .....	343 16 45	2695.3	2947.5	1.67
Pier 34.....	40 43 06.28	74 00 33.11	71 54 37 164 55 21	Cunard's Pier .....	251 53 56	1534.9	1678.5	0.95
				Castle Point .....	344 55 00	2906.0	3177.9	1.81
Pier 1, lamp.....	40 42 17.01	74 00 48.80	174 52 32 133 43 06	Castle Point .....	354 52 21	4343.1	4749.5	2.70
				Cunard's Pier.....	313 42 36	1509.2	1650.4	0.94
Castle Garden.....	40 49 09.32	74 00 43.59	126 26 52 54 13 39	Jersey City Spire.....	306 26 04	2137.3	2337.3	1.33
				Bedloe's Island Signal..	234 12 37	2772.2	3031.6	1.72
Pier 2.....	40 42 19.59	74 00 48.04	130 59 05 174 32 30	Cunard's Pier.....	310 58 34	1468.8	1606.2	0.91
				Castle Point .....	354 32 19	4265.2	4664.3	2.65
Pier 3.....	40 42 21.41	74 00 47.14	174 11 07 128 46 13	Castle Point .....	354 10 55	4211.4	4605.5	2.63
				Cunard's Pier.....	308 45 42	1418.9	1584.5	0.90
Pier 14.....	40 42 36.35	74 00 41.32	171 24 24 109 25 24	Castle Point .....	351 24 08	3771.6	4124.5	2.34
				Cunard's Pier .....	229 24 49	1343.0	1468.7	0.83
Fifty-ninth Street Pier, or Ward's Pier.	40 46 18.57	73 59 14.23	155 05 37 82 43 10	Guttenberg Pier.....	335 05 17	1864.2	1920.0	1.03
				Highwood, (2).....	262 42 13	2075.7	2269.9	1.29
Fiftieth Street.....	40 45 58.78	73 59 31.73	101 53 14 172 08 12	Highwood, (2).....	281 52 28	1687.1	1845.0	1.05
				Guttenberg Pier.....	352 08 04	2140.3	2340.6	1.33
Forty-third Street Pier.....	40 45 43.67	73 59 45.83	29 55 50 121 36 47	Jersey City Spire.....	209 54 30	6162.7	6739.3	3.83
				Highwood, (2).....	301 36 10	1550.8	1695.9	0.96
Fortieth Street.....	40 45 32.80	73 59 40.85	178 26 58 128 38 06	Guttenberg Pier.....	358 26 56	2922.4	3195.8	1.82
				Highwood, (2).....	308 37 26	1839.7	2011.8	1.14
Thirty-ninth Street Pier.....	40 45 34.80	73 59 53.55	133 37 55 29 43 56	Highwood, (2).....	313 37 23	1574.5	1721.8	0.98
				Jersey City Spire.....	209 42 35	5835.3	6381.3	3.62
Twentieth Street Pier.....	40 44 49.81	74 00 19.60	167 56 10 70 08 02	Highwood, (2).....	347 55 55	2530.2	2767.0	1.57
				Castle Point .....	250 07 32	1140.6	1247.3	0.71
Thirtieth Street Pier.....	40 45 13.92	74 00 06.06	153 56 20 50 52 49	Highwood, (2).....	333 55 56	1926.1	2106.3	1.20
				Castle Point.....	230 52 10	1732.4	1960.1	1.11
West & Spring, northeast corner Paige's Hotel.	40 43 31.90	74 00 19.87	152 07 01 54 24 30	Castle Point.....	332 06 31	2280.7	2494.1	1.49
				Cunard's Pier .....	234 23 41	2176.4	2380.0	1.35
Seventy-first Street Signal.....	40 46 43.68	73 58 57.80	174 13 32 205 29 16	Russ & Reid's Pier....	354 13 25	2996.4	2763.8	1.57
				Station 6.....	25 29 33	1447.0	1582.4	0.90
Station 5.....	40 47 00.33	73 58 48.10	23 48 43 166 29 21	Seventy-first St. Signal.	203 48 37	561.0	612.5	0.35
				Russ & Reid's Pier.....	346 29 08	2057.2	2249.5	1.28
Guttenberg Hill.....	40 47 34.91	73 59 35.93	12 57 41 330 28 35	Guttenberg Pier.....	192 57 36	866.6	947.9	0.54
				Seventy-first St. Signal..	150 29 00	1815.3	1985.2	1.13
Tillietudum Pier, 1856.....	40 49 44.10	73 57 57.98	237 11 04 207 03 45	Switch No. 3. ....	157 11 22	1664.0	1819.7	1.03
				Vreeland, (2).....	27 44 00	1215.9	1329.7	0.75
Fort Washington Point, (2).....	40 40 59.49	73 56 29.46	62 09 44 82 43 58	Fort Lee, South Pier...	942 09 40	1793.3	1960.0	1.11
				Fort Lee, North Pier...	962 43 24	1220.9	1335.1	0.76
Lydecker, (2), 1856.....	40 52 37.54	73 56 34.19	20 58 00 21 06 34	Fort Lee, North Pier...	200 57 34	3073.9	3361.5	1.91
				Tillietudum Pier, 1856.	201 05 40	5402.9	5908.4	3.36
Lydecker, (3), 1856.....	40 53 34.55	73 56 32.17	22 26 46 178 26 17	Fort Lee, North Pier...	202 26 26	3006.0	3287.3	1.87
				Fort Washington Point, (2)	358 26 15	2624.0	2869.5	1.63
Bluff.....	40 50 14.38	73 56 34.89	110 49 25 64 12 24	Fort Lee, South Pier...	290 41 44	1557.2	1702.9	0.97
				Tillietudum Pier, 1856.	244 11 31	2143.2	2343.8	1.33
Berry's Shanty.....	40 51 41.59	73 56 50.93	103 27 06 143 04 14	Patterson.....	283 26 27	1423.5	1556.7	0.88
				Lydecker, (3), 1856...	223 53 47	1630.4	1792.6	1.02
Daly.....	40 49 54.29	73 58 07.62	236 53 35 251 06 03	Fort Washington Point, (2)	48 53 39	9057.7	9950.2	5.72
				Bluff .....	74 07 04	2963.8	3275.6	1.91

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of New York. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Fords.	Miles.
Hudson River Railroad, (1).....	40 51 18.64	73 56 07.27	136 09 50 238 23 36	Pettingrove.....	316 09 22	1445.5	1540.8	0.90
Hudson River Railroad, (2). ...	40 50 37.32	73 56 25.82	16 42 56 112 10 47	Berry's Shanty.....	28 23 47	804.3	879.6	0.50
Hudson River Railroad, (3). ...	40 49 34.52	73 56 51.91	149 15 53 109 57 25	Bluff .....	196 42 50	738.8	807.9	0.46
Hudson River Railroad, (4).....	40 49 15.79	73 57 09.92	904 25 00 128 13 23	Fort Lee, North Pier...	292 10 11	1460.6	1531.7	0.87
Carrigan.....	40 48 33.01	73 57 42.83	141 12 30 171 12 49	Fort Lee, South Pier...	329 15 23	2070.5	2264.2	1.29
High Bridge Farm.....	40 50 26.90	73 55 13.63	28 01 38 345 04 24	Tulietudium Pier, 1856.	280 56 42	1559.7	1705.6	0.97
Thorp.....	40 50 32.91	73 55 38.96	290 05 55 23 28 32	Bluff .....	94 25 23	1984.1	2169.7	1.23
Wolfpit, 1855.....	40 47 04.92	73 48 55.16	24 04 59 87 04 20	Tulietudium Pier, 1856.	308 12 52	1412.3	1544.5	0.88
Clawson's Point.....	40 48 16.63	73 50 34.73	313 27 20 63 50 14	Vreeland, (2).....	321 12 05	1494.1	1557.3	0.88
Old Ferry Point, (2).....	40 48 15.31	73 49 37.02	335 40 48 91 43 44	Tulietudium Pier, 1856.	351 12 40	2218.7	2426.3	1.38
Rapalyee, (2).....	40 46 19.13	73 52 01.80	249 34 39 207 59 00	Receiving Reservoir...	207 59 56	7795.0	8524.4	4.64
Berrian's Island.....	40 47 06.05	73 53 37.39	270 16 44 306 34 08	Cypress Hill.....	165 06 25	16925.7	18509.4	10.52
College Point, (2).....	40 47 35.78	73 50 53.19	31 57 03 70 37 09	Clark.....	110 15 30	19573.9	21514.8	12.22
Sacred Heart Cross.....	40 48 55.86	73 56 45.37	280 39 23 307 11 57	Receiving Reservoir...	203 27 06	7704.2	8425.1	4.79
Hunt's Point.....	40 48 02.93	73 52 07.56	357 44 10 50 12 35	Cypress Hill.....	204 02 53	1108.9	12127.1	6.89
Randall's Island, 1855.....	40 47 34.77	73 54 54.66	296 02 51 257 26 47	Receiving Reservoir...	266 58 31	12352.8	13727.4	7.80
Woolsey Hill.....	40 46 57.16	73 54 25.51	62 11 58 149 31 40	Wolfpit, 1855.....	133 28 25	3215.9	3516.6	2.00
Ward's Island, (1).....	40 46 58.59	73 55 10.32	198 13 29 272 24 10	Latting's Observatory..	243 44 57	12668.9	13854.3	7.87
Sacred Heart Signal.....	40 49 08.71	73 56 48.66	288 27 59 19 57 38	Wolfpit, 1855.....	155 41 15	2382.7	2605.6	1.48
Whitestone Point, (2).....	40 47 59.94	73 48 53.16	75 10 19 114 46 44	Clawson's Point.....	271 43 06	1353.3	1479.9	0.84
Wilkin's Point.....	40 47 42.77	73 47 37.14	166 39 06 109 40 13	Wolfpit.....	69 36 41	468.9	5106.0	2.90
Fort Schuyler Flag-staff.....	40 48 15.93	73 47 08.98	89 42 08 48 39 38	Clawson's Point.....	27 59 57	4348.9	4755.8	2.70
Stony Point.....	40 47 52.52	73 54 15.26	328 16 49 59 11 42	Wolfpit, 1855.....	90 19 48	6616.6	7235.7	4.11
Lawrence Point.....	40 47 19.71	73 54 17.85	293 56 23 118 18 00	Rapalyee, (2).....	126 35 10	2790.6	3051.9	1.73
Fort Morris, chimney.....	40 48 06.68	73 54 01.47	343 12 13 272 28 40	Rapalyee, (2).....	211 56 18	3040.2	3334.7	1.89
Summerhouse.....	40 46 36.40	73 55 01.29	232 38 31 162 49 06	Berrian's Island.....	236 35 22	3956.8	4337.0	2.46
West Chester Spire.....	40 50 16.76	73 50 19.67	299 45 40 9 00 07	Clark.....	100 48 41	20383.0	22320.2	12.66
Ursuline Convent.....	40 48 53.67	73 54 14.51	50 56 27 282 58 53	Rapalyee, (2).....	127 15 02	8346.7	9127.7	5.19
India Rubber Factory.....	40 46 58.93	73 50 56.77	46 34 17 192 09 50	Berrian's Island.....	177 44 14	3420.2	3740.2	2.13
Archer.....	40 51 23.34	73 54 33.41	296 10 32 44 38 14	Berrian's Island.....	230 11 36	2740.6	2997.0	1.70
Fort George.....	0 51 23.89	73 55 12.04	346 34 39 285 03 06	Latting's Observatory..	116 03 41	2016.2	2204.9	1.25
				Randall's Island, 1855..	77 30 36	4011.8	4367.2	2.49
				Wolfpit, 1855.....	242 09 12	6735.9	7366.2	4.18
				Randall's Island, 1855..	329 31 21	1346.4	1472.4	0.84
				Randall's Island, 1855..	18 13 39	1175.2	1285.2	0.73
				Woolsey Hill.....	92 24 39	1051.4	1149.8	0.65
				Wolfpit, (1855).....	109 03 08	11723.5	12820.5	7.28
				Latting's Observatory..	199 26 25	7660.5	8377.3	4.76
				College Point, (2).....	255 09 01	2910.4	3182.7	1.81
				Old Ferry Point, (2)....	294 46 15	1132.2	1238.1	0.70
				Whitestone Point, (2)...	268 39 16	1659.0	2032.9	1.15
				Old Ferry Point, (3)....	289 38 55	2984.9	3263.1	1.85
				Old Ferry Point, (2)....	269 40 31	3469.7	3794.3	2.16
				Wolfpit, (1855).....	226 38 29	3215.5	3625.7	2.06
				Berrian's Island.....	148 17 14	1688.5	1846.5	1.05
				Randall's Island, (1855).	239 11 16	1075.3	1175.9	0.67
				Berrian's Island.....	113 56 49	1037.8	1134.9	0.64
				Randall's Island, (1855).	298 17 36	979.8	1071.5	0.61
				Berrian's Island.....	163 12 29	1953.5	2136.3	1.21
				Hunt's Point.....	92 29 54	2672.3	2922.3	1.66
				Woolsey Hill.....	52 38 54	1055.0	1153.7	0.65
				Ward's Island, (1).....	342 49 00	716.5	783.5	0.44
				Clark.....	119 50 46	12657.4	13841.7	7.87
				Cypress Hill.....	188 58 56	16242.5	17762.3	10.09
				Receiving Reservoir...	236 54 06	6592.5	7110.9	4.04
				Clark.....	103 06 32	16926.5	18510.3	10.52
				Rapalyee, (2).....	236 33 35	2100.1	2296.6	1.30
				Clawson's Point.....	12 10 04	2451.7	2681.1	1.52
				Clark.....	116 18 24	18872.3	20638.2	11.73
				Thorp.....	224 37 31	2185.5	2390.0	1.33
				Cypress Hill.....	166 36 39	18620.9	20363.2	11.57
				Clark.....	115 11 23	19695.5	21536.4	12.24



## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of New York. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station.	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Liddle .....	40 52 45.38	73 54 34.23	19 24 49 359 33 45	Fort George .....	189 24 24	2664.9	2914.2	1.65
				Archer .....	179 33 47	2530.6	2767.4	1.57
Quarry Signal .....	40 52 40.98	73 54 46.60	14 04 27 352 38 50	Fort George .....	194 04 10	2451.2	2680.6	1.52
				Archer .....	172 38 59	2414.6	2640.5	1.50
Mount Morris .....	40 48 12.85	73 56 18.59	277 10 42 334 17 02	Clark .....	97 19 43	19556.0	21385.9	12.15
				Cypress Hill .....	154 19 46	13562.0	14831.0	8.43
Lunatic Asylum .....	40 46 05.99	73 56 18.35	186 23 39 118 31 13	Thorp .....	6 24 05	8284.5	9059.7	5.15
				Receiving Reservoir....	298 30 13	2441.6	2670.1	1.52
Throg's Neck, (1856).....	40 48 30.92	73 47 57.63	292 04 45 78 19 51	Fort Schuyler Flag-staff. Old Ferry Point, (2)....	112 05 17 258 18 48	1230.5 2072.6	1345.6 2291.2	0.76 1.48
Fort Schuyler Station.....	40 48 14.98	73 47 19.20	90 11 42 118 35 23	Old Ferry Point, (2).... Throg's Neck, (1856)....	270 10 12 298 37 58	3230.1 1036.0	3532.3 1122.1	2.01 0.64
Fort Schuyler, southwest corner	40 46 14.69	73 47 11.51	109 49 57 89 46 01	Thorp .....	269 43 26	12546.1	13763.8	7.82
				Mount Morris .....	269 40 04	12774.8	13970.1	7.94
Watt's Island .....	40 49 11.58	73 55 49.67	185 42 32 20 31 01	Thorp .....	5 42 39	2521.1	2757.0	1.57
				Mount Morris .....	200 30 42	1933.9	2114.8	1.20
Quarry Hill, (1).....	40 48 38.21	73 55 30.80	55 04 15 351 06 46	Mount Morris .....	235 03 44	1368.0	1493.8	0.85
				House of Refuge.....	171 06 54	1949.2	2131.6	1.21
Quarry Hill, (2).....	40 48 40.92	73 55 35.36	49 29 04 178 36 05	Mount Morris .....	229 28 36	1332.5	1457.2	0.83
				Thorp .....	358 36 01	3455.1	3778.4	2.15
Prospect Hill.....	40 47 02.68	73 53 46.59	196 45 40 243 47 02	Mount Morris .....	16 45 58	2260.2	2471.7	1.40
				House of Refuge.....	63 45 00	2310.9	2527.1	1.43
Ward's Island, (2).....	40 47 17.60	73 55 33.54	148 13 18 74 55 20	Mount Morris .....	328 12 49	2004.6	2192.2	1.24
				Prospect Hill .....	254 54 32	1768.7	1934.2	1.10
One Hundred and Sixth Street Station.	40 47 16.16	73 55 59.40	11 36 24 165 24 37	Lunatic Asylum.....	191 36 19	2209.3	2416.0	1.37
				Mount Morris .....	345 34 24	1805.0	1973.9	1.12
Astoria, Dutch Reformed church.	40 46 19.62	73 55 30.38	201 27 36 15 19 22	Ward's Island, (1)....	21 27 59	1284.9	1405.1	0.80
				Mount Prospect .....	195 17 56	11643.1	12732.5	7.23
Astoria, Episcopal church.....	40 46 19.04	73 55 24.81	15 58 33 102 39 57	Mount Prospect.....	195 57 04	11655.0	12745.6	7.24
				Receiving Reservoir....	282 38 22	3485.7	3811.9	2.17
Astoria, Presbyterian church....	40 46 25.20	73 55 39.59	213 40 23 56 55 06	Ward's Island, (1)....	33 40 42	1237.4	1353.2	0.77
				Lunatic Asylum .....	238 54 41	1084.9	1186.4	0.67
Horn's Hook.....	40 46 31.89	73 56 13.16	177 39 57 13 17 32	Mount Morris .....	357 39 53	3116.5	3408.1	1.94
				Hundred and Sixth St....	183 17 23	1403.8	1535.1	0.87
<i>Near Harlem River.</i>								
Richard .....	40 51 32.09	73 55 43.31	213 09 28 279 21 05	Fort Independence.....	33 03 13	2922.2	3196.1	1.80
				Archer .....	99 21 51	1659.6	1814.9	1.03
Flat Rock.....	40 50 38.75	73 57 49.72	17 10 44 293 11 16	Daly .....	197 10 32	1435.2	1569.5	0.89
				Bluff .....	113 12 05	1907.4	2085.9	1.18
Blake.....	40 52 10.09	73 54 11.31	44 57 19 153 46 31	Fort George.....	224 56 29	2013.1	2201.5	1.25
				Liddle .....	333 46 16	1213.8	1327.4	0.75
J. H. Dyckman .....	40 52 01.94	73 54 25.81	171 44 04 233 38 33	Liddle .....	351 43 59	1354.4	1481.1	0.84
				Blake .....	53 38 43	424.3	464.0	0.26
Tiffen.....	40 52 27.89	73 54 01.40	125 05 26 22 55 39	Liddle .....	205 05 05	939.2	1027.1	0.58
				Blake .....	202 55 33	506.0	651.8	0.37
Cammann .....	40 51 48.77	73 54 21.87	166 54 19 200 36 28	J. H. Dyckman.....	346 53 53	416.9	455.9	0.26
				Blake .....	20 36 35	702.7	768.4	0.44
Bridge.....	40 52 45.21	73 54 17.50	324 47 30 90 50 00	Tiffen.....	144 47 41	653.8	715.0	0.41
				Liddle .....	270 49 48	391.6	428.2	0.24
Bushy Point.....	40 51 43.13	73 54 40.76	246 30 51 210 56 29	Cammann .....	68 31 03	475.5	520.0	0.29
				J. H. Dyckman .....	30 56 39	676.6	739.3	0.42
J. Dyckman .....	40 52 28.05	73 54 35.99	184 25 99 219 16 13	Liddle .....	4 25 30	536.0	587.1	0.33
				Bridge.....	39 16 25	684.1	748.1	0.42
Pioneer Point .....	40 51 32.22	73 54 52.41	301 37 51 60 48 12	Archer .....	191 36 07	522.7	571.6	0.32
				Fort George.....	246 47 59	527.0	576.3	0.33
Knoll .....	40 51 49.62	73 54 55.44	26 06 22 327 30 37	Fort George.....	206 06 11	863.8	966.5	0.55
				Archer .....	147 30 51	961.0	1050.9	0.60
Morris's Pier.....	40 51 11.86	73 54 59.09	239 31 39 193 59 27	Archer .....	59 21 56	697.9	762.3	0.43
				Pioneer Point.....	13 59 31	647.3	707.9	0.40
Hansel .....	40 50 42.24	73 55 26.23	207 11 24 214 49 25	Pioneer Point.....	27 11 46	1733.4	1895.6	1.06
				Morris Pier.....	34 49 43	1113.1	1217.3	0.69

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of New York. Sketch B, No. 1.

Name or station.	Latitude.	Longitude.	Azimuth.	To station—	Backazimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Fordham Dutch Reformed Ch...	40 52 03.25	73 53 42.50	137 01 42 121 24 06	Liddle .....	317 01 08	1776.4	1942.6	1.10
				J. Dyckman .....	301 23 31	1467.1	1604.4	0.91
Foundry Signal .....	40 52 24.40	73 55 01.75	259 27 44 214 44 46	J. Dyckman .....	79 28 01	613.2	670.6	0.38
				Quarry Signal .....	34 44 56	623.1	681.4	0.39
Butler's Pier .....	40 51 34.23	73 54 40.81	224 41 33 180 15 14	Cammano .....	44 41 45	630.7	689.7	0.39
				Bushy Point .....	0 15 14	274.3	300.0	0.17
Seaman's Signal .....	40 52 14.31	73 54 47.27	181 06 37 132 29 36	Quarry Signal .....	1 06 37	892.8	899.8	0.51
				Foundry Signal .....	312 29 27	460.0	503.0	0.29
Finch .....	40 52 43.63	73 55 01.92	339 12 59 359 37 24	Seaman's Signal .....	159 13 09	966.9	1057.4	0.60
				Foundry Signal .....	179 37 24	593.3	646.8	0.37
Foundry Building .....	40 52 27.52	73 54 58.24	170 10 00 40 27 57	Finch .....	330 09 58	504.3	551.5	0.31
				Foundry Signal .....	220 27 55	126.7	138.5	0.08
Seaman's House .....	40 52 12.58	73 54 41.09	171 37 30 353 14 06	Quarry Signal .....	351 37 26	885.8	968.7	0.55
				Archer .....	173 14 11	1539.6	1672.7	0.95
Carmanville Spire .....	40 49 48.70	73 56 16.93	0 45 37 330 51 28	Mount Morris .....	180 45 36	2956.7	3233.2	1.84
				Watt's Island .....	150 51 46	1311.0	1433.7	0.81
Smith .....	40 49 52.78	73 55 30.97	19 54 14 44 49 44	Mount Morris .....	189 53 43	3277.9	3584.6	2.04
				Sacred Heart Cross .....	224 48 55	2474.2	2705.7	1.54
Florence .....	40 49 32.55	73 55 52.78	13 49 28 345 37 06	Mount Morris .....	182 49 11	2531.4	2768.3	1.57
				Quarry Hill, (2) .....	165 37 17	1643.7	1797.5	1.02
Campbell .....	40 49 46.09	73 55 39.90	19 08 11 180 52 04	Watt's Island .....	192 08 05	1088.8	1190.7	0.68
				Thorpe .....	0 52 05	1444.0	1579.1	0.90
Hydrographic Point .....	40 49 16.22	73 55 29.29	7 27 14 73 19 43	Quarry Hill, (2) .....	167 27 10	1697.9	1800.6	0.68
				Watt's Island .....	253 19 35	468.5	545.1	0.31
Morris .....	40 48 17.46	73 55 22.32	162 44 12 60 51 04	Quarry Hill, (1) .....	342 44 06	670.2	732.9	0.42
				Mount Morris .....	263 50 27	1326.5	1450.6	0.82
Randall's Island, 1856 .....	40 47 47.80	73 55 18.20	44 43 11 118 38 18	106th Street Station .....	294 42 44	1372.7	1501.1	0.85
				Mount Morris .....	298 37 39	1612.4	1763.3	1.00
Rhein .....	40 51 36.73	73 57 09.85	276 25 04 238 49 04	Archer .....	96 26 46	3696.6	4031.6	2.29
				Liddle .....	59 50 46	4214.5	4609.0	2.62
One hundred and fifty-second Street Pier .....	40 49 53.20	73 56 42.64	154 29 24 162 36 06	Fort Lee, North Pier .....	334 28 59	2094.5	2290.5	1.30
				Fort Lee Point .....	342 35 45	2504.0	2738.3	1.55
Hotel, hydrographic flag .....	40 52 25.21	73 54 13.09	253 10 48 354 54 22	Tiffen .....	73 10 56	286.0	312.8	0.18
				Blake .....	174 54 23	468.0	511.8	0.29
<i>New York and vicinity.</i>								
Crystal Palace .....	40 45 11.03	73 58 42.75	305 29 63 203 25 39	Cypress Hill .....	125 33 21	11382.4	12447.5	7.07
				Receiving Reservoir .....	23 26 14	3118.3	3410.0	1.94
Evergreen Cemetery .....	40 41 01.06	73 53 42.85	76 00 21 134 07 27	Mount Prospect .....	255 57 45	5773.5	6313.7	3.59
				Highwood, (2) .....	314 02 53	13696.9	14978.5	8.51
Paca and Sumpter Avenues .....	40 40 49.28	73 54 22.00	127 15 16 77 32 23	Holy Redeemer Church .....	307 13 24	7772.3	8499.6	4.83
				Mount Prospect .....	257 31 13	4795.4	5244.1	2.98
Lawrence, (1) .....	40 45 14.03	73 46 59.42	39 02 31 288 56 38	Duryea .....	212 02 11	1333.4	1458.2	0.83
				Valentine, (3) .....	106 58 19	3812.3	4169.0	2.37
Backhaus .....	40 44 00.01	73 45 17.64	133 31 57 110 26 06	Lawrence, (2) .....	313 30 50	3300.6	3609.4	2.05
				Duryea .....	290 24 40	3302.8	3611.8	2.05
Flushing Roman Catholic Church	40 45 31.50	73 49 15.72	340 19 44 29 09 53	Smith .....	160 20 34	5388.6	5892.8	3.35
				Cypress Hill .....	209 08 00	8294.7	9070.8	5.15
Flushing Congregational Church .....	40 45 40.25	73 49 11.81	349 08 12 41 52 29	Smith .....	162 09 00	5614.5	6139.8	3.49
				Lutheran Cemetery .....	221 50 09	7550.0	8266.5	4.69
Flushing Episcopal Church Spire .....	40 45 35.04	73 49 32.45	336 56 47 256 19 10	Smith .....	156 57 48	5634.0	6161.2	3.50
				Clark .....	76 23 36	10170.0	11121.6	6.32
Barren Island, (2) .....	40 35 04.50	73 52 15.26	180 48 59 263 06 34	Cypress Hill .....	0 49 04	12095.5	13227.3	7.59
				Pavilion Rockaway .....	83 11 20	10414.0	11388.4	6.47
Stoothoff .....	40 39 22.82	73 50 08.78	313 17 11 19 58 29	Pavilion Rockaway .....	137 20 35	10117.9	11064.6	6.29
				Barren Island, (2) .....	199 57 07	8706.3	9520.9	5.41
Ganserie, (2) .....	40 37 44.35	73 52 59.33	231 04 21 348 10 22	Stoothoff .....	51 06 19	5149.5	5631.3	3.20
				Barren Island, (2) .....	168 10 51	5055.9	5529.0	3.14
Rockaway Beach, (3) .....	40 35 08.24	73 48 09.93	256 07 57 160 54 47	Pavilion Rockaway .....	76 10 63	4708.3	5148.9	2.93
				Stoothoff .....	340 53 30	8537.9	9336.8	5.30
Thurston's Creek .....	40 38 46.04	73 46 09.54	342 42 23 22 51 07	Pavilion Rockaway .....	162 43 11	5855.1	6403.0	3.64
				Rockaway Beach, (2) .....	202 49 49	7289.3	7971.4	4.53

REPORT OF THE SUPERINTENDENT OF  
UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.  
*Section II.—Vicinity of New York and New York Harbor. Sketch B, No. 7.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	<i>Metres.</i>	<i>Yards.</i>	<i>Miles.</i>
Lotts.....	40 41 40.16	73 51 45.96	318 37 24 78 04 18	Pavilion Rockaway..... Cypress Hill.....	138 41 51 258 04 04	14598.8 526.8	15964.8 576.1	9 7 0.33
Furman.....	40 40 50.84	73 53 16.43	234 23 16 308 41 06	Lotts..... Pavilion Rockaway.....	54 24 15 128 46 33	2612.0 16087.2	2856.4 16498.9	1.62 9.37
Hopkins.....	40 40 21.65	73 52 45.17	209 51 17 140 49 15	Lotts..... Furman.....	29 51 56 320 48 55	2791.8 1161.6	3053.0 1270.3	1.73 0.72
Remsen, flag.....	40 35 02.52	73 49 09.18	257 39 01 163 17 46	Pavilion Rockaway..... Lotts.....	77 41 46 343 16 04	6105.3 12605.6	6676.6 14063.8	3.79 7.96
Vanderveer.....	40 41 51.21	73 50 57.05	323 09 29 348 37 21	Pavilion Rockaway..... Remsen, flag.....	143 06 25 168 08 31	14137.5 12837.4	15460.3 14066.5	8.78 7.99
Bronson.....	40 42 30.32	73 48 01.17	340 45 40 6 36 21	Pavilion Rockaway..... Remsen, flag.....	160 47 41 126 35 37	13246.5 13603.5	14486.0 15204.4	8.23 8.64
Jamaica, Presbyterian church....	40 42 15.96	73 47 28.44	79 40 45 343 24 14	Lotts..... Pavilion Rockaway.....	259 37 57 163 25 54	6145.1 12588.2	6730.1 13768.1	3.32 7.82
Jamaica Dutch Reformed church, (destroyed by fire.)	40 42 06.14	73 47 47.60	81 53 22 341 01 00	Lotts..... Pavilion Rockaway.....	261 49 47 161 02 52	5652.6 12437.6	6181.5 13601.4	3.51 7.73
Jamaica, Episcopal church.....	40 42 09.83	73 47 44.98	80 50 21 341 27 10	Lotts..... Pavilion Rockaway.....	260 47 44 161 29 00	5730.7 12525.0	6266.9 13697.0	3.56 7.78
Flatland, Dutch Reformed church	40 37 24.17	73 55 51.73	281 10 58 310 13 50	Pavilion Rockaway..... Barren Island, (2).....	101 18 05 130 16 11	15726.2 6667.1	17197.7 7260.9	9.77 4.14
Ruffleplot, tree.....	40 35 43.47	73 51 16.06	173 37 28 269 42 24	Cypress Hill..... Pavilion Rockaway.....	253 26 54 69 46 31	10960.2 6947.0	11985.7 8784.2	6.81 6.86
Carhart's House, flag-staff.....	40 35 05.97	73 48 35.27	196 49 54 157 29 36	Mount Prospect..... Cypress Hill.....	306 37 59 267 27 18	15998.0 13045.4	17494.9 14266.1	9 94 8.11
Near Rockaway.....	40 38 00.61	73 39 29.03	61 23 53	Pavilion Rockaway.....	241 20 20	8742.6	9560.7	5.43
Gentleman's Hill, 1855.....	40 34 53.31	73 39 03.41	100 53 10 174 03 08	Pavilion Rockaway..... Near Rockaway.....	260 49 21 354 02 51	8429.6 5708.0	9218.4 6351.5	5.24 3.61
Hick's Neck, 1855.....	40 36 41.83	73 42 25.13	239 34 03 305 11 37	Near Rockaway..... Gentleman's Hill, 1855..	59 35 58 125 13 48	4799.2 5804.6	5248.3 6347.7	2.98 3 61
Hick's Beach, 1855.....	40 35 34.57	73 42 32.08	223 40 17 184 30 08	Near Rockaway..... Hick's Neck, 1855.....	43 42 16 4 30 13	6229.1 3080.9	6811.9 3275.6	3.67 1.29
<i>New York Harbor.</i>								
Fort Tompkins.....	40 36 13.26	74 03 04.20	286 42 43 237 02 03	Coney Island, east, 1855. Cypress Hill.....	106 47 18 57 09 37	10324.9 18361.9	11356.6 20060.0	6.45 11.41
Bluff, (1).....	40 24 29.91	73 59 54.01	106 18 48 188 21 18	Coney Island, east, 1855. Fort Tompkins.....	16 21 19 348 19 15	19495.7 22150.3	21310.1 24222.9	12.11 13.76
Coney Island, west, 1855.....	40 34 31.11	74 00 06.06	268 24 32 126 57 59	Coney Island, east, 1855. Fort Tompkins.....	88 27 11 306 56 03	5759.1 5241.2	6 98.0 5731.6	3.58 3.26
Sandy Hook Signal.....	40 28 17.05	74 00 03.21	205 56 25 179 40 01	Coney Island, east, 1855. Coney Island, west, 1855.	25 59 02 269 39 59	13007.4 11537.1	14224.5 12616.6	8.68 7.17
Point Comfort, (2).....	40 27 19.54	74 07 45.11	250 41 55 295 11 17	Sandy Hook Signal..... Bluff, (1).....	80 46 55 115 16 22	11024.4 12274.0	12055.9 13422.5	6.85 7.68
Jones.....	40 24 01.93	73 59 14 09	922 55 30 166 30 49	Pavilion Rockaway..... Fort Tompkins.....	43 04 47 346 28 90	29639.4 23197.0	32419.7 25307.5	18.41 14.41
Norton.....	40 33 38.40	74 05 29.75	334 55 06 982 21 04	Bluff, (1)..... Coney Island, east, 1855.	154 58 46 82 27 13	18873.2 13489.2	20430.4 14751.4	11.60 8.38
Prince's Bay.....	40 30 24.58	74 12 27.86	301 33 47 246 23 29	Bluff, (1)..... Coney Island, west, 1855	121 41 56 66 31 31	20838.2 19036.4	22909.9 20819.8	12.96 11.63
Wilson.....	40 26 18.87	74 05 08.92	294 19 51 243 07 43	Bluff, (1)..... Sandy Hook Signal.....	114 23 15 63 11 01	8148.0 6072.3	8910.4 6827.6	5.06 5 01
Conasconck Point, (2).....	40 27 30.60	74 10 24.74	294 21 90 212 42 25	Sandy Hook Signal..... Fort Tompkins.....	84 28 03 32 47 11	14710.0 19166.1	16096.4 20959.5	9.14 11.91
Seely.....	40 32 13 66	74 08 54.32	298 03 41 318 17 23	Fort Tompkins..... Bluff, (1).....	48 07 29 138 23 14	11064.6 19144.9	12099.9 20936.3	6.87 11.69
Fay.....	40 31 11.48	74 10 34.79	299 49 54 358 00 28	Sandy Hook Signal..... Conasconck Point, (2).....	109 56 44 178 00 35	15813.7 6816.2	17393.4 7454.0	9.83 4.23
Chapel Hill Light-house Pole...	40 23 51.68	74 03 12.67	208 35 53 148 53 25	Sandy Hook Signal..... Wilson.....	28 37 56 238 52 10	9323.5 2302.7	10195.9 2798.9	5.79 3 29
Chapel Hill Back Light.....	40 23 51.00	74 03 12.76	.....	Chapel Hill Light-house Pole.....	.....	20.7	22.6	0 01

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Vicinity of New York Harbor, Staten Island, and New Jersey. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Fords.	Miles.
Carhart.....	40 25 01.13	74 02 11.66	119 52 10 206 35 41	Wilson..... Sandy Hook Signal.....	299 50 15 26 37 04	4817.0 6758.3	5267.7 7390.7	2.99 4.20
Seward.....	40 28 52.90	74 16 13.05	287 09 36 241 54 28	Conasconck Point, (2). Prince's Bay.....	107 13 22 61 56 54	8588.2 6008.9	9391.8 6571.1	5.34 3.73
Gage.....	40 30 07.36	74 12 53.34	394 05 11 63 59 28	Conasconck Point, (2). Seward.....	144 06 47 243 57 19	5968.5 5233.4	6527.0 5723.1	3.71 3.25
Ward's Point.....	40 29 45.28	74 14 45.97	304 00 01 51 46 40	Conasconck Point, (2). Seward.....	124 02 50 231 45 44	7423.6 2610.4	8118.2 2854.7	4.61 1.62
Olmstead.....	40 31 36.94	74 09 14.42	314 53 01 12 18 05	Bluff, (1)..... Conasconck Point, (2).....	134 59 05 192 17 19	18647.3 7775.8	20392.1 8503.4	11.59 4.83
Sandy Hook Light-house.....	40 27 39.49	73 59 48.56	292 34 42 163 49 03	Coney Island, east, 1855. Fort Tompkins.....	92 37 10 343 46 56	13922.2 16501.5	15294.9 18045.5	8.65 10.25
Hilton.....	40 25 17.19	74 03 09.44	180 20 57 147 43 30	Fort Tompkins..... Seely.....	0 21 00 327 39 46	20235.4 15198.0	22128.8 16620.1	12.57 9.44
Garrison.....	40 32 00.16	74 07 43.09	321 27 05 71 34 20	Bluff, (1)..... Olmstead.....	141 32 09 251 33 20	17745.9 2255.7	19406.4 2477.7	11.03 1.41
Winslow.....	40 37 16.94	74 05 04.10	242 01 38 189 06 51	Mount Prospect..... Bergen Dutch Ref. Ch.....	62 06 26 9 07 43	11771.6 11793.1	12873.1 12896.6	7.31 7.33
Wyckoff's House.....	40 34 33.98	73 58 03.64	113 27 21 74 16 05	Fort Tompkins..... Seely.....	293 24 05 254 09 02	7702.0 15906.4	8422.7 17394.8	4.78 9.88
Oceanic House, flag.....	40 34 45.34	73 58 11.94	111 33 47 7 13 32	Fort Tompkins..... Bluff, (1).....	291 30 37 187 12 26	7387.3 19133.1	8078.5 20923.4	4.59 11.89
Spit, double flag.....	40 33 37.12	73 53 24.17	153 50 92 109 29 41	Mount Prospect..... Fort Tompkins.....	333 47 35 289 23 24	18701.4 14464.5	14983.4 15817.9	8.51 8.99
Inlet, flag.....	40 34 12.55	73 51 32.25	176 30 03 102 57 09	Cypress Hill..... Fort Tompkins.....	356 29 40 282 49 39	13722.1 16690.5	15076.1 18252.2	8.53 10.37
Bath House.....	40 35 58.97	74 00 00.34	2 59 26 95 49 57	Coney Island, west, 1855. Fort Tompkins.....	182 50 22 275 47 58	2713.0 4344.5	2936.9 4751.0	1.68 2.70
Penitentiary.....	40 39 57.68	73 56 49.45	114 31 30 295 39 47	Mount Prospect..... Bets.....	294 30 56 25 32 32	1341.1 8744.3	1466.6 9562.5	0.83 5.43
Litchfield.....	40 39 58.58	73 58 07.02	228 40 33 130 04 42	Mount Prospect..... Bergen, Dutch Ref. Ch.....	48 40 50 130 04 42	801.1 10348.8	876.1 11317.1	0.50 6.43
Red Hook, chimney.....	40 40 43.65	74 00 42.33	281 26 37 180 01 29	Mount Prospect..... Higliwood, (2).....	101 28 35 0 01 29	4335.1 10066.3	4740.7 11068.2	2.69 6.25
Wyckoff, 1853.....	40 34 33.73	73 58 02.77	113 26 18 11 03 21	Fort Tompkins..... Sandy Hook Light.....	293 23 02 191 02 12	7726.4 15018.5	8449.4 14336.6	4.80 8.09
Coney Island, east, 1853.....	40 34 36.33	73 56 01 55	106 46 36 88 24 24	Fort Tompkins..... Wyckoff, 1853.....	286 42 01 268 23 05	10379.8 2852.2	11331.0 3119.1	6.45 1.77
Coney Island, west, 1853.....	40 34 30.99	74 00 06.03	126 58 41 268 19 21	Fort Tompkins..... Wyckoff, 1853.....	306 56 45 88 20 41	5246.4 2899.7	5737.3 3171.0	3.96 1.80
Romer Iron Beacon.....	40 30 13.30	73 59 35.86	157 11 35 195 14 33	Fort Tompkins..... Wyckoff, 1853.....	338 08 56 195 14 33	12137.1 8326.1	13272.8 9705.2	7.54 5.17
Romer Stone Beacon.....	40 30 44.10	74 00 30.13	184 37 54 221 23 49	Coney Island, west, 1853. Coney Island, east, 1853	4 38 06 41 26 44	7020.8 10700.7	7677.7 11789.4	4.36 6.70
<i>Staten Island and New Jersey.</i>								
Curtis.....	40 34 43.89	74 04 12.81	273 51 44 210 20 09	Coney Island, west, 1855. Fort Tompkins.....	93 54 24 30 20 54	5816.3 3194.1	6360.5 3493.0	3.61 1.98
Seguine's Point, chimney.....	40 30 36.30	74 11 26.49	64 43 36 345 44 48	Seward..... Conasconck Point, (2).....	244 40 30 165 45 28	7463.0 5909.3	8161.3 6462.2	4.64 3.67
Conover's Beacon.....	40 25 14.21	74 03 01.39	179 48 41 123 34 23	Fort Tompkins..... Wilson.....	359 48 39 303 33 00	20327.7 3607.1	22329.7 3944.6	12.63 2.24
Wilson's Beacon, back of Point Comfort.....	40 26 35.80	74 07 51.32	200 45 13 171 53 55	Fort Tompkins..... Seely.....	20 48 19 351 53 14	19049.3 10524.9	20831.7 11509.7	11.84 6.54
Light-house Flag, near Pt. Comfort.....	40 26 50.75	74 06 56.81	197 29 26 74 45 31	Fort Tompkins..... Sandy Hook Signal.....	17 31 57 254 41 02	18192.4 10100.6	19894.7 11045.7	11.30 6.28
Morgan, (3).....	40 28 08.05	74 15 36.15	278 55 09 225 27 29	Conasconck Point, (2)..... Prince's Bay.....	98 58 31 46 29 31	7426.5 6114.7	8121.4 6686.8	4.61 3.80
Morgan, (3).....	40 28 05.18	74 15 33.80	278 18 24 200 02 20	Conasconck Point, (2)..... Ward's Point.....	98 21 45 20 02 51	7358.2 3286.2	8046.7 3593.7	4.57 2.04
Chestnaquack Point, (2).....	40 27 36.88	74 14 42.36	178 46 22 137 40 31	Ward's Point..... Seward.....	358 46 20 317 39 32	3961.1 3171.8	4331.7 3468.6	2.46 1.97

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Vicinity of Staten Island and New Jersey. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	<i>Metres.</i>	<i>Yards.</i>	<i>Miles.</i>
Brown.....	40 27 07.60	74 13 26.68	139 49 24 139 04 17	Seward..... Ward's Point.....	309 47 36 319 03 26	5101.5 5236.6	5578.8 5715.6	3.17 3.25
Matayan.....	40 26 48.87	74 12 18.90	244 25 15 147 31 22	Conas-konek Point, (2).. Ward's Point.....	64 26 29 327 29 57	2281.9 5459.0	2366.9 7032.5	1.85 4.01
New Durp Beacon, or Elm Tree Back Light.	40 34 48.08	74 06 53.84	231 26 40 273 04 46	Jones..... Coney Island, west, 1855	151 31 39 93 19 11	22778.9 9603.5	24800.9 10302.1	14.09 5.97
Elm Tree Light-house.....	40 33 45.35	74 05 26.17	239 20 40 133 11 14	Coney Island, west, 1855 New Durp Beacon.....	79 24 08 313 16 17	7669.1 2227.3	8376.8 2091.8	4.76 1.76
Elm Tree Light-house, range....	40 53 44.54	74 05 25.04	323 06 05 335 28 17	Sandy Hook Signal.... Bluff, (1).....	143 09 34 155 31 52	12625.2 18798.9	12906.5 20557.9	7.84 11.68
Bayside Beacon.....	40 26 50.58	74 03 57.46	164 34 21 197 31 59	Seely..... Fort Tompkins.....	344 33 05 17 34 30	10337.3 18202.4	11204.6 19905.6	6.42 11.31
Ellis Island, flag-staff.....	40 41 53.79	74 02 04.29	226 04 54 217 41 41	Mount Prospect..... Latting's Observatory..	116 07 45 37 43 54	6873.7 7854.4	7516.9 8589.3	4.27 4.88
Seaman's Retreat.....	40 37 20.99	74 04 11.49	239 30 17 157 05 09	Mount Prospect..... Fiedler.....	59 34 31 337 04 54	10631.4 1410.4	11636.2 1542.4	6.60 0.88
Elizabeth Port, Presbyterian Church, white spire.	40 38 49.75	74 11 08.24	284 58 05 28 30 24	Cazet..... Miller.....	105 02 03 208 29 18	8858.7 5004.2	9687.6 5472.4	5.50 3.11
Bergen Point Church.....	40 38 49.58	74 07 19.24	258 52 16 305 44 49	Mount Prospect..... Cazet.....	78 58 33 125 46 17	12630.2 3914.2	15124.3 4260.4	8.59 2.43
Newark, Presbyterian Church...	40 44 01.18	74 10 02 26	275 18 43 329 29 42	Bergen, Dutch Ref. Ch'h Latting's Observatory..	95 20 50 149 32 57	8901.9 12806.0	9734.8 15097.8	5.53 8.58
Newark, Methodist Church.....	40 44 03.58	74 09 52.60	275 54 09 261 58 15	Bergen, Dutch Ref. Ch'h Latting's Observatory..	95 58 09 82 05 35	8683.5 15945.1	9498.0 17437.1	5.59 9.91
Oentreville Church.....	40 40 03.23	74 06 33.26	268 10 59 535 18 19	Mount Prospect..... Cazet.....	88 16 47 155 19 17	12496.4 5017.6	13855.7 5487.1	7.76 3.12
Brighton Spire.....	40 38 47.28	74 04 46.69	254 41 46 10 18 53	Mount Prospect..... Cazet.....	74 46 23 190 18 42	10359.2 2253.0	11238.5 2453.8	6.43 1.40
Newark Bay Light, or Passaic Light.	40 41 43.69	74 07 19.23	235 50 48 153 43 47	Bergen, Dutch Ref. Ch'h Lentz.....	55 53 08 333 43 21	6088.9 2156.6	6658.6 2358.4	3.78 1.34
Newark Bay Beacon.....	40 43 05.60	74 07 07.97	240 07 42 135 54 04	Bergen, Dutch Ref. Ch'h Lentz.....	60 09 55 315 33 30	5506.1 1751.7	6021.3 1915.6	3.42 1.09
Robin's Reef Light.....	40 30 23.85	74 03 36.78	259 06 54 198 05 55	Mount Prospect..... Highwood, (2).....	79 10 46 18 07 49	8498.7 13161.2	9293.9 14414.6	5.28 8.19
Kill's Light, Bergen Point.....	40 38 32.23	74 08 35.84	289 29 59 188 08 16	Cazet..... Lentz.....	109 25 10 6 08 39	5767.0 7824.3	5769.7 8622.0	3.28 4.90
Long Neck.....	40 35 07.84	74 11 43.74	191 05 12 147 39 52	Elizabeth Port Hotel... Miller.....	11 05 49 327 39 09	6922.2 2895.9	7635.5 3166.9	4.34 1.80
Benedict.....	40 33 45.63	74 11 52.26	150 23 28 160 48 10	Braisted..... Blazing Star.....	330 21 53 340 47 49	2558.8 2354.5	2798.2 2574.8	1.59 1.46
Rossville Signal.....	40 33 23.78	74 12 19.54	167 49 18 177 20 06	Braisted..... Blazing Star.....	347 49 01 357 20 02	2964.8 2900.3	3242.2 3171.7	1.84 1.80
Decker.....	40 35 06.25	74 08 23.12	51 23 00 21 29 45	Frøet..... Cortelyou.....	231 30 26 201 29 07	4342.5 3726.1	4749.9 4074.7	2.70 2.31
Wyckoff's Landing, pier.....	40 34 23.34	74 12 25.62	215 40 10 180 25 07	Long Neck..... Blazing Star.....	35 40 37 0 25 07	1689.6 1062.1	1847.7 1161.5	1.05 0.66
Wyckoff's Landing, flag.....	40 34 34.73	74 12 27.51	196 45 43 184 12 02	Elizabethport Hotel.... Blazing Star.....	16 46 49 4 12 03	8222.8 712.9	8992.2 778.6	5.11 0.44
Turner.....	40 33 58.08	74 13 35.78	300 33 22 212 26 36	Rossville Signal..... Braisted.....	120 34 12 32 27 08	2094.0 2178.5	2279.0 2382.3	1.29 1.35
Dissoaway.....	40 33 15.61	74 13 25.00	220 45 58 169 01 56	Rossville Signal..... Turner.....	80 46 41 349 01 49	1560.9 1334.4	1706.9 1459.3	0.97 0.83
Marsh.....	40 33 37.62	74 14 50.24	250 11 06 268 41 09	Turner..... Dissoaway.....	70 11 54 108 42 04	1863.5 2118.1	2036.8 2316.3	1.16 1.31
Woodbridge Landing.....	40 32 43.23	74 14 59.71	187 33 40 245 51 37	Marsh..... Dissoaway.....	7 33 46 245 51 37	1692.2 2442.8	1835.5 2671.4	1.05 1.52
Smoking Point.....	40 33 18.51	74 13 14.06	157 16 10 70 50 21	Turner..... Dissoaway.....	337 15 56 250 50 14	1323.4 272.5	1447.9 298.0	0.82 0.17
Signal on the Marsh.....	40 33 38.83	74 13 37.36	318 48 46 337 53 11	Smoking Point..... Dissoaway.....	138 49 01 157 53 19	832.8 773.1	910.7 845.4	0.52 0.46
Tuft's Point.....	40 33 28.70	74 12 54.54	220 33 07 55 37 07	Rossville Signal..... Smoking Point.....	100 33 36 235 36 54	838.0 566.7	916.4 608.6	0.52 0.34

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Vicinity of Staten Island and New Jersey. Sketch B, No. 1.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Rossville Wharf.....	40 33 21.13	74 12 39.85	260 29 47 84 16 06	Rossville Signal..... Smoking Point.....	80 39 00 264 15 44	484.7 809.3	520.0 885.0	0.30 0.50
High Scaffold.....	40 34 41.82	74 07 39.87	246 10 21 93 55 05	Frost..... Braisted.....	66 12 23 273 51 46	4829.1 7221.5	5281.0 7897.2	3.00 4.49
Tappan's Point.....	40 32 33.13	74 14 15.09	157 24 59 199 26 50	Marsh..... Turner.....	337 24 36 19 27 16	2154.2 2778.7	2355.8 3033.7	1.34 1.73
Herbert.....	40 32 02.81	74 15 08.09	188 59 09 233 08 17	Woodbridge Landing... Tappan's Point.....	8 59 14 53 08 51	1262.2 1559.1	1380.3 1705.0	0.78 0.97
Ellis.....	40 32 30.38	74 14 25.78	116 23 18 49 31 19	Woodbridge Landing... Herbert.....	296 22 56 229 30 51	891.6 1509.7	975.0 1432.2	0.55 0.81
Wyckoff.....	40 34 17.45	74 13 53.16	9 06 30 28 19 17	Tappan's Point..... Woodbridge Landing...	169 06 16 208 18 34	3258.6 3301.0	3563.5 3609.9	2.02 2.05
Jessup's Cupola.....	40 32 59.44	74 11 01.77	119 57 14 192 38 08	Turner..... Frost.....	299 55 34 12 38 17	4182.9 1521.5	4574.3 1663.9	2.60 0.96
Callet's Cupola.....	40 34 40.71	74 07 41.22	94 12 25 66 25 36	Braisted..... Frost.....	274 09 07 246 23 35	7192.2 4786.2	7865.2 5234.0	4.47 2.97
Androvetts.....	40 32 17.48	74 14 14.93	70 07 23 127 00 35	Herbert..... Woodbridge Landing...	250 06 48 307 00 06	1330.7 1319.9	1455.2 1443.4	0.83 0.82
Terrill.....	40 31 24.13	74 15 05.48	215 52 19 177 03 12	Androvetts..... Herbert.....	35 52 52 357 03 10	2030.7 1194.5	2220.7 1306.3	1.26 0.74
Dubois.....	40 31 27.60	74 14 17.06	84 37 57 132 06 34	Terrill..... Herbert.....	264 37 28 312 06 01	1145.2 1619.3	1252.4 1770.8	0.71 1.01
Gage.....	40 31 03.02	74 14 15.79	177 44 47 119 05 39	Dubois..... Terrill.....	357 44 46 299 05 07	758.7 1338.9	829.7 1464.2	0.47 0.83
Yellow Hill.....	40 34 18.02	74 09 23.33	58 30 57 358 30 16	Frost..... Cortelyou.....	238 30 02 178 30 17	2336.2 1980.4	2543.9 2165.7	1.45 1.23
Woodbridge, white spire.....	40 33 39.82	74 16 05.95	569 40 43 270 15 19	Fort Hill, (1)..... Frost.....	82 45 21 90 18 46	10131.5 7491.0	11079.5 8191.9	6.29 4.65
Wynant.....	40 32 55.28	74 13 58.89	137 13 06 75 27 08	Marsh..... Woodbridge Landing...	317 12 33 255 26 28	1779.4 1479.0	1945.9 1617.4	1.11 0.93
Storer.....	40 33 23.03	74 14 14.86	40 41 07 8 58 14	Woodbridge Landing... Ellis.....	220 40 38 188 58 07	1618.8 1643.8	1770.3 1797.5	1.01 1.02
Fire-brick Works.....	40 30 51.06	74 15 16.06	230 56 41 255 25 30	Dubois..... Gage.....	50 57 19 75 26 09	1788.8 1466.1	1956.2 1603.3	1.11 0.91
Crizier Signal.....	40 31 51.69	74 13 46.19	132 34 51 100 06 37	Woodbridge Landing... Herbert.....	312 34 03 280 05 44	2350.6 1958.8	2570.5 2142.1	1.46 1.22
Richmond, Episcopal church....	40 34 19.79	74 08 32.09	68 18 19 29 34 15	Frost..... Cortelyou.....	248 16 51 209 33 43	3432.6 2338.7	3753.8 2557.5	2.13 1.45
Richmond Court-house.....	40 34 12.77	74 08 25.73	72 30 11 35 39 12	Frost..... Cortelyou.....	252 28 39 215 38 36	3501.3 2237.3	3828.9 2446.6	2.18 1.39
Arent's House.....	40 30 37.50	74 14 28.14	148 33 03 203 21 21	Terrill..... Crizier Signal.....	228 32 39 23 21 48	1685.4 2492.0	1843.1 2725.2	1.05 1.55
Springville, Methodist church....	40 35 55.78	74 09 28.96	23 38 06 101 36 41	Frost..... Miller.....	203 37 15 281 34 30	4617.6 4817.2	5049.7 5267.9	2.87 2.99
Perth Amboy, Presbyterian church	40 30 18.09	74 15 37.80	17 31 45 267 25 29	Seward..... Prince's Bay.....	197 31 22 87 27 33	2755.8 4475.8	3013.7 4894.6	1.71 2.78
Perth Amboy, Episcopal church..	40 30 10.64	74 15 36.15	229 30 10 218 06 33	Gage..... Dubois.....	49 31 02 38 07 24	2488.0 3017.9	2720.8 3300.3	1.54 1.87
South Amboy Depot.....	40 29 26.32	74 16 15.58	254 29 50 358 41 40	Ward's Point..... Seward.....	74 30 48 176 41 42	2189.5 1032.3	2384.4 1128.9	1.36 0.64
Keyport Spire.....	40 26 12.41	74 11 47.94	218 52 09 172 59 20	Conskronek Point, (2).. Prince's Bay.....	38 53 03 352 58 54	3097.7 7836.2	3387.5 8569.4	1.92 4.87
Rutherford Observatory, transit, 1858.	40 43 48.79	73 58 54.43						
From Newburg to Poughkeepsie.								
Butter Hill Clough.....	41 25 49.20	73 58 43.26	323 07 41 286 29 46	Constitution Island..... Plum Bush.....	143 08 39 106 31 47	3373.9 4403.8	3689.6 4815.9	2.10 2.74
Breakneck Point.....	41 26 30.12	73 58 24.76	338 04 09 18 46 57	Constitution Island..... Butter Hill Clough.....	158 04 54 198 46 45	4270.5 1333.3	4670.1 1458.1	2.65 0.83
Polypus Island.....	41 27 16.46	73 59 03.36	158 27 05 188 46 23	Robinson..... Spy Hill.....	338 26 19 8 46 47	4397.8 5407.5	4809.3 5913.5	2.73 3.36

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Newburg to Poughkeepsie. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Van Amburg .....	41 27 34.81	73 58 36.12	147 28 55 182 18 53	Robinson .....	327 27 51 2 18 59	4189.0 4782.1	4571.1 5229.6	2.60 2.97
Sloop Hill .....	41 27 14.43	74 01 08.17	214 31 01 359 53 05	Spy Hill .....	34 32 46 79 54 46	6563.3 3583.9	7177.4 3919.3	4.08 2.23
Round Top .....	41 26 09.18	74 00 28.69	223 39 06 155 31 22	Polypus Island.....	43 40 02 335 30 56	2868.9 2211.4	3137.3 2418.3	1.78 1.37
New Windsor .....	41 28 41.17	74 00 30.37	359 31 28 322 17 59	Round Top.....	179 31 29 142 18 57	4688.5 3301.9	5127.2 3610.8	2.91 2.05
Plum Point.....	41 28 49.29	73 58 33.03	28 32 01 13 48 22	Round Top.....	208 30 44 183 48 02	5621.1 2948.4	6147.1 3224.3	3.49 1.83
Lee .....	41 28 48.04	74 01 03.47	269 21 10 303 26 35	Plum Point .....	89 22 50 123 28 12	3489.9 4097.3	3816.4 4480.7	2.17 2.54
Hubbard .....	41 26 24.22	73 59 09.15	184 45 53 199 23 20	Polypus Island .....	4 45 57 19 23 42	1617.5 2308.6	1768.8 2524.6	1.00 1.43
Hedges .....	41 25 43.98	74 02 20.78	197 51 48 253 20 11	Lee .....	17 32 59 73 21 25	5954.6 2716.1	6511.8 2970.2	3.70 1.69
Dean .....	41 27 27.28	74 04 01.83	225 58 03 238 57 58	Round Top.....	116 00 24 58 59 56	5503.5 4822.8	6016.5 5280.6	3.42 3.00
Delancey .....	41 26 36.61	74 03 03.36	283 13 59 214 26 49	Round Top.....	103 15 41 34 28 08	3688.7 4917.2	4033.8 5377.3	2.29 3.05
Balmville .....	41 31 43.97	74 00 04.71	292 36 31 351 49 23	Bald Hill.....	112 40 03 171 50 18	8051.2 13564.3	8804.5 14833.5	5.00 8.43
Railroad, (52) .....	41 33 00.72	73 57 59.67	145 47 38 85 24 43	Truesdall.....	225 47 11 265 23 36	1671.6 2361.5	1828.0 2582.5	1.04 1.47
Fowler's House.....	41 34 24.55	73 54 09.49	105 50 47 5 42 36	Wheat .....	285 47 26 185 42 13	7280.5 8092.8	7981.7 8850.0	4.52 5.03
Low Point.....	41 33 20.05	73 57 43.24	73 59 08 212 11 32	Wheat .....	253 57 50 32 12 20	2845.1 3151.7	3111.3 3448.6	1.77 1.96
Brinkerhoff .....	41 33 44.15	73 57 13.56	207 16 14 65 58 22	Old Troy .....	27 16 42 245 54 44	2164.3 3748.1	2368.8 4098.8	1.34 2.33
Limestone Point .....	41 34 24.17	73 57 29.11	343 43 28 242 59 13	Brinkerhoff.....	163 43 38 62 59 52	1986.0 1517.3	1406.3 1659.3	0.80 0.94
Hampton .....	41 36 18.77	73 57 22.44	332 45 40 285 08 32	Angell .....	152 46 33 85 09 41	4058.7 2425.0	4438.5 2651.9	2.52 1.51
Purdy, (2) .....	41 35 28.25	73 57 16.93	232 22 49 175 19 00	Sheafe .....	52 23 55 355 18 56	2869.4 1563.7	3159.8 1710.0	1.79 0.97
Deyo .....	41 42 21.53	73 57 54.28	280 40 34 10 33 06	Hampton .....	100 45 26 190 32 30	10334.7 6871.4	11301.7 7514.4	6.42 4.37
Woolley .....	41 45 38.29	73 58 00.46	4 58 10 358 39 09	Vervain .....	184 57 38 178 39 13	12873.7 6071.1	14078.3 6639.2	8.00 3.77
Milton .....	41 38 54.75	73 57 03.29	243 33 52 14 57 18	Deyo .....	63 38 10 194 57 02	10925.2 2221.5	10963.2 2429.4	6.23 1.38
Jobes .....	41 41 55.84	73 57 11.55	20 39 07 358 02 15	Golden Ridge.....	200 38 02 178 02 21	6371.9 5589.9	6968.1 6112.9	3.96 3.47
Dubois .....	41 41 20.02	73 56 43.82	30 44 32 149 52 50	Milton .....	210 43 09 329 52 32	5651.2 1277.5	6180.0 1397.0	3.51 0.79
Davis .....	41 43 31.98	73 55 06.50	28 55 57 60 44 50	Golden Ridge.....	210 43 09 329 52 32	5651.2 1277.5	6180.0 1397.0	3.51 0.79
Leroy.....	41 45 28.93	73 56 58.59	12 33 12 310 57 25	Jobes .....	908 54 52 240 42 58	4650.8 4445.7	5086.0 4861.7	2.89 2.76
Boorman .....	41 45 18.06	73 55 34.60	248 41 57 90 49 49	Dubois .....	192 32 35 131 01 40	5922.4 11742.5	6476.6 12841.2	3.68 7.30
Hoyt .....	41 43 06.29	73 56 39.01	249 39 10 1 56 36	Deyo .....	168 42 16 279 48 53	3337.1 1964.5	3649.3 2148.3	2.07 1.22
Haley.....	41 44 31.19	73 56 47.10	308 08 44 229 06 43	Leroy .....	69 40 12 181 56 33	2295.9 3279.9	2510.7 3580.8	1.43 2.04
Coe .....	41 44 02.57	73 57 27.79	286 09 15 354 31 12	Davis .....	128 09 51 49 07 31	9256.3 2209.4	3232.9 2416.1	1.84 1.37
Summer House Hill .....	41 39 47.10	73 56 54.33	174 16 15 252 00 34	Boorman .....	106 10 49 174 31 23	3389.3 3630.6	3711.4 4298.4	2.11 2.44
Mine Point .....	41 40 46.45	73 56 03.80	143 48 16 32 33 34	Jobes .....	354 16 04 72 04 46	3001.2 9220.5	4364.6 10083.3	2.48 5.73
				Vervain .....	323 47 31 212 33 00	9652.8 2172.0	2201.0 2375.2	1.85 1.35

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section II.—Hudson river, from Newburg to Poughkeepsie. Sketch B, No 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Dog Head Cove Point .....	41 41 01.67	73 56 25.66	296 18 22 4 32 58	Davis .....	116 19 15	2066.1	2259.4	1.26
Poughkeepsie Second Point....	41 43 06.50	73 56 01.30	161 00 13 89 35 18	Dubois .....	184 32 47	5002.2	5470.3	3.11
Roosevelt .....	41 44 20.32	73 55 55.79	51 05 53 3 12 05	Dog Head Cove Point..	340 59 56	1799.9	1968.3	1.12
Crumb Elbow Point .....	41 45 05.70	73 56 22.00	336 36 17 3 06 51	Hoyt .....	269 34 53	871.6	952.2	0.54
Railroad, (69).....	41 45 13 47	73 55 54.71	0 59 24 18 25 48	Dog Head Cove Point..	231 05 33	916.5	1002.3	0.57
Spring Brook.....	41 39 25.25	73 56 10.09	123 92 92 30 18 18	Poughkeepsie Second Point.	183 12 01	2380.8	2594.2	1.42
Old Lime-kiln.....	41 37 13.00	73 56 37.11	130 05 41 169 04 46	Roosevelt .....	156 36 35	1525.3	1668.0	0.95
Bishop .....	41 38 42 05	73 56 20.78	158 51 21 111 42 54	Dog Head Cove Point..	183 06 48	1978.4	2163.5	1.23
Barneget.....	41 37 31.31	73 56 35.01	4 55 25 188 34 54	Roosevelt .....	180 52 23	1639.9	1793.3	1.02
Poughkeepsie, Catholic Church..	41 42 30.64	73 55 55.00	210 38 04 179 41 32	Dog Head Cove Point..	198 25 27	2335.1	2553.6	1.45
Poughkeepsie, Old Dutch Re- formed Church.	41 42 13.51	73 55 29.92	283 46 18 18 16 42	Summer-house Hill ..	303 21 52	1925.2	1330.8	0.76
Rock Point .....	41 40 10.85	73 56 16.70	195 12 10 24 39 40	Mansion Hill .....	210 17 26	3575.0	3910.2	2.22
Peck .....	41 35 19.33	73 57 19.44	177 27 50 264 15 12	Mansion Hill .....	310 05 07	1541.3	1685.5	0.96
Blue Point Hill .....	41 40 44.46	73 56 41.02	9 52 04 11 08 06	Milton .....	349 04 29	3196.7	3495.8	1.99
New Hamburg .....	41 35 20.80	73 56 42.29	86 58 48 166 37 30	Summer-house Hill ....	338 50 59	2151.4	2352.7	1.33
Howland .....	41 36 16 59	73 56 20.37	16 26 24 92 41 18	Milton .....	291 42 26	1058.6	1157.7	0.66
Hunt .....	41 37 59.35	73 56 28.07	10 31 07 187 18 15	Old Lime-kiln .....	184 55 24	567.2	620.3	0.35
Ackerly.....	41 37 10.28	73 57 04.41	262 26 15 236 21 33	Bishop .....	8 35 03	2207.0	2413.5	1.37
Morse .....	41 40 10.87	73 56 16.68	195 12 09 49 54 59	Davis .....	30 38 36	2199.3	2405.1	1.37
Egan's Wharf .....	41 40 25.51	73 56 44.51	235 32 10 305 03 28	Roosevelt .....	359 41 34	2383.5	2700.1	2.10
Poughkeepsie, New Dutch Re- formed Church.	41 42 13.41	73 55 29.70	23 26 51 19 27 39	Vervain .....	103 49 34	7019.5	7676.3	4.36
Fowler .....	41 38 15.44	73 56 58.35	226 38 06 345 40 59	Mansion Hill .....	198 15 23	8717.1	9532.8	5.42
Dog Head Point, (2).....	41 44 01.65	73 56 26.65	231 04 37 296 17 37	Mine Point .....	15 12 19	1137.8	1244.3	0.71
Crosby .....	41 43 30.00	73 55 57.41	145 18 55 181 23 10	Milton .....	204 39 09	2583.2	2824.9	1.60
Haley's Quarry.....	41 44 20.40	73 56 27.94	308 26 28 270 10 41	Mansion Hill .....	357 27 44	4503.6	4925.0	2.80
Reynolds .....	41 42 36.50	73 56 02.84	169 44 53 217 15 45	Underhill .....	84 19 00	7970.2	8716.0	4.95
New Paltz North.....	41 43 07 39	73 56 34.42	201 38 17 322 31 57	Summer-house Hill ....	189 51 55	1796.0	1964.0	1.11
Elting Pier.....	41 42 40.45	73 56 38.70	227 06 14 278 21 39	Mansion Hill .....	191 07 35	5636.9	6164.3	3.50
Iron Works .....	41 42 05.99	73 56 06.90	145 20 19 185 41 07	Peck .....	266 58 23	861.4	942.0	0.53
Louisburg .....	41 42 15.28	73 56 41.77	185 13 17 289 34 10	Mansion Hill .....	346 37 00	4578.0	5006.4	2.84
Yellow Point.....	41 41 13.35	73 56 32.59	173 39 38 200 05 26	New Hamburg.....	196 26 09	1794.3	1962.2	1.11
				Hampton .....	272 40 37	1438.8	1573.4	0.89
				Barneget .....	190 31 02	879.8	962.1	0.55
				Bishop .....	7 18 20	1328.0	1452.3	0.82
				Old Lime-kiln .....	82 26 33	637.6	697.3	0.40
				Barneget .....	46 21 53	940.4	1028.4	0.58
				Mine Point .....	15 12 18	1137.8	1244.3	0.71
				Summer-house Hill ....	239 54 34	1137.8	1244.3	0.71
				Mine Point .....	55 32 37	1142.4	1249.3	0.71
				Morse .....	125 03 46	786.3	859.9	0.49
				Summer-house Hill ....	203 25 55	4918.8	5379.0	3.06
				Milton .....	199 26 37	6499.1	7107.2	4.04
				Bishop .....	46 38 31	1195.5	1307.8	0.74
				Old Lime kiln.....	165 41 13	1987.8	2173.8	1.23
				Roosevelt .....	51 04 58	916.8	1002.6	0.57
				Davis .....	116 18 30	2066.0	2259.3	1.28
				Dog Head Point, (2)...	325 18 36	1167.6	1298.7	0.74
				Roosevelt .....	1 23 11	1552.9	1696.2	0.96
				Davis .....	128 27 22	2402.6	2627.4	1.49
				Roosevelt .....	90 11 02	742.7	812.2	0.46
				Haley's Quarry .....	349 44 39	3257.3	3562.1	2.02
				Davis .....	37 16 22	2150.3	2351.5	1.33
				Roosevelt .....	21 38 43	2420.4	2646.9	1.50
				Reynolds .....	142 22 18	1200.1	1312.4	0.74
				Poughkeepsie Second Point.	47 06 39	1180.1	1290.5	0.73
				Reynolds .....	98 22 03	837.8	916.2	0.52
				Elting Pier.....	325 19 58	1292.6	1413.5	0.80
				Reynolds .....	5 41 10	946.0	1034.5	0.59
				Elting Pier.....	5 13 19	779.8	852.8	0.48
				Iron Works .....	109 24 33	855.6	935.7	0.53
				Louisburg .....	353 39 32	1922.3	2102.2	1.19
				Iron Works .....	20 05 43	1729.1	1890.9	1.07



## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Poughkeepsie to Rhinebeck. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Fox's Point.....	41 41 26.40	73 56 01.94	60 24 03 174 38 12	Yellow Point..... Iron Works.....	240 23 43 354 38 09	815.1 1296.6	891.4 1341.4	0.51 0.76
Quarry Wharf.....	41 41 33.87	73 56 42.89	181 09 27 283 40 05	Louisburg..... Fox's Point.....	1 09 28 103 40 32	1277.7 974.5	1397.2 1065.7	0.79 0.60
Blue Point.....	41 40 50.40	73 56 30.07	210 20 56 281 23 21	Fox's Point..... Mine Point.....	30 21 15 101 23 38	1287.3 619.6	1407.7 677.6	0.80 0.38
<i>From Poughkeepsie to Rhinebeck.</i>								
Dennis, (1).....	41 47 25.44	73 50 42.21	46 50 03 359 09 47	Deyo..... Vervain.....	226 45 15 179 09 52	13693.9 11298.0	14975.2 12355.1	8.51 7.02
Stewart.....	41 46 11.39	73 57 50.33	311 49 14 5 34 04	Vervain..... Golden Ridge.....	131 54 04 185 33 25	13505.2 13911.7	14768.0 15212.4	8.20 8.64
Lloyd.....	41 49 15.01	73 52 54.53	50 21 04 347 36 24	Stewart..... Vervain.....	230 17 47 167 37 57	8872.2 15026.3	9702.4 16432.3	5.51 9.34
Dennis, (2).....	41 47 25.40	73 50 42.44	77 01 38 137 56 20	Stewart..... Lloyd.....	236 56 53 317 56 52	10140.4 4552.8	11069.2 4978.8	6.30 2.83
Prospect Hill.....	41 52 25.74	73 57 30.39	312 44 26 2 17 28	Lloyd..... Stewart.....	132 47 20 182 17 15	8665.5 11557.6	9476.3 12639.0	5.38 7.18
Traver.....	41 55 02.86	73 52 21.81	55 44 58 4 01 30	Prospect Hill..... Lloyd.....	235 41 32 184 01 08	8605.8 10757.4	9411.0 11764.0	5.35 6.68
Terry.....	41 56 20.10	73 57 59.97	286 58 39 354 36 03	Traver..... Prospect Hill.....	107 02 25 174 36 23	8146.6 7262.3	8908.9 7941.8	5.06 4.51
Burhans.....	42 00 27.13	73 56 54.40	11 19 36 327 52 14	Terry..... Traver.....	191 11 52 147 55 16	7768.8 11809.6	8495.7 12914.5	4.83 7.34
Staats.....	42 02 17.72	73 52 58.49	32 11 41 356 23 44	Terry..... Traver.....	212 08 20 175 24 08	13033.2 13442.2	14252.7 14700.0	8.10 8.35
Weich.....	41 57 21.96	73 52 05.64	76 52 17 4 57 39	Terry..... Traver.....	256 48 20 184 57 28	8380.3 4307.3	9164.4 4710.3	5.21 2.68
Boitz.....	41 55 52.51	73 49 11.97	70 42 57 94 03 10	Traver..... Terry.....	250 40 50 273 57 17	4634.1 12192.0	5067.7 13332.8	2.89 7.57
Teator.....	42 00 09.55	73 46 45.55	65 33 15 39 19 32	Terry..... Traver.....	215 25 44 219 15 47	17063.9 12225.9	18660.6 13369.9	10.60 7.60
Barnes.....	41 48 12.07	73 50 41.05	1 16 37 69 27 07	Dennis, (2)..... Stewart.....	181 16 36 249 22 21	1439.8 10587.3	1574.5 11576.0	0.90 6.38
Adams.....	41 48 08.07	73 57 18.40	278 09 26 11 34 44	Dennis, (2)..... Stewart.....	98 13 50 191 34 23	9234.7 2674.2	10098.8 4018.0	5.74 2.28
Crumb Elbow Ridge.....	41 45 40.64	73 57 03.35	175 37 55 131 09 40	Adams..... Stewart.....	355 37 45 311 09 08	4581.2 1441.1	4988.0 1575.9	2.83 0.90
Van Wagner Hill.....	41 44 12.13	73 53 59.34	318 27 52 124 36 23	Vervain..... Stewart.....	138 30 08 304 33 49	7123.0 6480.7	7789.5 7087.1	4.42 4.03
Hyde Park North.....	41 47 17.96	73 56 30.49	14 11 11 144 25 08	Crumb Elbow Ridge.... Adams.....	194 10 49 321 24 36	3096.7 1900.5	3366.4 2078.3	1.92 1.18
Bard's Rock.....	41 48 13.88	73 56 23.49	61 57 17 5 21 14	Adams..... Hyde Park, north.....	261 56 40 185 21 09	1280.0 1732.3	1399.8 1894.4	0.79 1.08
Astor.....	41 48 26.50	73 56 55.02	298 08 47 345 00 20	Bard's Rock..... Hyde Park, north.....	118 09 08 165 00 36	825.3 2188.6	902.5 2383.4	0.51 1.33
Green Point.....	41 46 07.98	73 56 32.32	163 58 59 40 21 13	Adams..... Crumb Elbow Ridge....	343 58 28 220 20 52	3854.3 1106.7	4214.9 1210.2	2.40 0.69
Taylor.....	41 47 51.36	73 57 00.24	0 59 59 234 30 19	Crumb Elbow Ridge.... Bard's Rock.....	180 59 57 54 30 43	4122.6 1041.9	4508.4 1139.4	2.56 0.63
Russell Pier.....	41 47 05.69	73 57 06.43	185 26 57 245 27 34	Taylor..... Hyde Park, north.....	5 27 01 65 27 58	1505.4 912.1	1645.3 997.4	0.93 0.57
Hyde Park South.....	41 46 31.06	73 56 34.00	183 15 55 144 15 39	Hyde Park, north..... Russell Pier.....	3 15 57 324 15 18	1431.6 1282.0	1554.6 1402.0	0.88 0.80
Railroad, (68).....	41 45 13.49	73 55 54.70	117 51 05 152 39 58	Crumb Elbow Ridge.... Green Point.....	297 50 19 332 39 33	1793.4 1892.5	1961.2 2069.6	1.11 1.18
Crumb Elbow East.....	41 45 46.42	73 56 15.19	335 00 46 7 08 45	Railroad, (68)..... Crumb Elbow Point....	155 01 00 187 08 40	1121.0 1266.0	1225.9 1384.4	0.70 0.76
West Park.....	41 47 28.57	73 57 06.62	291 25 03 215 27 39	Hyde Park, north..... Bard's Rock.....	111 25 27 35 28 08	895.2 1715.9	972.7 1876.5	0.56 1.07
White House.....	41 46 31.15	73 57 02.22	208 53 34 257 48 30	Hyde Park, north..... Hyde Park, south.....	26 53 56 67 48 49	1619.3 652.1	1770.8 713.1	1.01 0.41

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Poughkeepsie to Rhinebeck. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Boorman's Point .....	46 46 16.98	73 56 34.44	181 15 27 124 15 52	Hyde Park, south .....	1 15 27	462.0	505.2	0.29
				White House .....	304 15 34	776.2	848.6	0.48
Brown's Wharf .....	41 46 17.67	73 57 00.91	270 16 27 293 00 47	Boorman's Point .....	90 16 45	611.9	669.1	0.38
				Green Point .....	113 01 06	716.8	783.9	0.45
Boat Landing .....	41 45 35.78	73 56 32.98	231 24 20 153 06 52	Crumb Elbow East .....	51 24 32	526.3	575.6	0.33
				Brown's Wharf .....	333 06 33	1428.1	1561.7	0.89
Bolle's Island .....	41 48 48.28	73 56 24.82	46 02 48 2 41 28	Astor .....	226 02 28	966.2	1058.9	0.60
				Hyde Park, north .....	182 41 24	2789.3	3050.3	1.73
Southard .....	41 48 55.94	73 56 54.56	288 59 07 331 04 13	Bolle's Island .....	108 59 27	725.9	793.8	0.45
				Bard's Rock .....	151 04 34	1482.5	1621.2	0.92
Blunt's Island .....	41 49 06.33	73 56 19.87	11 35 19 68 11 23	Bolle's Island .....	191 35 16	568.2	621.4	0.35
				Southard .....	246 11 00	862.2	942.9	0.54
Pelham Signal .....	41 49 21.87	73 57 01.72	296 24 45 320 35 11	Blunt's Island .....	116 25 13	1078.3	1179.2	0.67
				Bolle's Island .....	140 35 35	1341.1	1466.6	0.83
Wilkes .....	41 49 52.51	73 56 13.85	49 26 54 5 34 21	Pelham Signal .....	229 26 22	1453.8	1589.8	0.90
				Blunt's Island .....	185 34 17	1431.7	1565.7	0.89
Indian Rock .....	41 49 55.95	73 57 02.30	359 15 45 275 24 50	Pelham Signal .....	179 15 45	1051.4	1149.8	0.65
				Wilkes .....	95 25 22	1123.0	1228.1	0.70
Pelham Dock .....	41 50 23.79	73 56 58.22	4 36 52 321 12 11	Indian Rock .....	184 36 49	1171.3	1280.9	0.73
				Wilkes .....	141 12 40	1633.9	1786.8	1.01
Cliffwood .....	41 51 29.23	73 56 43.21	222 24 46 308 06 26	Traver .....	42 27 40	8929.8	9765.3	5.55
				Lloyd .....	128 08 58	6706.2	7333.7	4.17
Pell .....	41 50 32.31	73 57 25.42	178 08 50 209 00 13	Prospect Hill .....	358 08 47	3500.8	3828.4	2.17
				Cliffwood .....	29 00 41	2007.6	2195.4	1.25
Pollock .....	41 49 40.17	73 57 16.95	193 01 21 255 20 30	Cliffwood .....	13 01 43	3453.4	3776.5	2.15
				Wilkes .....	75 21 12	1504.9	1645.7	0.93
Mulford Pier .....	41 50 40.63	73 56 20.71	76 17 15 160 55 16	Pelham Dock .....	256 16 50	891.0	974.4	0.55
				Cliffwood .....	340 55 01	1586.9	1735.4	0.99
Rock .....	41 50 03.24	73 56 19.44	130 16 04 33 43 40	Pelham Dock .....	310 15 38	1172.2	1281.9	0.73
				Pelham Signal .....	213 43 12	1756.8	1921.2	1.09
Cave Point .....	41 51 27.94	73 56 38.19	344 32 43 15 27 39	Mulford Pier .....	164 32 55	1514.1	1655.8	0.94
				Pelham Dock .....	195 27 26	1733.3	1895.5	1.08
Meadow Point .....	41 51 56.53	73 56 35.66	925 29 10 314 18 30	Traver .....	45 32 00	8902.4	9669.9	5.10
				Lloyd .....	134 20 58	7139.8	7798.0	4.43
Lewis' Pier .....	41 51 17.63	73 56 05.52	112 25 02 112 51 26	Cliffwood .....	292 24 37	940.0	1027.9	0.58
				Cave Point .....	292 51 04	818.0	894.5	0.51
Elting Signal .....	41 53 47.59	73 56 03.64	181 01 46 253 32 40	Terry .....	1 01 48	4705.8	5146.1	2.92
				Traver .....	73 36 29	8219.5	8980.9	5.10
Van Akin .....	41 52 50.97	73 57 12.83	332 57 39 238 43 54	Meadow Point .....	152 58 04	1885.5	2061.9	1.17
				Traver .....	58 47 09	7845.0	8579.1	4.87
Railroad, (80) .....	41 52 22.23	73 55 24.23	109 30 30 39 30 33	Van Akin .....	269 29 17	2656.1	2904.6	1.65
				Pell .....	219 29 14	4394.0	4805.1	2.73
Hemlock Point .....	41 52 53.03	73 57 02.66	293 06 48 340 32 15	Railroad, (80) .....	113 07 54	2467.6	2698.5	1.53
				Meadow Point .....	160 32 33	1868.5	2043.3	1.16
Jones' Island .....	41 52 56.73	73 55 54.27	86 32 38 84 23 57	Hemlock Point .....	266 31 52	1579.4	1727.2	0.98
				Van Akin .....	264 23 05	1819.9	1990.2	1.13
Ellerslie .....	41 53 30.81	73 56 26.56	40 57 06 325 48 42	Van Akin .....	220 56 25	1627.4	1779.7	1.01
				Railroad, (80) .....	145 49 24	2557.5	2798.8	1.59
Port Ewen Signal .....	41 54 21.87	73 58 09.20	183 19 52 353 02 59	Terry .....	3 19 58	3659.7	4009.1	2.27
				Elting Signal .....	173 03 03	1059.2	1158.3	0.66
Railroad, (85) .....	41 54 14.40	73 57 01.81	98 13 36 59 52 36	Port Ewen Signal .....	278 12 51	1569.3	1716.1	0.97
				Elting Signal .....	239 51 55	1647.7	1801.9	1.02
Kipp .....	41 55 56.74	73 56 14.09	106 28 14 42 08 03	Terry .....	286 27 03	2543.2	2781.2	1.58
				Port Ewen Signal .....	222 06 46	3954.2	4324.2	2.46
Rhinebeck .....	41 55 10.47	73 56 52.28	144 01 49 49 40 06	Terry .....	324 01 04	2654.5	2902.9	1.65
				Port Ewen Signal .....	229 39 15	2325.5	2543.1	1.44
Kingston Point .....	41 55 38.84	73 57 28.24	316 33 48 346 50 22	Rhinebeck .....	136 34 12	1205.1	1317.9	0.75
				Railroad, (85) .....	166 50 40	2675.3	2925.6	1.66
Big Rock Point .....	41 53 31.86	73 57 30.58	271 14 37 206 48 32	Ellerslie .....	91 15 20	1476.1	1614.2	0.92
				Railroad, (85) .....	26 48 51	1470.3	1607.9	0.91
Railroad, (86) .....	41 54 41.59	73 56 59.68	68 57 58 159 41 45	Port Ewen Signal .....	248 57 12	1711.6	1871.8	1.06
				Kingston Point .....	339 41 26	1863.0	2059.2	1.17

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Poughkeepsie to Rhinebeck. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Gurnee .....	41 56 45 27	73 57 39.19	307 21 51 8 52 25	Kipp ... Port Ewen Signal ...	127 22 48 188 52 05	2466.5 4483.5	2697.3 4903.0	1.53 2.79
State Wharf .....	41 55 32.34	73 56 39.94	128 38 33 109 13 03	Terry ..... Kingston Point .....	308 37 40 280 12 27	2360.0 1130.5	2580.8 1236.3	1.46 0.70
Rondout Light-house .....	41 55 11.93	73 57 41.63	314 12 09 272 15 37	Railroad, (86) ..... Rhinebeck .....	134 12 28 92 16 10	1342.0 1137.9	1467.6 1244.4	0.83 0.71
Evertson .....	41 54 44.57	73 58 06.33	273 25 31 244 54 09	Railroad, (86) ..... Rhinebeck .....	93 26 15 84 54 59	1533.9 1884.0	1677.4 2060.3	0.95 1.17
Sleight's Hill .....	41 54 51.30	73 58 20.69	189 52 49 235 17 51	Terry ..... Kipp .....	9 53 03 55 19 15	2780.8 3547.3	3041.0 3879.2	1.73 2.20
Hanaburgh .....	41 52 37.57	73 54 13.53	58 35 48 68 53 32	Cliffwood .. Meadow Point. ....	238 34 08 248 51 57	4044.5 3513.2	4422.9 3841.9	2.51 2.18
Abiel Smith .....	41 54 57.04	73 59 25.61	247 31 51 318 50 10	Kipp ..... Elting Signal .....	67 33 59 138 51 04	4774.3 2870.3	5221.0 3138.9	2.97 1.78
Tunnel Point .....	41 57 02.53	73 56 26.13	28 59 38 20 29 30	Kingston Point ..... Elting Signal .....	208 58 51 200 28 25	2951.8 6419.7	3228.0 7020.4	1.83 3.99
Flatbush .....	41 57 16.83	73 57 25.64	326 17 12 287 50 07	Kipp ..... Tunnel Point .....	146 18 00 107 50 47	2969.7 1439.8	3247.6 1574.5	1.85 0.89
Chamberlain .....	41 58 10.90	73 56 06.23	47 38 04 12 15 37	Flatbush ..... Tunnel Point .....	227 37 11 192 15 24	2475.2 2158.5	2706.8 2360.5	1.54 1.31
Livingston .....	41 58 28.17	73 56 57.16	344 51 58 16 35 46	Tunnel Point ..... Flatbush .....	164 52 19 196 35 27	2737.0 2236.6	2993.1 2511.5	1.70 1.43
Ten Broeck .....	41 58 13.38	73 57 03.06	16 35 57 338 44 18	Flatbush ..... Tunnel Point .....	196 35 42 158 44 42	1820.3 2345.3	1990.6 2564.7	1.13 1.46
Vandemark .....	41 57 55.06	73 57 09.26	184 10 23 17 44 24	Ten Broeck ..... Flatbush .....	14 10 27 197 44 13	582.7 1238.4	637.2 1354.3	0.36 0.77
Mills' Wharf .....	41 58 10.24	73 56 09.33	116 40 28 94 28 42	Livingston ..... Ten Broeck ..	296 39 56 274 28 06	1832.3 1240.8	1347.6 1356.9	0.76 0.77
Knickerbocker Pier .....	41 57 56.72	73 57 04.61	21 28 57 251 51 19	Flatbush ..... Mills' Wharf .....	201 28 43 71 51 56	1322.7 1339.4	1446.5 1464.7	0.82 0.83
Garrison .....	41 56 53.57	73 56 19.70	65 55 14 355 46 41	Terry ..... Kipp .....	245 54 07 175 46 45	2529.5 1757.7	2766.2 1922.2	1.57 1.09
Port Ewen Bell House .....	41 54 22.20	73 57 54.36	281 14 23 340 33 51	Railroad, (85) ..... Big Rock Point .....	101 14 58 160 34 07	1234.9 1646.9	1350.4 1801.0	0.77 1.02
Rondout, Roman Catholic church	41 55 17.69	73 58 56.85	46 58 35 292 26 13	Abiel Smith ..... Railroad, (86) .....	226 58 17 112 27 31	906.4 2916.1	991.2 3189.0	0.56 7.81
Cement .....	41 55 15.00	73 58 34.79	65 25 25 273 22 58	Abiel Smith ..... Rhinebeck .....	245 24 52 93 24 06	1287.3 2365.8	1407.7 2587.2	0.80 1.47
Dinsmore .....	41 51 38.19	73 55 41.92	114 32 08 196 42 51	Meadow Point ..... Railroad, (80) .....	294 31 33 16 43 03	1392.1 1418.4	1489.5 1551.1	0.81 0.88
Esopus Light house .....	41 52 45.30	73 56 12.39	142 08 50 63 15 06	Hemlock Point ..... Meadow Point .....	322 08 16 243 14 51	1888.5 690.9	2065.2 657.1	1.17 0.37
Sukely's Observatory .....	41 57 21.04	73 55 18.77	63 09 20 123 55 18	Terry ..... Ten Broeck .....	243 07 32 303 54 08	4180.8 2893.9	4550.1 3164.7	2.58 1.49
Whiskey Point .....	41 57 10 35	73 57 21.55	342 24 46 325 36 36	State Wharf ..... Kipp .....	162 25 14 145 37 21	3172.3 2751.4	3469.1 3008.8	1.97 1.71
Esopus, Dutch Reformed church.	41 51 11.30	73 57 53.37	179 05 12 193 01 30	Terry ..... Prospect Hill .....	359 05 08 13 01 45	9527.9 2356.9	10419.4 2577.4	5.92 1.40
Curtis' Tower .....	41 48 03.29	73 56 06.48	151 27 19 243 26 14	Pellock ..... Lloyd .....	321 26 32 63 28 22	3402.9 4952.1	3731.3 5415.5	2.11 3.08
Jones' House Tower .....	41 53 10.51	73 55 51.58	34 00 25 58 45 52	Meadow Point ..... Prospect Hill .....	202 59 56 238 44 46	2498.5 2863.0	2732.3 2912.2	1.55 1.65
West Park Episcopal Church ...	41 48 14 75	73 57 13.46	330 28 27 327 11 07	Hyde Park, north ..... Crumb Elbow Ridge .....	150 28 56 177 11 14	2012.9 4759.9	2201.9 5205.3	1.25 2.96
Weist .....	41 49 41.46	73 58 12.54	190 52 17 336 32 51	Prospect Hill ..... Adams .....	10 52 45 158 33 27	5180.4 3140.4	5643.3 3434.2	3.21 1.96
Bruch .....	41 50 00.07	73 57 39 74	182 45 54 351 53 07	Prospect Hill ..... Adams .....	2 46 00 171 53 21	4498.9 3490.0	4919.9 3816.6	2.80 2.17
Red Hook Spire ...	41 58 17.86	73 52 23.45	33 05 14 359 38 25	Prospect Hill ..... Traver .....	213 01 49 179 38 26	12951.1 6015.9	14173.9 6578.8	8.05 3.74
Wittenberg, Presbyterian church.	41 53 51 16	73 51 44.39	158 42 09 118 00 07	Traver ..... Terry .....	358 41 44 287 55 56	2374.0 9798.0	2586.1 10714.8	1.47 6.09

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Poughkeepsie to Rhinebeck. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
G. A. Smith .....	41 54 18.07	74 00 30.71	285 29 28 236 39 38	Elting .....	105 31 06	3517.6	3846.7	2.19
				Cement .....	56 40 55	3195.7	3495.8	1.99
Ellsworth .....	41 53 30.34	74 00 02.69	156 19 10 212 05 39	G. A. Smith .....	336 18 51	1697.6	1758.0	1.00
				Cement .....	32 06 38	3811.4	4168.0	2.37
Wilbur East .....	41 54 45.47	73 59 29.57	243 57 46 234 10 12	Kipp .....	63 59 57	5011.8	5480.7	3.11
				Cement .....	54 10 49	1556.5	1702.1	0.97
Copeland .....	41 54 38.76	73 59 21.90	139 30 33 224 08 38	Wilbur East .....	519 30 28	272.2	297.7	0.17
				Cement .....	44 09 09	1558.2	1704.0	0.97
Wilbur West .....	41 54 34.73	73 59 51.88	237 12 18 259 48 06	Wilbur East .....	57 12 33	611.7	668.9	0.38
				Copeland .....	79 48 26	702.0	767.7	0.44
Von Beck .....	41 54 27.62	73 59 06.08	206 14 43 135 30 30	Cement .....	26 15 04	1629.9	1782.4	1.01
				Wilbur East .....	315 30 14	772.2	844.5	0.48
Flannery .....	41 54 44.24	73 59 21.67	1 48 19 67 10 20	Copeland .....	181 48 19	168.9	184.7	0.10
				Wilbur West .....	247 10 00	755.5	826.2	0.47
Brooklyn Wharf .....	41 54 17.89	73 59 55.90	6 05 53 90 23 44	Ellsworth .....	186 05 48	1475.1	1613.1	0.92
				G. A. Smith .....	270 23 21	802.4	877.5	0.50
Lawrence Wharf .....	41 53 57.02	74 00 44.27	239 59 35 310 39 09	Brooklyn Wharf .....	60 00 07	1287.4	1407.9	0.80
				Ellsworth .....	130 39 37	1263.2	1381.4	0.78
Crow's Point .....	41 54 03.85	74 00 10.47	133 14 18 217 47 52	G. A. Smith .....	313 14 04	640.2	700.1	0.40
				Brooklyn Wharf .....	57 48 02	548.1	599.4	0.34
Booth .....	41 54 20.52	74 00 05.58	289 58 57 357 32 44	Brooklyn Wharf .....	109 59 03	237.4	259.6	0.15
				Ellsworth .....	177 32 46	1549.5	1694.5	0.96
Donovan's Kiln .....	41 54 12.70	74 00 17.44	252 08 21 345 25 02	Brooklyn Wharf .....	72 08 35	521.7	570.5	0.32
				Ellsworth .....	165 25 12	1350.2	1476.5	0.84
Hamilton Island .....	41 53 58.62	74 00 21.44	333 39 08 224 43 01	Ellsworth .....	153 39 21	973.4	1064.5	0.60
				Brooklyn Wharf .....	44 43 18	536.6	584.9	0.32
New Salem .....	41 53 47.51	74 00 42.14	228 40 16 300 12 39	Brooklyn Wharf .....	48 40 47	1419.4	1552.2	0.88
				Ellsworth .....	120 13 05	1052.3	1150.8	0.65
Tremper .....	41 54 38.93	73 59 01.41	208 50 53 107 16 32	Cement .....	28 51 11	1276.5	1389.4	0.79
				Wilbur East .....	287 16 13	679.6	743.2	0.42
Rolfe's Quarry .....	41 54 20.10	73 59 25.13	214 23 51 357 37 41	Cement .....	34 24 25	2052.6	2244.7	1.27
				G. A. Smith .....	267 36 57	1512.6	1654.1	0.94
Sleight's Ferry .....	41 55 03.08	73 58 30.74	82 26 31 165 43 55	Abiel Smith .....	292 25 54	1275.4	1394.7	0.79
				Cement .....	345 43 52	379.3	414.8	0.23
South Rondout .....	41 54 39.75	73 59 13.74	324 45 09 219 31 16	Von Beck .....	154 45 14	414.0	452.7	0.26
				Cement .....	39 31 42	1409.8	1541.7	0.88
Sleightsburg, (1) .....	41 54 54.90	73 58 39.36	94 32 24 189 37 56	Abiel Smith .....	274 31 53	1068.9	1168.9	0.66
				Cement .....	9 37 59	628.9	687.7	0.39
Sleightsburg, (2) .....	41 54 50.36	73 58 44.99	103 29 57 197 10 05	Abiel Smith .....	283 29 30	962.5	1052.6	0.60
				Cement .....	17 10 12	795.6	870.0	0.49
Kingston Point, (2) .....	41 55 28.20	73 57 35.09	330 52 22 299 49 17	Railroad, (86) .....	150 59 46	1667.1	1823.1	1.04
				Rhinebeck .....	119 49 46	1136.9	1243.3	0.71
North .....	41 55 21.88	73 58 01.29	292 28 29 250 31 19	Rhinebeck .....	102 29 15	1038.6	1181.0	1.01
				Kingston Point, (2) .....	70 31 36	640.4	700.3	0.40
Rondout Light-house Signal ....	41 55 12.20	73 57 41.70	123 30 15 272 40 26	North .....	303 30 02	541.4	592.1	0.34
				Rhinebeck .....	92 40 50	1132.9	1246.6	0.71
Cornell Pier .....	41 55 09.32	73 58 26.23	265 03 24 236 00 00	Rondout L. H. Signal ..	85 03 54	1029.8	1126.1	0.64
				North .....	56 00 17	693.0	757.8	0.43
Port Ewen Dutch Reformed Church.	41 54 21.92	73 58 22.09	115 03 20 169 51 54	Wilbur, east .....	295 02 35	1716.4	1877.0	1.07
				Cement .....	349 51 46	1663.7	1819.4	1.03
Port Ewen Pier .....	41 54 35.75	73 57 47.98	260 46 00 230 09 15	Railroad, (86) .....	80 46 32	1123.1	1228.2	0.70
				Rhinebeck .....	50 09 52	1671.7	1828.1	1.04
Number 1 .....	41 55 12.42	73 58 04.36	270 44 52 193 36 44	Rondout L. H. Signal ..	90 45 07	522.2	571.1	0.32
				North .....	13 36 46	300.4	328.5	0.18
Number 2 .....	41 55 06.43	73 58 22.02	259 09 59 225 03 23	Rondout L. H. Signal ..	79 10 26	945.8	1034.3	0.59
				North .....	45 03 37	674.6	737.7	0.42
<i>From Rhinebeck to Hudson.</i>								
Upper Red Hook .....	42 01 22.38	73 50 20.84	79 22 29 13 23 30	Burhan's .....	259 18 06	9213.0	10075.1	5.72
				Trader .....	193 22 09	12034.9	13161.0	7.48
Mount Paulding .....	42 03 32.00	73 59 20.58	329 28 01 287 48 26	Burhan's .....	149 29 39	6690.6	7240.1	4.11
				Upper Red Hook .....	107 54 27	13040.4	14260.6	8.10

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Rhinebeck to Hudson. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Big Hill.....	42 05 16.74	73 52 37.67	33 28 35 70 48 08	Burhan's..... Mount Paulding.....	213 25 43 250 43 38	10708.9 9808.5	11710.9 10726.3	6.65 6.09
Round Top.....	42 05 12.28	73 52 04.11	341 28 56 72 54 04	Upper Red Hook..... Mount Paulding.....	161 30 05 252 49 12	7479.7 10498.5	8179.6 11480.8	4.65 6.52
Kortze.....	42 07 45.74	73 55 32.52	33 49 13 318 50 15	Mount Paulding..... Big Hill.....	213 46 40 138 52 12	9430.1 6104.4	10301.5 6675.6	5.65 3.79
Lasher.....	42 05 13.53	73 53 15.99	330 31 52 263 35 04	Upper Red Hook..... Big Hill.....	150 33 49 83 35 30	8189.8 886.3	8956.1 969.2	5.09 0.55
Catskill.....	42 11 21.78	74 01 55.16	346 13 16 341 65 01	Mount Paulding..... Burhan's.....	166 15 00 161 68 22	14931.4 21346.2	16317.6 23343.5	9.27 13.26
Blue Hill.....	42 11 03.62	73 48 35 91	91 49 25 27 26 23	Catskill..... Big Hill.....	271 40 28 207 23 41	12346.3 12055.6	20063.0 13183.6	11.40 7.49
Hover.....	42 08 27.34	73 51 42.70	221 37 40 76 21 17	Blue Hill..... Kortze.....	41 39 45 256 18 43	6451.5 5430.8	7055.2 5829.0	4.01 3.37
Turkey Point, north.....	42 01 02.13	73 56 02.41	351 37 08 241 07 08	Sukeley's Observatory. Staats.....	171 37 37 61 09 11	6694.1 4630.4	7539.2 5022.4	4.28 3.00
Glasco Signal.....	42 02 37.97	73 56 19.46	352 26 277 40	Turkey Point, north... Staats.....	172 26 39 97 43 05	2082.5 4663.7	3261.6 5100.1	1.85 2.90
Cruger's Wharf.....	42 02 51.30	73 56 02.44	359 59 21 283 44 51	Turkey Point, north... Staats.....	179 59 21 103 46 54	3368.0 4355.0	3683.1 4762.5	2.09 2.71
Whitaker.....	42 01 27.38	73 56 12.10	175 33 16 184 54 24	Glasco Signal..... Cruger's Wharf.....	335 33 11 4 54 30	2184.2 2595.5	2386.6 2841.6	1.35 1.61
Thistle.....	42 03 26.21	73 56 02.13	0 04 57 0 22 40	Turkey Point, north... Cruger's Wharf.....	180 04 57 180 22 40	4444.9 1076.8	4860.8 1170.5	2.78 0.67
Skeel.....	42 01 47.67	73 56 16.92	189 37 51 258 29 58	Cruger's Wharf..... Staats.....	9 38 01 78 32 11	1091.3 4656.9	2177.6 5094.6	1.24 2.89
Cruger's Island.....	42 02 10.09	73 55 20.98	122 36 01 143 08 01	Glasco Signal..... Cruger's Wharf.....	302 35 22 323 07 33	1596.5 1589.1	1745.9 1737.8	0.99 0.99
Donaldson.....	41 59 43.52	73 55 41.58	12 30 53 36 48 57	Mills' Wharf..... Livingston.....	192 30 35 216 48 06	2947.7 2903.4	3223.5 3175.1	1.83 1.80
Rosina.....	41 59 47.68	73 56 26.12	16 14 30 277 07 39	Livingston..... Donaldson.....	196 14 09 97 08 09	2554.9 1032.9	2794.0 1139.5	1.59 0.64
Croghan.....	41 59 25.16	73 56 36.86	245 59 29 199 34 59	Donaldson..... Rosina.....	66 00 06 19 35 06	1392.5 737.4	1522.8 806.4	0.86 0.46
Delano.....	41 58 52.01	73 55 50.66	131 54 25 18 27 26	Croghan..... Mills' Wharf.....	313 53 54 196 27 13	1475.9 1357.5	1614.0 1484.5	0.92 0.84
Turkey Point, south.....	42 00 51.20	73 56 03.34	346 30 59 14 58 38	Donaldson..... Rosina.....	166 31 14 194 58 23	2147.1 2028.6	2348.0 2218.4	1.33 1.26
Goldsmith.....	41 59 04.58	73 56 46.19	231 03 33 199 09 27	Donaldson..... Rosina.....	51 04 16 19 09 41	1911.6 1407.6	2090.5 1539.3	1.19 0.87
Hayner.....	41 58 59 65	73 55 33.86	140 56 26 63 08 58	Rosina..... Livingston.....	320 55 51 243 08 02	1908.5 2149.4	2087.1 2350.5	1.18 1.33
Delano's House ..	41 58 45.91	73 55 19.96	106 11 25 76 15 59	Goldsmith..... Livingston.....	226 10 37 256 14 54	2066.6 2303.5	2260.0 2519.0	1.28 1.43
Railroad Drawbridge.....	42 01 13.97	73 55 17.07	56 33 45 70 44 24	Turkey Point, south... Turkey Point, north...	236 33 14 250 43 54	1275.6 1105.0	1395.0 1206.4	0.79 0.69
Barker.....	42 02 34.65	73 54 40.75	92 35 51 56 46 28	Glasco Signal..... Skeel.....	272 34 45 236 45 22	2272.2 2644.4	2484.8 2891.8	1.41 1.64
Trap Cliff.....	42 00 23.92	73 55 22.39	154 08 08 131 51 50	Skeel..... Turkey Point, south...	334 07 28 311 51 23	2875.3 1265.0	3144.3 1363.4	1.79 0.78
Icehouse Wharf.....	41 59 56.59	73 56 23.43	239 06 14 292 43 57	Trap Cliff..... Donaldson.....	59 06 55 112 44 25	1636.6 1044.1	1789.7 1141.8	1.02 0.65
Cramer.....	42 00 16.23	73 56 20.20	259 59 10 6 59 04	Trap Cliff..... Icehouse Wharf.....	79 58 48 186 59 02	1350.8 610.0	1477.2 667.1	0.84 0.38
Livingston Island.....	42 00 53.88	73 55 06.32	101 09 46 152 21 19	Turkey Point, north... Glasco Signal.....	281 09 08 332 20 30	1315.3 3625.2	1438.4 3964.4	0.82 2.25
Tillotson's Wharf.....	42 01 28.50	73 54 52.17	16 37 11 63 17 01	Livingston's Island.... Turkey Point, north...	196 57 01 243 16 14	1116.5 1809.1	1221.0 1978.4	0.69 1.13
Magdalen Island.....	42 02 47.72	73 55 18.02	36 10 44 139 29 52	Skeel..... Thistle.....	216 10 05 319 29 29	2225.1 1561.5	2509.8 1707.6	1.42 0.97
Glasco Wharf.....	42 02 20.14	73 56 11.81	284 50 50 235 28 29	Cruger's Island..... Magdalen Island.....	104 51 24 55 29 05	1209.5 1501.3	1322.7 1641.6	0.75 0.93

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Rhinebeck to Hudson. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Barrytown.....	41 59 54.83	73 55 39.07	93 03 35 9 24 57	Icehouse Wharf..... Donaldson.....	273 03 05 189 24 55	1922.2 353.8	1117.8 366.9	0.63 0.22
Sycamore Point.....	42 03 05.83	73 55 10.81	61 21 19 117 55 35	Glascow Signal..... Thistle.....	241 20 24 297 55 01	1799.0 1335.5	1967.3 1460.5	1.12 0.83
De Peyster.....	42 03 48.40	73 55 10.19	0 37 00 5 29 25	Sycamore Point..... Magdalen Island.....	180 37 00 165 29 20	13 0.2 1880.5	1432.8 2056.5	0.81 1.17
Lorillard.....	42 03 59.26	73 56 14.13	340 03 04 282 50 11	Cruger's Island..... De Peyster.....	140 03 40 102 50 54	3 82.6 1507.4	39 7.8 1646.4	2.23 0.94
Railroad, (97).....	42 03 58.48	73 55 08.82	5 31 49 90 55 36	Magdalen Island..... Lorillard.....	185 31 43 270 54 52	2193.1 1501.3	2308.3 1641.8	1.36 0.93
Mynderse.....	42 04 30.50	73 56 14.96	311 05 30 337 33 36	De Peyster..... Magdalen Island.....	131 06 13 157 34 14	1975.5 3430.1	2160.3 3751.1	1.23 2.13
Smedberg.....	42 03 32.47	73 56 11.93	241 02 30 177 46 21	Railroad, (97)..... Mynderse.....	61 03 12 357 46 19	1657.8 1791.4	1812.9 1959.0	1.03 1.11
Rock Island.....	42 04 57.34	73 55 46.48	19 31 58 334 30 55	Lorillard..... Railroad, (97).....	199 31 39 154 31 21	1901.2 2011.6	2079.1 2199.8	1.18 1.25
Clermont.....	42 05 01.78	73 54 56.19	83 15 94 61 56 39	Rock Island..... Mynderse.....	263 14 50 241 55 46	1163.8 2051.4	1272.7 2243.3	0.72 1.27
Railroad, (96).....	42 05 27.87	73 54 51.03	8 22 43 8 26 02	Clermont..... Railroad, (97).....	188 22 40 188 25 50	813.9 2787.6	890.1 3048.6	0.51 1.73
Malden.....	42 05 37.30	73 55 35.90	285 45 00 348 27 29	Railroad, (98)..... Railroad, (97).....	105 45 30 168 27 47	1071.4 3111.3	1171.6 3402.4	0.67 1.93
Light-house Wharf.....	42 04 17.27	73 55 28.03	335 16 44 62 19 54	De Peyster..... Lorillard.....	155 16 56 242 19 23	980.6 1196.4	1072.4 1308.3	0.61 0.74
Stony Point.....	42 04 08.77	73 56 04.57	283 54 34 252 39 17	Railroad, (97)..... Lighthouse Wharf.....	103 55 11 72 39 41	1390.2 880.0	1443.7 962.3	0.82 0.55
Frame.....	42 04 12.16	73 56 23.60	262 57 26 263 27 07	Lighthouse Wharf..... Stony Point.....	82 58 03 103 27 20	1287.0 449.6	1407.4 491.7	0.80 0.28
Hannah.....	42 04 24.90	73 56 38.03	319 50 10 325 12 26	Frame..... Lorillard.....	139 50 20 145 12 42	514.3 963.1	562.4 1053.2	0.32 0.60
Shaler.....	42 04 24.29	73 56 21.57	7 06 49 92 50 01	Frame..... Hannah.....	187 06 48 272 49 50	377.3 378.9	412.6 414.3	0.23 0.23
Plate.....	42 03 58.10	73 55 40.38	42 31 12 269 04 38	Smedberg..... Railroad, (97).....	222 30 51 89 04 59	1073.0 725.6	1173.4 793.5	0.67 0.45
Breakwater.....	42 04 12.61	73 55 42.03	60 50 27 245 53 55	Lorillard..... Lighthouse Wharf.....	240 50 06 63 54 04	844.9 352.4	923.9 385.4	0.52 0.22
Koonen's Island.....	42 04 22.98	73 55 50.73	288 38 46 327 59 45	Lighthouse Wharf..... Breakwater.....	108 39 01 147 59 51	550.6 377.3	602.1 412.6	0.34 0.23
Powder-house.....	42 04 14.50	73 55 55.25	42 42 01 83 40 07	Lorillard..... Frame.....	222 41 48 263 39 48	639.8 655.7	699.7 717.0	0.40 0.41
Field.....	42 04 14.26	73 56 19.77	53 41 27 344 19 40	Frame..... Lorillard.....	233 41 24 164 19 44	109.3 480.5	119.5 525.5	0.07 0.30
Brodhead.....	42 03 39.29	73 56 15.23	248 47 42 259 20 39	Railroad, (97)..... De Peyster.....	68 48 26 79 21 23	1637.5 1521.5	1790.7 1663.9	1.09 0.94
Saugerties Light-house.....	42 04 17.56	73 55 27.93	323 15 20 208 08 12	Railroad, (97)..... Clermont.....	143 15 33 28 08 33	734.3 1547.0	803.0 1691.7	0.46 0.96
Episcopal Church.....	42 04 02.61	73 56 35.51	273 39 13 351 57 14	Railroad, (97)..... Glascow Signal.....	93 40 11 171 57 25	1996.6 2637.1	2183.6 2883.8	1.24 1.64
Roman Catholic Church.....	42 04 35.36	73 56 27.42	309 11 41 344 39 12	Railroad, (97)..... Lorillard.....	192 12 34 164 39 21	2135.1 1154.8	2334.9 1262.8	1.33 0.72
Dutch Reformed Church.....	42 04 39.57	73 56 48.01	327 56 21 299 03 58	Lorillard..... Railroad, (97).....	147 56 44 119 05 04	1467.3 2608.4	1604.6 2854.5	0.91 1.62
Methodist Church.....	42 04 34.63	73 56 37.92	283 35 12 62 41 05	Mynderse..... Mount Paikling.....	103 35 27 242 39 16	543.4 4209.1	594.2 4602.9	0.34 2.62
Cruger's Summer-house.....	42 01 39.15	73 55 33.88	29 53 22 149 59 14	Turkey Point, north..... Glascow Signal.....	209 53 03 329 58 43	1317.2 2093.7	1440.4 2291.8	0.82 1.30
Tivoli Flagstaff.....	42 03 33.11	73 55 09.11	8 19 18 43 34 04	Magdalen Island..... Glascow Signal.....	186 19 12 223 33 17	1415.0 2347.2	1547.4 2566.8	0.88 1.46
Barnwell.....	42 06 14.38	73 54 37.73	49 26 45 12 01 19	Malden..... Railroad, 97.....	223 26 06 192 01 10	1759.2 1467.0	1923.8 1604.3	1.09 0.91
Egg Island.....	42 06 17.66	73 55 30.99	274 43 55 329 17 58	Barnwell..... Railroad, (98).....	94 44 31 149 08 24	1227.7 1789.6	1342.6 1957.1	0.76 1.11

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section II.—Hudson river, from Rhinebeck to Hudson. Sketch B, No. 7.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Faths.	Miles.
Ludlow .....	42 06 39.87	73 54 32.81	8 11 13 62 52 20	Barnwell .....	188 11 09 212 51 41	794.4 1501.8	568.7 1642.3	0.49 0.93
Brink's Wharf.....	42 06 40.87	73 55 15.33	26 40 39 271 48 42	Egg Island.....	206 40 29 91 49 11	801.2 977.3	876.2 1058.7	0.50 0.61
Railroad, (101).....	42 07 06.10	73 54 17.09	59 48 45 125 13 47	Brink's Wharf.....	239 48 06 305 12 56	1548.1 2120.4	1693.0 2318.8	0.96 1.32
West Camp.....	42 07 25.20	73 54 51.50	206 41 24 312 56 31	Railroad, (101).....	136 41 47 162 56 46	985.7 1464.9	1077.9 1599.8	0.61 0.91
East Camp.....	42 07 43.33	73 53 48.17	30 02 98 68 57 53	Railroad, (101).....	210 02 09 248 57 11	1326.7 1558.5	1450.8 1704.3	0.62 0.97
Red House.....	42 07 55.20	73 54 33.89	345 42 11 289 13 55	Railroad, (101).....	165 42 22 109 14 25	1563.2 1112.2	1709.5 1216.3	0.97 0.69
Gould's Wharf.....	42 08 34.33	73 54 09.19	25 10 26 342 56 45	Red House.....	205 10 09 162 56 59	1343.7 1646.1	1458.5 1800.1	0.83 1.02
Hog's Back.....	42 08 51.44	73 53 16.56	19 03 32 66 24 38	East Camp.....	199 03 11 246 24 03	9923.9 1318.7	9431.2 1442.1	1.38 0.82
Seward's Island .....	42 09 57.85	73 53 28.12	352 36 58 20 05 59	Hog's Back.....	172 37 06 260 05 38	2065.9 2743.7	2259.2 3000.4	1.29 1.70
Snyder.....	42 09 11.90	73 53 04.69	159 13 41 51 57 11	Gould's Wharf.....	339 13 25 231 56 28	1516.1 1880.4	1658.0 2056.4	0.94 1.17
Puddecart.....	42 09 06.71	73 54 01.01	262 55 37 294 46 14	Seward's Island.....	82 56 15 114 46 44	1302.8 1124.0	1424.7 1229.2	0.81 0.70
Maucus Hook.....	42 09 54.51	73 53 58.23	310 49 18 316 56 10	Snyder.....	130 50 49 136 56 46	4112.7 1799.4	4497.5 1967.8	2.55 1.12
Wynkoop Hill.....	42 11 04.91	73 52 32.18	270 03 49 42 17 00	Blue Hill.....	90 26 28 222 16 02	5421.3 2935.6	5928.6 3210.3	3.37 1.82
Day.....	42 12 52.64	73 51 12.44	212 55 49 28 52 03	Maucus Hook.....	132 57 35 208 21 10	4936.6 3482.8	5398.5 4136.8	3.07 2.35
Eagle's Crag.....	42 12 11.80	73 52 11.63	226 38 36 293 00 29	Blue Hill.....	46 39 15 113 02 54	1835.2 5377.2	2006.9 5860.3	1.14 3.34
Burget.....	42 13 57.24	73 50 49.16	8 49 36 330 16 50	Day.....	188 48 23 150 18 20	16349.9 6167.0	17770.4 6744.0	10.10 3.83
Railroad, (104).....	42 09 49.23	73 52 32.32	101 43 21 94 44 06	Blue Hill.....	281 42 43 274 43 08	1308.2 1978.3	1430.6 2163.4	0.81 1.23
Perie's Point.....	42 10 00.40	53 52 18.25	65 29 08 87 11 25	Seward's Island.....	265 28 01 267 10 38	2301.7 1605.9	2517.1 1756.2	1.43 1.00
Roeliff Jansen Kill.....	42 10 50.80	73 51 12.27	44 15 06 103 22 24	Maucus Hook.....	224 14 22 263 21 31	2170.6 1884.2	2373.7 2090.5	1.35 1.17
John Smith.....	42 10 08.96	73 51 36.98	168 09 27 143 43 30	Perie's Point.....	348 09 04 323 42 53	3873.5 2141.0	4234.9 2341.3	2.41 1.33
Ramshorn Creek.....	42 11 49.72	73 51 07.16	12 24 52 114 44 34	Wynkoop Hill.....	192 24 32 294 43 51	3183.1 1628.1	3420.9 1780.4	1.98 1.01
Camp Creek.....	42 10 20.61	73 51 46.69	49 17 54 170 32 22	John Smith.....	229 17 33 350 32 05	855.9 3477.7	1045.3 3803.1	0.59 2.16
Eiche Hook.....	42 10 47.02	73 52 23.29	314 06 27 44 26 59	Eagle's Crag.....	134 06 52 224 26 15	1170.4 2125.2	1279.9 2324.1	0.73 1.39
Wynkoop.....	42 10 57.57	73 52 05.56	339 11 57 279 41 29	Perie's Point.....	159 12 09 99 42 05	1919.8 1240.4	1333.9 1356.5	0.76 0.77
Fox Creek.....	42 11 21.61	73 50 47.44	168 00 31 152 26 39	Camp Creek.....	348 00 13 332 26 26	2871.0 978.1	3139.6 1069.6	1.78 0.61
Long Dock.....	42 12 39.02	73 51 05.80	188 58 57 349 59 55	Seward's Island.....	8 59 08 170 00 07	2443.1 2425.0	2671.7 2651.9	1.52 1.51
Decker .....	42 12 46.10	73 50 23.97	165 15 37 100 04 47	Wynkoop Hill.....	345 15 20 280 04 14	2260.3 1152.3	2481.6 1260.1	1.41 0.79
Rodgers' Island, south.....	42 13 13.94	73 50 32.86	54 46 10 35 02 10	Day.....	234 45 43 215 01 48	1139.4 1315.6	1246.0 1438.7	0.71 0.62
Deep Point.....	42 13 25.51	73 50 55.45	9 23 52 304 34 17	Long Dock.....	189 23 45 124 34 32	1457.7 628.9	1589.7 687.7	0.90 0.39
Goodes .....	42 13 59.19	73 50 36.85	266 15 08 22 18 25	Rodgers' Island, south.....	176 15 11 202 18 13	1399.1 1123.4	1530.0 1226.5	0.87 0.70
Rodgers' Island, north .....	42 13 41.52	73 50 21.43	147 03 06 57 39 10	Deep Point.....	337 02 58 237 39 48	649.9 923.1	710.7 1009.5	0.40 0.57

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section II.—Hudson river, from Rhinebeck to Hudson. Sketch B, No. 7.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Lower Red Hook Spire.....	41 59 28.60	73 52 24.06	171 23 09 218 54 53	Staats..... Upper Red Hook.....	351 21 46 38 56 15	5277.3 4512.0	5771.1 4934.2	3.28 2.80
Flatbush Spire.....	42 01 19.84	73 57 00.10	355 23 11 141 37 07	Burbans..... Mount Paulding.....	175 23 15 321 35 33	1631.7 5291.8	1784.4 5688.5	1.01 3.23
Green.....	42 03 00.26	73 52 32.41	314 55 52 95 59 35	Upper Red Hook..... Mount Paulding.....	134 57 20 275 55 02	4275.0 9435.4	4675.0 10318.3	2.66 5.86
Isham.....	42 05 42.69	73 55 56.39	237 25 17 286 55 35	Ludlow..... Railroad, (98).....	47 26 13 106 56 19	2307.4 1569.9	2481.4 1716.8	1.62 0.97
Malden Spire.....	42 05 46.39	73 55 46.01	281 54 57 184 48 43	Big Hill..... Kortze.....	101 57 03 4 45 52	4423.4 3635.2	4837.3 4041.0	2.75 2.30
Germantown Spire.....	42 07 48.66	73 51 58.86	10 46 24 197 16 18	Big Hill..... Hover.....	190 45 58 17 16 29	4770.5 1249.7	5216.9 1366.6	2.96 0.77
Potts.....	42 05 39.58	73 50 12.60	78 04 22 1 21 16	Big Hill..... Upper Red Hook.....	258 02 45 121 21 11	3405.1 7937.0	3723.7 8679.7	2.12 4.93
Mount Merino.....	42 14 03.05	73 48 43.98	74 44 33 68 59 14	Catskill..... Deep Point.....	254 35 41 248 57 46	18815.4 3229.8	20576.0 3532.0	11.69 2.01
Fly.....	42 11 24.76	73 51 24.68	276 27 59 48 12 15	Fox Creek..... Wynkoop.....	96 28 24 228 11 48	860.2 1258.6	940.7 1376.4	0.53 0.78
Cat-kill Jail.....	42 13 00.95	73 51 26.96	34 03 02 309 35 51	Eagle's Crag..... Day.....	214 02 32 129 36 00	1829.9 402.3	2001.1 439.9	1.14 0.25
Green Point.....	42 10 26.88	73 53 56.75	312 31 26 38 59 27	Perie's Point..... Seward's Island.....	132 31 52 218 59 06	1199.1 2184.4	1311.3 2351.5	0.74 0.71
East Camp Hotel, staff.....	42 07 30.09	73 53 57.96	30 49 09 133 11 25	Railroad, (101)..... Red House.....	210 41 56 313 11 01	860.9 1131.9	941.4 1237.8	0.53 0.70
Schneider Hill.....	42 09 03.66	73 52 21.11	321 47 31 182 08 50	Hover..... Eagle's Crag.....	141 47 57 2 08 56	1425.8 5808.1	1559.2 6351.6	0.88 3.61
Germantown.....	42 08 09.86	73 53 28.24	29 12 57 73 18 30	East Camp..... Red House.....	269 12 44 253 17 46	937.7 1573.8	1025.4 1721.1	0.58 0.98
Trumpbour.....	42 09 39.17	73 54 29.66	236 44 19 225 32 04	Maucus Hook..... Wynkoop Hill.....	56 44 40 45 33 23	862.7 3777.0	943.4 4130.4	0.54 2.35
Miller.....	42 11 39.71	73 50 10.87	145 27 14 109 40 54	Long Dock..... Eagle's Crag.....	325 26 37 229 39 33	2221.6 2241.6	2429.5 3216.8	1.38 1.83
Oak Hill Wharf.....	42 12 03.46	73 50 40.60	153 35 52 55 10 54	Day..... Ramshorn Creek.....	333 35 30 235 10 46	1694.0 742.2	1852.5 811.6	1.05 0.46

*Section III.—Mouth of Potomac river. Sketch C, No. 9.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Point Lookout.....	38 02 44.75	76 19 04.90						
Hull's Neck.....	37 56 57.16	76 20 48.81	193 18 03	Point Lookout.....	13 19 07	11011.8	12042.2	6.84
Cornfield.....	38 03 11.21	76 21 01.72	285 57 46 338 25 39	Point Lookout..... Hull's Neck.....	105 58 58 178 25 47	2263.8 11535.9	3241.1 12615.3	1.84 7.17
Point Lookout Light.....	38 02 15.75	76 19 01.50	174 42 39 14 56 11	Point Lookout..... Hull's Neck.....	354 42 37 194 55 05	897.7 16164.9	981.7 11116.0	0.56 6.32
Hog Island.....	38 00 38.82	76 27 19.89	256 08 41 242 58 04	Point Lookout Light..... Cornfield.....	76 13 48 63 01 57	12516.5 10347.9	13687.7 11316.1	7.78 6.43
George, No. 1.....	38 06 07.97	76 27 55.18	298 46 58 298 22 31	Point Lookout Light..... Cornfield.....	118 52 27 118 26 46	14847.0 11453.7	16236.2 12525.4	9.22 7.12
Kitt's Point.....	38 06 09.12	76 24 58.82	89 32 30 18 40 21	George, No. 1..... Hog Island.....	269 30 41 198 38 54	4296.5 10747.9	4698.5 11753.6	2.67 6.68
Thicket Point.....	38 01 37.36	76 30 39.00	205 33 43 290 22 09	George, No. 1..... Hog Island.....	25 35 24 110 24 42	9249.1 5120.5	10114.5 5665.2	5.75 3.22
Lynch's Point.....	38 02 41.63	76 30 47.36	213 23 43 106 47 29	George, No. 1..... Hog Island.....	39 25 29 126 49 37	7600.6 6419.0	8323.7 6910.3	4.73 3.93
Sandy Point.....	38 04 24.09	76 31 48.23	316 41 12 334 50 12	Hog Island..... Lynch's Point.....	136 43 57 154 50 50	9541.1 3490.0	10433.9 3816.6	5.93 2.17



## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section III.—Mouth of Potomac river—St. Mary's river—Curatoman river. Sketch C, No. 9.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Faths.	Miles.
Piney Point Light-house Vane..	38 08 03.43	76 31 29.92	304 18 26 3 55 08	George, No. 1..... Sandy Point.....	124 20 38 183 54 57	6312.5 6777.8	6903.2 7412.1	3.92 4.21
Ragged Point.....	58 08 54.03	76 36 26.82	282 07 26 320 46 53	Piney Point Light-house Vane..... Sandy Point.....	102 10 30 140 49 45	7412.0 10738.0	8105.5 11742.8	4.60 6.67
Fauntleroy's House .....	38 01 22.42	76 30 24.61	264 18 28 256 12 59	Point Lookout Light... Cornfield .....	84 25 29 76 18 46	16739.2 14126.8	18305.5 15448.6	10.40 8.78
White Windmill .....	38 01 21.74	76 30 12.72	264 08 03 161 03 49	Point Lookout Light... Lynch's Point.....	84 14 56 341 03 28	16452.8 2603.9	17992.3 2847.5	10.22 1.62
Horn Point.....	38 01 40.63	76 32 29.99	233 04 07 272 07 15	Lynch's Point..... Thicket Point.....	53 05 10 92 08 23	3130.2 2708.9	3423.1 2961.6	1.94 1.69
Windmill, Centre ... ..	38 02 33.01	76 21 26.34	318 16 31 95 59 16	Cornfield .....	138 16 46	902.1	986.5	0.56
Calvert Bay.....	38 05 25.48	76 23 10.45	347 33 28 34 33 12	Sandy Point .....	275 53 53	15240.8	16666.9	9.47
Fish-house, middle of door.....	38 03 49 00	76 31 27.85	230 24 51 334 31 20	Hull's Neck .....	167 34 55	16047.3	17548.8	9.97
				Hog Island .....	214 30 38	10727.5	11731.3	6.67
				George, No. 1.....	50 27 02	6725.8	7355.1	4.18
				Lynch's Point.....	154 31 45	2300.7	2516.0	1.43
<i>St. Mary's river.</i>								
Haywood .....	38 07 04.06	76 25 35.05	332 28 18 102 00 41	Kit's Point .....	152 28 40	1910.0	2098.7	1.18
Fort Point.....	38 08 04.34	76 26 00.10	341 49 40 38 00 34	Piney Point Light-house Vane..... Haywood .....	281 57 02 161 49 56	8817.3 1955.9	9642.3 2138.9	5.48 1.21
George, No. 2.....	38 06 12.13	76 27 36.09	271 22 32 214 02 39	George, No. 1.....	217 59 23	4552.8	4978.8	2.83
Cecil .....	38 07 46.39	76 27 20.90	310 53 59 7 15 57	Kit's Point .....	91 24 09	3832.4	4191.0	2.38
St. Inigo.....	38 08 58.73	76 26 12.94	349 26 39 36 34 26	Fort Point.....	34 03 38	4175.4	4566.1	2.59
Windmill Point.....	38 09 26.95	76 26 42.32	338 01 11 320 33 51	Kit's Point .....	130 65 26	4578.7	5007.1	2.84
Ooad .....	38 08 34.98	76 27 34 66	218 29 23 249 47 10	George, No. 2.....	127 15 47	2929.3	3203.4	1.82
Hardy .....	38 09 30.32	76 25 59.01	19 19 09 84 22 06	Fort Point.....	169 26 47	1705.8	1865.4	1.06
Chancellor .....	38 10 02.54	76 26 21.94	330 39 23 24 19 54	Cecil .....	216 33 44	2777.2	3037.1	1.73
Edwards .....	38 10 24.94	76 26 46.49	319 07 27 366 44 50	Fort Point.....	158 01 37	2746.5	3003.5	1.71
Cornfield Tree .. .	38 03 12.70	76 21 02.90	120 01 58 132 31 38	St. Inigo.....	140 34 09	1126.2	1231.6	0.69
St. Inigo Windmill .....	38 08 58.65	76 26 11.86	139 38 46 350 17 34	Windmill Point .....	38 29 55	2047.2	2238.7	1.27
East St. Mary's Point .....	38 11 13.60	76 25 58.63	14 31 01 37 49 23	St. Inigo .....	69 43 00	2120.1	2318.5	1.32
West St. Mary's Hill .....	38 10 51.73	76 26 43.77	538 26 43 340 41 44	Windmill Point .....	199 11 53	1031.2	1127.7	0.64
				Chancellor .....	264 21 59	1059.5	1158.6	0.66
				Hardy .....	150 39 37	1139.4	1246.0	0.71
				Windmill Point.....	204 19 21	1204.2	1316.9	0.75
				Chancellor .....	139 07 42	913.1	998.5	0.57
				Windmill Point.....	176 44 53	1790.6	1958.1	1.11
				George, No. 2.....	299 57 56	11064.2	12099.5	6.87
				Cecil .....	312 27 45	12490.6	13659.9	7.76
				Windmill Point.....	319 38 27	1145.0	1252.1	0.71
				Fort Point.....	170 17 41	1698.5	1857.4	1.05
				Chancellor .....	184 30 47	2263.0	2474.7	1.40
				Edwards .....	217 48 53	1899.3	2077.0	1.18
				East St. Mary's Point...	58 27 11	1288.7	1409.3	0.80
				Chancellor .....	160 41 57	1606.6	1757.1	1.00
<i>Curatoman river.</i>								
Cabell .....	37 38 52.59	76 26 54.72						
Whiting .....	37 36 40.18	76 29 50.98	226 30 13	Cabell .....	46 32 01	5832.0	6487.1	3.68
Chowning Point.....	37 38 50.82	76 29 28.65	7 30 17 269 09 41	Whiting .....	187 30 04	4062.3	4442.4	2.52
Indiantown .....	37 39 41.99	76 27 40.92	222 22 04 56 09 25	Cabell .....	89 11 15	3773.3	4126.4	2.34
Ball's Point .....	37 40 26.99	76 28 36.12	223 37 50 315 16 18	Indiantown .....	143 22 33	1897.6	2075.2	1.18
Taylor's Creek .....	37 40 52.44	76 27 18.70	86 59 01 14 04 31	Chowning Point .....	229 06 19	3075.6	3363.4	1.91
Oak Hill .....	37 41 43.04	76 28 21.61	2 40 13 311 07 25	Ball's Point.....	203 37 18	3219.3	3519.9	2.00
Black Stump. ....	37 41 35.64	76 27 45.84	101 30 48 323 27 56	Indiantown .....	126 16 52	1922.2	2102.1	1.19
				Ball's Point.....	246 58 14	2061.0	2263.8	1.28
				Indiantown .....	194 04 17	2230.0	2448.5	1.39
				Ball's Point .....	122 40 10	2268.6	2500.2	1.47
				Taylor's Creek .....	131 08 10	2371.5	2563.4	1.47
				Oak Hill .....	261 30 20	1144.3	1251.4	0.71
				Taylor's Creek .....	153 28 13	1486.4	1627.7	0.92

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section III.—Curraoman river. Sketch C, No. 9.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
West Point .....	37 42 09.42	76 26 26.05	316 35 42 9 30 46	Black Stump .....	136 36 07 169 30 43	1433.6 842.6	1567.7 901.8	0.89 0.51
Shelton's Point .....	37 42 12.18	76 26 52.50	277 29 08 330 20 10	West Point .....	97 29 24	653.4	714.5	0.41
Merry Point .....	37 42 50.11	76 29 09.46	319 42 17 340 26 00	Oak Hill .....	150 20 26	1033.8	1130.5	0.64
Ferry Point .....	37 42 39.60	76 29 21.49	304 24 53 223 17 56	West Point .....	139 42 44	1644.2	1798.0	1.02
				Shelton's Point .....	160 26 10	1240.7	1356.8	0.77
				West Point .....	124 25 27	1646.0	1800.0	1.02
				Merry Point .....	42 18 03	437.6	478.5	0.27

## Section V.—Savannah river to Sapelo sound. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Savannah river to Ossabaw sound.	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Mungen .....	32 04 52.50	80 52 15.63						
Tybee Light .....	32 01 21.38	80 50 33.19	157 33 15	Mungen .....	337 32 21	7035.6	7693.9	4.37
Wilmington .....	32 00 35.57	80 56 55.36	222 49 18 261 57 53	Mungen .....	42 51 46	10792.0	11801.8	6.71
				Tybee Light .....	82 01 15	10127.6	11075.2	6.29
Petit Chou .....	31 56 43.61	80 55 03.01	157 39 53 219 30 19	Wilmington .....	327 38 53	7757.1	8482.9	4.82
				Tybee Light .....	39 32 42	11130.8	12172.3	6.92
Red House, cupola .....	31 57 17.61	81 00 51.03	225 24 05 276 42 04	Wilmington .....	45 26 10	8686.0	9492.7	5.40
				Petit Chou .....	96 45 08	9202.0	10063.0	5.72
South Warsaw .....	31 52 10.04	80 59 41.32	169 03 49 221 02 07	Red House .....	349 03 12	9747.8	10550.5	5.99
				Petit Chou .....	41 04 34	11132.3	12174.0	6.92
Cabbage Island .....	31 56 23.64	80 58 07.62	263 11 06 111 06 50	Petit Chou .....	83 12 44	4882.4	5339.3	3.03
				Red House .....	291 05 24	4599.6	5300.0	2.86
Great Warsaw .....	31 54 46.44	80 56 08.00	133 40 52 205 30 07	Cabbage Island .....	313 39 49	4343.7	4750.1	2.70
				Petit Chou .....	25 30 41	3964.1	4335.0	2.46
Skiddaway .....	31 53 43.51	81 02 31.06	201 43 07 302 49 25	Red House .....	21 44 00	7098.0	7762.2	4.41
				South Warsaw .....	122 50 55	5308.7	5805.4	3.30
John's Hammock .....	31 54 24.02	81 00 12.67	348 42 27 71 04 23	South Warsaw .....	168 42 44	4207.5	4601.2	2.61
				Skiddaway .....	251 03 10	5844.0	6363.7	3.39
Skiddaway Island Base, south end.	31 55 23.15	81 00 52.75	304 43 22 18 09 47	John's Hammock .....	124 43 15	3198.1	3497.3	1.99
				Skiddaway .....	198 09 27	3229.6	3531.8	2.01
Skiddaway Island Base, north end.	31 56 08.55	81 01 27.64	328 36 58 20 25 07	John's Hammock .....	148 37 32	3782.0	4135.9	2.35
				Skiddaway .....	200 24 34	4776.3	5223.2	2.97
Romerly Marsh .....	31 56 03.10	80 59 14.68	26 31 53 250 03 40	John's Hammock .....	206 31 22	3410.7	3729.8	2.12
				Cabbage Island .....	70 04 15	1873.1	2048.4	1.16
Blue Flag .....	31 55 18.70	80 58 17.91	167 40 47 132 31 39	Cabbage Island .....	7 40 52	2021.2	2213.7	1.26
				Romerly Marsh .....	312 31 09	2023.3	2212.6	1.26
Romerly Marsh, (a) .....	31 54 32.26	81 01 04.06	140 47 45 188 14 21	South Base .....	320 47 19	2023.1	2212.4	1.26
				North Base .....	348 14 09	3038.9	3323.2	1.69
Romerly Marsh, (a, 2) .....	31 54 33.77	81 00 45.28	130 38 42 159 11 49	South Base .....	310 38 06	2335.6	2554.1	1.45
				North Base .....	359 11 27	3132.9	3426.0	1.95
Romerly Marsh, (a, 3) .....	31 54 20.29	81 00 55.91	142 22 00 166 00 11	South Base .....	322 21 30	2444.9	2673.7	1.52
				North Base .....	345 59 54	3445.9	3766.3	2.14
Romerly Marsh, (b) .....	31 54 59.23	81 01 23.82	135 18 06 177 21 26	South Base .....	315 17 51	1080.1	1181.2	0.67
				North Base .....	357 21 24	2177.5	2381.2	1.35
Romerly Marsh, (c) .....	31 54 59.75	81 01 10.46	139 58 57 168 01 38	South Base .....	309 58 35	1324.1	1448.0	0.82
				North Base .....	348 01 29	2175.5	2379.1	1.35
Romerly Marsh, (d) .....	31 55 10 51	81 01 14.72	111 18 30 169 18 15	South Base .....	291 18 10	1072.1	1172.4	0.67
				North Base .....	349 18 08	1828.7	1999.8	1.13
Romerly Marsh, (e) .....	31 55 22.83	81 01 16.11	90 36 03 167 56 28	South Base .....	270 35 44	962.2	1052.2	0.60
				North Base .....	347 56 22	1449.5	1585.1	0.90
Romerly Marsh, (f) .....	31 55 31.36	81 01 17.26	74 47 40 166 42 19	South Base .....	254 47 21	985.9	1056.3	0.60
				North Base .....	346 42 13	1185.8	1296.8	0.74
Romerly Marsh, (f, 2) .....	31 55 40.90	81 00 58.12	69 08 56 137 59 20	South Base .....	249 08 27	1535.4	1679.1	0.95
				North Base .....	317 59 04	1158.6	1267.0	0.72

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section V.—Savannah river to Sapelo sound. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Romerly Marsh, (g) .....	31 55 44.35	81 00 42.14	70 36 54 122 16 19	South Base .....	250 36 17 1965.1	2150.1	1.22	
				North Base .....	302 15 55 1413.6	1545.9	0.88	
Romerly Marsh, (h) .....	31 55 43.63	81 00 18.57	75 42 14 113 10 59	South Base .....	255 41 24 2552.8	2791.7	1.59	
				North Base .....	293 10 23 1973.5	2156.2	1.22	
Romerly Marsh, (n) .....	31 55 52.62	80 59 01.21	78 37 22 132 21 54	South Base .....	256 35 51 4595.7	5025.7	2.85	
				Romerly Marsh .....	312 21 47 478.9	523.7	0.30	
Romerly Marsh, (f) .....	31 55 49.74	81 00 07.74	73 28 23 105 40 21	South Base .....	253 27 28 2677.2	3146.4	1.79	
				North Base .....	265 39 39 2179.7	2383.6	1.35	
Romerly Marsh, (k) .....	31 55 51.55	80 59 47.82	75 05 20 101 30 03	South Base .....	255 04 14 3395.8	3713.5	2.11	
				North Base .....	261 29 10 2675.5	2925.8	1.66	
Romerly Marsh, (m) .....	31 54 59.49	81 00 21.37	106 53 50 140 49 42	South Base .....	286 53 02 2508.5	2743.2	1.56	
				North Base .....	320 48 07 2755.8	3012.7	1.71	
Waring's Creek Stake .....	31 56 02.12	81 01 08.64	43 59 44 112 33 44	South Base .....	223 59 21 1668.0	1824.1	1.04	
				North Base .....	292 33 34 540.8	591.2	0.34	
Little Warsaw Island, red flag on north end.	31 54 10.73	81 00 42.74	140 29 55 242 36 26	South Base .....	320 29 18 2890.7	3161.2	1.80	
				John's Hammock .....	62 36 42 889.7	972.9	0.55	
Red Flag on Tree .....	31 55 28.88	80 59 26.52	196 26 06 230 45 05	Romerly Marsh .....	16 26 12 1099.1	1201.9	0.68	
				Cabbage Island .....	50 45 47 2676.2	2926.6	1.66	
Raccoon Key .....	31 51 44.03	81 02 45.28	185 47 56 260 35 09	Skiddaway .....	5 48 04 3698.0	4044.0	2.30	
				South Warsaw .....	80 36 40 4900.9	5359.5	3.04	
North Ossabaw, (l) .....	31 48 53.58	81 02 02.61	167 56 25 211 32 06	Raccoon Key .....	347 56 03 5368.6	5870.9	3.34	
				South Warsaw .....	31 33 21 7100.6	7765.0	4.41	
Morell .....	31 50 28.51	81 05 15.40	239 28 04 299 57 36	Raccoon Key .....	59 29 23 4580.8	5009.4	2.85	
				North Ossabaw, (l) .....	119 59 18 5851.8	6399.3	3.63	
Green Island .....	31 53 13 85	81 04 31.09	314 50 13 12 53 13	Raccoon Key .....	134 51 09 3921.7	4288.6	2.44	
				Morell .....	192 52 50 5223.4	5712.1	3.25	
Little Buzzard .....	31 51 43.31	81 07 29.46	303 09 39 269 48 17	Morell .....	123 16 50 4210.3	4604.3	2.62	
				Raccoon Key .....	89 50 47 7469.4	8165.3	4.64	
Palmetto .....	31 54 45.66	81 07 26.60	301 30 15 0 46 02	Green Island .....	121 31 48 5409.4	5915.6	3.36	
				Little Buzzard .....	180 46 00 5616.6	6142.1	3.49	
Pryor .....	31 55 09.62	81 04 49.07	33 34 08 79 54 15	Little Buzzard .....	213 32 43 7624.5	8337.9	4.74	
				Palmetto .....	259 52 52 4596.8	5056.8	2.61	
Ogeechee .....	31 53 22.42	81 10 12.09	239 27 42 305 31 15	Palmetto .....	59 29 09 5047.6	5519.9	3.14	
				Little Buzzard .....	125 32 41 5251.9	5743.3	3.26	
Chimney of Mill, Hardwick .....	31 54 25.66	81 13 39.87	266 22 37 269 37 02	Palmetto .....	86 25 54 9825.4	10744.8	6.10	
				Ogeechee .....	109 38 58 5796.3	6336.7	3.60	
Peaked Red Roof, Hardwick .....	31 54 32.52	81 13 41.40	267 37 09 291 25 15	Palmetto .....	87 40 27 9854.5	10776.6	6.12	
				Ogeechee .....	111 27 06 5908.0	6460.8	3.67	
Coffee .....	31 52 48.41	81 09 12.21	306 35 08 193 39 11	Little Buzzard .....	126 36 02 3363.4	3678.1	2.09	
				Ogeechee .....	303 38 39 1890.3	2067.2	1.17	
Call .....	31 51 38.23	81 09 07.08	151 58 17 266 30 10	Ogeechee .....	331 57 43 3635.3	3975.5	2.26	
				Little Buzzard .....	86 31 02 2370.6	2611.1	1.60	
White Flag at Harvey's Cut .....	31 54 44.27	81 09 57.80	325 00 05 8 24 54	Little Buzzard .....	145 01 23 6802.4	7438.9	4.23	
				Ogeechee .....	188 24 46 2548.2	2786.6	1.58	
Rogers's Chimney .....	31 52 13.02	81 10 26.10	246 41 18 297 17 03	Coffee .....	60 41 57 9226.6	9434.9	1.38	
				Call .....	117 17 45 2337.0	2555.7	1.45	
Dr. Cheves's Mill, chimney .....	31 55 19.99	81 12 25.16	277 39 18 315 59 47	Palmetto .....	97 41 54 7933.5	8654.0	4.92	
				Ogeechee .....	136 00 57 5033.4	5504.4	3.13	
Great Buzzard Hammock, white flag.	31 52 27.81	81 08 33.45	309 10 53 305 11 51	Little Buzzard .....	129 11 27 2169.2	2372.2	1.35	
				Morell .....	125 13 36 6371.9	6968.1	3.96	
Tree, letter S .....	31 51 22.72	81 09 52.76	172 09 41 261 59 56	Ogeechee .....	352 09 31 3721.3	4069.5	2.31	
				Coffee .....	22 00 17 2846.3	3113.6	1.77	
White Flag, Florida Passage .....	31 50 48.97	81 08 27.72	222 25 47 192 25 35	Little Buzzard .....	42 26 18 2268.9	2481.2	1.41	
				Palmetto .....	12 26 07 7453.8	8162.2	4.64	
White Flag, Little Buzzard Ham- mock.	31 51 37.03	81 07 23.18	302 07 49 179 06 58	Morell .....	192 08 56 3966.7	4337.6	2.46	
				Palmetto .....	359 06 56 5810.5	6354.2	3.61	
White Flag, Marsh island .....	31 51 16.48	81 05 45.84	331 33 37 106 52 56	Morell .....	151 33 53 1680.1	1837.3	1.04	
				Little Buzzard .....	286 53 01 2846.4	3112.7	1.77	
White Flag, on creek in marsh ..	31 52 38.70	81 06 22.85	336 08 24 249 45 33	Morell .....	156 09 00 4384.0	4794.2	2.72	
				Green Island .....	69 46 32 2130.0	2322.9	1.34	
Black Flag, Hell Gate .....	31 51 55.09	81 04 36.34	21 03 47 183 15 07	Morell .....	201 03 26 2857.3	3124.7	1.77	
				Green Island .....	3 15 10 2429.4	2656.7	1.51	

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section V.—Savannah river to Sapelo sound. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
White Flag, below Green island.	31 52 32.15	81 04 08.13	24 54 57 74 08 49	Morell.....	204 54 21	4198.2	4591.0	2.61
				Little Buzzard.....	254 07 03	5603.5	6127.8	3.48
Black and White Flag, Raccoon Key.	31 50 40.24	81 03 32.60	245 31 11 324 13 48	South Warsaw.....	65 33 13	6878.7	7393.6	4.15
				North Ossabaw, (1)....	141 14 35	4048.3	4427.1	2.51
Egg Island, stake.....	31 50 25.56	81 04 20.61	93 37 05 226 01 17	Morell.....	273 36 36	1443.4	1578.5	0.90
				Raccoon Key.....	46 03 07	3181.8	3807.6	2.16
Pine, Horse Hammock.....	31 49 32.08	81 03 47.18	233 00 45 293 18 56	South Warsaw.....	53 02 55	8089.5	8846.4	5.03
				North Ossabaw, (1)....	113 19 51	2994.5	3274.7	1.86
White Flag, beach of Ossabaw..	31 49 13.33	81 02 51.16	222 30 24 295 28 16	South Warsaw.....	42 32 04	7384.1	8075.0	4.59
				North Ossabaw, (1)....	115 28 42	1414.1	1546.4	0.88
Palm, tuft in tree, Ossabaw.....	31 48 21.38	81 02 42.25	162 48 11 226 25 47	Blk Flag, Raccoon Key.	342 47 44	4476.8	4895.7	2.78
				North Ossabaw, (1)....	46 26 08	1438.7	1579.3	0.89
White Flag, Little Ogeechee, opposite Rose Dew.	31 55 00.60	81 08 24.07	346 42 35 43 11 32	Little Buzzard.....	166 43 04	6243.3	6827.5	3.88
				Ogeechee.....	223 10 35	4147.1	4535.1	2.58
White Flag, left bank of Little Ogeechee.	31 54 09.41	81 07 44.84	69 30 06 203 13 41	Ogeechee.....	249 28 48	4130.7	4517.2	2.57
				Palmetto.....	23 13 51	1215.1	1328.8	0.75
White Flag, with tuft, Marsh Island, on Little Ogeechee river.	31 53 32.04	81 07 22.15	177 02 44 3 16 54	Palmetto.....	357 02 41	2270.4	2482.8	1.41
				Little Buzzard.....	163 16 50	3354.0	3667.9	2.08
Possum Island.....	31 55 18.23	81 06 11.96	276 56 34 62 54 28	Pryor.....	98 57 18	2123.5	2308.7	1.36
				Palmetto.....	249 53 49	2202.4	2408.5	1.37
White Flag, Crooked creek.....	31 54 02.51	81 06 52.38	145 56 01 12 48 29	Palmetto.....	325 55 43	1604.7	1754.8	1.00
				Little Buzzard.....	192 48 09	4396.6	4808.0	2.73
White Flag, with tuft, right bank and mouth of Little Ogeechee river.	31 53 17.32	81 05 36.35	133 12 51 273 23 55	Palmetto.....	313 11 53	3974.3	4346.2	2.47
				Green Island.....	93 24 30	1718.4	1879.2	1.07
White Flag, above Green island	31 54 13.63	81 05 34.62	214 58 13 33 01 20	Pryor.....	31 58 37	2097.1	2293.3	1.30
				Little Buzzard.....	213 00 19	5328.7	6046.0	3.43
Tall Pine, Petit Guave.....	31 54 34.86	81 06 51.07	10 48 53 109 27 04	Little Buzzard.....	190 48 33	5378.7	5882.0	3.34
				Palmetto.....	289 36 45	991.1	1083.8	0.61
Palmetto, Petit Guave.....	31 54 56.95	81 06 16.28	79 20 54 260 19 59	Palmetto.....	259 20 17	1879.5	2055.4	1.17
				Pryor.....	80 20 45	2323.9	2541.3	1.44
Beaulieu, chimney.....	31 55 56.22	81 06 36.98	10 02 35 50 02 41	Little Buzzard.....	190 02 07	7910.4	8650.5	4.91
				Ogeechee.....	230 00 47	7373.8	8063.8	4.56
Rose Dew, tuft on tree.....	31 55 53.70	81 07 22.87	1 17 17 2 40 25	Little Buzzard.....	181 17 14	7713.3	8475.0	4.79
				Palmetto.....	182 40 23	2097.9	2294.2	1.30
Morell's Chimney, at Montgomery.	31 56 24.73	81 07 03 37	4 32 08 11 16 22	Little Buzzard.....	184 31 54	8692.2	9405.5	5.40
				Palmetto.....	191 16 10	3113.5	3404.8	1.93
Burnside's Island, Brown's chimney.	31 55 37.03	81 05 37.86	61 01 18 22 10 28	Palmetto.....	241 00 21	3265.2	3570.7	2.03
				Little Buzzard.....	202 09 29	7772.5	8499.8	4.83
Dead Pine, near Ossabaw.....	31 50 47.10	81 08 01 37	230 42 37 144 17 15	Green Island.....	50 44 28	7139.2	7807.2	4.44
				Ogeechee.....	324 18 24	5889.7	6440.8	3.66
Bird Nest Tree.....	31 50 40.06	81 06 56.65	174 03 33 218 55 02	Palmetto.....	354 03 17	7605.0	8316.6	4.72
				Green Island.....	38 56 19	6088.4	6658.1	3.78
Crooked Top Pine, Green island.	31 54 15.35	81 04 33.72	44 36 58 79 38 00	Little Buzzard.....	224 35 25	6576.7	7192.1	4.09
				Ogeechee.....	239 35 01	9038.8	9844.6	5.62
Adam's Chimney, Skiddaway...	31 53 34.93	81 03 15.30	71 57 04 62 47 09	Green Island.....	251 56 24	2094.7	2290.7	1.30
				Little Buzzard.....	242 44 55	7512.1	8215.0	4.67
White Flag, mouth of Adam's creek.	31 52 27.25	81 03 15 29	338 25 46 78 59 30	Raccoon Key.....	158 25 57	1430.5	1564.4	0.89
				Little Buzzard.....	258 57 10	7073.4	7735.3	4.39
Cedar, Raccoon Key.....	31 51 33.63	81 03 29.00	152 07 54 335 15 08	Green Island.....	332 07 21	3491.5	3818.2	2.17
				North Ossabaw, (1)....	155 15 53	5427.1	5924.9	3.37
White Flag, Flora's hammock...	31 52 41.35	81 02 12.30	26 09 44 165 33 39	Raccoon Key.....	208 09 27	1966.1	2150.1	1.22
				Skiddaway.....	345 33 29	1978.8	2161.8	1.23
Palmetto, Raccoon Key.....	31 51 22.78	81 02 45 41	316 13 59 180 14 34	North Ossabaw, (1)....	166 14 22	4730.5	5173.1	2.94
				Raccoon Key.....	0 14 34	655.0	716.3	0.41
Buoy, Egg Island shoal.....	31 49 48.55	81 03 02.97	230 33 20 109 28 14	South Warsaw.....	50 35 06	6862.0	7504.1	4.26
				Morell.....	289 27 04	3692.4	4037.9	2.29
Fourth Buoy.....	31 49 35 88	81 02 22.54	221 46 36 171 26 02	South Warsaw.....	41 48 01	6369.5	6965.5	3.96
				Raccoon Key.....	351 25 50	3990.9	4364.3	2.48
Third Buoy.....	31 49 08.67	81 00 58.59	149 37 52 199 58 04	Raccoon Key.....	329 36 56	5645.8	6094.7	3.44
				South Warsaw.....	19 58 45	5944.5	6500.7	3.69
Second Buoy.....	31 48 14.81	80 59 56.33	109 47 11 183 05 59	North Ossabaw, (1)....	289 46 05	3529.2	3859.4	2.19
				South Warsaw.....	3 07 07	7255.5	7931.4	4.51

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section V.—Savannah river to Sapelo sound. Sketch E, No. 16.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
White Flag, Pine island.....	31 51 52.23	81 00 58.45	84 53 10 254 50 58	Raccoon Key.....	264 52 14	2619.3	3483.1	1.75
				South Warsaw.....	74 51 39	2099.9	2296.4	1.30
Northernmost Dead Pine.....	31 52 21.58	81 01 05.40	66 14 35 62 06 08	Raccoon Key.....	246 13 42	2868.6	3137.0	1.78
				Morel.....	242 03 56	7436.7	8132.5	4.62
Shanty, Pine island.....	31 52 16.31	81 00 05.40	286 57 46 26 16 38	South Warsaw.....	106 57 59	661.4	723.3	0.41
				North Ossabaw.....	206 15 36	6962.6	7614.1	4.33
Black.....	31 52 00.71	80 59 18.60	36 48 52 84 37 12	North Ossabaw, (1)....	216 47 26	7197.5	7871.0	4.47
				Raccoon Key.....	264 35 23	5456.4	5967.0	3.39
Wreck.....	31 49 55.00	80 58 43.32	159 52 01 117 51 08	South Warsaw.....	339 51 30	4429.7	4814.2	2.75
				Raccoon Key.....	297 49 00	7192.8	7865.8	4.47
Hopes.....	31 52 54.09	80 58 10.14	8 59 30 47 35 26	Wreck.....	188 59 03	5584.1	6106.6	3.47
				Black.....	227 34 50	2437.0	2665.0	1.51
Beach.....	31 53 33.85	80 57 06.65	20 39 46 50 24 45	Wreck.....	200 38 55	7203.1	7877.1	4.48
				Black.....	230 23 35	4500.1	4921.2	2.80
Odingsell's, chimney.....	31 53 42.98	81 00 36.93	332 57 05 42 39 08	South Warsaw.....	152 57 34	3213.7	3514.4	2.00
				Raccoon Key.....	222 38 00	4979.3	5445.2	3.09
White Flag, southwest of Skid- daway.	31 53 04.41	81 01 19.87	362 52 24 122 45 57	South Warsaw.....	122 53 16	3084.0	3372.6	1.92
				Skiddaway.....	302 45 19	2224.8	2433.0	1.38
Pole, with tuft, Odingsell's creek.	31 53 12.30	81 00 03.80	173 58 31 342 52 35	John's Hammock.....	353 58 26	2321.1	2528.9	1.36
				South Warsaw.....	162 52 47	2006.1	2193.8	1.25
Cedar Tuft.....	31 57 52.94	80 55 42.06	6 45 43 334 59 14	Great Warsaw.....	186 45 29	5783.9	6325.1	3.59
				Petit Chou.....	154 39 35	2396.7	2620.9	1.49
Pine, Doyle's hammock.....	31 54 16.11	80 58 52.76	196 46 40 223 12 02	Cabbage Island.....	16 47 04	4108.8	4493.3	2.55
				Petit Chou.....	53 14 04	7535.3	8240.4	4.66
Pole.....	31 56 38.59	80 55 21.09	166 28 12 235 23 53	Cedar Tuft.....	346 28 01	2355.2	2575.6	1.46
				Petit Chou.....	75 24 03	490.7	536.6	0.30
St. John's Oar.....	31 57 10.17	80 56 59.91	342 52 36 51 15 29	Great Warsaw.....	162 53 03	4631.5	5064.9	2.88
				Cabbage Island.....	221 14 53	2279.7	2493.0	1.42
Pole, northeast point of Great Warsaw.	31 54 29.05	80 55 46.88	133 43 50 195 38 45	Cabbage Island.....	313 42 36	5114.9	5593.5	3.18
				Petit Chou.....	15 39 08	4271.7	4671.4	2.65
Eastern Point.....	31 58 15.21	80 51 14.64	84 34 50 190 45 03	Petit Chou.....	244 32 49	6639.9	7261.2	4.13
				Tybee Light.....	10 45 25	5836.1	6382.2	3.62
Pole, with tuft, south side War- saw island.	31 54 46.63	80 57 11.68	270 11 08 223 24 07	Great Warsaw.....	90 11 42	1672.7	1829.2	1.04
				Petit Chou.....	43 25 15	4917.3	5377.4	3.05
Longfellow's Flag Tree.....	31 55 14.91	80 58 15.68	185 41 44 264 38 37	Cabbage Island.....	5 41 48	2133.4	2333.0	1.32
				Great Warsaw.....	104 39 44	3466.6	3791.0	2.15
Walker.....	31 57 06.45	80 59 04.46	7 50 60 311 19 06	Romerly Marsh.....	187 50 01	1969.3	2153.6	1.22
				Cabbage Island.....	131 19 36	1967.5	2173.5	1.23
White Flag in tree, Great War- saw island.	31 52 51.14	80 58 34.65	138 00 26 205 59 04	John's Hammock.....	317 59 34	3849.2	4209.4	2.39
				Cedar Tuft.....	26 00 35	10341.3	11308.9	6.43
White Flag, Whiting Point.....	31 58 30.28	80 59 34.17	297 21 00 329 43 33	Pole.....	117 23 14	7482.8	8128.8	4.65
				Cabbage Island.....	149 44 19	4508.9	4930.8	2.80
Palmetto, near Cabbage island..	31 57 30.26	80 57 52.31	11 06 56 258 26 28	Cabbage Island.....	191 06 48	2084.9	2280.0	1.29
				Cedar Tuft.....	78 27 37	3489.7	3816.2	2.17
Stump.....	31 57 14.09	80 57 42.42	286 23 22 249 15 56	Pole.....	106 24 47	3871.5	4233.8	2.41
				Cedar Tuft.....	69 17 00	3380.8	3697.1	2.10
Hydrographic Mark.....	31 56 33.98	80 58 59.90	306 14 56 22 11 30	Great Warsaw.....	126 16 29	5599.4	6124.3	3.48
				Romerly Marsh.....	202 11 22	1027.0	1123.1	0.64
Pine of Cabbage Island.....	31 56 27.48	80 57 40.18	299 40 09 264 38 03	Cedar Tuft.....	49 41 12	4067.3	4447.9	2.53
				Pole.....	84 39 17	3668.8	4012.1	2.28
Timberstick.....	31 58 45.09	80 57 52.22	60 09 19 295 10 14	Red House.....	240 07 44	5413.1	5919.6	3.36
				Cedar Tuft.....	115 11 23	3775.2	4128.4	2.34
Dead Tree in hammock, west of Little Tybee.	31 59 06.71	80 55 00.61	12 27 16 6 43 23	Great Warsaw.....	192 26 42	8209.0	8977.1	5.10
				Pole.....	186 43 13	4583.5	5023.3	2.85
Chimney of house on Little Tybee.	31 58 09.76	80 54 37.10	22 21 54 14 13 38	Pole.....	202 21 31	3035.6	3319.6	1.89
				Petit Chou.....	194 13 24	2769.6	3028.7	1.73
Barrel.....	31 57 07.28	80 54 02.35	64 30 04 37 16 20	Petit Chou.....	244 29 32	1764.0	1930.0	1.10
				Great Warsaw.....	217 15 14	5450.0	5960.0	3.39
Palmetto in hammock, east of Little Tybee.	31 58 16.67	80 53 23.78	41 58 31 78 37 39	Petit Chou.....	221 57 38	3994.4	4361.0	2.43
				Cedar Tuft.....	258 36 26	3703.9	4050.5	2.30
White Flag between creeks.....	31 57 58.31	80 52 42.95	173 50 56 208 34 00	Fort Pulaski.....	352 50 39	6912.9	7559.7	4.09
				Tybee Light.....	28 35 09	7121.6	7788.0	4.43

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section V.—Ossabaw sound to Sapelo sound. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Dead Pine, north end of Little Tybee.	31 59 06.55	80 53 23.69	189 29 39 116 17 26	Fort Pulaski, .....	2 29 43	4761.3	5206.8	2.96
				Wilmington, .....	296 15 34	6195.1	6774.8	3.85
White Flag in cedar, Big Tybee creek.	31 59 37.56	80 52 04.09	153 40 52 103 10 34	Fort Pulaski, .....	333 40 14	4242.0	4638.9	2.64
				Wilmington, .....	283 08 00	7850.5	8585.1	4.88
Cow Horn, Gibson's Cut-off, .....	31 59 35.10	80 54 27.45	205 52 12 115 38 24	Fort Pulaski, .....	25 52 50	4310.2	4713.5	2.68
				Wilmington, .....	295 37 05	4305.8	4708.7	2.67
White Flag, Tybee river, right bank.	32 00 39.88	80 55 28.14	260 36 13 66 41 55	Tybee Light, .....	80 38 49	7846.2	8580.4	4.87
				Wilmington, .....	266 41 09	2291.9	2506.3	1.42
Barn, gable end, Shad's plantation.	32 00 57.39	80 56 54.84	265 45 15 339 28 48	Tybee Light, .....	85 48 37	10042.7	10982.4	6.24
				Petit Chou, .....	159 28 47	8378.2	9162.1	5.21
Flag-staff, Fort Pulaski, .....	32 01 38.70	80 53 15.33	277 08 24 71 24 11	Tybee Light, .....	97 09 50	4288.4	4689.7	2.65
				Wilmington, .....	251 22 14	6091.7	6661.7	3.78
Warsaw Bar Buoy, .....	31 52 45.68	80 52 28.15	149 56 14 189 54 21	Petit Chou, .....	329 54 49	8432.4	9221.4	5.24
				Eastern Point, .....	9 54 57	10302.9	11266.9	6.40
Second Buoy, Warsaw, .....	31 54 35.76	80 53 57.11	95 28 32 156 06 32	Great Warsaw, .....	275 27 23	3454.2	3777.4	2.15
				Petit Chou, .....	356 05 57	4273.0	4672.8	2.65
<i>Ossabaw Sound to Sapelo Sound.</i>								
Cano Patch, .....	31 50 38.68	81 06 15.35	166 10 33 209 49 29	Palmetto, .....	346 09 55	7833.5	8566.5	4.87
				Green Island, .....	39 50 29	5508.6	6024.0	3.42
Sigma, .....	31 51 22.75	81 09 47.62	210 39 21 247 37 11	Palmetto, .....	30 40 35	7265.4	7945.2	4.51
				Green Island, .....	67 39 58	8994.9	9836.5	5.59
Buck Head, .....	31 47 06.42	81 08 11.79	162 18 13 205 05 24	Sigma, .....	342 17 23	8286.8	9062.2	5.15
				Cano Patch, .....	25 06 25	7218.5	7893.9	4.49
Stevenson's Point, .....	31 46 18.02	81 12 16.26	202 36 06 256 55 54	Sigma, .....	22 37 24	10168.7	11118.0	6.23
				Buck Head, .....	78 58 03	6602.1	7219.9	4.10
Newell, .....	31 44 47.51	81 08 55.11	194 54 58 117 47 11	Buck Head, .....	14 55 21	4427.4	4841.7	2.75
				Stevenson's Point, .....	227 45 25	5982.1	6541.8	3.72
Yellow Bluff, .....	31 42 29.75	81 14 06.95	203 25 21 244 21 56	Stevenson's Point, .....	33 26 19	7326.3	8011.8	4.55
				Newell, .....	64 24 40	9102.7	9954.4	5.65
Walburg, .....	31 41 44.30	81 09 02.85	189 04 02 102 03 38	Newell, .....	2 04 06	5646.3	6174.6	3.51
				Yellow Bluff, .....	282 00 58	8186.7	8932.7	5.08
John Thomas, .....	31 38 29.22	81 15 07.19	237 56 15 191 37 10	Walburg, .....	57 59 26	11320.2	12379.4	7.03
				Yellow Bluff, .....	11 37 42	7873.9	8610.7	4.89
English Cut, .....	31 38 21.79	81 10 52.81	147 14 51 204 54 02	Yellow Bluff, .....	327 13 09	9447.6	10331.6	5.87
				Walburg, .....	24 55 00	6876.5	7519.9	4.27
Barbour's Island, .....	31 34 28.95	81 14 23.45	171 09 02 217 43 55	John Thomas, .....	351 08 39	7491.9	8192.9	4.65
				English Cut, .....	37 45 45	9068.6	9917.1	5.63
St. Catherine, .....	31 33 52.79	81 10 47.65	179 03 33 141 14 41	English Cut, .....	359 03 30	8285.2	9060.4	5.15
				John Thomas, .....	321 12 25	10923.4	11945.5	6.79
Moss Island, .....	31 37 38.01	81 12 46.03	23 48 12 335 46 02	Barbour's Island, .....	203 47 21	6363.4	6958.8	3.85
				St. Catherine, .....	155 47 04	7605.4	8317.0	4.72
Raccoon Key, Pine, .....	31 51 22.48	81 04 08.62	253 07 13 46 34 04	Raccoon Key, .....	73 07 57	2289.4	2505.6	1.42
				Morell, .....	226 33 29	2417.4	2643.6	1.50
North Ossabaw, (2), .....	31 48 53.70	81 02 04.91	120 15 26 168 33 54	Morell, .....	300 13 46	5797.5	6340.0	3.60
				Raccoon Key, .....	348 33 33	5352.9	5853.8	3.33
Small Creek, .....	31 49 43.85	81 04 24.84	218 19 35 290 52 17	Raccoon Key, black and white flag, .....	38 20 03	2214.3	2421.5	1.37
				Ossabaw Beach, white flag, .....	110 53 06	2636.5	2883.2	1.64
Bradley, .....	31 48 26.11	81 04 17.20	175 15 38 237 17 14	Small Creek, .....	355 15 34	2402.4	2627.2	1.49
				Ossabaw Beach, white flag, .....	57 17 59	2692.0	2943.9	1.67
Point, .....	31 49 10.87	81 04 46.68	209 29 10 330 43 16	Small Creek, .....	29 29 22	1166.7	1275.9	0.72
				Bradley, .....	150 43 31	1580.5	1726.4	0.96
Crooked, .....	31 48 08.05	81 05 42.77	317 19 14 356 06 04	Point, .....	37 19 44	2432.9	2660.5	1.51
				Bradley, .....	76 06 49	2316.0	2532.7	1.44
Cedar, .....	31 47 33.95	81 05 10.72	921 10 35 191 57 33	Bradley, .....	41 11 03	2134.4	2334.1	1.32
				Point, .....	11 57 46	3051.3	3336.8	1.89
Scrub, .....	31 47 24.91	81 05 46.48	253 31 35 231 12 55	Cedar, .....	73 31 34	981.0	1072.8	0.61
				Bradley, .....	51 13 42	3069.5	3391.1	1.87
White Flag on Hogging Island, .....	31 49 45.56	81 07 04.10	212 04 23 143 30 45	Green Island, .....	39 05 44	2572.0	2820.5	4.7
				Ogeechee, .....	323 29 06	8307.3	9084.6	5.16

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section V.—Ossabaw sound to Sapelo sound. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
White Flag on Raccoon Island..	31 49 49.05	81 07 52.31	189 41 12 133 36 04	Little Buzzard..... Sigma.....	9 41 24 313 35 03	3570.0 4185.5	3904.0 4577.1	2.32 2.60
Shaughac Pine.....	31 49 30.09	81 08 02.46	141 27 30 48 28 35	Sigma..... Stevenson's Point.....	321 26 35 228 26 22	4436.2 8919.1	4851.3 9753.7	2.76 5.54
White Flag, Skipper's Narrows..	31 50 28.61	81 10 05.54	24 01 19 349 59 40	Stevenson's Point..... Newell.....	204 00 10 170 00 17	9448.5 10667.0	9239.0 11665.1	5.25 6.63
Pecksniff.....	31 49 01.87	81 10 30.00	314 21 17 28 59 25	Buck Head..... Stevenson's Point.....	134 22 30 208 58 29	5684.9 5768.6	5560.7 6308.4	3.16 3.58
Black and White Flag.....	31 49 08.47	81 09 23.05	40 58 00 333 29 26	Stevenson's Point..... Buck Head.....	220 56 29 153 30 04	6950.7 4200.1	7601.1 4583.1	4.32 2.61
Singletick.....	31 47 33.21	81 10 10.05	284 50 39 338 52 02	Buck Head..... Newell.....	104 51 41 158 52 41	3218.6 5470.7	3519.8 5922.6	2.00 3.40
Cross Stick.....	31 47 55.84	81 11 05.37	329 24 45 31 45 37	Newell..... Stevenson's Point.....	149 25 54 211 45 00	6736.9 3543.2	7367.3 3874.7	4.18 2.20
White Flag, Kilkenny Creek....	31 46 39.25	81 10 48.41	319 05 10 258 30 17	Newell..... Buck Head.....	139 06 10 78 31 40	4552.9 4204.5	4978.9 4597.9	2.83 2.61
Big Tom.....	31 46 47.08	81 09 21.20	79 01 02 175 19 23	Stevenson's Point..... Sigma.....	258 59 30 355 19 09	4691.8 9315.6	5130.8 10155.7	2.91 5.29
Dead Pine.....	31 45 24.82	81 08 25.63	105 07 32 34 01 37	Stevenson's Point..... Newell.....	285 05 31 214 01 22	6285.6 1386.2	6873.7 1515.9	3.91 0.81
Milligan's Point.....	31 43 59.77	81 10 00.46	229 27 44 340 01 19	Newell..... Walburg.....	49 28 18 180 01 49	2263.1 4439.7	2474.8 4855.1	1.40 2.76
Timmins.....	31 40 34.19	81 11 53.46	338 35 54 53 00 56	English Cut..... John Thomas.....	158 36 26 232 59 14	4379.4 6390.0	4789.2 6987.9	2.72 3.97
Medway.....	31 43 13.41	81 12 07.74	240 13 53 209 24 01	Newell..... Walburg.....	60 15 34 119 25 38	5840.1 5588.0	6386.6 6110.9	3.63 3.47
Shell Bank.....	31 45 38.80	81 10 22.04	343 53 45 31 51 35	Walburg..... Medway.....	163 54 27 211 50 39	7516.6 5271.4	8219.9 5764.6	4.67 3.27
Hart.....	31 45 19.37	81 12 55.19	342 09 08 251 32 43	Medway..... Shell Bank.....	162 09 33 81 34 04	4075.4 4074.1	4456.7 4455.3	2.53 2.53
Harris..	31 44 10.27	81 14 08.39	232 08 46 245 23 25	Hart..... Shell Bank.....	42 09 25 65 25 24	2970.5 6551.1	3139.1 7164.1	1.78 4.07
Pine.....	31 45 51.38	81 15 08.03	333 14 46 285 44 24	Harris..... Hart.....	153 15 17 105 45 34	3487.1 3631.9	3813.4 3971.7	2.17 2.26
Loan.....	31 44 05.94	81 15 46.15	287 01 13 243 17 54	Harris..... Hart.....	87 02 04 63 19 24	2576.5 5935.7	2817.6 5506.9	1.60 3.13
South Ossabaw.....	31 43 37.47	81 08 05.58	83 23 15 136 08 46	Medway..... Shell Bank.....	263 21 08 316 07 34	6417.6 5182.7	7018.1 5667.6	3.99 3.22
North Point of St. Catherine....	31 41 59.42	81 07 58.93	150 52 15 164 03 32	Shell Bank..... Newell.....	330 51 00 244 03 02	7735.5 5383.7	8459.3 5887.4	4.80 3.34
North Chimney of C. Rodger's House.	31 47 25.28	81 12 00.84	314 49 19 275 29 15	Newell..... Buck Head.....	134 50 57 95 31 16	6891.3 6053.3	7536.1 6619.7	4.28 3.76
Dead Creek.....	31 42 22.09	81 12 43.03	328 39 12 27 48 56	English Cut..... John Thomas.....	158 40 10 207 47 40	7978.2 8139.2	8724.7 8900.8	4.96 5.06
Jones' Hammock.....	31 44 28.49	81 12 12.89	118 59 39 144 36 47	Pine..... Hart.....	298 58 07 324 36 25	2268.7 1922.3	2501.7 2102.2	3.27 1.19
Black Flag on Cedar Point.....	31 42 24.22	81 10 59.35	216 31 53 291 50 04	Newell..... Walburg.....	36 32 58 111 51 05	5492.9 3304.7	6006.9 3613.9	3.41 2.05
Range Mark.....	31 42 07.60	81 08 39.76	175 18 38 110 19 39	Newell..... Medway.....	355 18 30 220 17 50	4941.6 5838.5	5404.0 6384.8	3.07 3.63
North Buoy, St. Catherine.....	31 43 07.12	81 08 28.28	91 58 01 167 27 43	Medway..... Newell.....	271 54 06 347 27 29	5782.0 3168.0	6301.1 3464.4	3.58 1.97
South Buoy, St. Catherine.....	31 42 32.75	81 08 43.67	103 09 09 175 50 57	Medway..... Newell.....	283 07 22 356 50 51	5517.0 4160.0	6033.2 4549.2	3.43 2.58
Baker's House, North Chimney..	31 43 59.40	81 14 01.96	215 30 00 153 10 22	Hart..... Harris.....	35 30 35 333 10 19	3025.6 3751.9	3308.7 4103.0	1.88 2.39
White Flag on Marsh Island.....	31 44 29.16	81 13 31.59	78 35 29 134 56 32	Loan..... Pine.....	258 34 18 314 55 41	3613.2 3585.2	3951.3 3920.7	2.34 2.23
Sunbury Church.....	31 45 59.39	81 16 40.90	337 35 03 309 55 39	Loan..... Harris.....	157 35 32 129 56 59	3779.5 5234.6	4132.1 5724.4	2.35 3.25
Tall White Chimney....	31 46 01.47	81 16 34.04	340 29 39 282 40 16	Loan..... Hart.....	160 30 04 102 42 11	3774.9 5902.7	4128.1 6455.0	2.34 3.67

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section V.—Ossabaw sound to Sapelo sound. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station —	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Mdres.	Yards.	Miles.
Chimney on East end of House...	31 45 59.07	81 16 36.96	339 15 50 275 48 51	Loan.....	159 16 16 95 49 37	3725.9 2333.2	4074.5 2551.5	2.31 1.45
Scriven's House Chimney.....	31 46 04.13	81 16 33.51	279 53 50 312 32 48	Pine.....	99 54 35 132 34 04	2283.4 5184.4	2497.1 5669.5	1.42 3.22
White Flag near Yellow Bluff...	31 41 53.64	81 14 46.92	271 47 16 4 50 46	Walburg.....	91 50 17 184 50 25	9063.8 6315.4	9911.9 6906.3	5.63 3.92
White Flag on left bank of Vandyke Creek.	31 41 13.09	81 12 43.55	280 35 24 331 03 13	Walburg.....	80 37 20 151 04 11	5890.3 6028.4	6441.5 6592.5	3.66 3.74
Vandyke.....	31 41 17.83	81 11 34.10	258 25 10 348 39 07	Walburg.....	78 26 33 168 39 29	4065.4 5529.7	4445.8 6047.1	2.53 3.44
Tall Pine on Moss Island.....	31 37 45.00	81 12 47.08	218 41 33 110 17 50	Walburg.....	38 43 31 290 16 37	9444.7 3935.7	10328.4 4304.0	5.87 2.44
Mrs. Cummings's House, red chimney.	31 41 07.71	81 15 25.45	263 85 25 354 21 59	Walburg.....	83 38 46 174 22 09	10138.0 4901.7	11086.6 5360.3	6.30 3.04
Pole near mouth of North Newport River.	31 41 27.53	81 10 10.26	253 46 29 11 05 14	Walburg.....	73 47 04 191 04 52	1848.5 5829.3	2021.5 6374.5	1.15 3.62
White Flag on right bank of Vandyke Creek.	31 41 04.17	81 14 02.30	261 04 06 177 37 12	Walburg.....	81 06 43 357 37 10	7982.0 2945.9	8728.9 3221.5	4.96 1.83
Pole on right bank of North Newport River.	31 39 45.61	81 13 01.60	307 15 15 54 37 48	English Cut.....	127 16 23 234 36 42	4263.1 4057.9	4662.0 4437.6	2.65 2.52
Pole near English Cut.....	31 39 36.18	81 11 43.45	226 58 28 69 01 25	Walburg.....	46 59 52 248 59 38	5784.6 5748.6	6325.9 6286.5	3.59 3.57
Stroud.....	31 39 00.27	81 12 18.02	225 28 54 297 49 10	Walburg.....	45 30 36 117 49 55	7906.8 2538.9	7881.1 2776.9	4.46 1.58
Pole on left bank of North Newport River.	31 39 53.99	81 14 26.15	296 47 18 22 31 25	English Cut.....	116 49 10 202 31 03	6296.8 2822.8	6886.0 3066.9	3.91 1.75
Pole in Marsh, Walburg's Creek.	31 40 08.40	81 10 52.86	132 22 46 224 26 17	Yellow Bluff.....	312 21 04 44 27 15	6917.4 4137.2	7564.7 4524.3	4.30 2.57
Holt.....	31 40 10.92	81 16 02.48	292 14 28 227 35 57	English Cut.....	112 17 11 47 38 01	8814.1 6369.1	9638.8 9152.9	5.48 5.90
White Flag near Walburg.....	31 39 47.66	81 00 38.04	74 28 33 136 49 49	John Thomas.....	254 25 40 306 47 28	9000.6 8845.2	9842.8 9672.8	5.59 5.50
Black Beard.....	31 32 00.36	81 11 01.44	130 40 43 185 59 50	Barbour's Island.....	310 38 58 5 59 57	7022.7 3481.9	7679.8 3807.7	4.36 2.16
North Base, Sapelo island.....	31 31 44.87	81 13 59.78	232 07 15 172 57 38	St. Catherine.....	52 08 56 352 47 26	6418.4 5091.4	7019.0 5567.8	3.99 3.16
Cedar Hammock.....	31 33 19.62	81 14 45.08	337 43 46 260 42 53	North Base.....	157 44 10 80 44 57	3153.1 6343.7	3448.1 6937.3	1.96 3.94
Dog Island.....	31 31 57.66	81 15 49.04	213 45 04 277 46 18	Cedar Hammock.....	33 45 37 97 47 15	3036.1 2909.0	3320.2 3181.2	1.89 1.81
South Base, Sapelo island.....	31 30 56.01	81 14 29.80	132 14 51 207 45 10	Dog Island.....	312 14 10 27 45 26	2824.0 1700.7	3088.2 1856.8	1.75 1.06
Julienton.....	31 33 27.75	81 17 55.03	310 47 13 309 51 09	South Base.....	130 49 00 129 52 15	7151.5 4328.4	7820.7 4733.4	4.44 2.69
Creighton Island.....	31 32 03.03	81 18 49.90	271 58 23 209 01 00	Dog Island.....	91 59 57 29 01 29	4773.3 2983.4	5219.9 3262.6	2.97 1.85
Sutherland.....	31 32 55.44	81 19 12.69	244 05 13 288 19 00	Julienton.....	64 05 54 108 20 47	2377.1 5658.0	2490.2 6187.4	1.41 3.51
Inner Beacon.....	31 33 01.02	81 10 26.66	113 27 59 26 09 04	Barbour's Island.....	293 25 55 206 08 46	6406.0 3081.3	7442.8 2876.0	4.23 1.39
Outer Beacon.....	31 32 58.23	81 10 00.35	42 06 39 70 20 14	Black Beard.....	222 06 07 250 18 09	2402.2 6707.3	2627.0 7334.9	1.49 4.17
Northeast Point.....	31 30 41.22	81 09 22.62	133 04 41 158 34 52	Black Beard.....	313 03 49 338 34 19	3568.5 4624.8	3902.4 5057.5	2.22 2.67
White Flag in tree on east side of St. Catherine's Island.	31 34 32.96	81 09 15.80	55 22 05 75 26 38	North Base.....	235 19 36 255 23 45	9104.1 8971.9	9956.0 9811.4	5.66 5.58
White Flag in oak on St. Catherine's Island.	31 33 38.20	81 09 40.87	35 11 59 104 19 38	Black Beard.....	215 11 10 284 19 03	3687.3 1817.5	4032.3 1987.6	2.20 1.13
White Flag on northeast point of Black Beard Island.	31 31 43.65	81 10 31.10	122 43 01 173 44 22	Black Beard.....	302 42 45 353 44 13	251.4 4001.6	1040.4 4376.0	0.59 2.49
White Flag with tuft on east side of Black Beard Island.	31 31 35.62	81 10 46.30	179 31 04 191 08 35	St. Catherine.....	359 31 03 11 08 45	4225.4 2680.4	4620.8 2931.2	2.62 1.66



## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section V.—Ossabaw sound to Sapelo sound. Sketch E, No 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Inner Buoy, (on bar).....	31 32 43.23	81 07 14.13	96 10 25 77 35 49	Inner Beacon..... Black Beard.....	276 08 44 257 33 50	5107.1 6139.0	5585.0 6713.4	3.17 3.81
Outer Buoy, (on bar).....	31 32 32.26	81 05 40.88	96 43 20 83 23 38	Inner Beacon..... Black Beard.....	276 40 50 263 20 50	7589.0 8511.9	8299.1 9308.4	4.71 5.29
White Flag in pine in hammock on St. Catherine's island.	31 35 05.05	81 10 35.56	8 08 47 63 45 26	St. Catherine..... Cedar Hammock.....	188 08 41 243 43 55	2947.7 7336.9	2458.0 8023.4	1.30 4.56
Kollock's Place, west gable end of house.	31 36 12.11	81 10 36.24	127 44 21 51 00 56	Moss Island..... Cedar Hammock.....	307 43 13 230 58 46	5324.6 8442.2	4729.2 9232.1	2.69 5.25
Tuft in hammock on left bank of South Newport river.	31 36 50.86	81 11 25.70	349 37 45 355 54 34	St. Catherine..... Black Beard.....	169 38 05 175 54 47	5574.7 8969.6	6096.3 9808.9	3.46 5.37
White Flag on marsh at mouth of Wahoo creek.	31 35 32.46	81 11 48.17	48 45 40 332 31 01	Cedar Hammock..... St. Catherine.....	228 44 07 152 31 33	6304.3 3459.3	6784.8 3763.0	3.85 2.15
White Flag on shell beach of St. Catherine's island.	31 34 28.03	81 11 06.39	42 19 02 335 30 24	North Base..... St. Catherine.....	222 17 31 155 30 34	6794.0 1192.3	7429.7 1303.9	4.22 0.74
White Flag at mouth of John- son's creek.	31 35 31.96	81 10 53.01	357 20 57 1 57 14	St. Catherine..... Black Beard.....	177 21 00 181 57 10	3056.7 6520.6	3342.7 7130.7	1.90 4.05
White Flag on Wahoo island....	31 36 14.67	81 12 50.66	339 48 10 36 55 40	Black Beard..... Barbour's Island.....	159 49 07 216 54 51	8344.8 4072.3	9125.6 4453.3	5.18 2.53
White Flag, with tuft, near Old- ner's island.	31 34 35.19	81 11 44.03	64 01 35 311 16 29	Cedar Hammock..... St. Catherine.....	244 00 00 131 16 59	5311.0 1978.8	5807.9 2163.9	3.30 1.23
White Flag in tree in pine ham- mock.	31 35 25.07	81 13 26.03	28 20 58 41 13 35	Cedar Hammock..... Barbour's Island.....	208 20 17 221 13 05	4391.0 2296.0	4801.9 2510.9	2.73 1.43
White Flag in pine in hammock on Barbour's Island river.	31 34 41.93	81 13 18.64	76 50 65 41 58 03	Barbour's Island..... Cedar Hammock.....	256 49 31 221 57 18	1754.7 3408.9	1918.9 3727.9	1.09 2.19
White Flag on north shore of sound.	31 33 38.11	81 12 36.62	80 28 22 320 10 15	Cedar Hammock..... Black Beard.....	260 27 15 140 11 05	3435.7 3920.2	3757.2 4287.0	2.13 2.44
White Flag on northwest point of Black Beard island.	31 32 08.68	81 11 54.47	260 23 26 208 47 12	Black Beard..... St. Catherine.....	100 23 54 26 47 47	1422.0 3639.0	1555.1 4001.4	0.88 2.27
White Flag in cedar, west side of Black Beard island.	31 31 39.51	81 12 30.02	150 11 07 229 20 06	Barbour's Island..... Inner Beacon.....	330 10 08 50 21 13	6014.6 4109.4	6577.4 4493.9	3.74 2.55
White Flag in oak on Black Beard island.	31 31 08.67	81 12 04.78	133 39 27 216 47 20	Cedar Hammock..... Inner Beacon.....	313 38 03 36 48 11	5843.1 4321.0	6389.8 4725.3	3.63 2.68
White Flag on northeast point of Sapelo island.	31 31 33.86	81 13 26.75	164 30 26 147 37 04	Barbour's Island..... Cedar Hammock.....	344 29 56 327 36 23	5595.7 3857.0	6119.3 3217.2	3.48 2.40
Red and White Flag at mouth of Barbour's Island river.	31 33 18.01	81 13 45.41	52 49 01 41 48 38	Dog Island..... Cedar Hammock.....	222 47 56 271 48 07	4093.4 1574.1	4476.4 1721.4	2.54 0.96
White Flag, with tuft, on Little Mud river.	31 34 16.84	81 15 18.92	333 08 09 255 41 08	Cedar Hammock..... Barbour's Island.....	153 08 27 75 41 37	1975.1 1509.3	2159.9 1650.5	1.23 0.94
White and Black Flag at mouth of Julienton river.	31 33 12.74	81 15 57.04	96 26 59 263 36 47	Julienton..... Cedar Hammock.....	278 25 57 83 37 25	3145.5 1909.2	3439.8 2067.8	1.95 1.18
White Flag on left bank of Julien- ton river.	31 33 45.61	81 16 36.22	75 09 52 265 15 39	Julienton..... Cedar Hammock.....	255 09 11 105 16 37	2149.6 3037.4	2350.7 3291.6	1.33 1.89
White Flag, with palmetto tuft, in marsh opposite Julienton.	31 32 57.25	81 17 20.06	125 31 54 307 23 47	Julienton..... Dog Island.....	315 31 36 127 24 35	1315.9 3021.2	1439.0 3303.9	0.82 1.88
Black Flag on left bank of Sape- lo river.	31 32 45.81	81 16 42.31	316 32 59 251 22 33	Dog Island..... Cedar Hammock.....	136 33 27 71 23 34	2042.9 3262.4	2224.0 3567.7	1.27 2.03
White Flag on Curry Point, Creighton island.	31 29 51.28	81 19 37.10	237 05 05 256 09 56	Dog Island..... South Base.....	57 07 04 76 12 37	7165.5 8349.8	7836.0 9131.1	4.45 5.19
White and Black Flag on right bank of Sapelo river.	31 31 13.61	81 17 29.36	242 51 08 170 42 21	Dog Island..... Julienton.....	62 53 00 350 42 08	2974.0 4185.7	3252.3 4577.4	1.85 2.60
White Flag on Four-mile Point..	31 32 08.94	81 17 28.12	277 34 30 85 11 24	Dog Island..... Creighton Island.....	97 35 12 265 10 41	2636.3 2164.5	2882.9 2367.0	1.64 1.34
Lower Beacon in Mud river.....	31 31 18.13	81 15 14.47	300 01 43 143 09 25	South Base..... Dog Island.....	120 02 06 323 09 07	1361.3 1521.2	1486.7 1663.5	0.84 0.94
White Flag on left bank of Mud river.	31 31 02 01	81 15 43.41	275 25 55 175 02 27	South Base..... Dog Island.....	95 26 33 355 02 24	1961.1 1790.2	2133.7 1791.2	1.21 1.07
Beacon at mouth of Teakettle...	31 29 18.65	81 17 28.13	237 29 24 298 05 08	South Base..... Dog Island.....	57 30 57 28 05 00	5579.3 5551.3	6101.4 6070.7	3.47 3.45
Upper Beacon on Mud river....	31 29 51.97	81 17 11.70	245 13 00 209 22 51	South Base..... Dog Island.....	65 14 25 29 23 34	5145.1 4443.3	4704.8 4859.1	2.92 2.76
White Flag on creek, Dog Island hammock.	31 30 47.99	81 16 53.78	218 30 26 266 16 30	Dog Island..... South Base.....	38 31 00 86 17 45	2742.3 3806.9	2998.9 4163.1	1.70 2.37

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section V.—Ossabaw sound to Sapelo sound. Sketch E, No 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
White Flag on right bank of Mud river.	31 29 39.93	81 16 19.79	190 49 20 231 04 46	Dog Island .....	10 49 36	4318.4	4792.5	2.68
				South Base .....	51 05 43	3729.9	4078.9	2.32
White Flag on Marsh island, in Mud river.	31 29 13.00	81 18 05.45	240 51 17 215 20 56	South Base .....	60 53 10	6514.3	7123.8	4.05
				Dog Island .....	35 22 07	6219.0	6800.9	3.66
Chimney of Mill at west end of Duboy.	31 22 54.08	81 19 30.56	901 25 06 188 06 56	Dog Island .....	21 27 02	15999.4	17496.5	9.94
				Julinton .....	8 07 46	17886.9	19560.6	11.11
Chimney of Overseer's House, Creighton island.	31 32 01.89	81 18 47.93	271 33 59 207 48 16	Dog Island .....	91 35 33	4790.0	5161.6	2.93
				Julinton .....	27 48 44	2990.0	3269.8	1.86
White Flag on left bank of Creighton island, Front river.	31 30 31.36	81 18 31.67	238 06 42 189 55 40	Dog Island .....	58 08 07	5033.7	5504.7	3.13
				Julinton .....	9 55 59	5515.1	6031.2	3.43
White Flag, with tuft, in pine centre of Creighton island.	31 31 16.17	81 19 10.45	256 27 28 206 08 36	Dog Island .....	76 29 13	5464.6	5975.9	3.39
				Julinton .....	26 09 16	4514.6	4937.0	2.80
White Flag on left bank of Sapelo river.	31 32 29.56	81 18 11 66	193 45 36 116 21 07	Julinton .....	13 45 45	1845.1	2017.7	1.15
				Sutherland .....	296 20 35	1796.6	1964.7	1.11
White Flag in tree at Sutherland Bluff.	31 33 06.79	81 19 08.15	292 03 20 246 13 14	Dog Island .....	112 05 04	5666.8	6197.0	3.52
				Creighton Island .....	166 13 24	2022.0	2211.2	1.26
White Flag in tree on northwest point of Creighton island.	31 31 54.68	81 19 30.85	258 55 59 228 57 24	Creighton Island .....	78 56 25	1342.6	1468.2	0.83
				Julinton .....	43 58 19	3992.4	4355.0	2.47
Black and White Flag on right bank of Sapelo river.	31 32 21.88	81 20 27.69	242 24 21 243 14 54	Sutherland .....	62 25 00	2232.5	2441.4	1.39
				Julinton .....	63 16 14	4508.6	4930.5	2.80
Gable-end of building at Chocolate.	31 30 01.47	81 15 04.43	184 46 43 144 41 54	Cedar Hammock .....	4 46 53	6123.9	6696.9	3.80
				Julinton .....	324 40 25	7784.4	8512.8	4.94

## Section V.—Charleston Harbor to Winyah Bay.\* Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Breach Inlet .....	32 46 19.27	79 48 43.14	.....	.....	.....	.....	.....	.....
Circular Church .....	32 46 49.54	79 55 39.05	273 45 30	Breach Inlet .....	93 49 15	10846.3	11861.2	6.47
Fort Sumpter, (2) .....	32 45 08.17	79 52 14.51	118 39 15 248 16 33	Circular Church .....	298 37 24	6064.8	6632.3	3.77
				Breach Inlet .....	68 18 28	5920.5	6474.5	3.65
Venning .....	32 48 10.67	79 49 22.37	343 26 13 39 33 44	Breach Inlet .....	163 26 34	3579.9	3914.9	2.22
				Fort Sumpter, (2) .....	218 32 11	7187.6	7860.1	4.47
Hamlin .....	32 49 37.53	79 47 10.69	21 30 15 52 00 45	Breach Inlet .....	201 29 25	6563.6	7177.8	4.08
				Venning .....	231 59 33	4346.1	4752.8	2.70
Goat Island .....	32 48 09.81	79 46 12.61	90 19 21 150 47 52	Venning .....	270 17 39	4936.2	5398.1	3.07
				Hamlin .....	330 47 21	3095.7	3385.4	1.92
Fuller .....	32 51 05.84	79 45 44.62	7 38 58 39 27 09	Goat Island .....	187 38 43	5471.1	5982.0	3.40
				Hamlin .....	219 25 22	3522.7	3852.3	2.19
Roberts, (2) .....	32 49 43.58	79 43 14.28	122 57 49 89 16 52	Fuller .....	302 56 30	4658.5	5094.5	2.89
				Hamlin .....	268 14 43	6151.0	6726.5	3.82
Toomer .....	32 52 21.74	79 43 59.78	44 28 30 49 23 13	Hamlin .....	224 26 47	7086.8	7749.9	4.40
				Fuller .....	229 22 16	3590.7	3926.7	2.23
Capers .....	32 51 33.28	79 42 11.50	81 20 34 25 47 21	Fuller .....	261 18 39	5604.8	6129.2	3.48
				Roberts, (2) .....	205 46 47	3752.7	4103.8	2.33
Pole on Moultrie House .....	32 45 28.55	79 50 51.88	205 00 00 106 58 48	Venning .....	25 00 49	5510.1	6025.7	3.43
				Circular Church .....	286 56 13	7813.2	8544.3	4.85
Sullivan's Island, back beacon ..	32 45 39.95	79 51 11.94	211 32 59 106 31 22	Venning .....	31 33 58	5448.2	5958.0	3.28
				Circular Church .....	285 28 58	7213.1	7888.0	4.48
Cator's Landing, (pole) .....	32 49 02.76	79 47 48.60	57 13 10 221 05 09	Venning .....	237 12 18	2963.2	3240.5	1.84
				Hamlin .....	41 05 28	1420.9	1553.8	0.88
Catholic Church spire, Broad street.	32 46 33.15	79 55 50.75	272 10 04 294 55 31	Breach Inlet .....	92 13 55	11135.3	12177.2	6.92
				Fort Sumpter, (2) .....	114 57 28	6206.4	6787.1	3.86
Dewees .....	32 50 22.57	79 42 08.20	141 11 42 176 22 52	Toomer .....	321 10 40	4710.9	5151.7	2.93
				Capers .....	356 22 49	2182.5	2386.7	1.35

\* The positions on Winyah Bay, printed in the report of 1855, require the corrections: — 0'.60 in latitude, and + 4' 08".28 in longitude.

REPORT OF THE SUPERINTENDENT OF  
UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section V.—Charleston Harbor to Winyah Bay. Sketch E, No. 16.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Niel.....	32 50 46.77	79 41 23.91	125 50 14 139 11 20	Toomer.....	365 48 49	4997.6	5465.2	3.10
				Capers.....	319 10 44	1893.0	2070.1	1.18
Legare.....	32 51 01.16	79 40 56.10	56 23 03 117 28 52	Roberts, (2).....	236 21 48	4314.9	4718.6	2.68
				Toomer.....	297 27 12	5381.4	5884.9	3.34
Bar.....	32 49 15.29	79 41 40.93	163 24 30 188 55 35	Deweese.....	343 24 16	2174.0	2377.4	1.35
				Niel.....	8 55 44	2852.4	3119.3	1.77
Point.....	32 48 39.93	79 42 49.01	161 28 25 238 24 03	Roberts, (2).....	341 28 11	2067.8	2261.3	1.28
				Bar.....	58 24 40	2078.9	2273.4	1.29
Humphries.....	32 54 54.65	79 40 43.72	20 11 55 47 15 41	Capers.....	200 11 08	6609.0	7237.4	4.11
				Toomer.....	227 13 54	6938.5	7587.7	4.31
Jamie.....	32 53 00.96	79 39 02.90	143 12 35 61 09 52	Humphries.....	323 11 40	4373.6	4782.8	2.73
				Capers.....	241 08 10	5596.9	6120.6	3.48
Wagner, (2).....	32 57 01.95	79 38 36.98	5 11 14 40 01 43	Jamie.....	135 11 00	7453.7	8151.1	4.63
				Humphries.....	220 00 34	5119.9	5599.0	3.18
Middle.....	32 55 17.69	79 36 03.92	47 50 57 128 56 26	Jamie.....	227 49 20	6274.6	6861.7	3.90
				Wagner, (2).....	308 55 03	5116.6	5588.8	3.17
Owendaw.....	33 00 24.62	79 34 35.73	13 37 18 45 06 40	Middle.....	193 36 30	9797.6	10637.8	6.04
				Wagner, (2).....	225 04 28	8843.2	9670.7	5.49
Bird Island.....	32 57 12.82	79 33 28.48	48 42 58 163 32 30	Middle.....	228 41 34	5373.6	5876.4	3.34
				Owendaw.....	343 31 53	6160.6	6737.0	3.63
Live Oak.....	33 03 16.25	79 30 56.30	19 26 44 47 08 16	Bird Island.....	199 25 21	11871.3	12982.1	7.37
				Owendaw.....	227 06 16	7769.7	8496.7	4.83
Northeast Bull.....	32 59 41.82	79 29 22.02	99 13 16 159 41 00	Owendaw.....	979 10 25	8248.7	9020.5	5.12
				Live Oak.....	339 40 09	7043.9	7703.0	4.38
Jeremy.....	33 04 34.86	79 26 01.81	29 55 25 72 24 22	Northeast Bull.....	209 53 36	10418.2	11393.0	6.47
				Live Oak.....	252 21 42	8014.2	8764.1	4.98
Cape Roman, old light.....	33 01 04.97	79 22 13.30	106 38 02 127 31 01	Live Oak.....	286 33 17	14159.3	15484.2	8.80
				Jeremy.....	317 28 57	8774.5	9585.5	5.45
Nellie.....	33 02 23.94	79 26 14.44	44 16 55 164 38 25	Northeast Bull.....	224 15 13	6974.0	7636.5	4.33
				Jeremy.....	4 38 32	4050.0	4429.0	2.52
Blake.....	33 07 58.01	79 20 47.03	9 58 49 52 33 35	Cape Roman, old light.....	189 58 02	12918.3	14127.1	8.03
				Jeremy.....	232 30 43	10281.5	11243.5	6.39
Murphy.....	33 05 57.78	79 19 25.44	76 05 35 150 16 39	Jeremy.....	256 01 59	10589.6	11580.5	6.58
				Blake.....	330 15 54	4264.7	4663.7	2.65
Cedar Island, 1857.....	33 07 55.72	79 14 51.60	43 11 24 62 55 10	Cape Roman, old light.....	222 07 23	17067.6	18664.6	10.60
				Murphy.....	244 52 41	7974.2	8720.3	4.95
Rutledge.....	33 10 27.98	79 18 38.87	35 43 05 308 31 16	Blake.....	215 41 55	5689.6	6222.0	3.53
				Cedar Island, 1857.....	128 33 20	7528.5	8239.9	4.68
Cape, (2).....	33 01 56.29	79 20 32.73	119 49 22 183 11 51	Jeremy.....	299 46 23	9836.9	10757.3	6.11
				Murphy.....	13 12 28	7640.9	8355.8	4.75
Lowndes.....	33 11 47.51	79 13 36.04	15 20 12 72 40 42	Cedar Island, 1857.....	195 19 31	7403.8	8096.6	4.69
				Rutledge.....	252 37 56	8217.3	8986.2	5.10
McConvey.....	33 10 14.24	79 12 19.61	42 43 03 92 29 49	Cedar Island, 1857.....	222 40 41	5806.5	6349.8	3.61
				Rutledge.....	272 26 22	2914.0	3186.7	1.81
South Base, (2).....	33 12 33.44	79 11 57.67	7 32 49 60 57 31	McConvey.....	187 32 37	4325.4	4730.1	2.69
				Lowndes.....	240 56 37	2914.0	3186.7	1.81
Gibbs.....	32 53 50.13	79 36 30.09	106 48 21 69 07 21	Humphries.....	296 43 03	6884.1	7528.2	4.29
				Jamie.....	249 05 58	4250.6	4648.3	2.64
Vidal's Landing.....	32 52 13.31	79 40 55.55	183 32 17 243 23 09	Humphries.....	3 32 23	4979.4	5445.3	3.09
				Jamie.....	63 23 10	3275.1	3581.5	2.03
Single Palmetto.....	32 52 52.18	79 41 55.16	266 31 53 9 54 47	Jamie.....	85 33 27	4485.4	4905.1	2.79
				Capers.....	189 54 38	2467.0	2697.8	1.53
Edward's, southwest base.....	32 52 50.01	79 38 42.05	140 32 19 180 58 25	Humphries.....	320 31 13	4973.6	5439.0	3.09
				Wagner, (2).....	0 58 28	7701.7	8497.9	4.82
Johnnie.....	32 51 38.26	79 39 37.89	199 48 49 230 22 08	Jamie.....	19 49 08	2682.9	2935.0	1.67
				Gibbs.....	50 23 50	6336.1	6928.9	3.94
Bruce.....	32 54 18.00	79 34 18.93	59 26 51 72 11 34	Johnnie.....	239 23 58	9629.2	10530.2	5.96
				Jamie.....	252 09 00	7752.0	8477.4	4.82
Vanderhorst.....	32 57 20.07	79 36 35.89	272 36 49 80 12 55	Bird Island.....	92 38 31	4672.0	5097.9	3.03
				Wagner, (1).....	260 11 49	3202.3	3501.9	1.99
Chimney on west end of small house.....	32 56 46.40	79 37 18.84	295 48 52 343 09 21	Bird Island.....	115 44 57	6439.9	7061.9	4.13
				Middle.....	163 10 02	6717.1	7345.6	4.17

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section V.—Charleston Harbor to Winyah Bay. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Dr. Jewey's House, chimney....	32 56 22.27	79 39 17.21	291 35 43 356 34 04	Middle .....	111 37 28 176 34 12	5400.7 6212.1	5906.0 6793.4	3.35 3.86
Joyce .....	32 50 02.47	79 41 59.72	173 45 41 341 25 15	Capers .....	353 45 35	2813.1	3076.3	1.75
Small House, chimney .....	32 52 34.62	79 43 54.32	305 14 55 19 39 48	Bar .....	161 25 35	1532.3	1675.7	0.95
Toomer's House, centre.....	32 52 47.10	79 45 07.45	296 25 17 293 56 09	Capers .....	125 15 51	3273.3	3579.6	2.03
Hugh .....	32 51 28.70	79 42 28.75	252 32 01 307 26 59	Toomer .....	199 39 45	421.4	460.8	0.26
Dead Tree on east end of Ham- mock.	32 49 24.29	79 45 49.40	261 36 54 67 45 24	Capers .....	116 26 52	5108.0	5586.0	3.17
Brick Hammock .....	32 50 05.39	79 44 42.90	235 28 22 286 14 37	Toomer .....	113 56 46	1924.5	2104.6	1.19
Deweese Tripod.....	32 50 20.51	79 42 05.41	162 01 36	Capers .....	72 32 10	470.3	514.3	0.29
Windmill on Oyster House.....	32 47 21.43	79 49 25.91	253 28 45 46 55 19	Neil .....	127 27 34	2123.7	2322.4	1.32
Theodore Wagner's House, centre	32 48 40.42	79 49 19.40	230 58 11 347 45 21	Roberts, (2) .....	81 38 18	4077.6	4459.1	2.53
Hamlin's Old House, centre ....	32 49 45.92	79 47 14.11	331 37 03 310 57 11	Venning .....	247 43 28	5965.4	6545.5	3.72
Figure Head, Caper's island ....	32 51 14.74	79 41 40.38	333 33 19 22 40 18	Capers .....	55 29 44	4777.6	5224.6	2.97
Legare's House, west chimney..	32 51 28.82	79 42 01.75	322 46 27 3 14 38	Roberts, (2) .....	106 15 25	2400.4	2625.0	1.49
Death, hydrographic signal.....	32 49 37.71	79 42 02.24	305 27 07 34 01 15	Deweese .....	343 01 36	66.8	73.0	0.04
Rafe .....	32 48 51.64	79 42 58.30	250 05 37 326 10 43	Goat Island.....	73 30 30	5244.9	5735.6	3.26
Brown .....	33 13 37.39	79 13 25.96	310 44 53 4 24 39	Fort Sumpter, (2) .....	226 53 48	6098.4	6570.6	3.73
Hydrographic Signal.....	33 10 07.51	79 12 18.25	170 21 50	Goat Island.....	100 59 52	4949.6	5412.7	3.07
Hydrographic Signal.....	33 11 59.67	79 11 56.03	81 46 30 177 39 41	Breach Inlet.....	167 45 41	4449.1	4865.4	2.76
Ford's Chimney .....	33 10 46.80	79 13 27.65	215 20 11 85 54 24	Goat Island.....	151 37 37	3365.0	3679.9	2.09
Lowndes's Mill .....	33 11 54.51	79 14 04.96	226 03 27 9 19 56	Hamlin.....	160 57 13	273.4	299.0	0.17
Barn .....	33 11 16.76	79 15 06.73	248 00 59 74 42 57	Neil .....	153 33 28	962.0	1052.0	0.60
Lucas's Mill.....	33 07 57.26	79 16 28.81	212 14 31 144 02 20	Deweese .....	202 40 04	1741.4	1904.3	1.08
Ford.....	33 08 55.25	79 13 51.56	40 19 00 111 00 59	Neil .....	142 46 48	1626.5	1778.7	1.01
Pole .....	33 10 26.40	79 16 34.34	303 38 25 90 52 42	Deweese .....	183 14 36	2043.9	2235.1	1.27
Bulow's Mill, chimney .....	33 11 44.08	79 17 15.58	268 54 55 42 37 10	Neil .....	95 27 28	2355.8	2576.2	1.46
Fanny Meade, chimney of Rice Mill.	33 09 11.78	79 18 36.62	291 51 14 56 02 45	Point.....	214 00 50	2146.9	2347.8	1.33
Lower Mill .....	33 08 43.72	79 20 20.91	279 32 57 221 50 32	Bar .....	70 06 19	2140.1	2340.3	1.33
Upper Mill .....	33 08 51.80	79 20 49.63	3 56 44 339 31 38	Point.....	146 10 48	434.1	474.7	0.27
Santee .....	33 06 39.63	79 17 05.49	70 27 14 235 57 23	South Base, (2).....	130 45 41	3017.7	3300.1	1.87
Horn .....	33 04 40.84	79 21 21.18	188 17 55 11 39 36	Lowndes.....	184 24 33	3395.0	3712.7	2.11
Cape Roman, new light .....	33 01 06.58	79 22 11.88	137 07 14 189 50 31	McConvey.....	350 21 49	210.2	229.9	0.13
				Lowndes.....	261 45 35	2617.0	2861.9	1.63
				South Base, (2).....	357 39 40	1041.0	1138.4	0.65
				South Base, (2).....	35 21 00	4028.3	4405.2	2.50
				Rutledge .....	265 51 34	8082.8	8829.1	5.02
				Lowndes.....	106 03 43	779.6	852.5	0.48
				Cedar Island, 1857.....	189 19 31	7454.5	8152.0	4.63
				Lowndes .....	68 01 58	2532.9	2769.9	1.57
				Rutledge .....	254 41 01	5696.8	6229.8	3.54
				Lowndes .....	32 16 05	8387.2	9179.0	5.21
				Rutledge .....	324 01 09	5736.8	6273.6	3.56
				Cedar Island, 1857.....	220 16 27	2405.1	2630.1	1.49
				Rutledge .....	290 58 22	7973.2	8719.2	4.95
				Ford .....	123 39 54	5096.5	5540.6	3.15
				Rutledge .....	270 51 34	3226.5	3528.4	2.00
				Lowndes .....	68 56 55	5685.9	6217.9	3.53
				Rutledge .....	222 36 24	3185.9	3484.0	1.98
				Cedar Island, 1857.....	111 53 17	6389.1	6977.6	3.91
				Blake .....	236 01 34	4063.4	4449.1	2.53
				Cedar Island, 1857.....	99 36 02	8991.8	9723.8	5.53
				Rutledge .....	41 51 33	4311.7	4715.1	2.68
				Blake .....	183 56 42	1661.2	1816.6	1.03
				Murphy .....	159 32 20	5721.8	6237.2	3.55
				Murphy .....	250 25 58	3850.4	4210.7	2.39
				Cedar Island, 1857.....	55 56 36	4157.9	4579.8	2.60
				Blake .....	8 17 36	6137.9	6712.2	3.81
				Cape Roman, old light ..	191 29 08	6785.5	7420.4	4.21
				Jeremy.....	317 05 08	8792.6	9522.5	5.44
				Blake .....	9 51 17	12863.5	14067.1	7.99

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section V.—Charleston Harbor to Winyah Bay. Sketch E, No. 16.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Ormond Hall, west chimney of house.	33 07 04.26	79 23 18.05	247 03 50 288 44 22	Blake .....	67 05 13	4250.2	4647.9	2.64
				Murphy .....	108 46 29	6368.4	6964.3	3.96
Ormond Hall, west apex of barn.	33 07 05.04	79 23 18.83	247 27 57 288 53 04	Blake .....	67 29 20	4259.5	4658.1	2.65
				Murphy .....	108 55 11	6395.3	6993.7	3.97
Chimney near Rice Mill, with red roof, (Indian Hill.)	33 09 43.42	79 20 44.88	0 58 35 343 29 38	Blake .....	180 58 34	3947.8	3551.7	2.02
				Murphy .....	163 30 21	7249.2	7927.5	4.50
Raccoon Island .....	33 00 21.59	79 25 47.70	77 35 40 177 18 58	N. E. Bull .....	257 33 44	5696.1	6229.1	3.54
				Jeremy .....	357 18 50	7814.3	8545.5	4.85
Leaning Pole .....	33 00 38.67	79 27 28.04	59 23 07 131 56 55	N. E. Bull .....	239 22 05	3437.9	3759.6	2.14
				Live Oak .....	311 55 01	7263.7	7943.3	4.51
Pole, with white flag .....	33 02 28.39	79 26 23.66	101 47 41 188 16 16	Live Oak .....	281 45 19	7234.9	7900.9	4.49
				Jeremy .....	8 16 28	3940.6	4309.3	2.45
Old Mill .....	33 01 36.08	79 22 17.58	353 22 42 72 18 37	Cape Roman, old light..	173 22 44	964.3	1054.5	0.60
				N. E. Bull .....	252 14 46	11564.0	12646.0	7.18
Moreland's Mill, chimney .....	33 09 53.40	79 19 54.06	354 09 48 19 31 00	Murphy .....	174 10 04	7295.8	7978.5	4.53
				Cape Roman, old light..	192 20 44	16673.2	18233.3	10.36
South West Cape .....	33 00 44.01	79 20 38.46	104 25 16 190 47 08	Cape Roman, old light..	284 24 23	9259.7	9837.5	1.61
				Murphy .....	10 47 47	9839.4	10760.1	6.11
North West Cape .....	33 03 18.15	79 21 19.77	18 42 37 211 04 50	Cape Roman, old light..	198 42 08	4330.6	4736.0	2.69
				Murphy .....	31 05 52	5742.0	6279.3	3.57
White over Blue Flag in marsh..	33 03 05.94	79 25 44.58	304 11 27 92 16 21	Cape Roman, old light..	124 13 22	6698.3	7248.5	4.12
				Live Oak .....	279 13 21	8092.6	8849.8	5.03
Eddie .....	33 01 06.88	79 29 20.14	147 57 24 1 04 12	Live Oak .....	327 56 32	4701.8	5141.7	2.92
				N. E. Bull .....	181 04 11	2620.7	2865.9	1.63
Manigault .....	33 00 25.49	79 34 43.70	277 24 51	Owendaw .....	97 24 55	208.4	227.9	0.13
Long Hammock .....	33 02 21.30	79 30 31.91	159 29 58 339 43 53	Live Oak .....	339 29 45	1807.1	1976.2	1.12
				N. E. Bull .....	159 44 31	5226.8	5726.8	3.25
Marsh .....	33 00 58.82	79 30 48.99	177 25 54 316 24 59	Live Oak .....	357 25 50	4237.5	4624.0	2.63
				N. E. Bull .....	136 25 46	3274.5	3580.9	2.03
Bull's Island Light .....	32 55 18.34	79 33 43.65	171 50 48 219 54 50	Owendaw .....	351 50 20	9531.0	10422.8	5.92
				N. E. Bull .....	39 57 12	10584.5	11574.2	6.58
Charlie .....	33 01 24.00	79 32 51.60	55 54 45 220 51 18	Owendaw .....	235 53 48	3263.3	3568.6	2.03
				Live Oak .....	40 52 21	4572.1	4999.9	2.84
Petrel Bank .....	32 59 12.06	79 32 38.15	19 35 24 196 13 20	Bird Island .....	199 34 57	3898.6	4262.4	2.42
				Owendaw .....	306 12 16	3782.9	4136.9	2.35
West Chimney of house on main.	33 02 01.59	79 34 12.74	352 36 18 11 17 43	Bird Island .....	172 38 42	8968.7	9807.9	5.57
				Owendaw .....	191 17 31	3046.0	3331.0	1.89
Summer-house, east apex .....	32 55 19.81	79 33 38.00	170 55 58 184 03 51	Owendaw .....	350 55 27	9507.8	10397.4	5.91
				Bird Island .....	4 03 56	3490.0	3816.6	2.17
Mink Point .....	32 57 50.88	79 37 59.89	238 12 12 379 25 27	Owendaw .....	48 14 03	7107.4	7772.4	4.42
				Bird Island .....	99 27 55	7144.8	7813.3	4.44
Shell Signal .....	32 55 41.09	79 39 39.61	222 04 32 213 08 32	Owendaw .....	42 07 18	11770.4	12871.8	7.31
				Wagner, (2) .....	33 09 06	2974.6	3252.9	1.85
Wagner, (1) .....	32 57 02.39	79 38 37.40	308 57 31 5 05 39	Middle .....	128 58 54	5127.6	5607.4	3.19
				Jamie .....	185 05 25	7466.2	8164.8	4.64
Alexander .....	32 58 03.93	79 36 04.44	64 30 03 207 58 57	Wagner, (1) .....	244 28 40	4401.4	4813.2	2.74
				Owendaw .....	37 59 45	4907.5	5366.7	3.05
North Wind .....	32 53 41.26	79 39 40.52	144 00 27 194 49 25	Humphries .....	323 59 53	2794.4	3055.8	1.74
				Wagner, (1) .....	14 49 59	6409.0	7008.7	3.98
Fort Point .....	32 55 30.54	79 35 47.44	47 14 46 228 52 14	Middle .....	227 14 37	582.8	637.3	0.36
				Bird Island .....	48 53 29	4791.2	5239.5	2.98
Post with Cross in water .....	32 55 58.71	79 35 20.54	231 52 56 41 43 43	Bird Island .....	51 53 57	3699.5	4045.7	2.30
				Middle .....	221 43 19	1699.3	1850.6	1.05
Caswell .....	32 56 21.02	79 36 43.75	252 31 19 332 03 10	Bird Island .....	72 33 05	5316.6	5814.1	3.30
				Middle .....	152 03 32	2908.3	3141.9	1.37
Peach Tree .....	32 54 59.43	79 37 28.02	255 33 18 34 03 13	Middle .....	75 34 04	2356.3	2467.4	1.40
				Jamie .....	214 02 22	4404.3	4816.4	2.74
Chimney without house .....	32 55 55.31	79 39 33.48	215 33 47 232 00 02	Wagner, (2) .....	35 34 18	2523.2	2759.3	1.57
				Middle .....	192 01 56	5566.0	6086.8	3.46
Family Hydrographic Signal .....	32 55 47.32	79 34 43.25	108 21 18 110 50 07	Caswell .....	288 20 13	3397.9	3696.5	2.05
				Wagner, (1) .....	290 48 00	6506.5	7115.3	4.04

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section VI.—*St. Mary's river. St. Mary's towards Cedar Keys. Sketch E, No. 20.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	" ' "	" ' "	" ' "		" ' "	Metres.	Yards.	Miles.
Tiger Island Base, south end....	30 41 42.21	81 28 22.70	.....	.....	.....	.....	.....	.....
Tiger Island Base, north end....	30 42 30.20	81 28 48.08	335 25 25	South Base.....	155 26 38	1624.7	1776.7	1.01
Cumberland.....	30 43 23.19	81 27 41.47	19 25 20 47 22 12	South Base..... North Base.....	199 25 59 227 21 38	3297.2 2408.8	3605.7 2634.2	2.05 1.50
Point Peter.....	30 43 38.24	81 30 37.11	314 57 54 275 39 02	South Base..... Cumberland.....	134 59 03 95 40 32	5054.8 4695.2	5527.8 5134.5	3.14 2.92
Fernandina, geodetic station....	30 40 35.24	81 27 42.78	180 23 12 140 33 07	Cumberland..... Point Peter.....	0 23 13 320 31 38	5171.7 7298.5	5655.6 7981.4	3.21 4.53
Fernandina, astronomical station.	30 40 17.57	81 27 42.78	179 59 57	Fernandina, geodetic station.	359 59 57	544.1	595.0	0.31
Martin's Island.....	30 41 15.45	81 30 58.77	233 08 36 187 28 04	Cumberland..... Point Peter.....	53 10 17 7 28 15	6559.7 4434.3	7173.5 4849.2	4.08 2.76
McLure.....	30 40 55.94	81 26 53.69	95 16 45 164 20 27	Martin's Island..... Cumberland.....	275 14 40 344 20 02	6549.9 4708.9	7169.8 5149.5	4.07 2.93
Rose's Bluff.....	30 49 43.58	81 35 00.93	292 49 18 256 29 47	Martin's Island..... Point Peter.....	112 51 22 76 32 02	6991.5 7217.4	7645.7 7892.7	4.34 4.48
Sand Hill, (1).....	30 42 18.14	81 27 01.50	152 02 20 97 28 14	Cumberland..... North Base.....	332 02 00 277 27 20	2367.6 2860.1	2490.0 3127.7	1.41 1.78
Sand Hill, (2).....	30 42 11.34	81 27 29.61	171 53 09 105 33 20	Cumberland..... North Base.....	351 53 03 285 32 40	224.8 2167.2	2443.9 2370.0	1.29 1.35
Dufour.....	30 43 14.70	81 32 55.59	319 44 39 73 58 29	Martin's Island..... Rose's Bluff.....	139 45 39 253 57 25	4810.8 3469.3	5260.9 3793.9	2.99 2.16
Tiger Island, pine.....	30 42 13.14	81 28 37.67	152 12 03 271 45 06	North Base..... Sand Hill, (2).....	332 11 57 91 45 40	594.0 1811.7	649.6 1981.2	0.37 1.12
S. E. Point, Cumberland, white flag in tree.	30 43 06.30	81 27 57.59	335 15 28 59 23 55	Sand Hill, (2)..... North Base.....	156 15 42 230 23 29	1848.9 1743.5	2021.9 1906.6	1.15 1.08
Cumberland, black flag in tree..	30 43 27.56	81 28 20.25	22 44 57 330 08 31	North Base..... Sand Hill, (2).....	202 44 43 150 08 57	1914.9 2706.2	2094.1 2959.4	1.19 1.68
No. 5, (T. R.) ..	30 41 44.49	81 28 07.71	142 29 20 239 47 51	North Base..... Sand Hill, (2).....	322 38 59 50 48 11	1770.8 1308.1	1936.5 1430.5	1.10 0.81
Tiger Island, white flag in tree..	30 41 14.83	81 27 47.67	122 07 54 195 26 10	South Base..... Sand Hill, (2).....	312 07 36 15 26 30	1257.2 1805.0	1374.8 1973.9	0.78 1.12
Pilot Lookout, ..	30 41 24.28	81 27 07.04	105 20 21 157 29 03	South Base..... Sand Hill, (2).....	285 19 42 337 28 51	2087.9 1568.5	2283.3 1715.3	1.30 0.97
No. 2, (T. R.).....	30 41 02.52	81 27 49.28	143 57 41 277 47 20	South Base..... McLure.....	323 57 24 97 47 48	1511.6 1493.3	1653.0 1633.0	0.94 0.93
Yellow Bluff, white flag.....	30 40 36.13	81 27 40.07	150 51 38 243 42 08	South Base..... McLure.....	330 51 16 63 42 32	2329.6 1376.9	2547.6 1505.7	1.45 0.85
Yellow Bluff, north gable end of hotel.	30 40 24.63	81 27 39.00	231 21 17 106 24 53	McLure..... Martin's Island.....	51 21 40 286 23 11	1544.0 5542.1	1688.5 6060.7	0.96 3.44
Amelia Light-house.....	30 40 22.24	81 26 27.04	192 37 23 160 22 08	Martin's Island..... Cumberland.....	282 35 04 340 21 30	7410.3 5893.1	8103.7 6444.5	4.60 3.66
No. 8, (A.).....	30 41 28.90	81 26 04.17	52 24 55 16 41 44	McLure..... Amelia Light-house....	232 24 30 196 41 32	1663.3 2120.3	1818.9 2318.7	1.03 1.32
No. 9, (A.).....	30 40 34.67	81 25 55.10	112 47 41 171 47 01	McLure..... No. 8, (A.).....	292 47 11 351 46 56	1691.4 1687.1	1849.7 1845.0	1.05 1.05
No. 1, Marsh island.....	30 44 58.78	81 29 02.01	323 56 32 45 34 37	Cumberland..... Point Peter.....	143 57 13 225 33 48	3640.1 3542.1	3980.7 3873.5	2.26 2.20
Black Flag, Marsh island.....	30 44 33.91	81 29 26.36	307 57 44 47 39 39	Cumberland..... Point Peter.....	127 58 38 227 39 03	2538.9 2545.8	2870.0 2784.0	2.20 1.58
Black Flag in tree, ocean side, Amelia.	30 40 29.71	81 25 57.20	118 15 27 174 11 42	McLure..... No. 8, (A.).....	298 14 58 354 11 38	1706.9 1832.0	1866.6 2003.4	1.06 1.14
Dungeness.....	30 44 54.03	81 28 09.57	345 01 39 59 15 28	Cumberland..... Point Peter.....	165 01 53 239 14 13	2894.5 4566.0	3165.3 4992.2	1.80 2.84
White and Black Flag, ocean side, Cumberland sound.	30 45 31.76	81 29 18.69	30 49 35 351 42 44	Point Peter..... North Base.....	210 48 56 171 43 00	4070.4 5649.5	4451.3 6178.1	2.53 3.51
White Flag, mouth of St. Mary's river.	30 43 18.36	81 29 58.29	93 02 24 120 39 58	Martin's Island..... Point Peter.....	203 01 53 300 39 38	4112.6 1200.4	4497.4 1312.7	2.55 0.74
Black Flag on Jolly river.....	30 43 31.38	81 30 03.86	32 00 18 156 45 00	Martin's Island..... Point Peter.....	211 59 50 336 44 43	2757.3 2240.6	3015.3 2450.2	1.71 1.39

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section VI.—*St. Mary's river. St. Mary's towards Cedar Keys. Sketch E, No. 20.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	<i>Me'tres.</i>	<i>Yards.</i>	<i>Miles.</i>
White Flag in tree in hammock.	30 41 46.27	81 29 40.02	225 36 43 273 28 26	North Base .....	45 37 10	1933.9	2114.8	1.20
				South Base .....	93 29 05	2061.3	2254.2	1.28
Woodland's Island, dead tree...	30 41 32.74	81 28 51.98	183 21 43 249 28 33	North Base .....	3 21 45	1772.5	1938.4	1.10
				South Base .....	69 29 48	832.0	909.9	0.52
Forks of Bell's River, white and black flag.	30 41 18.45	81 29 16.94	88 03 37 153 39 47	Martin's Island .....	268 02 45	2711.7	2965.6	1.68
				Point Peter .....	333 38 06	4804.1	5253.4	2.98
Mouth of Bell's River, red flag..	30 40 19.41	81 28 15.60	111 40 51 175 45 32	Martin's Island .....	291 39 28	4679.9	5110.1	2.90
				South Base .....	355 45 28	2556.5	2795.7	1.59
Amelia River, red, white, and black flag.	30 39 53.30	81 29 00 35	128 45 20 196 37 39	Martin's Island .....	306 44 20	4041.6	4419.8	2.51
				South Base .....	16 37 58	3500.2	3827.7	2.17
Bell's River, black, white, and red flag.	30 40 28.23	81 30 20.40	144 52 23 234 00 05	Martin's Island .....	324 52 03	1774.2	1940.2	1.10
				South Base .....	54 01 05	3871.2	4233.4	2.41
Black and White Flag in Palmetto.	30 41 06.03	81 30 29.00	110 06 15 251 39 04	Martin's Island .....	290 06 00	843.9	922.9	0.52
				South Base .....	71 40 08	3541.3	3872.7	2.20
Island in Jolly River, red and white flag.	30 42 07.95	81 30 58.72	0 03 28 133 28 17	Martin's Island .....	180 03 28	1616.6	1767.9	1.00
				Dufour .....	303 27 17	3727.2	4075.9	2.32
White Flag opposite North River.	30 43 20.19	81 31 44.46	342 26 25 84 54 15	Martin's Island .....	162 26 48	4028.5	4405.4	2.50
				Dufour .....	264 53 39	1900.2	2078.0	1.18
North River, 1st mill chimney...	30 44 05.76	81 32 16.45	287 46 45 338 19 06	Point Peter .....	107 47 36	2775.4	3035.1	1.72
				Martin's Island .....	158 29 46	5636.5	6163.9	3.50
North River, 2d mill chimney...	30 44 19.64	81 32 19.67	235 02 34 339 12 49	Point Peter .....	115 03 26	3011.5	3293.3	1.87
				Martin's Island .....	159 13 30	6066.4	6634.0	3.77
Third Mill, Hall & Temple's....	30 44 30.74	81 32 05.09	374 37 45 343 38 38	Point Peter .....	124 36 30	2844.2	3110.3	1.77
				Martin's Island .....	163 39 12	6266.7	6833.1	3.89
St. Mary's Presbyterian Church Spire.	30 43 30.40	81 32 46.81	68 00 22 25 48 14	Rose's Bluff .....	247 59 14	3348.1	3628.2	2.39
				Dufour .....	205 48 10	537.0	587.2	0.33
Bum's Iron Chimney.....	30 43 13.01	81 32 44.86	257 07 04 322 02 51	Point Peter .....	77 08 09	3486.1	3812.3	2.17
				Martin's Island .....	149 03 45	4590.5	5020.0	2.85
Market-house Bell Tower Staff..	30 43 12.42	81 32 49.06	257 13 48 320 49 19	Point Peter .....	77 14 55	3599.1	3933.9	2.24
				Martin's Island .....	140 50 15	4645.8	5080.5	2.89
Mill Chimney in St. Mary's.....	30 43 12.72	81 32 50.27	259 15 11 318 23 23	Point Peter .....	78 16 24	3862.6	4224.0	2.40
				Martin's Island .....	138 24 25	4823.8	5239.6	3.00
Jolly River, black and white flag.	30 41 55.70	81 32 13.64	301 52 36 155 21 30	Martin's Island .....	121 53 14	2346.3	2565.8	1.46
				Dufour .....	335 21 09	2678.5	2926.9	1.66
Martin's Island, dead tree.....	30 41 29.27	81 31 21.96	304 35 10 142 30 15	Martin's Island .....	124 35 22	749.3	819.4	0.47
				Dufour .....	322 29 27	4091.9	4474.8	2.54
North gable end of Boat-house ..	30 40 55.12	81 31 31.01	233 53 01 152 22 02	Martin's Island .....	53 53 17	1062.0	1161.4	0.66
				Dufour .....	332 21 19	4351.6	4735.6	3.01
Clark's Chimney.....	30 39 48.98	81 31 19 71	191 43 40 233 18 45	Martin's Island .....	371 43 51	2741.6	2998.1	1.70
				South Base .....	53 20 15	5373.8	5843.4	3.65
Cooper's Chimney.....	30 41 13.25	81 32 53.39	268 43 00 179 06 15	Martin's Island .....	88 43 58	3051.0	3338.5	1.89
				Dufour .....	359 06 14	3740.2	4090.2	2.32
Bell's River, white and red flag..	30 42 21.75	81 33 24.72	297 42 18 205 25 04	Martin's Island .....	117 44 32	4387.4	4797.9	2.73
				Dufour .....	25 25 19	1805.1	1974.0	1.12
St. Mary's Point, black and red flag.	30 42 38.97	81 32 07.81	324 27 27 130 52 49	Martin's Island .....	144 28 02	3160.3	3450.0	1.96
				Dufour .....	310 52 25	1681.3	1836.6	1.04
St. Mary's River, black, white and red flag.	30 42 41.11	81 33 45.78	300 40 54 232 13 33	Martin's Island .....	120 42 19	5167.3	5650.8	3.21
				Dufour .....	52 13 59	1628.6	1766.6	1.05
Rose's Bluff, black and white flag.	30 42 08.18	81 34 41.95	285 16 34 224 05 49	Martin's Island .....	105 18 28	6156.8	6732.9	3.83
				Dufour .....	54 06 43	3493.2	3829.1	2.17
St. Mary's River, white and red flag.	30 43 28.22	81 34 45.68	304 05 20 278 05 08	Martin's Island .....	124 07 16	7291.4	7973.6	4.53
				Dufour .....	98 06 04	2258.2	2435.0	1.84
St. Mary's River, white flag.....	30 43 31.39	81 34 25.70	307 13 52 282 05 41	Martin's Island .....	127 15 38	6916.0	7563.1	4.30
				Dufour .....	102 06 27	2451.7	2681.1	1.52
Dead Tree, on Burwell's creek..	30 44 36 17	81 34 34.60	11 23 04 313 34 30	Rose's Bluff .....	191 22 51	3536.6	3867.5	2.20
				Dufour .....	133 35 30	3638.9	3979.4	2.26
Black and Red Flag, northeast point of Amelia island.	30 42 07.21	81 26 19.26	106 40 36 136 56 09	Sand Hill, (1) .....	286 40 14	1173.0	1282.8	0.73
				Cumberland .....	316 55 27	3202.7	3502.4	1.99
Red Flag, east side of Cumberland island.	30 44 25.98	81 27 34.14	5 46 04 73 12 08	Cumberland .....	185 45 27	1943.5	2125.3	1.21
				Point Peter .....	253 10 35	5064.1	5539.8	3.16
Red Flag, on Cumberland sound.	30 44 11.91	81 28 53.33	208 07 20 329 02 08	Cumberland .....	128 07 57	2430.0	2657.4	1.51
				Sand Hill, (2) .....	149 02 51	4329.6	4734.7	2.6

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section VI.—St. Mary's river. St. Mary's, toward Cedar Keys. Sketch E, No. 20.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Bird Nest Tree .....	30 44 04.02	81 30 35.01	6 56 48 321 07 06	Martin's Island .....	186 56 36	5229.0	5718.3	3.25
				South Base .....	141 08 14	5678.5	6133.3	3.48
Red Flag, in hammock, on Tiger island.	30 43 02.09	81 29 39.03	94 03 23 121 34 29	Dufour .....	274 01 38	5508.9	6024.4	3.42
				Point Peter .....	301 33 54	2125.7	2324.6	1.32
Prevart's House, west chimney..	30 42 05.00	81 34 18.02	286 02 30 136 08 53	Martin's Island .....	106 04 12	5517.2	6033.4	3.43
				Rose's Bluff .....	316 08 31	1617.5	1801.6	1.02
White Flag, in tree, above Rose's Bluff.	30 43 03.09	81 34 52.54	20 21 24 263 26 22	Rose's Bluff .....	200 21 20	640.8	700.7	0.40
				Dufour .....	83 27 22	3131.9	3424.9	1.95
<i>St. Mary's, toward Cedar Keys.</i>								
Cooper .....	30 41 34.97	81 34 15.92	279 56 36 236 52 56	Fernandina Geod. Stat'n.	99 59 56	10623.0	11617.0	6.60
				Point Peter .....	56 54 48	6949.7	7600.0	4.32
O'Neil .....	30 36 09.69	81 31 51.03	218 53 58 158 56 54	Fernandina Geod. Stat'n.	38 58 04	10514.3	11498.1	6.53
				Cooper .....	338 55 41	10733.4	11737.7	6.67
Braddock .....	30 37 03.48	81 38 28.54	218 47 44 278 51 52	Cooper .....	38 49 53	10728.9	11732.8	6.67
				O'Neil .....	98 55 14	10715.5	11718.2	6.66
Dunn's Creek .....	30 31 38.97	81 36 03.58	158 52 42 218 53 42	Braddock .....	338 51 29	10712.6	11715.0	6.66
				O'Neil .....	38 55 50	10713.0	11715.4	6.66
Bear Branch .....	30 32 29.23	81 42 17.31	215 46 11 278 48 13	Braddock .....	35 50 07	10414.6	11389.1	6.47
				Dunn's Creek .....	98 51 23	10089.8	11024.1	6.26
Cedar Creek .....	30 27 21.27	81 46 01.36	218 56 14 158 54 05	Dunn's Creek .....	38 58 15	10085.1	11028.8	6.26
				Bear Branch .....	338 52 56	10065.5	11007.3	6.25
King's Road .....	30 28 50.51	81 47 26.93	230 46 04 282 33 52	Bear Branch .....	50 49 41	10653.2	11650.0	6.62
				Cedar Creek .....	102 37 38	12177.1	13316.5	7.57
Pickett .....	30 22 23.37	81 44 41.81	218 54 41 159 43 40	Cedar Creek .....	38 57 03	11910.3	13024.7	7.40
				King's Road .....	359 42 16	12708.7	13897.8	7.90
Brandy Branch .....	30 24 13.78	81 53 57.70	220 42 44 282 51 55	King's Road .....	50 46 02	13461.5	14724.4	8.37
				Pickett .....	102 56 36	15222.0	16647.4	9.46
McGirt's Creek .....	30 17 14.48	81 50 03.42	222 03 55 154 09 42	Pickett .....	42 06 37	12815.7	14014.9	7.96
				Brandy Branch .....	334 07 44	14346.5	15688.9	8.91
Big Creek .....	30 18 39.14	82 01 56.88	231 07 18 277 44 12	Brandy Branch .....	51 11 20	16428.2	17905.4	10.21
				McGirt's Creek .....	97 50 12	19239.4	21039.6	11.95
Padgett .....	30 11 05.31	81 56 27.23	222 02 47 147 47 10	McGirt's Creek .....	42 06 00	15313.2	16746.1	9.51
				Big Creek .....	327 44 24	16520.0	18065.8	10.26

*Section VI.—Cape Sable to Matcumbe Key. Sketch No. 21.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Cape Sable Base, east end .....	25 08 27.92	81 00 36.48						
Cape Sable Base, west end .....	25 07 16.04	81 04 12.10	249 52 35	East Base .....	69 54 07	6431.5	7033.3	4.00
Oyster Key .....	25 06 09.45	80 57 14.09	126 56 13 99 56 57	East Base .....	306 54 46	7091.4	7754.9	4.41
				West Base .....	279 53 59	11887.7	13000.0	7.39
Sandy Key .....	25 02 02.41	81 00 49.56	181 46 08 149 32 58	East Base .....	1 46 14	11866.6	12977.0	7.37
				West Base .....	329 31 32	11194.9	12242.4	6.96
Man-of-war Bush .....	25 01 52.68	80 54 48.73	152 43 55 91 43 02	Oyster Key .....	332 42 53	8868.5	9720.2	5.52
				Sandy Key .....	271 40 29	10118.8	11065.6	6.29
Schooner Bank .....	24 58 09.86	80 58 34.89	152 11 14 225 46 20	Sandy Key .....	332 10 17	8090.1	8847.1	5.03
				Man-of-war Bush .....	42 46 56	9238.6	10212.4	5.80
Rabbit Key .....	24 58 46.24	80 49 36.81	107 47 03 123 16 48	Sandy Key .....	287 42 17	19803.7	21656.7	12.30
				Man-of-war bush .....	303 14 36	10458.5	11437.1	6.50
Horseneck Shoal, east .....	24 53 17.48	80 51 44.18	128 00 12 199 26 51	Schooner Bank .....	307 57 19	14618.1	15985.2	9.08
				Rabbit Key .....	19 27 45	10727.5	11731.3	6.67
Buchanan .....	24 55 01.53	80 46 50.08	145 57 08 68 48 31	Rabbit Key .....	325 55 58	8345.4	9126.2	5.18
				Horseneck Shoal, east .....	248 46 27	8848.5	9676.5	5.60
Twin Keys .....	24 57 57.22	80 44 40.99	100 19 50 33 48 21	Rabbit Key .....	280 17 45	8436.3	9214.7	5.34
				Buchanan .....	213 47 27	6504.7	7113.3	4.04



## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section VI.—Cape Sable to Matacumbe key—Florida reef, from Matacumbe to Rodriguez. Sketch No. 21.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back Azimuth	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	<i>Metres.</i>	<i>Yards.</i>	<i>Miles.</i>
Lignum Vite.....	24 53 58.06	80 42 17.87	151 22 23 104 21 24	Twin Keys .....	331 21 21	8363.4	9167.6	5.21
				Buchanan .....	284 19 29	7884.5	8622.3	4.90
Matacumbe .....	24 50 56.02	80 44 09.76	209 15 07 149 12 45	Lignum Vite.....	29 15 54	6419.5	7020.2	3.99
				Buchanan .....	329 11 38	8793.1	9615.9	5.46
Centre Key .....	24 55 47.63	80 49 46.97	129 58 01 106 29 41	Rabbit Key.....	2 58 05	5509.6	6017.5	3.42
				Schooner Bank .....	226 25 58	15441.6	16886.5	9.59
Jardella .....	24 55 59.74	80 48 40.33	162 49 03 300 05 45	Rabbit Key.....	342 48 39	5362.1	5863.6	3.33
				Buchanan .....	120 09 31	3571.4	3905.6	2.22
Barnes .....	24 56 22.80	80 47 26.22	237 52 40 337 59 40	Twin Keys.....	57 53 50	5464.4	5975.7	3.39
				Buchanan .....	157 59 55	2697.0	2949.3	1.67
Palm Tree.....	25 09 30.67	81 07 54.90	319 31 22 279 44 59	Sandy Key.....	139 34 23	18366.8	20085.4	11.41
				East Base .....	99 48 05	12458.6	13624.4	7.74
Cape Sable.....	25 06 53.05	81 04 59.20	275 51 03 321 57 00	Oyster Key.....	95 54 21	13098.2	14323.8	8.14
				Sandy Key.....	141 58 46	11353.3	12415.6	7.05
Spoonbill .....	25 07 22.49	81 00 01.21	7 50 09 205 37 59	Sandy Key.....	187 49 48	9940.6	10870.7	6.18
				Oyster Key.....	115 39 10	5192.8	5678.7	3.23
Dorr .....	25 06 09.42	81 02 37.36	338 18 53 269 58 25	Sandy Key.....	158 19 39	8178.3	8943.5	5.08
				Oyster Key.....	90 00 43	9056.2	9903.6	5.63
Curlew .....	25 07 28.31	80 59 38.42	11 14 48 300 57 40	Sandy Key.....	191 14 18	10223.3	11179.9	6.35
				Oyster Key.....	120 58 41	4715.4	5156.6	2.93
Clive .....	25 04 37.76	80 55 52.16	340 43 17 60 11 11	Man-of-war Bush.....	160 42 44	5381.2	5884.7	3.34
				Sandy Key.....	240 09 05	9607.6	10566.6	5.97
Flamingo .....	25 01 49.19	80 57 08.02	93 45 41 178 47 00	Sandy Key.....	273 44 07	6293.2	6805.5	3.67
				Oyster Key.....	358 46 57	8009.3	8758.7	4.97
Blue Bank .....	24 59 48.78	80 57 01.14	224 13 58 122 42 59	Man-of-war Bush.....	44 14 54	5321.0	5818.9	3.31
				Sandy Key.....	302 41 22	7609.6	8321.8	4.73
Oxfoot .....	24 59 24.33	81 00 21.10	243 53 04 170 41 15	Man-of-war Bush.....	63 55 25	10376.4	11347.3	6.45
				Sandy Key.....	350 41 03	4928.8	5390.0	3.06
Jewfish .....	24 50 31.18	80 47 39.74	262 35 50 234 48 00	Matacumbe.....	82 37 18	5943.6	6499.7	3.69
				Lignum Vite.....	54 50 25	11049.0	12082.8	6.86
Bowlegs Key.....	24 54 43.07	80 44 37.90	289 24 28 353 31 32	Lignum Vite.....	109 25 27	4166.8	4556.5	2.59
				Matacumbe.....	173 31 44	7631.0	8388.9	4.37
Paola .....	24 51 14.15	80 44 30.36	150 43 14 216 22 36	Buchanan .....	330 42 15	8021.8	8772.4	4.98
				Lignum Vite.....	36 23 32	6264.7	6860.9	3.89
Osceola Key .....	24 51 51.15	80 43 47.05	136 45 00 212 37 46	Buchanan .....	318 43 43	7732.7	8521.9	4.84
				Lignum Vite.....	32 38 23	4637.2	5071.1	2.88
<i>Florida reef, from Matacumbe to Rodriguez.</i>								
Alligator reef.....	24 51 01.95	80 37 11.00	89 08 09 122 11 16	Matacumbe.....	269 05 12	11755.8	12855.9	7.30
				Lignum Vite.....	302 09 07	10177.6	11129.9	6.32
Tea Table key.....	24 53 28.58	80 39 33.33	58 49 12 318 29 22	Matacumbe.....	238 47 16	9069.7	9918.3	5.63
				Alligator Reef.....	138 30 22	6029.1	6593.2	3.75
Plantation Point.....	24 57 19.80	80 34 00.70	52 42 08 24 39 55	Tea Table Key.....	232 39 48	11730.4	12828.0	7.29
				Alligator Reef.....	204 39 37	12792.3	13969.3	7.95
Crocus Reef.....	24 54 32.81	80 31 43.02	143 03 41 81 31 26	Plantation Point.....	323 02 43	6429.2	7030.8	3.99
				Tea Table Key.....	261 29 08	13349.9	14591.4	8.29
Tavernier Key.....	24 59 43.81	80 30 20.79	13 39 06 54 18 26	Crocus Reef.....	193 31 31	9849.8	10763.8	6.12
				Plantation Point.....	234 16 52	7592.6	8303.0	4.72
Conch Reef .....	24 57 03.03	80 27 49.99	92 51 46 139 28 18	Plantation Point.....	278 49 10	10410.9	11385.0	6.47
				Tavernier Key.....	319 27 16	6509.7	7118.8	4.04
Dove Key .....	25 02 47.27	80 28 32.26	28 18 42 353 35 32	Tavernier Key.....	208 18 00	6412.1	7012.1	3.98
				Conch Reef.....	173 35 50	10659.2	11656.6	6.62
Pickle's Reef.....	24 59 21.41	80 24 55.65	138 19 49 94 20 39	Dove Key.....	316 11 11	8776.8	9598.0	5.45
				Tavernier Key.....	274 18 21	9143.5	9969.1	5.68
Point Charles .....	25 04 30.43	80 26 38.93	35 11 08 343 02 17	Tavernier Key.....	215 09 34	10789.3	11766.9	6.70
				Pickle's Reef.....	163 03 01	9941.1	10871.3	6.18
Dry Rocks .....	25 03 34.10	80 22 12.64	115 37 09 69 03 53	Point Charles.....	295 35 16	8277.8	9052.1	5.14
				Tavernier Key.....	249 00 32	14652.8	16022.9	9.10
French Reef .....	25 02 05.56	80 21 05.67	95 52 44 115 31 42	Dove Key.....	275 49 35	12583.9	13761.4	7.68
				Point Charles.....	295 29 21	10351.4	11320.0	6.43
Indian Key .....	24 52 34.41	80 40 39.19	231 49 13 227 53 26	Plantation Point.....	51 22 01	14214.4	15544.4	8.83
				Tea Table Key.....	47 53 54	2400.4	2723.4	1.55

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section VI.—Florida reef, from Matacumba to Rodriguez. Sketch No. 21.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Rodriguez, east .....	25 02 50.74	80 23 41.73	181 26 25 46 52 26	Point Charles..... Tavernier Key.....	1 26 26 226 50 54	3068.7 8419.0	3355.8 9199.1	1.31 5.23
Rodriguez, west.....	25 02 54.29	80 27 46.49	212 55 48 36 25 15	Point Charles..... Tavernier Key.....	32 36 17 216 24 10	2511.6 7282.8	3840.2 7864.2	2.18 4.52
Wreck Point.....	25 01 19.91	80 29 44.03	221 28 57 294 15 12	Point Charles..... Pickle's Reef.....	41 30 15 114 17 14	7896.9 8371.3	8559.3 9701.4	4.86 5.51
Libra ... ..	25 00 05.40	80 31 05.43	227 56 57 43 57 57	Tavernier Key..... Plantation Point.....	117 57 16 223 56 43	1417.3 7078.5	1549.9 7740.8	0.88 4.40
Virgo.....	24 59 28.52	80 32 07.52	261 03 31 355 39 19	Tavernier Key..... Crocus Reef.....	81 04 16 175 39 29	3029.6 9125.1	3313.1 9978.9	1.88 5.67
Taurus.....	24 58 56.79	80 32 35.66	249 03 14 349 40 09	Tavernier Key..... Crocus Reef.....	69 04 11 169 40 31	4049.1 8256.2	4428.0 9028.7	2.51 5.13
Leo.....	24 58 13.14	80 33 10.47	239 36 01 340 05 11	Tavernier Key..... Crocus Reef.....	59 37 13 160 05 40	5514.7 7210.7	6030.7 7885.4	3.43 4.48
Walker Bank.....	24 56 44.78	80 34 53.15	233 47 10 52 25 54	Plantation Point..... Tea Table Key.....	53 47 32 2-2 27 52	1833.7 9907.2	1994.3 10834.2	1.13 6.16
Old Wreck on Reef.....	24 52 14.67	80 36 55.65	117 15 05 95 32 14	Tea Table Key..... Indian Key.....	297 13 59 275 30 40	4976.8 6303.0	5442.5 6892.8	3.09 3.92
Graham.....	24 56 54.27	80 35 26.62	304 44 04 47 34 44	Crocus Reef..... Tea Table Key.....	124 45 38 227 53 00	7636.8 9374.8	8351.4 10252.0	4.74 5.82
Bailey.....	24 56 31.63	80 36 10.92	295 55 07 45 15 10	Crocus Reef..... Tea Table Key.....	115 57 00 225 13 45	8339.3 7994.1	9141.5 8742.1	5.19 4.97
Dana.....	24 55 41.23	80 37 19.06	2-2 49 35 359 46 49	Crocus Reef..... Alligator Reef.....	102 51 54 179 46 49	9470.0 8592.9	10356.1 9396.9	5.88 5.34
Corwin.....	24 55 02.62	80 37 50.84	236 59 49 351 25 43	Plantation Point..... Alligator Reef.....	57 01 26 171 26 00	7395.6 7520.0	8415.7 8223.6	4.78 4.67
Agassiz.....	24 54 32.03	80 38 25.69	342 00 51 44 13 53	Alligator Reef..... Tea Table Key.....	162 01 22 224 13 25	6795.9 2719.1	7431.8 2973.5	4.22 1.69
Bowditch Point.....	24 53 48.38	80 39 30.10	40 24 23 8 21 14	Indian Key..... Tea Table Key.....	220 23 54 128 21 13	2990.1 611.9	3269.9 669.1	1.86 0.38
Petrel Point.....	24 53 51.21	80 39 39.44	346 03 13 35 20 17	Tea Table Key..... Indian Key.....	166 03 16 215 19 52	714.4 2896.9	781.2 3168.0	0.44 1.80
Spring Point.....	24 52 48.65	80 41 31.14	249 35 29 286 49 47	Tea Table Key..... Indian Key.....	69 37 19 106 50 09	3527.0 1523.8	3857.0 1636.4	2.19 0.95
Spell Key.....	24 55 03.39	80 40 16.39	337 26 52 7 55 09	Tea Table Key..... Indian Key.....	157 27 51 187 54 54	3155.4 4638.1	3450.7 5081.1	1.96 2.28
Stave Point.....	24 51 40.62	80 42 54.82	239 31 51 277 00 35	Tea Table Key..... Alligator Reef.....	19 33 16 97 03 00	6550.2 9724.8	7174.0 10634.7	4.08 6.04

## Section VII.—Cedar Keys to Homosassa river. Sketch G, No. 23.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Oyster Reef, south, 1856.....	29 07 94.12	82 59 37.43	92 00 28 150 35 07	Depot Key..... Oyster Reef B, (?).....	271 58 57 330 34 30	5073.3 4239.3	5548.0 4636.0	3.15 2.63
Oyster Reef C.....	29 08 33.17	82 59 50.55	67 32 54 350 31 38	Depot Key..... Oyster Reef, south, 1856.	247 31 29 170 31 44	5102.2 2155.6	5579.6 2357.3	3.17 1.34
Main Land, 1856.....	29 10 09.43	82 58 21.85	21 52 18 38 58 31	Oyster Reef, south, 1856. Oyster Reef C.....	201 51 41 218 57 48	5484.0 3611.3	5997.1 4167.9	3.41 2.37
Main Land, east.....	29 09 56 00	82 55 27.76	55 17 43 95 02 06	Oyster Reef, south, 1856. Main Land, 1856.....	935 15 49 275 00 41	8906.9 4721.9	8977.0 5163.7	5.10 2.93
Waccasassa Reef.....	29 06 30.04	82 55 00.36	139 57 37 173 02 35	Main Land, 1856..... Main Land, east.....	319 55 59 353 02 22	8461.7 6108.5	9253.4 6680.1	5.36 3.79
Grassy Point.....	29 09 16.89	82 50 52.06	99 12 03 54 06 38	Main Land, east..... Waccasassa Reef.....	279 09 49 234 04 37	7546.4 8286.2	8252.5 9061.5	4.69 5.15
Water Signal 1.....	29 09 49.90	82 59 03.31	231 52 41 31 29 03	Main Land, 1856..... Oyster Reef C.....	51 54 01 211 28 40	1433.5 2444.6	1556.7 2673.3	0.88 1.52
Water Signal 2.....	29 09 39.93	82 58 02.64	54 50 00 150 15 21	Oyster Reef C..... Main Land, 1856.....	234 49 08 330 15 19	3567.5 1045.9	3901.3 1143.8	2.22 0.65

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section VII.—Cedar Keys to Homosassa river. Sketch G, No. 23.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Water Signal 3.....	29 09 36.55	82 57 10.52	117 42 29 257 49 26	Main Land, 1856.....	297 41 54	2177.3	2381.0	1.35
				Main Land, east.....	77 50 16	2840.5	3106.3	1.76
Water Signal 4.....	29 09 17.99	82 56 12.29	114 20 56 76 50 50	Main Land, 1856.....	294 19 53	3842.3	4301.8	2.39
				Oyster Reef C.....	256 49 04	6957.5	8614.3	3.76
Water Signal 5.....	29 09 12.34	82 55 09.68	108 42 46 160 01 48	Main Land, 1856.....	298 41 12	5482.0	5995.0	3.41
				Main Land, east.....	340 01 39	1430.1	1563.9	0.89
Water Signal 6.....	29 09 01.88	82 54 22.49	13 06 26 255 20 27	Waccasassa Reef.....	193 06 08	4515.0	4937.5	2.80
				Grassy Point.....	85 22 09	5705.5	6229.4	3.54
Water Signal 7.....	29 08 43.80	82 53 36.81	126 31 13 257 08 24	Main Land, east.....	306 30 19	3730.3	4079.3	2.32
				Grassy Point.....	77 09 44	4566.5	4993.8	2.84
Water Signal 8.....	29 08 39.64	82 52 41.47	248 47 46 117 37 36	Grassy Point.....	68 48 39	3171.3	3468.0	1.97
				Main Land, east.....	297 36 15	5071.2	5545.7	3.15
Water Signal 11.....	29 08 55.55	82 50 13.56	122 17 13 61 33 23	Grassy Point.....	302 16 54	1230.3	1345.4	0.76
				Waccasassa Reef.....	241 31 03	8818.0	9643.1	5.48
End Mangrove Point.....	29 06 49.76	82 50 27.93	171 48 46 87 27 05	Grassy Point.....	351 48 34	4576.3	5004.5	2.84
				Waccasassa Reef.....	267 21 53	7379.4	8062.2	4.58
West Hydrographic Tripod.....	29 01 11.76	82 55 50.24	187 37 16 151 49 30	Waccasassa Reef.....	7 37 40	10165.3	11116.5	6.32
				Oyster Reef, south, 1856.....	321 47 40	13005.6	14222.5	8.08
Shellbank 1.....	29 05 39.02	82 54 24.12	167 44 17 152 03 21	Main Land, east.....	347 43 46	896.0	8853.5	5.03
				Waccasassa Reef.....	352 03 03	2091.4	2267.1	1.30
Shellbank 2.....	29 06 18.33	82 54 02.70	161 04 11 223 08 11	Main Land, east.....	341 03 30	7084.3	7747.2	4.40
				Grassy Point.....	43 69 44	7534.8	8239.6	4.68
Shellbank 4.....	29 06 57.38	82 53 29.63	224 44 52 77 03 27	Grassy Point.....	44 46 09	6048.5	6614.5	3.76
				Waccasassa Reef.....	257 01 43	2517.3	2752.8	1.56
Northeast Oyster Bar.....	29 07 17.73	82 54 27.55	161 32 10 237 46 49	Main Land, east.....	341 31 41	5136.8	5617.4	3.19
				Grassy Point.....	57 48 34	6883.0	7527.0	4.28
Cormorant Rock.....	29 06 14.71	82 51 27.92	189 48 02 165 26 18	Grassy Point.....	9 48 19	5691.5	6224.6	3.54
				Main Land, east.....	316 24 21	9403.8	10263.7	5.84
Basin Rock.....	29 02 44.74	82 48 56.74	147 41 54 126 17 06	Cormorant Rock.....	397 40 41	7648.1	8363.7	4.75
				Waccasassa Reef.....	306 14 09	12195.2	13336.3	7.58
Middle Marsh.....	29 04 46.77	82 48 45.20	131 37 01 4 45 10	Cormorant Rock.....	301 35 42	5165.9	5649.3	3.21
				Basin Rock.....	184 45 05	3769.4	4122.1	2.34
Turtle Creek.....	29 07 03.16	82 48 22.30	73 27 35 8 23 29	Cormorant Rock.....	253 26 05	5234.9	5724.7	3.25
				Middle Marsh.....	188 23 18	4244.2	4641.3	2.64
Crane Island.....	29 01 18.35	82 46 36.55	125 02 54 151 52 04	Basin Rock.....	305 01 46	4632.4	5065.9	2.88
				Middle Marsh.....	331 31 01	7299.0	7992.0	4.53
Palmetto.....	29 03 24.44	82 46 59.75	68 53 42 350 48 56	Basin Rock.....	948 52 45	3392.5	3709.9	2.11
				Crane Island.....	170 49 07	3632.0	4298.9	2.44
Sand Shoal.....	28 59 30.84	82 48 08.48	167 39 48 216 55 30	Basin Rock.....	347 39 25	6110.5	6682.3	3.80
				Crane Island.....	36 56 15	4140.5	4527.9	2.57
Marsh Island.....	28 59 07.93	82 45 59.30	101 24 46 165 54 33	Sand Shoal.....	261 23 43	3566.8	3900.5	2.22
				Crane Island.....	345 54 15	4139.6	4526.9	2.57
Sand Shoal, (2).....	28 59 30.86	82 48 08.16	167 34 53 216 50 00	Basin Rock.....	347 34 29	6111.7	6683.6	3.80
				Crane Island.....	36 50 44	4134.6	4521.5	2.57
Half-Moon Bar.....	28 57 00.24	82 46 15.36	146 33 38 186 18 31	Sand Shoal.....	386 32 43	5556.1	6076.0	3.45
				Marsh Island.....	6 18 39	3954.7	4324.7	2.46
Little Island.....	28 57 07.65	82 43 59.24	138 43 47 123 10 22	Marsh Island.....	318 42 49	4926.8	5387.8	3.06
				Sand Shoal.....	303 08 21	8059.4	8813.5	5.01
Crystal Reef.....	28 54 33.98	82 45 45.97	211 45 11 169 20 33	Little Island.....	31 46 03	5491.4	6005.2	3.41
				Half-Moon Bar.....	349 50 19	4511.7	4933.9	2.80
Shell Point.....	28 55 14.49	82 42 54.52	120 55 02 75 41 27	Half-Moon Bar.....	300 53 25	6336.5	6931.6	3.94
				Crystal Reef.....	255 40 04	4792.7	5241.1	2.98
Bear Island.....	28 52 24.40	82 42 00.76	123 35 41 164 27 34	Crystal Reef.....	303 33 59	7323.5	8008.8	4.55
				Shell Point.....	344 27 08	5434.8	5943.3	3.38
Bird Key.....	28 48 53.12	82 40 06.06	182 57 02 225 26 42	Crystal Reef.....	362 57 12	10568.9	11557.8	6.57
				Bear Island.....	45 38 40	9301.0	10171.3	5.78
Waccasassa Point.....	29 09 31.14	82 49 36.24	77 54 58 26 32 01	Grassy Point.....	257 54 21	2095.4	2291.5	1.30
				Cormorant Rock.....	206 31 07	6758.7	7391.1	4.20
Inner Reef.....	29 07 50.43	82 50 50.66	18 52 16 179 11 07	Cormorant Rock.....	198 51 52	3114.0	3405.4	1.93
				Grassy Point.....	359 11 06	2651.8	2910.8	1.65
North Mangroves.....	29 07 09.66	82 50 30.10	171 22 50 42 44 30	Grassy Point.....	351 22 39	3961.4	4332.1	2.46
				Cormorant Rock.....	229 44 02	2303.4	2518.9	1.43

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section VII.—Cedar Keys to Homosassa river. Sketch G, No. 23.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Fards.	Miles.
Marsh Flag 1.....	29 08 53.60	82 49 29.71	107 51 59 171 19 46	Grassy Point..... Waccasassa Point.....	287 51 19 351 19 45	2338.0 1169.0	2566.8 1278.4	1.45 0.73
Marsh Flag 2.....	29 08 09.92	82 49 25.84	131 36 33 173 35 25	Grassy Point..... Waccasassa Reef.....	311 29 51 353 35 20	3111.4 2516.3	3402.5 2751.8	1.93 1.56
Marsh Flag 3.....	29 07 02.27	82 49 02.13	69 37 51 144 21 59	Cormorant Rock..... Grassy Point.....	249 36 40 324 21 06	4204.5 5099.3	4597.9 5576.4	2.61 3.17
Marsh Flag 4.....	29 06 26 05	82 49 42.61	160 12 17 242 03 57	Grassy Point..... Turtle Creek.....	340 11 43 62 04 36	5549.7 2139.0	6112.7 2667.2	3.47 1.51
Shellbank 4, (2).....	29 06 57.39	82 53 29.74	291 44 27 77 01 33	Cormorant Rock..... Waccasassa Reef.....	111 45 26 257 00 49	3545.9 2514.2	3877.7 2749.5	2.20 1.56
North Tripod.....	29 05 01.39	82 56 17.91	253 54 48 228 11 47	Cormorant Rock..... Grassy Point.....	73 57 09 48 14 25	8153.9 11865.4	8916.9 12910.0	5.07 7.33
Island Flag.....	29 03 26.38	82 49 14.66	270 55 56 329 17 16	Palmetto..... Basin Rock.....	90 57 01 159 17 25	3619.8 1370.5	3991.3 1498.7	2.27 0.85
High Palmetto.....	29 03 41.28	82 47 08.26	59 19 59 11 56 13	Basin Rock..... Sand Shoal.....	239 19 06 191 55 44	3412.0 7880.1	3731.3 8617.4	2.12 4.90
East Tripod.....	29 00 37.89	82 51 33 67	227 22 56 261 10 28	Basin Rock..... Crane Island.....	47 24 12 81 12 52	5762.5 8135.8	6308.3 8897.1	3.58 5.05
Withlacoochee, bar stake.....	28 59 48.56	82 48 21.96	287 35 46 325 53 52	Marsh Island..... Half-Moon Bar.....	107 36 56 145 54 55	4135.0 6256.8	4521.9 6842.2	2.57 3.89
Lone Palmetto.....	28 59 01.16	82 46 19.55	219 10 29 358 15 13	Marsh Island..... Half-Moon Bar.....	69 10 39 178 15 15	586.3 3734.1	641.2 4072.6	0.26 2.31
Glassel's Flag.....	28 59 41.66	82 46 33.39	178 21 06 62 37 15	Crane Island..... Sand Shoal, (2).....	358 21 04 262 36 29	2977.8 2586.5	3256.4 2825.5	1.85 1.61
Glassel's Camp.....	28 59 41.66	82 46 33.92	145 34 17 62 35 12	Basin Rock..... Sand Shoal.....	325 33 08 262 34 26	633.9 2581.0	7473.3 2622.5	4.25 1.60
High Reef.....	28 55 33.00	82 45 15.74	25 00 39 278 27 59	Crystal Reef..... Shell Point.....	205 00 24 98 29 07	1937.0 3866.8	2118.2 4228.6	1.20 2.40
Shell Island Tripod.....	28 55 36.56	82 42 38.55	113 42 14 69 50 25	Half-Moon Bar..... Crystal Reef.....	293 40 29 249 48 51	6411.4 5408.1	7011.3 5914.1	3.98 3.38
Marsh Point A, flag.....	28 56 03.26	82 43 06.38	58 08 41 347 55 34	Crystal Reef..... Shell Point.....	238 07 24 167 55 40	5089.3 1535.3	5565.5 1679.0	3.16 0.95
Marsh Point B, flag.....	28 54 45.89	82 42 36.21	66 34 50 153 21 01	Crystal Reef..... Shell Point.....	266 33 19 333 20 52	5095.0 985.1	5571.7 1077.3	3.17 0.61
Marsh Point C, flag.....	28 54 03.57	82 42 21.39	100 13 19 157 39 26	Crystal Reef..... Shell Point.....	280 11 40 337 39 10	5630.8 2360.6	6157.7 2581.5	3.50 1.47
Mangrove Point.....	28 52 22.00	82 44 42.04	157 13 29 208 44 11	Crystal Reef..... Shell Point.....	337 12 58 28 45 03	4473.6 6056.3	4892.2 6623.0	2.78 3.70
Oyster Bar 1.....	28 53 39.01	82 45 53.70	186 48 07 236 47 10	Crystal Reef..... Shell Point.....	6 48 11 58 48 37	1766.4 5674.1	1931.7 6205.0	1.10 3.53
Oyster Bar 2.....	28 52 44.92	82 46 01.02	186 47 51 227 38 31	Crystal Reef..... Shell Point.....	6 47 58 47 40 01	3443.1 6835.5	3765.3 7475.1	2.14 4.25
Green Point.....	28 50 59.41	82 44 50.74	167 21 05 240 23 30	Crystal Reef..... Bear Island.....	317 20 38 60 24 52	6832.8 5297.4	7472.1 5793.1	4.24 3.29
Middle Mangrove.....	28 50 49.13	82 45 05.37	171 03 03 229 36 30	Crystal Reef..... Bear Island.....	351 02 43 59 37 59	7069.5 5799.2	7731.0 6341.8	4.39 3.60
Mullet Key.....	28 52 55.51	82 42 26.99	119 51 31 323 25 03	Crystal Reef..... Bear Island.....	299 49 55 143 25 16	6214.8 1192.5	6796.3 1304.1	3.86 0.74

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section VIII.—Chandeleur Sound. Sketch H, No. 26.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
South Point .....	30 11 21.25	W. 1 04 36.19	63 07 23 128 55 23	Bayou Pierre, 1852..... Cat Island Light .....	243 03 22 308 53 31	14354.4 7613.7	15697.5 8326.1	8.92 4.73
Door Point.....	30 03 13.54	1 07 24.84	135 47 37 196 43 11	Bayou Pierre, 1852..... South Point .....	315 45 02 16 44 36	11889.7 15680.4	13002.2 17147.6	7.39 9.74
Sandfly .....	30 00 08.18	1 13 51.74	188 15 27 241 08 09	Bayou Pierre, 1852..... Door Point .....	8 16 06 61 11 23	14376.3 11832.8	15721.5 12940.0	8.93 7.35
Barrel Key.....	29 54 16.59	1 06 33.76	132 12 03 175 16 06	Sandfly..... Door Point .....	312 38 24 355 15 40	15971.2 16368.9	17465.6 18141.1	9.92 10.31
Nowhere.....	29 54 49.62	1 13 17.92	174 43 07 275 19 46	Sandfly..... Barrel Key .....	354 42 50 95 23 08	9250.2 10888.3	10771.9 11907.1	6.12 6.76
Point Comfort.....	29 49 31.55	1 12 44.22	174 43 36 228 32 07	Nowhere..... Barrel Key .....	354 43 19 48 35 12	9834.7 13260.9	10754.9 14501.7	6.11 8.24
Old Harbor Key.....	29 46 58.63	1 01 06.17	104 08 46 146 54 47	Point Comfort..... Barrel Key .....	284 02 59 326 52 04	19325.9 16097.6	21134.2 17603.9	12.01 10.00
Neptune Point, 1857 .....	29 51 12.40	0 57 34.69	36 01 08 111 26 39	Old Harbor Key..... Barrel Key .....	215 59 22 291 22 11	9658.3 15534.0	10662.0 16989.7	6.00 9.65
Freemason Key .....	29 48 03.25	0 57 43.69	69 54 56 182 22 20	Old Harbor Key..... Neptune Point, 1857.....	249 53 15 2 23 24	5780.3 5628.6	6332.1 6374.0	3.60 3.62
Red Flag.....	29 46 41.69	0 59 33.12	101 47 43 229 28 30	Old Harbor Key..... Freemason Key .....	281 46 57 49 29 24	2553.3 3865.5	2792.2 4227.2	1.59 2.40
Crabtree .....	29 57 08.73	1 20 17.19	241 50 07 290 49 23	Sandfly..... Nowhere .....	61 53 20 110 52 52	11716.7 12031.9	12813.0 13157.7	7.28 7.48
Elephant Point.....	29 58 54.89	1 11 26.87	21 31 37 219 08 26	Nowhere..... Door Point.....	201 30 42 39 10 27	8117.6 10269.9	8877.2 11230.8	5.04 6.38
Live Oak Bayou .....	29 56 06.57	1 13 13.41	2 54 46 172 08 22	Nowhere..... Sandfly.....	182 54 44 352 07 58	2372.5 7509.5	2594.5 8212.2	1.47 4.67
Martin's Island.....	29 56 53.01	1 08 16.57	126 21 03 183 44 32	Elephant Point..... Door Point.....	306 19 28 6 44 58	6353.7 11798.1	6926.3 12802.0	3.93 7.33
Gallop's Green .....	30 00 20.73	1 10 15.87	226 43 17 66 10 33	Door Point..... Sandfly.....	40 44 43 266 09 45	7021.7 5797.7	7678.7 6340.2	4.36 3.60
Sunrise .....	30 06 47.09	1 07 28.06	208 34 15 359 14 47	South Point..... Door Point.....	28 35 41 179 14 49	9613.1 6375.6	10512.6 7190.9	5.97 4.08
Table Point .....	30 04 24.83	1 10 02.08	223 15 41 297 31 10	Sunrise..... Door Point.....	43 16 58 117 32 29	6015.6 4748.9	6578.5 5193.2	3.74 2.95
Grand Pass.....	30 05 39.78	1 11 50.06	162 21 10 303 25 53	Door Point..... Bayou Pierre, 1852 .....	122 23 23 343 26 31	8109.7 4490.2	9196.6 4892.3	5.22 2.60
North Base.....	30 12 41.44	1 03 27.66	36 85 16 108 37 25	South Point..... Cat Island Light.....	216 34 41 286 34 59	2075.0 8092.7	3262.7 8851.0	1.91 5.03

## Section VIII.—Lake Borgne. Sketch H, No. 26.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Fisher.....	30 11 16 19	W. 1 24 05.78	359 12 18 200 09 39	Grand Island, 1855..... Point Clear.....	179 12 19 20 10 38	3996.4 9145.6	4370.3 10001.4	2.48 5.68
Heron .....	30 10 27.53	1 26 19.98	304 24 20 213 45 01	Grand Island, 1855..... Point Clear .....	124 25 29 33 47 08	4419.3 12122.3	4832.8 13264.2	2.75 7.54
Gull .....	30 07 29.32	1 26 37.25	184 48 51 233 57 12	Heron..... Grand Island, 1855.....	4 49 00 53 58 29	5506.5 5081.4	6021.7 5556.9	3.42 3.16
Shell Point, screw pile.....	30 04 27 46	1 39 44.64	200 01 18 269 30 68	Rigolet Light .....	20 09 30	9630.9	10532.1	5.99
Cedar Bayou .....	30 08 09.88	1 44 19.51	258 18 13 312 55 29	Malheureux Point..... Rigolet Light .....	89 35 54 78 21 33	18472.1 16877.8	20200.5 11885.6	11.48 6.76
Bayou Beason.....	30 12 43.66	1 45 00.37	297 55 03 352 36 34	Shell Point, screw pile..... Rigolet Light .....	132 57 47 117 58 43	10022.1 13292.1	10992.7 14535.8	6.24 8.26
L'Herbe.....	30 08 24.93	1 49 49.42	284 38 39 231 37 17	Cedar Bayou .....	173 36 54	8500.2	9293.6	5.28
				Cedar Bayou..... Bayou Beason.....	104 41 25 51 30 42	9125.5 9660.2	9979.4 10782.8	5.67 6.13

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section VIII.—Lake Borgne. Sketch H, No. 26.*

Name of station.	Latitude.	Longitude.	Back azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Brick Chimney.....	30 12 40.17	W. 1 46 17.11	266 59 50 339 17 01	Bayou Besson..... Cedar Bayou.....	87 00 29 159 18 00	2055.1 8696.7	2247.4 9729.2	1.28 5.53
Tall Pine.....	30 13 26.04	1 43 27.07	96 49 21 62 23 56	Bonfouca..... Bayou Besson.....	278 43 58 242 23 09	10914.0 2815.4	11935.2 3072.8	6.78 1.75
Hospital Flag-staff.....	30 09 59.22	1 43 33.68	277 01 41 20 01 08	Rigolet Light..... Cedar Bayou.....	97 04 38 200 00 45	9497.2 3588.9	10385.8 3918.2	5.90 2.23
St. Joseph's Island Light.....	30 11 09.28	1 24 08.57	81 22 01 202 05 00	Rigolet Light..... St. Joseph Island.....	261 15 12 22 05 02	21597.9 230.5	24056.2 252.1	13.67 0.14
West Rigolet Light.....	30 10 34.33	1 43 12.05	284 13 52 22 05 37	Rigolet Light..... Cedar Bayou.....	104 16 38 202 05 03	9127.2 4799.7	9981.2 5248.8	5.67 2.98
L'Orange.....	30 08 22.15	1 52 03.26	271 42 41 33 27 12	Cedar Bayou..... Little Woods.....	91 46 34 213 26 23	12416.0 4692.3	13577.8 5131.4	7.71 2.92
Wreck.....	30 11 40.11	1 54 30.48	352 17 41 298 56 54	Little Woods..... L'Herbe.....	172 18 06 118 59 15	10101.5 8593.6	11046.7 9397.7	6.28 5.34
Weem's Cotton Gin.....	30 11 46.02	1 42 33.50	114 19 42 23 05 23	Bayou Besson..... Cedar Bayou.....	294 18 28 203 04 30	4310.1 7233.9	4713.4 7910.8	2.68 4.49
Fishing Hut, chimney.....	30 12 51.32	1 46 31.62	275 30 55 337 48 12	Bayou Besson..... Cedar Bayou.....	95 31 41 157 49 18	2451.6 9358.5	2681.0 10234.2	1.52 5.81
Chef Monteur.....	30 06 00.77	1 47 29.41	149 12 37 231 57 32	L'Herbe..... Cedar Bayou.....	229 11 27 51 59 08	7318.1 6453.1	8002.9 7056.9	4.55 4.01
<i>Additional stations in section VIII.</i>								
Deer Island, middle.....	30 21 36.28	0 47 39 05	204 10 39 116 16 39	Marsh Point..... Biloxi Light.....	94 11 03 226 14 06	3056.1 8867.3	3342.1 9626.2	1.90 5.58
Astronomical station, public square, Mobile city.....	30 41 36.97	W. 0 01 10.12	.....	.....	.....	.....	.....	.....

*Section VIII.—Vicinity of New Orleans. Sketch H, No. 26.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Labarre's Saw-mill.....	29 54 56.00	W. 2 03 07.44	216 41 37 104 43 55	Marine Hospital..... Greenville.....	38 42 16 284 42 17	2313.5 5465.9	2623.5 5977.3	2.06 3.40
Rooster, flag-staff.....	29 57 10.42	2 03 16.32	356 44 34 303 56 23	Labarre's Saw-mill..... Marine Hospital.....	176 44 38 123 57 06	4145.5 2780.7	4533.4 3040.9	2.58 1.73
Charity Hospital.....	29 57 25.17	2 03 17.43	356 39 49 310 37 21	Labarre's Saw-mill..... Marine Hospital.....	176 39 54 130 38 05	4600.5 3081.8	5031.0 3376.2	2.86 1.91
Astronomical Observatory, New Orleans.....	29 57 25.94	2 03 02.39	86 36 35 37 49 47	Charity Hospital..... Rooster, flag-staff.....	266 36 27 217 49 40	403.9 604.9	441.7 661.5	0.25 0.38
United States Mint.....	29 57 46.40	2 02 04.65	71 28 39 351 42 42	Charity Hospital..... Marine Hospital.....	251 28 03 171 42 49	2057.8 2688.7	2250.3 2940.3	1.28 1.67
Church on Jackson Street, east tower.....	29 55 53.03	2 03 05.11	9 02 25 247 32 56	Labarre's Saw-mill..... Marine Hospital.....	182 02 24 67 33 33	1757.2 2173.7	1921.6 2377.1	1.09 1.35
Odd Fellow's Hall.....	29 56 57.54	2 02 46.82	8 24 29 307 16 47	Labarre's Saw-mill..... Marine Hospital.....	186 24 19 127 17 15	2782.7 1908.4	4136.6 2087.0	2.35 1.16
St. Patrick's Church, southeast turret.....	29 56 52.25	2 02 46.63	7 59 34 302 55 41	Labarre's Saw-mill..... Marine Hospital.....	187 52 25 122 56 10	2636.1 1866.9	2976.3 2041.6	2.26 1.16
Lafayette Square Church Spire.....	29 56 56.85	2 02 51.21	67 50 16 304 44 30	Greenville..... Marine Hospital.....	247 48 30 124 45 00	2178.1 1991.0	2358.9 2177.3	1.84 1.94

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

Section IX.—Lavaca bay, Carankaway bay, and Espiritu Santo bay. Sketch H, No. 28.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Sand Point.....	28 25 04.85	W. 8 26 09.40	242 36 32 8 43 24	Well Point..... La Salle.....	62 40 11 188 42 59	13893.7 9431.6	15303.1 10314.1	8.69 5.86
Indianola.....	28 32 27.96	8 30 09.38	233 27 48 311 23 56	Sand Point..... La Salle.....	53 29 42 131 25 25	8115.3 6792.5	8874.7 7428.1	5.04 4.92
Gallinipper.....	28 35 02.54	8 33 13.63	269 37 07 313 31 42	Sand Point..... Indianola.....	89 40 30 133 33 10	11527.0 6907.7	12605.6 7554.0	7.16 4.29
Sheldon's House.....	28 38 45.51	8 32 49.49	5 27 38 339 28 07	Gallinipper..... Indianola.....	185 27 26 159 29 24	6894.9 12409.8	7540.0 13571.0	4.28 7.71
Lavaca.....	28 37 36.22	8 36 28.64	250 16 03 311 45 11	Sheldon's House..... Gallinipper.....	70 17 48 131 46 44	6322.2 7102.1	6913.8 7766.6	3.93 4.41
Noble's House.....	28 38 41.68	8 36 04.08	325 31 37 18 19 03	Gallinipper..... Lavaca.....	145 32 58 198 18 51	8181.6 2122.7	8947.2 2321.3	5.08 1.32
Garcitas.....	28 42 51.09	8 37 18.22	335 15 34 316 00 11	Gallinipper..... Sheldon's House.....	155 17 31 136 02 20	15879.0 10505.5	17364.8 11488.5	9.86 6.53
House.....	28 36 06.94	8 35 58.19	163 15 15 293 54 07	Lavaca..... Gallinipper.....	343 15 00 113 55 26	2870.0 4890.5	3138.5 5348.1	1.78 3.04
Brant's Barn.....	28 35 15.27	8 27 52.10	276 33 11 35 55 35	Sand Point..... Indianola.....	96 34 00 215 54 29	2808.9 6359.6	3071.7 6954.7	1.75 3.95
Trelkeld House.....	28 37 16.88	8 25 47.70	258 39 47 8 15 08	Well Point..... Sand Point.....	78 43 16 188 14 58	12071.2 4107.0	13200.7 4491.3	7.50 2.55
Carankaway.....	28 39 50.75	8 23 44.18	285 35 25 24 08 59	Well Point..... Sand Point.....	105 37 55 204 07 50	8905.9 9644.3	9629.1 10546.7	5.47 5.99
Dunbar House.....	28 26 23.70	8 18 18.50	115 17 52 221 03 21	La Salle..... Osgood.....	225 13 42 41 03 58	15745.3 3231.8	17218.6 3534.2	9.78 2.01
Pass Cavallo Light.....	28 20 49.21	8 23 05.37	159 17 16 217 55 46	La Salle..... Osgood.....	339 15 23 37 58 39	18193.6 16146.2	19896.0 17659.2	11.30 10.03
Espiritu Santo.....	28 29 58.87	8 30 16.17	203 03 53 228 45 52	La Salle..... Pass Cavallo Light.....	92 05 28 108 49 17	14055.2 12390.0	15370.3 13549.3	8.73 7.70
Rahal.....	28 16 41.23	8 31 41.50	191 18 00 241 28 04	Espiritu Santo..... Pass Cavallo Light.....	11 18 40 61 32 09	11854.6 15998.1	12963.8 17495.0	7.36 9.94
Steamboat Pass.....	28 18 48.85	8 36 14.21	231 41 24 297 59 56	Espiritu Santo..... Rahal.....	51 44 14 117 53 05	12421.4 8404.5	13583.7 9190.9	7.72 5.22
Mott.....	28 22 51.54	8 34 23.50	268 03 42 338 49 45	Espiritu Santo..... Rahal.....	98 05 40 158 51 02	6736.6 12222.8	7368.9 13266.5	4.18 7.59
Cant Island.....	28 21 41.25	8 33 07.12	275 32 39 242 48 47	Pass Cavallo Light..... Espiritu Santo.....	95 37 25 62 50 08	16443.5 5231.6	18004.9 5721.1	10.23 3.25
Rahal's House.....	28 18 16.63	8 29 03.80	167 13 24 244 17 09	Espiritu Santo..... Pass Cavallo Light.....	347 12 50 64 19 59	8908.6 10853.5	9742.2 11847.2	5.54 6.73
Wilkinson's House.....	28 20 04.70	8 25 43.94	125 53 48 252 23 16	Espiritu Santo..... Pass Cavallo Light.....	205 51 39 72 24 31	9148.2 4530.6	10004.2 4954.5	5.68 2.81
Saluria Light.....	28 24 06.95	8 23 25.56	354 50 17 79 24 28	Pass Cavallo Light..... Espiritu Santo.....	174 50 27 259 21 13	6111.8 11371.6	6683.7 12435.6	3.80 7.06
Saluria.....	28 23 55.50	8 23 09.66	235 06 44 150 45 11	Osgood..... La Salle.....	55 09 40 330 43 20	12243.2 12931.6	13368.8 14141.6	7.61 8.04
Decrose House.....	28 24 20.17	8 21 28.09	139 13 03 229 23 34	La Salle..... Osgood.....	319 10 24 49 25 41	13900.7 9539.3	15201.4 10496.6	8.64 5.96
Alligator, Mott.....	28 28 08.24	8 25 02.30	273 22 43 137 05 44	Osgood..... La Salle.....	93 28 33 317 04 47	13120.8 4781.3	14358.3 5228.7	8.16 2.97
Alligator Signal.....	28 27 13.02	8 23 23.03	162 42 47 131 08 51	Sand Point..... La Salle.....	342 41 28 311 07 07	16212.1 7907.4	18628.5 8647.3	9.45 4.91
Wolf Point.....	28 42 20.58	8 23 40.96	1 05 11 309 44 25	Carankaway..... Well Point.....	181 05 09 129 46 53	4812.9 10915.9	5044.5 11937.3	2.87 6.78

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section X.—Napa creek. Sketch I, No. 31.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Vallejo Hill .....	38 06 58.44	122 14 53.31	4 47 00 332 28 58	Mare Island, northwest. Vallejo, (1).....	184 46 54 152 29 40	3065.8 3577.4	3352.7 3912.1	1.90 2.22
Slaughter-house Point .....	38 09 14.96	122 16 05.91	337 12 31 348 13 56	Vallejo Hill..... Mare Island, northwest.	157 13 16 168 14 34	4564.9 7419.8	4992.0 8114.1	2.84 4.61
Napa Branch.....	38 11 09.00	122 18 33.07	0 42 31 314 27 20	Long Pond..... Slaughter-house Point..	160 42 29 134 28 51	6500.9 5019.0	7109.2 5486.6	4.04 3.12
Navy Yard Slough.....	38 09 24.31	122 18 12.22	375 20 57 171 03 57	Slaughter house Point.. Napa Branch .....	95 22 15 351 03 44	3088.5 3266.9	3377.5 3572.6	1.99 2.03
Green Hill .....	38 12 04.26	122 16 20.45	356 07 14 62 10 31	Slaughter-house Point . Napa Branch .....	176 07 23 242 09 09	5231.8 3649.1	5721.3 3990.5	3.25 2.27
Good Luck Point.....	38 10 58.48	122 17 11.57	98 24 57 211 54 44	Napa Branch .....	278 24 07	2004.8	2192.4	1.24
Fly's Hill .....	38 13 09.61	122 19 03.72	348 39 34 296 52 57	Green Hill.....	31 55 16	2353.0	2573.2	1.46
Suscol Hill.....	38 14 33.85	122 15 32.70	63 10 26 14 08 21	Napa Branch .....	168 39 53	3792.5	4147.4	2.36
Home Hill .....	38 14 23.60	122 16 47.50	351 17 21 55 27 29	Green Hill.....	116 54 38	4453.3	4870.0	2.77
Green Island.....	38 12 45.95	122 17 28.55	27 42 32 307 47 34	Fly's Hill.....	243 08 16	5751.5	6289.7	3.57
Fly's House, chimney .....	38 13 46.26	122 18 01.46	321 59 21 247 54 24	Green Hill.....	194 07 51	4755.8	5200.8	2.95
Stony Hill.....	38 15 57.71	122 17 09.33	98 13 49 349 37 55	Fly's Hill.....	171 17 38	4345.9	4752.5	2.70
Ferry House Chimney .....	38 14 35.08	122 16 03.33	59 01 21 157 48 10	Home Hill.....	235 26 05	4022.0	4388.3	2.50
Napa Hill .....	38 18 03.85	122 14 54.77	40 04 25 8 06 28	Fly's Hill.....	207 41 52	3376.1	3692.0	2.10
Napa Creek.....	38 15 36.57	122 16 09.86	92 08 19 114 16 35	Green Hill.....	127 48 16	2096.7	2292.9	1.30
Court-house Spire .....	38 17 50.08	122 16 07.16	256 25 21 8 45 39	Suscol Hill.....	142 00 23 67 55 56	3990.4 4269.0	4363.8 4659.0	2.48 2.43
Green's House, chimney.....	38 17 24.72	122 17 42.74	343 09 40 329 01 29	Fly's Hill.....	908 19 38	5881.6	6431.9	3.65
				Home Hill.....	169 38 09	2949.6	3225.6	1.83
				Fly's Hill.....	238 58 29	5117.3	5596.1	3.18
				Stony Hill.....	327 47 29	3010.8	3292.5	1.67
				Stony Hill.....	220 03 02	5080.2	5555.6	3.16
				Suscol Hill.....	188 06 04	6340.2	7152.2	4.06
				Home Hill.....	202 07 56	2428.6	2655.8	1.51
				Stony Hill.....	294 15 58	1586.0	1734.4	0.98
				Napa Hill.....	76 26 06	1809.2	1978.5	1.12
				Home Hill.....	188 45 14	6441.3	7044.0	4.00
				Stony Hill.....	163 10 01	2802.8	3064.8	1.74
				Suscol Hill.....	149 02 50	5143.8	6718.7	3.82

## Section X.—Petaluma creek. Sketch I, No. 32.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Point Penole .....	38 00 40.68	122 20 59.60						
Petaluma Creek.....	38 06 10.55	122 28 23.88	313 09 40	Point Penole .....	133 14 14	14856.2	16246.3	9.23
Tolay Creek .....	38 07 57.17	122 23 50.68	342 46 14 63 44 02	Point Penole .....	162 47 59	14087.9	15406.1	8.75
Swift .....	38 08 22.34	122 27 52.34	10 10 50 279 32 41	Petaluma Creek.....	243 41 13	7421.7	8116.1	4.61
Novata .....	38 08 19.44	122 31 23.22	266 34 51 312 16 45	Tolay Creek.....	190 10 31	4347.2	4754.0	2.70
Sears .....	38 10 16 90	122 30 27.25	90 37 28 311 16 51	Petaluma Creek.....	99 35 10	5967.3	6525.6	3.71
San Antonio.....	38 09 52.90	122 33 07.90	259 16 25 318 29 57	Swift.....	86 37 01	5143.7	5625.0	3.20
Lakeville.....	38 12 11.75	122 31 58.10	21 38 58 326 00 55	Petaluma Creek.....	132 18 36	5904.8	6457.3	3.67
Haydon.....	38 12 23.15	122 34 37.84	275 69 15 334 42 19	Novata .....	900 36 53	3869.1	4231.1	2.40
Bodwell.....	38 13 52.32	122 33 25.98	28 27 08 325 24 42	Swift.....	131 20 27	561.6	5491.5	3.12
				Sears .....	79 18 44	3979.7	4322.1	2.47
				Novata .....	138 31 02	3846.8	4206.7	2.39
				San Antonio.....	201 38 15	4605.5	5036.4	2.86
				Sears .....	148 01 51	4174.5	4565.1	2.59
				Lakeville.....	95 10 54	3901.8	4266.9	2.42
				San Antonio.....	154 43 15	5123.1	5602.5	3.18
				Haydon .....	212 26 24	8257.7	8982.5	2.02
				Lakeville.....	145 25 36	3768.0	4118.4	2.34



## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section X.—Petaluma creek. Sketch No. 32.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Italian .....	38 13 33.95	122 35 50.58	260 50 07 330 57 50	Bodwell .....	80 51 36	3561.9	3895.2	2.21
				Haydon .....	140 58 35	2809.7	3072.6	1.75
Flat .....	38 14 52.85	122 35 23.58	15 06 16 346 38 33	Italian .....	195 05 59	2519.6	2755.4	1.56
				Haydon .....	166 27 01	4747.4	5191.6	2.95
Petaluma, Baptist Church spire..	38 14 10.14	122 37 33.80	247 24 25 293 57 30	Flat .....	67 25 46	3429.0	3749.8	2.13
				Italian .....	113 58 34	2746.9	2963.9	1.71

*Section X.—Tomaes Bay. Sketch J, No. 31.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Table Mountain .....	37 55 24.48	122 34 46.68						
Rocky Mound .....	37 52 54.26	122 13 31.82	96 34 04	Table Mountain.....	278 21 00	31483.9	34429.8	19.56
Sonoma Mountain.....	38 19 21.69	122 33 29.36	2 56 25 339 05 51	Table Mountain.....	189 25 37	44348.4	48492.1	27.55
				Rocky Mound.....	149 18 10	56975.4	62306.6	35.40
Tomaes Bay.....	38 10 52.52	122 55 48.38	312 49 17 244 08 27	Table Mountain.....	133 02 14	42006.9	45937.5	26.10
				Sonoma Mountain....	64 22 16	36140.4	39532.0	22.45
Ross Mountain .....	38 30 17.68	123 06 10.99	292 51 29 337 07 24	Sonoma Mountain.....	113 11 48	51703.5	56541.4	33.13
				Tomaes Bay.....	157 13 50	38974.2	42621.0	24.22
Sulphur Peak .....	38 45 51.41	122 49 41.67	334 15 18 7 50 53	Sonoma Mountain.....	154 25 22	54377.4	59465.5	33.79
				Tomaes Bay.....	187 47 05	65318.7	71420.5	40.58
Punta Reyes .....	38 04 45.36	122 51 02.40	223 23 16 148 25 24	Sonoma Mountain.....	43 34 07	37232.1	40715.9	23.13
				Tomaes Bay.....	328 22 27	15290.2	14533.6	8.26
Bodega .....	38 18 20.78	122 59 05.42	266 59 12 340 51 48	Sonoma Mountain.....	87 15 05	37358.8	40854.4	23.21
				Tomaes Bay.....	160 53 50	14626.8	15995.4	9.09
Smith.....	38 14 48.60	122 55 10.52	138 54 31 7 12 55	Bodega.....	318 52 05	8882.5	9494.9	5.39
				Tomaes Bay.....	187 12 32	7336.3	8022.8	4.55
Tomaes Point.....	38 12 49.81	122 57 16.11	218 12 41 327 52 24	Smith.....	38 13 59	4936.8	5398.7	3.07
				Tomaes Bay.....	117 53 18	4014.5	4380.1	2.49
Bodega Head.....	38 18 26.34	123 02 47.11	301 07 59 322 44 54	Smith.....	121 12 42	12969.1	14182.6	8.06
				Tomaes Point.....	142 48 19	13301.0	14545.6	8.36
Preston .....	38 12 12.05	122 54 22.16	40 33 29 102 38 43	Tomaes Bay.....	220 32 36	3226.9	3528.8	2.00
				Tomaes Point.....	282 36 55	4336.5	4742.3	2.69
Marshon .....	38 10 52.36	122 53 07.64	90 05 08 143 34 45	Tomaes Bay.....	270 03 29	3911.6	4277.6	2.43
				Preston .....	323 33 59	3053.4	3339.1	1.90
Foster .....	38 08 10.46	122 53 24.90	184 49 30 145 03 25	Marshon.....	4 48 41	5009.2	5477.9	3.12
				Tomaes Bay.....	325 01 56	6096.1	6666.5	3.79
Reynolds .....	38 08 56.11	122 52 14.48	50 37 41 160 09 10	Foster .....	230 36 57	2218.2	2425.8	1.32
				Marshon.....	340 08 37	3810.7	4167.3	2.37
Hans.....	38 07 55.54	122 51 03.67	97 37 51 137 17 33	Foster .....	577 36 24	3469.5	3794.1	2.16
				Reynolds .....	317 16 49	2541.4	2779.2	1.58
Mike.....	38 07 27.65	122 51 55.75	170 30 42 235 51 23	Reynolds .....	350 30 30	2765.0	3023.7	1.72
				Hans.....	55 51 55	1532.3	1675.7	0.95
Frink .....	38 06 57.97	122 50 02.81	140 08 13 108 24 20	Hans.....	280 07 25	2312.3	2528.7	1.43
				Mike.....	288 23 10	2898.9	3170.1	1.80
Agnew .....	38 06 38.04	122 50 55.31	244 19 47 175 07 37	Frink.....	64 20 19	1418.7	1551.4	0.88
				Hans.....	355 07 32	2397.9	2622.3	1.49
Young .....	38 06 01.44	122 50 15.73	139 29 33 180 14 04	Agnew .....	319 29 09	1484.2	1633.1	0.92
				Frink .....	10 14 12	1771.1	1936.8	1.10
Sigvart.....	38 06 05.02	122 49 05.33	139 23 08 86 19 23	Frink.....	319 22 33	2150.7	2351.9	1.34
				Young.....	266 18 40	1718.7	1879.5	1.07
Willow Point .....	38 05 24.14	122 49 30.77	135 23 59 268 11 02	Young .....	316 23 31	1588.3	1736.9	0.99
				Sigvart .....	26 11 18	1404.7	1536.1	0.87
Hammond .....	38 04 42.07	122 47 36.58	114 59 52 130 47 24	Willow Point.....	294 58 42	2069.9	2257.1	1.21
				Sigvart .....	319 46 29	3349.1	3662.5	2.08
Creek.....	38 04 22.64	122 48 33.14	143 28 44 246 30 15	Willow Point.....	323 28 08	2359.4	2580.2	1.46
				Hammond .....	66 30 50	1503.0	1643.6	0.93

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section X.—Tomales Bay. Sketch J, No. 31.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Grasier.....	38 03 43.00	122 47 41.94	134 23 54 184 06 14	Creek..... Hammond.....	314 23 22 4 06 17	1746.5 1625.7	1809.9 1996.5	1.08 1.13
Tom's Point .....	38 13 07.55	122 56 09.81	352 51 36 64 41 29	Tomales Bay..... Tomales Point.....	172 51 49 244 40 48	4195.6 1784.1	4588.2 1951.0	2.61 1.11
Hog Island .....	38 11 48.98	122 55 06.67	236 41 30 301 03 55	Preston..... Mershon.....	56 41 57 121 03 09	1295.6 3381.4	1416.8 3697.8	0.80 2.14
Preston's House, stove-pipe.....	38 12 43.32	123 54 57.75	19 50 08 89 44 24	Tomales Bay..... Tomales Point.....	199 49 37 269 42 58	3631.4 3305.7	3971.2 3650.6	2.26 2.09
Lone House, south gable.....	38 12 25.18	122 54 28.87	34 06 52 97 37 30	Tomales Bay..... Tomales Point.....	214 06 03 277 35 47	3149.9 4104.4	3772.7 4488.4	2.14 2.55
Blake's House, southeast gable..	38 11 36.27	122 54 04.21	61 59 23 113 44 11	Tomales Bay..... Tomales Point.....	241 58 19 293 42 12	2871.3 5099.2	3140.0 5576.3	1.78 3.17
Punta Reyes Beach.....	38 07 27.63	122 56 16.63	186 12 44 252 27 48	Tomales Bay..... Foster.....	6 13 01 72 29 34	6354.1 4365.6	6948.6 4796.0	3.95 2.72
Magnetic Station.....	38 11 10.99	122 55 39.94	278 47 38 19 49 43	Mershon..... Tomales Bay.....	98 49 12 199 49 38	3759.4 605.2	4101.3 661.8	2.33 0.38
Sugar-loaf Hill.....	38 14 27.10	122 56 32.84	350 49 46 18 07 46	Tomales Bay..... Tomales Point.....	170 43 13 198 07 19	6703.4 3383.0	7330.6 3699.5	4.16 2.10
Teton.....	38 15 10.69	122 56 35.03	19 21 45 288 19 15	Tomales Point..... Smith.....	192 21 20 108 20 07	4668.0 2164.7	5104.8 2367.2	2.90 1.34
Richard's .....	38 04 00.09	122 57 00.53	187 51 43 214 13 10	Tomales Bay..... Foster.....	7 52 27 34 15 23	12835.9 9336.7	14037.0 10210.3	7.98 5.80

*Section XI.—Gulf of Georgia. Sketch K, No. 34*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Matia, north.....	48 44 41.34	W.0 07 57.12	240 41 11 267 15 21	South Base..... Lummi, north.....	60 46 14 87 20 08	9426.0 7814.5	10208.0 8545.7	5.66 4.85
Point Whitehorn, (1).....	48 53 07.29	0 05 51.09	161 07 47 332 51 58	Lummi, north..... South Base.....	161 07 47 152 55 26	16131.3 12381.6	17640.7 13540.2	10.02 7.69
Trident.....	48 47 08.79	0 15 11.13	284 01 28 269 44 25	Lummi, north..... South Base.....	104 11 42 89 54 55	17182.7 17077.4	18790.5 18675.3	10.68 10.61
East Roberts.....	48 58 24.00	0 20 15.69	298 59 16 343 24 09	Point Whitehorn, (1)... Trident.....	119 10 08 163 27 59	20133.8 21761.4	22017.7 23797.6	12.51 13.52
Disappointment .....	48 51 20.10	0 33 25.73	230 45 48 289 03 27	East Roberts..... Trident.....	50 55 43 109 17 11	20740.8 23836.2	22681.5 25847.8	12.69 14.69
West Roberts.....	48 58 15.12	0 23 39.63	293 30 12 43 00 31	Point Whitehorn, (1)... Disappointment.....	113 43 38 222 53 09	23734.5 17513.0	25955.3 19151.7	14.75 10.88
Birch Point.....	48 56 27.85	0 07 58.90	103 32 59 99 55 22	East Roberts..... West Roberts.....	263 23 42 279 43 33	15411.7 19420.0	16853.8 21237.1	9.58 12.07
Point Whitehorn, (2).....	48 53 37.89	0 06 16.04	42 17 14 117 26 34	Trident..... East Roberts.....	292 10 31 297 16 01	16331.3 19438.3	17750.1 21257.1	10.08 12.08
Mount Constitution.....	48 40 37.23	0 08 31.36	297 04 15 216 16 20	Lummi, north..... South Base.....	47 09 28 36 21 48	11615.9 15073.5	12709.8 16483.9	7.22 9.37
Barton ...	48 55 52.56	0 06 12.25	34 13 34 1 03 56	Trident..... Point Whitehorn, (2)...	214 06 46 181 03 53	19554.2 4160.7	21383.9 4550.0	12.15 2.58
Trail.....	48 54 17.46	0 04 44.29	56 49 30 148 39 02	Point Whitehorn, (2)... Barton.....	226 48 21 326 37 56	2232.6 3449.6	2441.5 3762.5	1.39 2.14
Satellite.....	49 01 26.73	0 10 04.40	344 31 38 65 38 25	Birch Point..... East Roberts.....	164 33 13 245 30 43	9577.9 13642.8	10474.1 14919.4	5.95 8.48
Sea Bird.....	48 57 18.80	0 07 43.19	97 35 09 159 27 21	East Roberts..... Satellite.....	277 25 42 339 25 34	15436.4 8178.7	16880.8 8944.0	9.59 5.08
Semi-ah-moo.....	49 00 47.52	0 05 35.08	29 00 37 102 30 11	Sea Bird..... Satellite.....	201 59 00 282 26 45	6853.2 5605.4	7603.6 6129.9	4.32 3.48
Drayton, (1).....	48 58 45.52	W.0 06 00.89	135 11 29 167 55 20	Satellite..... Semi-ah-moo.....	315 08 25 7 55 40	7021.3 3904.6	7678.3 4190.6	4.36 2.36

REPORT OF THE SUPERINTENDENT OF  
UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

*Section XI.—Gulf of Georgia. Sketch K, No. 34.*

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Meters.	Yards.	Miles.
Prairie.....	48 56 19.06	W. 0 05 08.41	352 32 55 15 28 01	Trail..... Point Whitehorn, (2)...	172 33 13 195 27 10	3787.8 5164.7	4149.2 5548.0	2.35 3.21
East Point, (2).....	48 47 03.36	0 21 19.28	183 31 07 290 06 28	East Roberts..... Sucia, west.....	3 31 55 110 11 58	21065.9 9530.5	23037.0 10422.3	13.09 5.92
Matia, northwest.....	48 44 57.16	0 09 13.24	270 41 55 247 19 25	Lummi, north..... South Base.....	90 47 43 67 25 29	9463.2 10702.1	10346.7 11703.5	5.86 6.65
Launch.....	48 45 01.81	0 11 28.45	252 21 02 271 11 55	South Base..... Lummi, north.....	72 08 44 91 19 21	13151.4 12124.8	14382.0 13259.3	8.17 7.53
Sucia, northeast.....	48 45 44.84	0 11 15.78	257 46 58 295 49 05	South Base..... Matia, north.....	77 54 30 115 51 34	12558.0 4507.9	13733.1 4929.7	7.80 2.80
Gyp.....	48 50 21.63	0 01 28.88	0 42 09 70 32 10	Lummi, north..... Trident.....	180 42 04 250 21 51	10145.8 17799.6	11095.1 19465.1	6.30 11.06
Northwest Bell's Chain, Point Roberts.	48 58 30.72	0 20 08.51	299 42 01 312 10 01	Point Whitehorn, (1).. South Base.....	119 52 47 132 24 16	20106.4 31229.2	21987.8 34151.3	12.49 19.40
Marked Tree, (1).....	48 49 06.77	0 01 19.81	45 13 10 78 03 44	Matia, north..... Trident.....	225 08 06 257 53 13	11635.1 17488.4	12793.8 19124.8	7.23 10.87
Marked Tree, (3).....	48 52 24.03	0 04 32.87	16 16 16 53 16 07	Matia, north..... Trident.....	196 13 42 233 08 07	14889.6 16254.4	16282.8 17775.3	9.25 10.10
Marked Tree, (8).....	48 45 49.83	0 11 22.51	258 35 37 296 46 34	South Base..... Matia, north.....	78 43 14 116 49 08	12661.0 4699.3	13845.7 5139.0	7.87 2.92
Marked Tree, (10).....	48 46 07.97	0 13 32.30	132 57 53 215 26 21	Trident..... Point Whitehorn, (1)...	312 56 39 36 02 08	2756.7 16006.4	3014.6 17504.1	1.71 9.94
Marked Tree, (9).....	48 45 55.34	0 11 47.66	278 39 38 259 45 29	Lummi, north..... South Base.....	98 47 19 79 53 25	12658.8 13133.8	13843.3 14382.7	7.87 8.16
Marked Tree, (13).....	48 58 30.16	0 19 59.46	289 55 18 344 22 33	Point Whitehorn, (1).. Trident.....	120 05 58 164 26 10	19938.6 21849.9	21804.3 23894.4	12.39 13.58
Marked Tree, (15).....	48 47 50.66	0 23 12.79	117 25 36 190 25 41	Disappointment..... East Roberts.....	297 17 55 10 27 54	14075.0 19694.9	15392.0 21756.5	8.74 12.36
Marked Tree, (16).....	48 47 53.79	0 23 47.02	118 25 38 192 26 44	Disappointment..... East Roberts.....	298 18 22 12 29 24	13412.4 19938.5	14667.4 21804.3	8.33 12.39
Marked Tree, (17).....	48 47 59.83	0 24 22.08	119 12 58 194 33 49	Disappointment..... East Roberts.....	299 06 09 14 36 55	12695.6 19924.2	13883.6 21788.5	7.89 12.38
Marked Tree, (21).....	49 00 11.33	0 24 08.35	350 45 31 34 42 55	West Roberts..... Disappointment.....	170 45 53 214 35 55	3636.6 19048.0	3976.9 21814.5	2.26 12.39
Cherry Point.....	48 51 37.27	0 03 28.68	341 36 31 349 27 23	South Base..... Lummi, north.....	161 38 12 169 28 49	8684.4 12694.9	9497.0 13682.7	5.40 7.89
Northwest Bell's Chain, Point Whitehorn.	48 53 31.72	0 03 14.08	7 19 11 42 50 57	Matia, north..... Trident.....	187 17 53 222 44 13	16519.2 16117.9	18064.9 17626.0	10.26 10.01
Bell's Chain.....	48 49 22.24	0 29 34.20	293 05 01 197 39 49	Trident..... Disappointment.....	103 15 50 307 36 55	19084.7 5961.4	19776.9 6519.2	11.94 3.70
Bell's chain, hydrographic signal.	48 49 22.98	0 29 35.74	127 40 25 214 15 02	Disappointment..... East Roberts.....	307 37 39 34 22 04	5932.4 20234.1	6476.6 22127.4	3.68 12.57
Grasshopper.....	48 49 58.52	0 30 42.30	219 11 08 285 19 51	East Roberts..... Trident.....	31 19 00 105 31 32	20165.5 19706.2	22032.4 21550.1	12.53 12.24
East Point, (3).....	48 46 51.12	0 21 30.08	297 32 23 266 13 51	Sucia, west..... Patos Island.....	107 38 01 86 17 18	9617.5 5639.9	10517.4 6167.6	5.98 3.50
Blue Bell.....	48 50 04.48	0 20 10.10	287 56 41 232 03 04	Birch Point..... Sea Bird.....	108 05 52 102 12 28	15638.5 15535.3	17101.8 16969.0	9.72 9.65
Marked Tree, (B).....	48 53 59.15	0 05 08.32	159 37 45 179 56 26	Barton..... Prairie.....	339 36 57 359 58 26	3737.4 4381.4	4087.1 4725.8	2.32 2.68
Marked Tree, (A).....	48 53 39.83	0 05 38.43	151 09 33 187 04 49	Birch Point..... Prairie.....	331 07 47 7 05 12	5225.3 4955.8	5479.7 5419.5	3.68 3.08
Marked Tree, (C).....	48 54 26.32	0 04 11.35	137 16 59 161 33 27	Barton..... Prairie.....	317 15 28 341 32 44	3630.4 3670.6	3970.1 4014.1	2.26 2.28
Marked Tree, (D).....	48 54 44.34	0 03 35.99	123 32 01 147 17 29	Barton..... Prairie.....	303 30 03 327 16 19	3816.0 3478.1	4173.1 3803.5	2.37 2.16
Encampment.....	48 55 33.06	0 03 23.17	44 52 45 35 36 25	Point Whitehorn, (2).. Trail.....	224 50 85 215 35 23	5018.4 2871.9	5488.0 3140.6	3.12 1.79
Bluff.....	48 59 44.44	0 20 43.82	291 14 38 285 44 29	Birch Point..... Sea Bird.....	111 94 15 105 54 18	16998.4 16497.7	18969.9 18041.4	10.37 10.25
Head Reef.....	48 45 33.20	W. 0 25 13.30	254 42 42 295 36 17	Patos Island..... Sea Bird.....	74 48 58 115 40 35	10557.8 7760.5	11545.7 8508.5	6.56 4.83

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section XI.—Gulf of Georgia. Sketch K, No. 34.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	<i>Metres.</i>	<i>Yards.</i>	<i>Miles.</i>
Tumbow, east.....	48 47 34.77	W. 0 21 44.29	185 07 58 279 22 41	East Roberts.....	5 09 05	20136.7	22020.9	12.51
				Patos Island.....	99 26 19	5996.1	6559.3	3.73
Tumbow, northeast.....	48 47 48.47	0 22 30.60	281 52 08 294 35 07	Patos Island.....	101 56 13	6804.4	7441.1	4.23
				Sucia, west.....	114 41 23	11219.0	12218.8	6.97
Whitewashed Rocks, Active harbor.	48 45 39.42	0 13 50.48	17 19 03 62 51 09	Sucia, west.....	197 18 55	724 0	791.7	0.45
				Bare Island.....	242 47 46	7793.9	8523.2	4.84
Whitewashed Tree, east point...	48 47 03.03	0 21 21.22	290 29 17 334 17 51	Sucia, west.....	110 34 48	9596.3	10494.2	5.96
				East Point, (2).....	154 17 52	91.4	100.0	0.06
High Bluff, east point.....	48 46 55.61	0 21 22.56	288 47 18 338 49 49	Sucia, west.....	108 52 50	9524.3	10415.5	5.92
				Bare Island.....	158 51 14	6373.2	6969.5	3.96
East Point, Plumper signal.....	48 47 06.55	0 21 20.74	271 07 03 340 04 57	Patos Island.....	91 10 23	5438.2	5947.1	3.38
				Bare Island.....	160 06 20	6647.1	7269.1	4.13
Semi-ah-moo Flag-staff.....	48 00 49.10	0 05 40.66	102 15 33 75 57 27	Satellite.....	292 12 13	5484.3	5997.5	3.41
				East Roberts.....	255 46 27	18340.8	20036.9	11.40
Shaw's Bluff.....	48 59 15.00	0 03 44.40	71 51 10 141 48 22	Drayton, (1).....	251 49 27	9929.5	10731.8	1.81
				Semi-ah-moo.....	321 46 58	3857.1	3977.4	2.26
Brant.....	48 57 32.43	0 03 11.04	123 11 26 167 55 17	Drayton, (1).....	303 09 18	4126.5	4512.6	2.56
				Shaw's Bluff.....	347 54 52	3239.9	3543.0	2.01
Camp.....	49 00 47.69	0 05 36.25	102 29 55 78 09 31	Satellite.....	282 26 33	5581.2	6103.4	3.47
				East Roberts.....	255 58 27	18417.0	20140.3	11.44
Semi-ah-moo Observatory.....	49 00 47.95	0 05 35.91	91 50 28 102 34 26	Sea Bird.....	201 48 50	6959.2	7610.4	4.32
				Satellite.....	282 21 04	5586.1	6108.8	3.47
Parallel.....	49 00 04.38	0 04 06.09	109 17 30 126 24 07	Satellite.....	289 13 00	7713.2	8434.9	4.79
				Semi-ah-moo.....	306 23 00	2246.3	2456.5	1.40
Drayton, (2).....	48 59 23.67	0 04 57.75	163 40 33 260 10 38	Semi-ah-moo.....	343 40 05	2699.0	2951.5	1.68
				Shaw's Bluff.....	100 11 33	1514.9	1656.6	0.94
Cross, hydrographic signal.....	48 58 41.25	0 06 10.54	137 05 44 190 27 54	Satellite.....	317 02 47	6980.5	7633.7	4.34
				Semi-ah-moo.....	10 28 21	3966.3	4337.4	2.46
Tumbow, west.....	48 47 48.83	0 24 40.94	185 22 07 183 41 12	East Roberts.....	15 25 27	20351.7	22226.0	12.65
				West Roberts.....	3 41 58	19385.2	21199.1	12.04
Whitewashed Western Rocks of Bell's chain.	48 50 13.36	0 31 08.23	126 20 53 221 10 07	Disappointment.....	306 10 09	3479.6	3805.2	2.16
				East Roberts.....	41 18 19	20156.5	22042.5	12.52
Filigree.....	48 52 28.79	0 35 45.47	229 22 34 233 32 54	East Roberts.....	59 34 15	91970.3	24026.0	13.65
				West Roberts.....	53 42 01	18349.8	20066.8	11.40
Pender.....	48 53 37.06	0 38 00.79	247 38 31 307 01 05	East Roberts.....	67 51 54	23417.9	25609.1	14.55
				Disappointment.....	127 04 32	7021.3	7678.3	4.36
Whitewashed Western Rocks, Plumper signal.	48 53 58.33	0 38 42.86	949 51 57 246 33 45	East Roberts.....	70 05 52	23978.7	26222.4	14.90
				West Roberts.....	66 45 06	20018.5	21691.6	12.44
Frazier's River.....	49 01 28.71	0 26 23.35	330 53 14 24 36 47	West Roberts.....	150 55 18	6842.8	7483.1	4.25
				Disappointment.....	204 31 29	20669.9	22604.0	12.84
East Point Reef.....	48 47 16.35	0 21 06.90	343 10 18 32 19 03	Bare Island.....	163 11 31	6845.4	7485.9	4.25
				East Point, (2).....	212 11 54	473.9	518.2	0.30
Marked Tree 2, Drayton Head...	48 57 26.11	0 03 27.14	128 07 36 174 02 43	Drayton, (1).....	308 05 53	3974.1	4346.0	2.47
				Shaw's Bluff.....	354 02 30	3381.5	3697.9	2.10
Marked Tree 3, Drayton Head..	48 57 36.47	0 04 04.94	132 08 35 187 48 54	Drayton, (1).....	312 07 08	3179.4	3476.9	1.98
				Shaw's Bluff.....	7 49 10	3071.7	3359.1	1.91
Marked Tree 4, Drayton Head..	48 57 37.87	0 04 15.82	134 22 27 192 01 16	Drayton, (1).....	314 21 08	2288.6	2508.2	1.86
				Shaw's Bluff.....	12 01 40	3067.3	3354.3	1.91
Marked Tree 5, Drayton Head..	48 57 54.34	0 05 04.58	144 05 26 213 11 34	Drayton, (1).....	324 04 43	1952.1	2134.8	1.21
				Shaw's Bluff.....	33 12 35	2977.3	3255.9	1.85
Marked Tree 6, Drayton Head..	48 58 08.56	0 05 39.59	159 13 44 228 45 58	Drayton, (1).....	339 13 28	1221.1	1335.4	0.76
				Shaw's Bluff.....	48 47 25	3113.9	3405.3	1.93
Shell Bank.....	48 57 47.65	0 04 39.39	197 10 26 202 30 33	Drayton, (1).....	317 09 24	2437.6	2665.7	1.52
				Shaw's Bluff.....	22 31 14	2920.4	3193.7	1.81
Northwest Patos.....	48 47 18.66	W. 0 16 56.71	278 03 06 231 30 00	Trident.....	98 04 16	2176.3	2379.9	1.35
				Point Whitehorn, (1)....	51 38 21	17324.5	18945.5	10.76

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section XI.—Admiralty Inlet. Sketch K, No. 34.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Astronomical Station, 1852, Point Hudson.	48 07 03.02							
Point Hudson, astronomical azimuth station, 1856.	48 07 06.71	E. 0 00 07.18	53 29 00	Astronomical Station, 1852.	232 29 15	187.2	204.7	0.12
Admiralty Head.....	48 09 21.56	0 04 24.97	52 01 11	Point Hudson.....	231 57 59	6763.2	7396.0	4.20
Kilicut.....	48 05 57.30	E. 0 02 04.63	131 25 18 204 41 13	Point Hudson.....	311 24 51	3239.8	3542.9	2.01
Southwest Base.....	48 05 35.42	W. 0 03 01.31	263 53 33 234 06 34	Admiralty Head.....	24 42 58	6943.5	7533.2	4.31
Walan.....	48 04 34.23	E. 0 00 22.90	114 07 01 176 03 06	Kilicut.....	83 56 20	6365.2	6960.8	3.95
Northeast Base.....	48 06 37.57	W. 0 01 13.19	286 29 29 331 13 06	Point Hudson.....	54 08 55	4811.3	5261.5	2.99
Point Wilson.....	48 08 42.74	W. 0 00 16.39	258 19 19 330 16 18	Southwest Base.....	294 04 29	4629.9	5062.1	2.88
Marrowstone Point.....	48 06 13.13	E. 0 03 41.27	110 30 50 133 15 39	Point Hudson.....	356 02 54	4720.3	5162.0	2.93
Lagoon.....	48 04 49.57	0 08 17.14	114 21 23 150 16 20	Kilicut.....	106 32 00	4375.8	4785.2	2.72
Nodule Point.....	48 01 55.90	0 04 55.42	169 04 22 217 53 10	Walan.....	151 14 22	4345.6	4752.2	2.70
Bush Point.....	48 01 55.57	0 08 37.92	175 25 29 142 21 50	Admiralty Head.....	78 22 49	5936.9	6492.4	3.69
Basalt Point.....	47 57 36.75	0 04 27.66	184 06 34 212 57 32	Point Wilson.....	150 18 03	5882.9	6433.4	3.65
Double Bluff.....	47 58 26.29	0 11 57.14	126 24 04 147 26 58	Point Hudson.....	290 28 10	4726.9	5169.2	2.94
Foulweather Bluff.....	47 56 30.02	0 08 46.53	154 23 50 178 59 02	Point Wilson.....	313 12 42	6745.0	7376.1	4.19
Duplicate.....	47 58 07.07	0 12 16.64	55 30 27 127 44 25	Marrowstone Point.....	294 17 53	6264.0	6850.1	3.89
Point No Point.....	47 54 46.04	0 13 26.35	164 19 29 186 23 45	Admiralty Head.....	339 13 27	9675.0	10580.3	6.01
Scatchet Head.....	47 54 57.15	0 19 14.46	87 47 40 124 07 16	Marrowstone Point.....	349 03 27	8091.1	8848.2	5.03
Apple Cove.....	47 48 57.90	0 16 05.84	163 10 39 199 26 19	Lagoon.....	37 55 40	6798.0	7434.1	4.92
Point Wells.....	47 46 57.00	0 21 14.19	190 13 41 170 29 01	Lagoon.....	355 25 14	5391.0	5895.4	3.35
President.....	47 45 51.33	0 16 46.20	171 42 39 249 59 42	Marrowstone Point.....	322 18 10	10048.8	10989.1	6.24
Meadow.....	47 41 42.48	0 20 42.63	147 21 49 183 59 07	Nodule Point.....	4 06 55	8023.7	8774.5	4.98
Elder.....	47 41 40.53	0 14 48.82	219 21 37 269 29 46	Bush Point.....	33 00 38	9326.7	10120.3	5.92
Yemoalt.....	47 38 04.19	0 15 39.95	170 56 05 223 05 45	Nodule Point.....	206 28 51	10876.4	11894.1	6.76
Magnolia.....	47 38 34.80	0 20 05.88	80 21 36 130 57 54	Bush Point.....	327 24 30	7669.4	8387.0	4.76
Restoration Point.....	47 35 05.78	0 16 17.78	171 50 34 216 24 02	Nodule Point.....	334 30 58	11146.2	12189.1	6.92
Battery Point.....	47 34 37.04	0 19 51.24	182 22 59 101 16 36	Bush Point.....	358 58 55	10055.3	10996.2	6.25
Hydrographic Signal.....	48 05 30.84	0 01 01.90	159 05 04 237 47 46	Foulweather Bluff.....	235 27 51	6058.2	6625.1	3.76
Long Spit.....	48 05 30.83	0 01 02.03	24 51 31 125 24 29	Nodule Point.....	307 38 57	11557.2	12638.6	7.18
Ebey's House, southwest end...	48 07 11.33	E. 0 00 10.00	22 13 41 169 04 01	Double Bluff.....	344 18 21	7000.7	7655.7	4.35
Point Partridge.....	48 12 50.31	W. 0 00 32.74	357 24 20 355 33 24	Duplicate.....	346 22 52	6324.0	6915.7	3.93
				Point No Point.....	267 43 23	7190.9	7863.7	4.47
				Duplicate.....	304 02 06	10467.3	11446.7	6.50
				Point No Point.....	343 08 49	11297.5	12354.6	7.02
				Scatchet Head.....	19 28 39	11766.3	12867.3	7.31
				Apple Cove.....	300 09 53	7423.2	8117.8	4.61
				Scatchet Head.....	350 27 33	15035.3	16442.2	9.34
				Apple Cove.....	351 42 09	5822.6	6367.4	3.62
				Point Wells.....	70 03 00	5936.2	6491.6	3.69
				President.....	327 18 54	9128.2	9922.3	5.67
				Point Wells.....	3 52 31	9735.2	10646.1	6.05
				Point Wells.....	39 26 22	12647.5	13830.9	7.86
				Meadow.....	29 34 06	7376.7	8066.9	4.58
				Elder.....	350 55 27	6765.5	7398.5	4.90
				Meadow.....	43 09 29	9326.4	10100.6	5.74
				Yemoalt.....	260 18 20	5630.9	6157.0	3.50
				Elder.....	310 54 00	8754.1	9573.2	5.44
				Yemoalt.....	351 50 06	5565.5	6086.3	3.46
				Magnolia.....	36 26 50	8021.7	8772.3	4.98
				Magnolia.....	2 23 10	7348.6	8036.2	4.56
				Restoration Point.....	9 61 13	4547.5	4923.0	2.83
				Point Hudson.....	339 04 23	3169.8	3466.4	1.97
				Kilicut.....	57 48 33	1533.5	1677.0	0.95
				Walan.....	204 51 02	1926.6	2106.9	1.20
				N. E. Base.....	305 22 45	3556.4	3891.4	2.21
				Point Hudson.....	202 13 39	153.9	168.3	0.09
				Point Wilson.....	349 03 41	2875.4	3144.5	1.79
				Point Wilson.....	177 24 43	7931.9	8674.1	4.93
				Point Hudson.....	175 33 54	10922.3	11944.3	6.79

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section XI.—Admiralty Inlet. Sketch K, No. 34.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Point Ross .....	48 08 38.18	W. 0 02 01.55	192 39 59 260 26 27	Point Partridge .....	12 41 04	8266.0	9039.4	5.14
				Admiralty Head .....	80 31 15	6099.8	6657.7	5.03
Dungeness .....	48 10 50.60	0 21 44.32	280 00 33 261 50 47	Point Ross .....	100 15 19	24434.6	27147.4	15.42
				Point Partridge .....	92 06 34	26492.5	28971.4	16.46
Dungeness (new) Light-house ..	48 10 58.96	0 21 34.06	280 03 10 261 44 24	Point Ross .....	100 17 44	24612.5	26915.5	15.29
				Point Partridge .....	82 00 04	26285.6	28745.1	16.33
Kala Point .....	48 03 31.82	W. 0 00 56.53	145 56 03 220 27 33	S. W. Base .....	325 54 30	4608.7	5039.9	2.86
				Walau .....	40 28 32	2533.4	2770.5	1.57
Crane .....	48 03 00.35	E. 0 00 32.41	117 50 09 178 06 58	Kala Point .....	297 49 03	2062.4	2277.3	1.29
				Walau .....	356 06 51	2906.1	3178.0	1.81
Tongue .....	48 02 10.09	W. 0 00 09.70	158 59 19 209 19 35	Kala Point .....	238 58 44	2704.1	2957.1	1.68
				Crane .....	29 20 05	1780.4	1947.0	1.11
Rock .....	48 02 23.41	E. 0 00 53.24	72 29 11 159 17 25	Tongue .....	252 28 24	1367.0	1494.9	0.85
				Crane .....	339 17 10	1219.4	1333.5	0.76
Head .....	48 02 04.68	0 00 49.44	97 45 45 168 24 28	Tongue .....	277 45 01	1236.3	1352.0	0.77
				Crane .....	348 24 15	1754.8	1919.0	1.09
Island .....	48 01 54.83	0 00 11.00	137 42 26 192 21 28	Tongue .....	317 42 11	637.2	696.8	0.39
				Crane .....	12 21 44	2371.5	2565.3	1.29
Beach, (1) .....	48 09 50.02	0 05 41.90	340 54 08 20 25 55	Lagoon .....	160 56 04	9818.4	10737.1	6.10
				Marrowstone Point .....	200 24 25	7147.2	7816.0	4.44
Beach, (2) .....	48 09 55.43	0 07 03.01	350 46 34 31 17 50	Lagoon .....	170 47 29	9569.4	10464.8	5.94
				Marrowstone Point .....	211 15 20	8032.5	8784.1	4.99
Robertson .....	48 09 31.24	0 08 12.32	359 20 30 42 30 52	Lagoon .....	170 20 34	8699.5	9513.5	5.41
				Marrowstone Point .....	222 27 30	8296.8	9073.1	5.16
Shipyard .....	48 08 32.75	0 08 49.32	55 56 18 5 30 58	Marrowstone Point .....	235 52 29	7692.0	8411.7	4.78
				Lagoon .....	185 30 34	6924.4	7572.3	4.30
Doyle .....	48 07 10.38	0 09 04.61	125 03 05 12 43 38	Admiralty Head .....	304 59 37	7058.8	7719.3	4.39
				Lagoon .....	192 43 03	4458.0	4875.1	2.77
Craven, (1) .....	48 04 50.09	0 03 54.01	184 03 06 175 18 49	Admiralty Head .....	4 03 29	9055.0	9902.3	5.63
				Marrowstone Point .....	355 18 39	3224.0	3525.7	2.00
Craven, (2) .....	48 03 24.74	0 04 03.58	182 17 53 174 55 45	Admiralty Head .....	2 18 09	11028.3	12060.2	6.85
				Marrowstone Point .....	354 55 28	5220.9	5709.4	3.24
Slide .....	48 00 40.74	0 10 13.92	109 24 41 332 43 29	Nodule Point .....	289 20 44	6935.0	7649.5	4.35
				Double Bluff .....	152 44 46	4671.1	5108.2	2.90
Colvos Rock .....	47 57 11.64	0 04 48.09	208 29 35 265 25 55	Bush Point .....	28 32 26	9979.0	10912.7	6.20
				Double Bluff .....	75 31 14	9192.7	10052.9	5.71
Seyward .....	47 59 57.39	0 12 23.77	66 18 07 111 32 50	Basalt Point .....	246 12 13	10785.4	11794.6	6.70
				Nodule Point .....	291 27 17	9985.0	10919.3	6.20
Neck .....	47 55 18.03	0 09 59.26	179 11 13 152 53 02	Bush Point .....	352 10 13	12392.4	13552.0	7.70
				Nodule Point .....	332 49 16	13808.3	15100.3	8.58
Briar .....	47 58 24.32	0 04 03.36	221 04 04 269 35 46	Bush Point .....	41 07 28	8657.0	9467.0	5.38
				Double Bluff .....	89 41 40	9625.0	10744.3	6.10
Limestone .....	47 58 51.94	0 02 33.51	233 03 35 273 49 12	Bush Point .....	53 08 06	9444.3	10328.0	5.87
				Double Bluff .....	93 56 11	11714.1	12810.2	7.28
Lipili .....	48 01 06.92	0 04 49.48	299 11 16 3 59 25	Double Bluff .....	119 16 34	10158.1	11108.6	6.31
				Basalt Point .....	183 59 09	6506.1	7114.9	4.04
Canal .....	47 55 59.68	0 07 49.05	125 40 40 185 15 45	Basalt Point .....	305 38 10	5142.7	5623.9	3.19
				Bush Point .....	5 16 21	11037.3	12070.1	6.86
Tala Point, 1855 .....	47 55 54.71	0 05 33.11	156 41 33 239 31 24	Basalt Point .....	336 40 44	3431.5	3752.6	2.13
				Double Bluff .....	59 36 09	9240.2	10104.8	5.74
Tala Point, 1856 .....	47 55 54.60	0 05 23.00	156 44 55 266 48 19	Basalt Point .....	336 44 07	3433.8	3755.1	2.13
				Canal .....	86 50 00	2827.8	3092.4	1.76
Olele .....	47 58 08.80	0 03 58.27	219 05 04 266 50 18	Bush Point .....	39 38 32	9690.7	9941.3	5.65
				Double Bluff .....	86 56 14	9945.5	10876.1	6.18
Oak Bay .....	48 00 25.22	0 03 42.62	221 10 33 350 23 49	Double Bluff .....	111 16 40	10997.3	12026.3	6.83
				Basalt Point .....	170 23 23	5539.9	6112.9	3.47
House between Lagoon and Bush Point ..	48 03 49.86	0 08 57.09	6 24 06 124 07 22	Bush Point .....	186 23 54	3551.3	3883.6	2.21
				Marrowstone Point .....	304 03 27	7892.7	8631.2	4.90
Hood's Head .....	47 53 19.33	0 06 22.87	143 40 57 171 56 00	Tala Point, 1856 .....	323 38 51	5252.4	5699.4	3.70
				Canal .....	351 55 25	5001.5	5469.5	3.11
Pond .....	47 55 36.54	E. 0 05 00.84	353 50 17 100 18 59	Hood's Head .....	173 50 33	4262.0	4680.8	2.65
				Tala Point, 1856 .....	260 17 09	3116.7	3410.5	1.94

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section XI.—Admiralty Inlet. Sketch K, No. 34.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
Clay Bank .....	47 54 19.06	E. 0 09 44.50	42 35 41 119 29 53	Hood's Head .....	222 34 40	2505.3	2739.7	1.56
Adam's Apple .....	47 55 20.88	0 08 54.19	9 49 52 164 01 20	Tala Point, 1856 .....	299 26 46	5986.9	6558.0	3.72
Peninsula, (1) .....	47 54 36.75	0 05 46.24	276 16 41 306 18 07	Hood's Head .....	189 40 29	3809.7	4166.2	2.37
Barnacle .....	47 53 11.82	0 10 14.02	95 45 08 163 33 30	Tala Point, 1856 .....	283 58 51	4303.6	4706.3	2.67
Gamble, (2) .....	47 51 32.31	0 10 36.89	139 53 59 171 12 36	Clay Bank .....	96 19 38	4977.3	5443.0	3.09
Gamble, (1) .....	47 51 27.03	0 10 00.45	149 42 07 257 51 51	Hood's Head .....	126 20 03	4037.0	4414.7	2.51
Salsbury Point .....	47 51 28.79	0 08 34.22	176 02 57 213 04 54	Hood's Head .....	275 43 46	2320.3	2537.4	1.44
Termination Point .....	47 52 08.74	0 06 55.87	244 29 21 283 44 27	Clay Bank .....	343 33 08	2165.2	2367.8	1.34
Southwest Point, Hood's Head ..	47 52 46.28	0 07 49.21	914 24 27 303 14 00	Hood's Head .....	319 52 20	4317.9	4721.9	2.68
Crab-apple .....	47 55 11.65	0 12 10.32	177 23 47 181 23 02	Barnacle .....	351 12 19	3169.7	3400.7	1.93
Indian Point .....	47 55 51.90	0 18 20.96	79 02 35 118 56 52	Hood's Head .....	329 40 55	4017.5	4393.4	2.50
Gully .....	47 58 27.18	0 13 44.47	2 49 48 59 41 05	Gamble, (2) .....	77 52 18	774.7	847.2	0.48
Eagle, (2) .....	47 57 11.48	0 18 29.04	54 39 43 102 34 09	Hood's Head .....	356 02 49	3422.0	3742.2	2.13
Deer Lagoon .....	47 59 32.50	0 15 44.17	334 27 58 17 47 49	Barnacle .....	33 06 08	3787.8	4153.1	2.36
Clay .....	47 58 39.75	0 17 19.91	346 15 54 33 54 07	Point no Point .....	64 41 48	4554.3	4960.4	2.83
Scatchet, east .....	47 54 29.67	0 21 32 47	33 33 34 93 16 49	Gamble, (2) .....	103 47 11	4728.9	5171.4	2.94
Pilot Point .....	47 52 52.00	0 14 13.40	238 14 47 342 04 21	Hood's Head .....	34 24 52	1934.4	2119.9	0.77
Run .....	47 51 40.92	0 24 57.54	65 24 15 130 24 47	Gamble, (2) .....	123 16 04	4166.4	4556.2	2.59
Granite .....	47 50 28.36	0 23 51.97	73 56 56 145 18 48	Double Bluff .....	357 23 37	6017.2	6580.2	3.74
Water .....	47 49 22.79	0 22 37.11	84 38 45 157 50 06	Duplicate .....	1 23 07	5418.9	5925.9	3.37
Log .....	47 48 31.55	0 21 32.17	96 52 14 166 30 02	Point no Point .....	251 58 58	6386.5	6984.1	3.97
Rose .....	47 51 21.69	0 14 33.29	221 14 48 336 31 42	Duplicate .....	298 52 21	6634.7	7242.6	5.36
Sycamore .....	47 50 18.79	0 14 38.35	213 41 13 323 55 16	Point no Point .....	182 49 36	6775.4	7409.4	4.21
Spring .....	47 52 55.62	0 25 03.22	24 48 54 56 44 34	Foulweather Bluff .....	229 37 24	7161.2	7821.3	4.45
Possession .....	47 54 30.83	0 22 27.76	312 16 28 358 49 47	Point no Point .....	234 36 00	7652.4	8368.4	4.75
Buzzard .....	47 56 18.73	0 23 30.78	342 58 39 21 25 25	Duplicate .....	262 29 31	7912.9	8653.3	4.92
Sound .....	47 54 53.40	0 25 48.23	80 30 46 132 44 35	Indian Point .....	154 29 54	7549.2	8255.6	4.89
Point Elliott .....	47 56 51.59	0 26 35.10	14 55 46 75 09 31	Point no Point .....	197 46 08	9225.6	10088.8	5.73
Hawk .....	47 57 33.50	0 24 04.50	299 29 17 356 37 48	Indian Point .....	166 16 39	5336.2	5835.5	3.39
North gable of north house, at entrance ..	47 54 50.74	0 22 29.08	233 48 28 268 50 23	Point no Point .....	213 51 15	8619.2	9425.7	5.35
First stake south of Buzzard .....	47 55 26.31	E. 0 22 28.49	218 26 31 253 45 04	Apple Cove .....	213 29 32	19290.4	13440.4	7.64
				Point no Point .....	273 10 50	10067.5	11009.5	6.25
				Scatchet Head .....	58 18 30	7350.3	8038.1	4.57
				Apple Cove .....	162 05 44	7597.9	8308.8	4.73
				Apple Cove .....	245 27 41	12119.0	13253.0	7.53
				Scatchet Head .....	310 20 32	9354.6	10229.9	5.81
				Apple Cove .....	253 51 11	10073.9	11016.5	6.36
				Scatchet Head .....	325 15 23	10098.3	11043.2	6.27
				Apple Cove .....	264 33 55	8174.2	8939.1	5.08
				Scatchet Head .....	337 47 36	11151.4	12194.8	6.93
				Apple Cove .....	276 48 13	6836.8	7476.5	4.25
				Scatchet Head .....	346 28 20	12247.2	13393.2	7.61
				Scatchet Head .....	41 18 17	8253.4	9081.8	5.50
				Apple Cove .....	156 34 51	4839.5	5292.3	3.01
				Scatchet Head .....	33 44 38	10334.7	11301.7	6.42
				Apple Cove .....	143 56 31	3090.3	3379.5	1.92
				Water .....	204 47 06	7940.5	7918.0	4.50
				Apple Cove .....	236 37 56	13367.0	14617.7	8.31
				Spring .....	132 20 23	4306.8	4775.4	2.71
				Water .....	178 49 54	9515.0	10405.3	5.91
				Spring .....	169 59 48	6559.5	7179.3	4.08
				Possession .....	201 25 38	3579.7	3914.6	2.22
				Possession .....	260 26 17	4220.0	4614.9	2.82
				Buzzard .....	312 42 53	3843.6	4247.0	2.41
				Sound .....	194 55 11	3777.3	4130.7	2.35
				Buzzard .....	255 07 14	3956.8	4327.0	2.46
				Point Elliot .....	113 31 09	3381.6	3698.2	2.10
				Sound .....	156 29 03	5392.5	5897.1	3.35
				Point Elliott .....	53 51 41	6334.6	6916.4	3.99
				Sound .....	68 53 51	4135.3	4522.2	2.57
				Buzzard .....	38 37 17	2071.8	2265.6	1.29
				Sound .....	103 47 32	4209.2	4668.7	2.65

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section XI.—Admiralty Inlet. Sketch K, No. 34.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Yards.	Miles.
North gable of north house, near Possession.	47 54 50.75	E. 0 22 28.11	205 13 11 317 59 25	Buzzard.....	25 13 57	3093.6	3254.6	1.87
				Spring.....	138 01 19	4783.6	5231.2	2.97
Blazed Tree.....	47 46 25.06	0 21 25.80	79 53 05 125 22 01	President.....	259 49 38	5913.7	6457.0	3.67
				Apple Cove.....	305 18 04	5161.5	5595.2	5.07
South Apple.....	47 46 56.16	0 16 03.01	180 53 43 269 44 18	Apple Cove.....	0 53 45	3760.0	4111.8	2.34
				Point Wells.....	89 48 08	6476.8	7062.8	4.02
North Apple.....	47 48 07.18	0 15 38.62	287 19 21 311 27 32	Point Wells.....	107 16 30	7311.7	7995.8	4.51
				President.....	161 28 22	4424.6	4838.6	2.75
Robin.....	47 44 58.05	0 22 06.42	16 07 57 103 53 31	Meadow.....	196 06 55	6286.9	6875.2	3.91
				President.....	283 49 34	6868.4	7511.1	4.27
Grave.....	47 42 49.84	0 22 17.96	129 04 43 170 08 08	President.....	309 00 22	8898.0	9730.6	5.53
				Point Wells.....	350 07 18	7747.3	8472.2	4.81
Crow.....	47 40 42.81	0 14 33.25	215 49 17 256 30 31	Point Wells.....	35 54 14	14258.6	15592.8	8.86
				Meadow.....	76 35 04	7919.1	8660.1	4.92
Point Monroe.....	47 42 27.41	0 14 31.22	225 11 31 280 07 21	Point Wells.....	45 16 29	11822.0	12928.2	7.34
				Meadow.....	160 11 56	7885.9	8601.9	4.89
Skiff.....	47 39 46.27	0 15 05.59	174 14 31 347 25 15	Elder.....	354 14 19	3484.5	3810.5	2.17
				Yemoalt.....	167 25 40	3293.2	3601.3	2.05
Foster.....	47 44 43.11	0 15 32.46	210 45 46 16 56 33	Meadow.....	120 49 36	8537.7	9336.6	5.39
				Point Monroe.....	196 53 48	4380.5	4780.4	2.72
Drift.....	47 42 00.88	0 14 46.64	221 23 54 274 20 35	Point Wells.....	41 28 41	12198.1	13339.5	7.58
				Meadow.....	94 24 58	7443.4	8139.9	4.62
Creek.....	47 40 28.84	0 20 41.21	115 25 49 140 41 47	Point Monroe.....	295 21 15	8539.2	9338.2	5.39
				Foster.....	320 37 59	10150.8	11100.6	6.31
Point Jefferson.....	47 44 57.38	0 16 38.37	237 13 15 319 45 17	Point Wells.....	57 16 39	6828.3	7467.2	4.24
				Meadow.....	139 48 18	7883.2	8620.8	4.90
Middle.....	47 45 28.36	0 16 48.92	243 26 20 325 03 22	Point Wells.....	63 39 36	6163.9	6740.6	3.83
				Meadow.....	145 06 15	8507.1	9303.1	5.29
Tide.....	47 43 11.44	0 12 23.26	234 17 46 297 00 09	Foster.....	54 20 06	4852.9	5307.0	3.01
				Point Monroe.....	117 01 44	2993.4	3273.5	1.86
Reservation.....	47 43 33.39	0 11 40.96	245 55 13 299 50 57	Foster.....	65 58 04	5281.6	5775.8	3.28
				Point Monroe.....	119 53 03	4091.7	4474.5	2.54
Cherry.....	47 44 09.03	0 12 05.13	256 16 59 315 51 13	Foster.....	76 19 25	4445.2	4861.1	2.76
				Point Monroe.....	135 53 01	4371.9	4781.0	2.72
Clements.....	47 44 55.15	0 12 35.59	332 09 08 4 35 11	Point Monroe.....	152 10 34	5159.5	5642.3	3.21
				Tide.....	184 35 02	3213.0	3513.6	2.00
West Point.....	47 39 47.22	0 18 56.43	124 08 51 52 12 22	Elder.....	304 05 48	6237.7	6821.3	3.88
				Yemoalt.....	232 09 57	5189.5	5675.1	3.22
Duwamish.....	47 35 44.61	0 21 48.82	80 11 46 119 16 09	Restoration Point.....	260 07 42	7018.5	7675.2	4.36
				Yemoalt.....	299 11 35	8226.0	8951.8	5.48
Alder.....	47 37 56.96	0 21 25.38	91 48 30 353 10 14	Yemoalt.....	271 41 15	7213.7	7888.7	4.48
				Duwamish.....	173 10 31	4116.0	4501.1	2.56
Swallow.....	47 37 46.44	0 22 51.16	58 54 45 93 31 46	Restoration Point.....	238 49 54	9596.9	10494.9	5.96
				Yemoalt.....	273 26 27	9017.5	9861.3	5.60
Leaning Tree.....	47 37 01.77	0 23 46.44	45 53 10 190 04 30	Duwamish.....	225 51 43	3422.0	3742.2	2.13
				Alder.....	300 02 46	3402.3	3730.7	2.11
Cabin.....	47 35 40.84	0 22 03.91	169 10 11 223 34 51	Alder.....	349 09 43	4279.5	4679.9	2.66
				Leaning Tree.....	40 36 07	3290.8	3608.7	2.04
Seattle.....	47 36 01.23	0 24 57.62	80 10 32 141 31 06	Cabin.....	260 08 24	3682.6	4027.2	2.29
				Leaning Tree.....	321 30 13	2388.4	2611.9	1.48
Trail.....	47 34 37.42	0 25 47.65	112 44 09 150 22 21	Cabin.....	292 41 24	5072.2	5546.8	3.15
				Leaning Tree.....	330 20 51	5128.5	5608.4	3.19
Gull.....	47 34 16.82	0 24 39.54	128 26 19 167 43 14	Cabin.....	308 34 24	4160.0	4549.2	2.58
				Leaning Tree.....	347 42 35	5413.0	5900.8	3.24
Buttonwood.....	47 34 20.92	0 23 35.95	142 05 08 182 31 27	Cabin.....	322 04 00	3128.8	3421.6	1.94
				Leaning Tree.....	2 31 35	4971.9	5437.1	3.09
Hydrographic Signal.....	47 35 12.30	0 22 29.71	215 21 11 148 33 33	Leaning Tree.....	25 22 08	3741.1	4091.1	2.32
				Cabin.....	328 31 14	1033.2	1129.9	0.64
Cabin south end of Buttonwood..	47 34 12.76	0 23 43.44	180 41 16 204 49 21	Leaning Tree.....	0 41 18	5219.4	5707.8	3.24
				Seattle.....	24 50 16	3890.7	4236.0	2.29
Hydrographic Signal on Tree....	47 37 56.38	E. 0 21 35.24	356 00 40 361 36 20	Duwamish.....	176 00 50	4078.8	4460.4	2.53
				Leaning Tree.....	121 37 57	3216.6	3517.6	2.00



## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section XI.—Admiralty Inlet. Sketch K, No. 34.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	Metres.	Faths.	Miles.
Hydrographic Signal on Spit.....	47 37 59.87	E. 0 21 51.90	306 51 46 52 25 01	Leaning Tree.....	126 53 10	2989.4	3269.1	1.86
				Restoration Point.....	232 20 54	8568.5	9632.7	5.47
Elm.....	47 35 03.51	0 20 57.50	130 06 30 170 37 29	Yemoult.....	310 02 35	8666.2	9477.1	5.38
				Magnolia.....	350 36 51	6613.2	7322.0	4.11
Cliff.....	47 35 22.76	0 15 34.78	181 14 23 223 38 20	Yemoult.....	1 14 27	4986.0	5452.5	3.10
				Magnolia.....	43 41 40	8198.2	8965.3	5.09
Cobble.....	47 36 41.17	0 15 11.97	240 12 17 334 58 27	Magnolia.....	60 15 54	7068.2	7729.6	4.39
				Restoration Point.....	154 59 16	3250.6	3554.8	2.02
Wing.....	47 37 18.40	0 15 33.84	247 24 38 347 21 52	Magnolia.....	67 27 59	6149.1	6724.5	3.82
				Restoration Point.....	167 22 24	4197.0	4589.7	2.61
Point Williams, marked tree...	47 31 52.29	0 21 00.86	135 18 33 164 02 42	Restoration Point.....	315 15 04	8409.2	9196.8	5.22
				Battery Point.....	344 01 51	5991.7	6786.8	3.29
Brace Point.....	47 31 05.46	0 21 07.57	140 50 01 166 20 07	Restoration Point.....	390 46 27	9576.0	10472.0	5.95
				Battery Point.....	346 19 11	6724.3	7353.6	4.18
Dolphin Point.....	47 30 14.32	0 17 56.92	167 02 27 196 24 21	Restoration Point.....	347 01 14	9236.1	10100.3	5.74
				Battery Point.....	16 25 45	8457.8	9249.2	5.26
Tatugh, (1).....	47 33 33.01	0 16 16.26	180 38 21 246 13 30	Restoration Point.....	0 38 22	2865.0	3133.1	1.78
				Battery Point.....	66 16 09	4908.9	5368.2	3.05
Stake on spit near Alder.....	47 38 08.57	E. 0 22 08.69	5 20 12 32 25 43	Duwamish.....	185 19 57	4464.9	4882.7	2.77
				Restoration Point.....	232 21 24	9151.5	10007.8	5.69
Eastern sharp peak of Olympus..	47 46 26.54	W. 0 22 35.27	252 55 32 263 44 42	Scatchet Head.....	73 26 33	54504.8	59604.8	33.87
				Point Wells.....	69 17 09	54741.3	59863.4	34.01
Tatugh, (2).....	47 32 32.17	E. 0 16 15.83	180 29 31 229 23 59	Restoration Point.....	0 29 32	4743.9	5187.8	2.95
				Battery Point.....	49 26 38	5928.2	6482.9	3.68
Vashon Point.....	47 30 39.43	0 16 29.01	178 22 00 175 28 31	Restoration Point.....	358 21 52	8228.8	8998.8	5.11
				Tatugh, (2).....	355 28 31	3492.1	3818.9	2.17
Point Beale.....	47 26 01.62	0 19 02.06	181 35 59 204 45 51	Dolphin Point.....	341 35 11	4318.8	4722.9	2.68
				Brace Point.....	24 47 22	6252.4	6837.4	3.68
Point Pully.....	47 27 07.28	0 22 11.53	137 19 28 112 56 40	Dolphin Point.....	317 16 21	7859.3	8594.7	4.88
				Point Beale.....	292 54 21	4307.8	4710.9	2.68
South Bainbridge.....	47 34 35.56	0 14 50.70	269 33 05 334 57 24	Battery Point.....	89 36 47	6280.3	6867.9	3.90
				Tatugh, (2).....	154 58 27	4205.4	4598.9	2.61
Northwest Blake.....	47 32 43.90	0 14 43.09	204 18 02 182 38 19	Restoration Point.....	24 19 12	4807.8	5257.7	2.99
				South Bainbridge.....	2 38 25	3451.7	3774.7	2.14
Orchard.....	47 33 59.03	0 13 07.97	242 31 17 319 23 41	Restoration Point.....	62 33 37	4470.1	4888.4	2.78
				N. W. Blake.....	139 24 51	3065.7	3341.6	1.90
Southwest Bainbridge.....	47 34 36.93	0 13 38.52	338 51 09 28 37 10	N. W. Blake.....	158 51 57	3742.2	4092.4	2.32
				Orchard.....	208 36 47	1332.9	1457.6	0.83
Otter.....	47 31 27.74	0 13 48.99	169 36 01 205 40 57	Orchard.....	349 35 31	4750.1	5194.6	2.95
				N. W. Blake.....	25 41 37	2609.7	2853.9	1.62
Southwest Blake.....	47 32 02.88	0 15 10.53	57 32 26 155 38 06	Otter.....	237 31 26	2021.2	2210.3	1.26
				N. W. Blake.....	375 37 46	1390.6	1520.7	0.86
Fly.....	47 31 09.75	0 14 51.76	112 56 05 234 42 09	Otter.....	298 55 19	1425.5	1558.9	0.88
				Vashon Point.....	114 43 21	2239.5	2449.0	1.39
Point Southworth.....	47 30 41.54	0 15 20.86	279 36 15 264 08 46	Vashon Point.....	92 37 05	1427.3	1560.8	0.89
				Brace Point.....	64 13 01	7284.4	7965.0	4.53
Post.....	47 32 30.36	0 12 37.63	322 19 45 193 02 12	Otter.....	142 20 38	2442.6	2671.2	1.52
				Orchard.....	13 02 34	2810.8	3072.8	1.75
Point Peter.....	47 28 36.66	0 15 11.73	182 50 13 203 05 43	Point Southworth.....	2 50 30	3661.1	4222.4	2.40
				Vashon Point.....	23 06 40	4121.9	4507.6	2.56
Point Paul.....	47 28 38.51	0 13 40.58	222 19 59 271 42 44	Vashon Point.....	43 22 03	5134.9	5615.4	3.19
				Point Peter.....	61 43 51	1909.6	2087.6	1.18
James' Point.....	47 27 45.54	0 14 32.41	146 26 50 207 32 07	Point Paul.....	326 26 11	1803.2	2142.9	1.28
				Point Peter.....	27 32 36	1780.4	1947.0	1.11
Point Command.....	47 27 24.30	0 13 12.30	194 29 09 222 12 26	Point Paul.....	14 29 30	2267.4	2558.5	1.47
				Point Peter.....	48 13 54	3353.5	3657.3	2.06
Flora.....	47 27 19.55	0 14 21.16	95 48 36 168 47 24	Point Command.....	275 47 45	1440.7	1585.3	0.90
				Point Paul.....	340 46 54	2522.1	2828.7	1.60
Point Prospect.....	47 25 51.20	0 13 07.31	182 04 55 209 32 50	Point Command.....	2 04 59	2878.9	3145.1	1.79
				Flora.....	29 33 44	3136.6	3430.1	1.95
Andrew.....	47 26 29.56	E. 0 14 13.51	142 46 41 49 32 52	Point Command.....	322 45 56	2122.9	2321.5	1.32
				Point Prospect.....	229 32 03	1625.8	1986.6	1.13

## UNITED STATES COAST SURVEY.—GEOGRAPHICAL POSITIONS.

## Section XI.—Admiralty Inlet. Sketch K, No. 34.

Name of station.	Latitude.	Longitude.	Azimuth.	To station—	Back azimuth.	Distance.	Distance.	Distance.
	° ' "	° ' "	° ' "		° ' "	<i>Metres.</i>	<i>Yards.</i>	<i>Miles.</i>
Thistle.....	47 25 09.90	E. 0 14 11.23	123 35 42 181 09 53	Point Prospect..... Andrew .....	313 34 55 1 09 55	1849.3 2460.3	2022.3 2690.5	1.15 1.53
Baker.....	47 26 24.64	0 13 02.41	264 10 42 354 19 13	Andrew .....	84 11 34	1499.5	1639.8	0.93
Marked Tree, (17).....	47 26 57.33	0 14 14.11	122 45 19 167 20 15	Point Prospect..... Point Paul.....	174 19 17 302 44 34 347 19 50	1038.0 1639.4 3302.4	1135.1 1693.4 3502.0	0.64 0.96 1.99
Bright Stump.....	47 28 02.71	0 14 53.46	39 43 48 60 46 09	James' Point .....	219 43 33	689.5	754.0	0.42
Marked Tree, (16).....	47 25 50.17	0 14 33.24	91 01 08 149 45 09	Point Command .....	240 44 54	2427.8	2655.0	1.51
Marked Tree, (14).....	47 28 15.74	0 13 06.83	256 06 34 297 28 54	Point Prospect..... Point Command .....	271 00 05 329 44 09	1800.9 3345.3	1969.4 3680.2	1.12 2.09
Rock.....	47 27 43.72	0 13 09.75	256 06 34 297 28 54	Point Peter .....	78 08 06	2693.6	2945.6	1.67
Rosa.....	47 29 21.20	0 13 56.74	232 48 52 311 13 04	James' Point .....	117 29 57	2020.3	2209.3	1.25
Marked Tree, (15).....	47 29 55.65	0 14 38.31	268 08 17 296 30 32	Point Peter .....	88 09 18	1732.0	1894.1	1.08
Fern.....	47 29 23.11	0 16 16.23	232 48 52 311 13 04	Flora .....	116 31 25	1671.4	1827.8	1.04
Southeast Blake.....	47 31 54.79	0 15 57.46	239 42 58 343 59 47	Vashon Point..... Point Peter.....	52 50 44 131 13 59	2998.7 2007.0	4372.8 2262.3	2.48 1.30
House in Bight, door.....	47 31 30.77	0 12 15.82	43 16 25 154 26 29	Vashon Point..... Point Peter.....	59 44 20 164 00 12	2682.0 2537.6	2933.0 2775.0	1.67 1.58
Jay.....	47 33 35.29	0 20 53.73	154 26 29 154 26 29	Point Peter..... Point Southworth.....	223 15 37 334 25 48	1969.9 2684.8	2154.2 2936.0	1.22 1.67
Marked Tree, (1).....	47 32 46.29	0 21 07.32	344 09 42 18 41 59	Point Southworth..... Vashon Point.....	164 10 05 198 41 32	2418.8 2398.0	2645.1 2611.4	1.50 1.46
Point Williams.....	47 31 51.92	0 21 00.06	196 43 48 233 44 10	Point Southworth..... N. W. Blake.....	16 44 49 53 45 59	6002.2 3818.8	6564.4 4176.1	3.73 2.37
Marked Tree, (18).....	47 30 31.95	0 17 30.61	71 28 52 145 36 16	S. W. Bainbridge..... N. W. Blake.....	16 44 49 53 45 59	6002.2 3818.8	6564.4 4176.1	3.73 2.37
Bright Stump.....	47 34 14.09	0 20 27.91	251 25 27 325 35 30	Tatugh, (2)..... Battery Point.....	251 25 27 325 35 30	6127.9 2311.3	6701.3 2527.6	3.81 1.43
Granite Boulder.....	47 32 06.11	0 21 13.97	85 56 13 40 20 02	Tatugh, (2)..... Dolphin Point.....	265 52 38 220 17 41	6110.7 6154.6	6682.5 6730.5	3.80 3.82
Marked Tree, (2).....	47 30 20.75	0 21 45.78	164 15 16 135 26 33	Battery Point..... Restoration Point.....	344 14 25 315 23 05	5297.9 8445.7	5793.6 9225.0	3.29 5.24
Marked Tree, (3).....	47 28 45.94	0 18 09.47	171 15 41 202 39 25	Restoration Point..... Battery Point.....	351 14 55 22 41 17	8555.6 8202.4	9356.2 8969.9	5.31 5.09
Snake.....	47 27 54.97	0 22 54.35	59 10 34 107 00 34	Tatugh, (2)..... Restoration Point.....	239 07 28 286 57 34	6137.8 5464.9	6712.1 5976.2	3.81 3.39
Seal.....	47 29 22.89	0 17 25.35	97 23 01 159 39 04	Tatugh, (2)..... Battery Point.....	277 19 21 339 38 03	6285.9 4971.2	6874.1 5436.3	3.91 3.09
Lupin.....	47 29 27.65	0 23 07.47	235 35 29 87 39 05	Point Beals..... Dolphin Point.....	218 33 38 267 36 16	5495.4 4792.9	6009.6 5241.4	3.41 2.98
Rain.....	47 27 02.36	0 18 38.33	174 30 05 300 59 07	Dolphin Point..... Point Pully.....	354 29 58 121 02 05	2742.0 5913.4	2998.6 6466.7	1.70 3.67
Point Hyer.....	47 25 26.46	0 19 15.65	124 40 53 92 26 36	Dolphin Point..... Point Beals.....	304 37 14 272 23 45	7568.4 4868.3	8276.6 5323.8	4.70 3.02
Raspberry.....	47 24 01.06	0 21 18.40	235 40 41 304 55 09	Brace Point..... Point Pully.....	55 43 25 124 58 40	5620.9 7309.9	6146.8 7993.9	3.49 4.54
Marked Tree, (4).....	47 24 07.15	0 19 49.22	15 07 50 62 40 54	Point Pully..... Point Beals.....	195 07 09 242 37 58	4490.1 5783.7	4910.2 6324.9	2.79 3.59
Charred Tree.....	47 29 57.80	E. 0 17 33.13	22 34 05 15 11 30	Brace Point..... Point Beals.....	22 34 05 15 11 30	6128.6 1896.4	6889.2 2073.8	5.05 1.18
			178 36 13 229 46 59	Point Beals..... Point Pully.....	356 36 03 49 49 08	4799.9 4823.7	5249.0 5275.0	2.98 3.00
			158 58 49 190 57 01	Point Beals..... Point Pully.....	338 57 09 10 57 40	7858.7 5857.2	8703.4 6405.3	4.94 3.64
			173 14 04 208 10 43	Point Beals..... Point Pully.....	350 13 29 28 12 28	7307.5 6311.3	7991.3 6901.8	4.54 3.92
			312 04 03 332 33 54	Point Pully..... Point Beals.....	132 07 28 152 35 00	7854.5 4041.7	8589.4 4419.9	4.88 2.51

## APPENDIX No. 21.

*Report of Prof. O. M. Mitchel, director, on the moon culminations observed for the U. S. Coast Survey at Cincinnati observatory.*

CINCINNATI, Ohio, September 24, 1859.

DEAR SIR: I have to report the observation of forty-nine moon culminations made during the past twelve months.

The mode of observation and record remains the same as in the past years, the only change being the introduction of a new system of wires into the transit instrument on the 5th of July last. The number of wires is the same as before used, (fifteen,) but they are grouped differently, being now in five groups of three wires each. The equatorial distance between groups is about eight seconds of time, and the interval between the wires of each group is four seconds equatorial. The reduction from mean to middle wire has been obtained from a discussion of fifty-nine observations of stars within twenty degrees of the equator.

The observations were made and reduced by my assistant, Henry Twitchell, esq., who has charge of the transit.

Yours, respectfully,

O. M. MITCHEL.

Dr. A. D. BACHE,

*Supt. U. S. Coast Survey, Washington, D. C.*

## APPENDIX No. 22.

*Discussion of the magnetic and meteorological observations made at the Girard College observatory, Philadelphia, in 1840, 1841, 1842, 1843, 1844, and 1845. Part I. Investigation of the eleven-year period in the amplitude of the solar-diurnal variation, and of the disturbances of the magnetic declination. By A. D. Bache, LL.D.*

## INTRODUCTION.

In co-operation with the scheme adopted at the British colonial observatories, a series of magnetic and meteorological observations were made at the Girard College magnetic observatory, in Philadelphia, with instruments purchased under the direction of the trustees of the college, the observations being made under the patronage of the American Philosophical Society, and finally completed for the use of the Topographical Bureau of the War Department.<sup>1</sup>

These observations were made under my immediate direction, and were afterwards left under my general superintendence. The series commenced in May, 1840, and, with short interruptions, terminated in June, 1845, thus furnishing a five years' series of magnetic observations, taken bi-hourly up to October, 1843, and after that date hourly. The readings of each magnetic

<sup>1</sup> See "Observations at the magnetic and meteorological observatory at the Girard College, Philadelphia, made under the direction of A. D. Bache, LL.D., and with funds supplied by the members of the American Philosophical Society and by the Topographical Bureau of the United States, 1840 to 1845. Printed by order of the Senate of the United States, and under the direction of the Topographical Bureau, second session of the twenty-ninth Congress, Washington, D. C., 1847."

Three volumes record and one volume plates.

element were united into mean values, arranged according to hours of the day and days of the month and annual values, and presented graphically, under my direction, by Joseph S. Ruth, esq., who had taken part in the observations, and who was at that time employed in the Coast Survey. As, owing to other laborious duties, the record could not then be submitted to a complete reduction and discussion, I have resumed the subject, with the aid of Charles A. Schott, esq., assistant in the Coast Survey, by whom, under my immediate direction, the discussions contained in this paper have been made and prepared for publication. It is proper to state that this work has been performed out of office hours by Mr. Schott, as my assistant in this special matter, and at my own expense.

Although the magnetic observations furnished by their judicious geographical location, a basis for the generalization of their results, it is, nevertheless, desirable to combine other results with them as confirmations or as corrections. In the investigation of the disturbance law at Point Barrow, as compared with the same at Toronto, a very remarkable mutual relation was developed, and further examination may bring to light other dependencies of a mutual character.

According to the latest determination, the position of the Girard College observatory is in latitude  $39^{\circ} 58' 23''$ , (north,) and in longitude  $75^{\circ} 10' 05'' = 5h. 00m. 40s. 3$  west of Greenwich.<sup>1</sup> From Philadelphia, Toronto bears  $38^{\circ} 45'$  west of north, (true,) and is distant  $40^{\circ} 50'$  in arc, or about 334 statute miles.

It is proposed, in the present paper, to investigate the law of the eleven-year period, or, as it is more frequently called, the decennial period, there being yet an uncertainty as to its precise length. It is supposed to have some direct or indirect connection with the solar spot period, which, according to late investigations by Prof. R. Wolf,<sup>2</sup> is said to exhibit corresponding disturbances.

The discussion is a contribution towards the determination of the epoch of the occurrence of a minimum (as to number and magnitude) in certain phases of the magnetic variations and disturbances, corresponding to a minimum in the solar spot period. The method of reduction is substantially the same as that adopted by General Sabine, and explained in his discussion of the Toronto and Hobarton<sup>3</sup> observations.

---

*Investigation of the eleven year period in the change of the amplitude of the solar-diurnal variation of the magnetic declination, comprising the regular as well as the disturbed diurnal variation.*

While the magnitude of the deflection is the only criterion for the recognition of a disturbance, the adoption of any limit of deviation from the normal value for the same hour, month, and year, must necessarily remain in some measure arbitrary, or, in other words, there must always remain, after the separation of the disturbances, a certain small amount of their effect in the remaining regular diurnal progression. General Sabine has shown that the results are

<sup>1</sup> This longitude depends on that of Cambridge observatory, for which  $4h. 44m. 30s. 25$  has been adopted.

<sup>2</sup> *Astronomische Nachrichten*, No. 1091, (May, 1857.)

<sup>3</sup> See three papers, by General Sabine, on periodical laws discoverable in the mean effects of the larger magnetic disturbances. *Philosophical Transactions of the Royal Society*, 1851, 1852, and 1856.

not sensibly affected by a small variation in the line of separation of the disturbed from the undisturbed readings.<sup>1</sup>

To effect the separation, I made use of Peirce's criterion<sup>2</sup> for the rejection of doubtful observations, applying it, however, to observations following a law different from the regular one.<sup>3</sup> From an examination of 465 hourly observations, distributed over different hours of the day and different months of the year, the following was the limit of separation:

9<sup>d</sup>.3 from six months in 1840; 8.1 from six months in 1843; 6.0 from six months in 1845.

The mean of 7.8 divisions, equal to 3'.6 of arc, has been adopted provisionally. Accordingly, all numbers in the printed record of observations, differing 7.8 scale divisions (or 10.3 divisions for June, and up to July 18, 1840,) for the mean monthly value of each hour of observation, were marked in pencil. It was found that the ratio of the disturbed observations to the total number was 1: 9.6, or for the years 1843, 1844, 1845, 1: 13.3 nearly, (the years 1843 and 1845 being incomplete, and omissions only approximately allowed for.) For comparison with the Toronto observations we have the ratio 1: 9.4 for the series 1841 to 1848 inclusive,<sup>4</sup> and 1: 13.6 for the series 1843, 1844, 1845,<sup>5</sup> both for the limit 3'.6, which was afterwards raised to 5'.0<sup>6</sup>. It was thought desirable in comparing these results, and especially as the Girard College observations do not extend either way to years of maximum of disturbance, which would otherwise require the enlargement of the limit to preserve the limit as pointed out by the criterion; hence a deviation from the normal of 8.0 scale divisions as a convenient number, 3'.64 of arc, has been adopted for the present discussion as constituting a disturbed observation. Previous to July 18, 1840, the declinometer had a different scale, one division being 20".7, making the corresponding limit for the first month and a half 10.6 divisions.

All observations, therefore, differing 8.0 scale divisions from the mean monthly value of their respective hour were marked by a pencil line; a new hourly mean was taken, omitting values so marked, and each observation was again examined with reference to its deviation from this new mean. The process was repeated, when necessary, so that in all cases values differing 8<sup>d</sup>.0 or more from the final mean were excluded. The last mean thus obtained for each observing hour and each month has been called "the normal." The following tables of normals present the mean monthly declinometer readings for each observing hour, free from all disturbances, deviating either way 3'.64 or more from the normal position of the magnet for the respective hour, month, and year. The observations having been made at the even Göttingen hours, the local times are 19½ minutes after the even hour.<sup>7</sup> The time given in the tables is mean local time, counting from midnight, or 0h. up to 24h.

Increase in the scale readings corresponds to a decrease of westerly declination. The value of one division of the scale is 0'.453.

<sup>1</sup> In the first discussion of the Toronto observations for the years 1843, 1844, 1845, the limit of 3'.6 was adopted, corresponding to one disturbance in every 13.6 observations; in the second discussion 5'.0 was substituted as preferable. Phil. Trans. 1856, art. XV.

<sup>2</sup> Gould's Astronomical Journal, Vol. IV, No. 83, 1855.

<sup>3</sup> A similar application was made in the discussion of Dr. E. K. Kane's magnetic observations at Van Rensselaer harbor, North Greenland, by Mr. Schott. Smithsonian Contributions to Knowledge, vol. X, 1858.

<sup>4</sup> Observations made at the Magnetical and Meteorological Observatory at Toronto, in Canada, under the superintendence of Colonel Edward Sabine, vol. II, 1843, 1844, 1845, with abstracts of observations to 1852, inclusive. London, 1853.

<sup>5</sup> Phil. Trans., R. S., 1851, art. V.

<sup>6</sup> Observations made at the Magnetical and Meteorological Observatory at Toronto, in Canada, under the superintendence of Major General Edward Sabine, vol. III, 1846, 1847, 1848, with abstracts of observations to 1856, inclusive. London, 1857.

<sup>7</sup> The observations were made at the even Göttingen time, 6h. 00m., corresponding to 6h. 19½m., of Philadelphia time.

TABLE I.

*Normals of the declinometer readings for each observing hour and month in the year 1840.*

[Observations taken 19½ minutes after the hour indicated.]

MONTHS.	PHILADELPHIA MEAN TIME.											
	0A.	2A.	4A.	6A.	8A.	10A.	Noon.	14A.	16A.	18A.	20A.	22A.
June*	494.4	495.0	497.5	504.0	502.7	493.8	485.5	483.4	487.9	492.8	492.5	493.6
July	497.3	497.2	498.9	504.7	505.5	495.4	484.5	484.0	488.7	494.3	495.5	496.3
August	495.3	495.7	498.8	506.4	509.1	489.4	480.5	481.9	482.2	493.2	494.9	495.1
September†	492.5	495.2	496.9	503.2	502.5	490.8	477.3	479.5	484.4	489.9	493.3	492.6
October	492.5	490.4	491.1	489.1	489.2	484.1	478.4	477.3	481.9	485.3	485.9	493.1
November‡	481.1	480.6	482.9	483.7	486.4	481.7	474.2	472.5	477.5	480.8	483.6	482.7
December	477.9	475.2	479.8	479.5	480.5	480.6	470.7	471.6	472.7	478.5	479.0	481.2
Mean	490.14	489.90	492.27	495.80	496.56	487.86	478.73	478.60	483.61	487.83	489.21	490.20
Correction§	+ 5.21	5.10	5.33	4.68	5.17	5.85	5.05	4.65	4.46	4.36	4.75	5.25
Mean for 1840	495.35	495.00	497.60	500.48	501.73	493.71	483.78	483.25	488.07	492.19	493.99	495.05
Correction for index	+ 93.30											
Corrected mean for 1840	588.65	588.30	590.90	593.78	595.03	587.01	577.08	576.55	581.37	585.49	587.29	589.35

\* The readings from June 1 to July 18, (15 hours,) on the college building scale, were converted into observatory scale readings by subtracting 144".7 at division 622.8 of the old scale, and converting the value of a division 0'.345 of the old into the corresponding reading for the value of a division 0'.453 of the new scale. The mean readings, thus corrected, of the first 18 days of July, were then properly combined with the mean of the remaining days of the month.

† In the month of September, hour 8, the comparisons were made with the half-monthly means, owing to the rapid change of the readings.

‡ On the 23d of November the index of the declinometer bar shifted 19.5 scale divisions. A correction of + 19".5 has therefore been added to observations after this date, and likewise to all the readings of the following month.

§ The corrections here given for referring the mean of the last seven months of the year to the mean for the whole year are derived from the normals of the following year 1841, by comparing the mean of the same seven months with the annual mean of that year. Comparing the same months in the two years, the character of the changes appears to be about the same.

|| A further correction for change in the zero of the scale required to refer the readings of 1840 to the readings of subsequent years. Owing to a rearrangement of the instruments on January 7, 1841, the scale readings changed 112.3 divisions; and since 19.5 scale divisions had been added to the December readings, the resulting correction is the difference of the two, or + 93".30.

TABLE II.

*Normals of the declinometer readings for 1841.*

[Value of 1 div. = 0'.453. Time, 19½ minutes later than indicated.]

MONTHS.	PHILADELPHIA MEAN TIME.											
	0A.	2A.	4A.	6A.	8A.	10A.	Noon.	14A.	16A.	18A.	20A.	22A.
January	579.3	577.0	578.6	576.0	580.7	581.9	570.0	568.8	570.3	574.2	578.0	580.1
February	575.0	573.2	575.6	577.8	582.1	579.5	569.5	566.0	569.5	572.4	574.4	575.8
March	577.1	577.6	580.9	582.9	586.8	578.9	569.4	567.7	571.8	576.4	577.4	577.7
April	580.0	581.9	582.9	585.6	587.6	579.4	568.8	566.1	571.7	576.9	578.0	579.1
May	579.1	579.8	581.9	587.4	589.1	578.8	569.4	567.0	573.6	577.4	578.5	580.1
June	571.7	572.2	574.7	583.3	582.6	571.1	561.6	560.3	565.0	570.1	570.9	570.8
July	569.9	568.5	571.6	578.4	581.2	571.8	558.9	557.3	562.3	567.2	568.8	568.6
August	568.4	570.3	571.6	580.1	583.9	568.9	558.3	555.9	564.0	566.8	568.6	568.9
September	565.1	564.5	565.5	569.4	571.1	564.1	553.6	554.5	559.5	562.9	563.8	564.0
October	566.8	566.3	565.5	567.6	569.4	568.2	564.0	563.3	564.7	573.5	568.6	569.3
November	557.2	558.5	558.5	557.6	561.7	557.1	551.8	549.9	553.4	554.9	558.0	558.6
December	560.1	559.3	560.5	559.6	560.1	558.1	552.9	551.7	555.8	559.6	563.3	561.6
Mean	570.81	570.76	572.32	575.55	578.03	571.47	563.35	560.78	565.13	569.26	570.70	571.22

In general during the year 1841, the readings are more changeable than during the following years.

The re-arrangement of the instruments, and consequent shifting of the index of the scale, alluded to in the preceding notes, interrupted the observations between January 1 and January 12.

The normal for October, 14*h*, was obtained by comparing with the half monthly means and taking the mean of the two results as in a similar case for the month of September of the previous year.

TABLE III.

*Normals of the declinometer readings for 1842.*

[Value of 1 div. = 0'.453. Time, 19½ minutes later than indicated.]

MONTHS.	PHILADELPHIA MEAN TIME.											
	0 <i>h</i> .	2 <i>h</i> .	4 <i>h</i> .	6 <i>h</i> .	8 <i>h</i> .	10 <i>h</i> .	Noon.	14 <i>h</i> .	16 <i>h</i> .	18 <i>h</i> .	20 <i>h</i> .	22 <i>h</i> .
January.....	564.3	563.8	563.3	565.9	570.9	566.4	556.7	550.0	562.9	563.2	566.1	567.8
February.....	564.5	564.3	563.8	565.2	567.8	565.5	558.2	559.9	558.0	561.9	565.3	565.5
March.....	564.8	564.1	563.4	566.1	571.8	565.9	555.6	553.9	558.4	560.3	564.5	564.9
April.....	563.3	565.4	566.1	568.5	569.7	563.6	554.0	552.5	555.1	560.6	561.3	563.0
May.....	563.3	564.3	566.0	571.2	569.5	569.0	552.6	552.3	557.7	560.8	561.8	562.3
June.....	564.6	563.7	567.2	573.7	573.0	565.9	555.1	552.5	558.3	561.8	563.7	564.1
July.....	566.0	566.0	568.4	576.6	576.4	565.8	556.3	553.8	558.5	562.4	564.2	567.1
August.....	564.8	568.0	568.5	573.7	575.0	560.0	552.3	553.7	561.5	562.2	564.1	564.5
September.....	567.4	567.8	570.0	576.8	574.9	561.2	556.0	555.4	572.0	565.7	566.7	566.6
October.....	563.1	563.1	564.4	566.0	568.8	564.0	556.0	555.0	558.2	564.3	565.0	565.3
November.....	564.2	563.8	565.6	566.9	569.2	563.3	556.6	557.3	561.2	564.0	565.5	565.0
December.....	561.7	560.7	562.1	562.7	565.5	564.2	556.6	556.2	560.1	562.0	563.5	563.8
Mean.....	564.33	564.42	566.07	569.44	571.04	563.76	555.50	554.54	559.16	562.42	564.31	564.99

TABLE IV.

*Normals of the declinometer readings for 1843.*

[Value of 1 div. = 0'.453. Time, 19½ minutes later than indicated.]

MONTHS.	PHILADELPHIA MEAN TIME.											
	0 <i>h</i> .	2 <i>h</i> .	4 <i>h</i> .	6 <i>h</i> .	8 <i>h</i> .	10 <i>h</i> .	Noon.	14 <i>h</i> .	16 <i>h</i> .	18 <i>h</i> .	20 <i>h</i> .	22 <i>h</i> .
January.....	•	•	•	•	•	•	•	555.4	•	•	•	•
February.....	•	•	•	•	•	•	•	555.9	•	•	•	•
March.....	•	•	•	•	•	•	•	557.2	•	•	•	•
April.....	569.7	570.0	571.0	574.7	576.2	566.2	557.8	555.7	563.6	564.8	568.5	568.7
May.....	567.0	567.3	569.6	574.6	575.6	565.7	556.0	556.2	562.2	566.4	566.9	567.3
June.....	566.0	565.6	568.4	574.1	573.9	564.6	556.4	556.0	561.1	564.3	564.0	565.6
July.....	568.9	565.9	568.2	574.2	574.6	564.5	555.1	554.1	559.5	563.6	563.8	565.6
August*.....	564.2	564.5	567.2	573.5	572.7	560.5	555.1	554.6	561.2	563.6	562.3	564.2
September.....	569.4	560.4	560.3	565.7	566.6	554.6	547.5	550.5	556.8	558.0	560.0	558.7
October.....	559.6	559.6	559.9	562.1	566.0	560.8	553.6	552.7	556.2	558.2	560.1	559.7
November.....	556.3	556.6	557.4	559.1	561.3	558.2	550.4	551.1	553.8	556.3	557.5	557.3
December.....	559.0	557.4	557.8	560.0	561.2	559.9	552.9	550.9	554.8	558.2	559.6	559.9
Mean.....	563.23	563.03	564.42	568.67	569.79	561.47	553.42	554.19	558.07	561.50	562.52	563.00
Correction†.....	+ 0.06	— 0.11	— 0.41	— 1.24	— 0.30	+ 0.63	+ 0.44	.....	— 0.62	— 0.23	+ 0.33	+ 0.35
Corrected mean.....	563.29	562.92	564.01	567.43	569.49	562.10	553.86	554.19	557.45	561.27	562.85	563.35

\* The suspension threads of the declinometer gave way on the 9th of August, and again on the 10th of January, 1844; but, after re-adjusting the instrument, the magnet returned almost exactly to its former reading—a mean of the two changes gave as a correction, + 18.7 divisions, which was accordingly added to all the readings of the year after August 9, 21 hours.

† The correction to refer the mean of the last nine months to the mean of all the months is derived from the readings of the preceding year, as being more uniform in character than those for the year following.

The hourly readings commence on October 1, and are continued to the close of the series.

To make the readings of the odd hours of the months of October, November, and December comparable with those of the even hours during the whole year, the means of the even hours for the months of October, November, and December (1843) were compared with the corrected annual means respectively, which gave the corrections for the even hours; and the corrections for intermediate odd hours were obtained from those of the nearest even hours. The deductions from the series of observations at odd hours have but one-third of the weight of those obtained from the even series.

TABLE IV, (b.)

*Additional normals for the odd hours of the months of October, November, and December, 1843.*

[Value of 1 div. = 0'.453. Time, 19½ minutes later than indicated.]

MONTHS.	PHILADELPHIA MEAN TIME.											
	1A.	3A.	5A.	7A.	9A.	11A.	13A.	15A.	17A.	19A.	21A.	23A.
October .....	560.2	559.1	560.6	565.1	565.0	556.5	552.6	554.2	557.0	559.7	561.1	560.7
November.....	556.7	556.6	557.4	561.8	560.1	552.6	550.0	552.6	554.9	557.5	557.7	557.4
December.....	558.1	558.2	558.8	560.8	561.9	556.7	551.4	553.1	557.5	558.9	560.0	559.5
Mean .....	558.33	557.97	558.93	562.57	562.33	555.27	551.33	553.30	556.47	558.70	559.60	559.20
Correction .....	+ 5.01	+ 5.37	+ 6.36	+ 6.84	+ 4.92	+ 2.37	+ 2.09	+ 3.20	+ 3.74	+ 3.74	+ 4.08	+ 4.70
Corrected mean .....	563.34	563.34	565.29	569.41	567.25	557.64	553.42	556.50	560.21	562.44	563.68	563.90

TABLE V.

*Normals of the declinometer readings for 1844.*

[Value of 1 div. = 0'.453. Time 19½ minutes later than indicated.]

MONTHS.	PHILADELPHIA MEAN TIME.											
	0A.	1A.	2A.	3A.	4A.	5A.	6A.	7A.	8A.	9A.	10A.	11A.
January .....	558.6	558.2	558.4	559.2	558.9	558.8	559.7	561.2	562.9	563.3	559.1	555.9
February .....	559.1	558.5	559.1	559.2	559.9	561.1	560.8	562.1	562.2	560.7	557.3	554.5
March .....	558.0	559.0	559.2	557.9	559.8	560.2	561.3	563.6	564.8	564.1	560.3	554.9
April .....	556.6	557.0	557.2	556.9	557.5	558.4	561.7	558.5	564.4	561.8	557.1	552.0
May .....	548.4	548.7	547.8	547.0	549.3	552.5	555.8	556.8	555.1	552.3	546.7	542.2
June .....	546.7	549.0	549.3	549.1	551.6	553.9	557.6	559.1	558.2	554.3	547.9	541.8
July .....	549.0	550.5	548.4	549.4	551.0	554.3	556.9	559.8	558.6	554.8	548.0	540.8
August .....	548.6	547.8	547.3	547.4	550.9	552.4	557.5	560.3	558.2	551.8	543.3	536.4
September.....	543.3	543.1	544.1	546.0	546.5	547.1	550.0	552.9	552.4	545.8	538.3	532.5
October.....	545.1	545.3	544.2	546.1	545.8	544.4	548.6	550.9	551.5	548.7	545.3	540.8
November.....	546.8	546.8	548.3	548.6	547.4	548.5	551.5	549.2	548.4	547.9	546.2	542.8
December .....	536.1	535.8	535.4	535.9	536.8	537.3	537.2	536.8	537.9	539.3	536.1	532.9
Mean .....	549.86	549.96	549.89	550.23	551.28	552.41	554.98	555.93	556.92	553.73	548.80	543.96



## REPORT OF THE SUPERINTENDENT OF

TABLE V—Continued.

MONTHS.	PHILADELPHIA MEAN TIME.											
	Noon.	13A.	14A.	15A.	16A.	17A.	18A.	19A.	20A.	21A.	22A.	23A.
January .....	552.9	552.4	553.2	554.1	556.3	556.9	557.8	559.2	559.5	560.9	560.8	559.6
February .....	551.1	551.1	553.0	554.7	556.4	556.6	557.6	558.4	559.9	559.4	560.1	559.0
March .....	550.6	549.4	549.6	551.7	553.0	555.2	556.6	558.0	558.4	558.2	558.6	559.7
April .....	547.4	545.7	546.2	547.6	549.6	553.4	553.4	553.8	556.2	555.1	555.7	559.3
May .....	538.3	535.8	536.5	538.9	542.1	545.1	545.2	546.5	546.3	547.3	547.3	547.8
June .....	537.4	535.0	537.3	540.0	542.4	545.2	545.6	546.2	545.5	546.8	548.0	548.5
July .....	538.3	535.5	536.3	538.8	541.9	544.5	545.8	546.2	546.6	547.4	548.8	549.3
August .....	531.8	532.0	534.3	538.7	542.1	544.3	546.0	546.5	546.7	546.6	547.8	547.7
September .....	529.3	530.0	534.1	538.3	539.4	541.9	542.4	541.9	543.0	544.6	543.7	543.3
October .....	541.1	539.5	541.4	544.0	545.7	545.4	545.6	545.0	544.9	544.6	544.5	544.6
November .....	542.8	541.7	544.5	546.1	545.6	547.9	548.8	548.2	548.3	549.6	548.0	548.0
December .....	530.6	529.3	529.4	532.1	533.2	531.8	535.9	537.0	536.8	537.4	537.8	537.1
Mean .....	540.97	539.78	541.32	543.75	545.64	547.6	548.41	548.91	549.43	549.83	550.10	550.33

To the observations between January 1 and January 10 a correction of  $\pm 18''.7$  was applied, as explained in the preceding note.  
In the month of December the declination changed so rapidly as to require the use of half monthly means; the mean of the two results is inserted in the above table.

TABLE VI.

*Normals of the declinometer readings for 1845.*

[Value of 1 div. =  $0''.453$ . Time  $19\frac{1}{2}$  minutes later than indicated.]

MONTHS.	PHILADELPHIA MEAN TIME.											
	0A.	1A.	2A.	3A.	4A.	5A.	6A.	7A.	8A.	9A.	10A.	11A.
January .....	530.9	531.3	531.1	531.5	533.0	531.6	532.9	535.2	535.8	533.8	530.2	536.7
February .....	531.6	531.1	531.0	532.4	532.3	533.1	534.7	535.9	535.7	535.4	533.0	528.6
March .....	532.9	532.7	533.7	533.6	535.0	532.9	536.0	538.8	539.4	538.6	534.5	529.4
April .....	529.1	528.8	529.0	529.2	529.8	531.7	534.0	535.6	537.5	535.4	528.5	522.5
May .....	529.9	531.3	529.7	531.7	533.2	536.3	539.3	541.9	540.7	536.0	528.0	522.6
June .....	531.5	531.7	531.6	532.0	534.8	537.9	541.9	543.5	542.5	538.6	532.2	524.9
Mean .....	530.98	531.15	531.02	531.73	533.02	534.08	536.47	538.46	538.60	536.30	531.07	525.78
Correction* .....	-2.42	-2.50	-2.58	-2.41	-2.26	-2.02	-1.81	-2.01	-2.21	-2.70	-3.30	-2.94
Corrected mean .....	528.56	528.65	528.44	529.32	530.76	532.06	534.66	536.45	536.39	533.54	527.77	522.84

TABLE VI—Continued.

MONTHS.	PHILADELPHIA MEAN TIME.											
	Noon.	13A.	14A.	15A.	16A.	17A.	18A.	19A.	20A.	21A.	22A.	23A.
January .....	534.2	525.2	526.2	528.0	530.1	531.8	532.7	532.8	533.3	533.0	532.4	532.0
February .....	524.4	523.0	525.3	527.5	529.7	530.4	532.4	531.3	533.6	531.4	532.3	531.9
March .....	524.8	522.5	522.8	524.8	527.8	529.7	531.6	533.0	533.0	533.8	533.5	534.0
April .....	517.8	513.9	514.0	517.2	521.5	525.8	527.8	527.9	528.1	528.5	528.0	529.4
May .....	517.1	516.8	518.9	522.1	526.7	529.3	528.6	530.4	529.7	530.3	530.5	530.3
June .....	521.3	519.6	520.0	522.1	525.4	528.9	530.3	530.7	530.1	530.7	530.3	531.4
Mean .....	521.60	520.17	521.20	523.62	526.87	529.32	530.75	531.02	531.34	531.78	531.17	531.50
Correction* .....	-2.59	-2.28	-1.98	-1.80	-1.62	-1.64	-1.65	-1.99	-2.22	-2.36	-2.47	-2.44
Corrected mean .....	519.01	517.89	519.22	521.82	525.25	527.68	529.10	529.03	529.12	529.42	528.70	529.06

\* As indicated by the annual change in the readings, it was considered preferable to obtain the annual mean by deducting the correction to the mean of the first six months from the readings of the preceding year and those of the year 1842.

For the purpose of comparing the annual means of the normals, or the mean march of the regular solar-diurnal variation for each year, the preceding results have been expressed analytically by means of Bessel's formula, and by the application of the method of least squares.

In these formulæ the angle  $\Theta$  is reckoned from midnight, (Philadelphia,) at the rate of  $15^\circ$  for each following hour. It was found unnecessary to carry the expressions beyond the third term, the fourth being generally smaller than the probable error of an hourly normal. We obtain accordingly—

For 1840.....	$D = 586^\circ.73 + 6^\circ.214 \sin. (\Theta + 36^\circ 35') + 4^\circ.588 \sin. (2\Theta + 217^\circ 33') + 1^\circ.640 \sin. (3\Theta + 68^\circ 50')$
1841.....	$D = 569^\circ.87 + 4^\circ.888 \sin. (\Theta + 30^\circ 05') + 4^\circ.380 \sin. (2\Theta + 212^\circ 38') + 1^\circ.581 \sin. (3\Theta + 50^\circ 14')$
1842.....	$D = 563^\circ.33 + 4^\circ.944 \sin. (\Theta + 33^\circ 49') + 4^\circ.211 \sin. (2\Theta + 217^\circ 12') + 1^\circ.463 \sin. (3\Theta + 64^\circ 42')$
1843.....	$D = 562^\circ.01 + 4^\circ.449 \sin. (\Theta + 36^\circ 00') + 3^\circ.918 \sin. (2\Theta + 218^\circ 05') + 1^\circ.811 \sin. (3\Theta + 68^\circ 18')$
1844.....	$D = 548^\circ.89 + 4^\circ.486 \sin. (\Theta + 34^\circ 35') + 3^\circ.872 \sin. (2\Theta + 222^\circ 23') + 1^\circ.802 \sin. (3\Theta + 68^\circ 53')$
1845.....	$D = 528^\circ.12 + 4^\circ.548 \sin. (\Theta + 35^\circ 33') + 4^\circ.872 \sin. (2\Theta + 225^\circ 35') + 1^\circ.987 \sin. (3\Theta + 61^\circ 20')$

Owing probably to the several accidental changes in the suspension of the bar, and consequent uncertainty in the precise amount of scale correction, the mean readings of each year, when compared with one another, exhibit differences not actually due to inequalities occasioned by declination changes. This question, however, does not directly bear upon the present investigation, which mainly depends on differences of readings; and it is proper to remark that the observed increase, giving the weight one-half to the mean of 1840 and of 1845, is under the supposition of a uniform annual change between these years equal to  $4'.50$ . From Mr. Schott's investigation\* of the secular change of the declination at Philadelphia, supported by observations between the years 1701 and 1855, the annual increase between the years 1840 and 1845 is  $4'.98$ , a result which accords tolerably well with actual observations. According to his formula, the declination on the first of January, 1843, the mean epoch of the present series was  $3^\circ 32'$  west, with a probable error of  $\pm 10'$ , which corresponds to the scale reading 560.31, deduced by taking into account the weights of the annual means.

We now proceed to the investigation of the inequality in the diurnal variation, changing the preceding formula, for greater convenience, into the following:

For 1840.....	$\Delta = + 2'.515 \sin. (15^\circ n + 36^\circ 35') + 2'.078 \sin. (30^\circ n + 217^\circ 33') + 0'.743 \sin. (45^\circ n + 68^\circ 50')$
1841.....	$\Delta = + 2'.214 \sin. (15^\circ n + 30^\circ 05') + 1'.984 \sin. (30^\circ n + 212^\circ 38') + 0'.716 \sin. (45^\circ n + 50^\circ 14')$
1842.....	$\Delta = + 2'.240 \sin. (15^\circ n + 33^\circ 49') + 1'.908 \sin. (30^\circ n + 217^\circ 12') + 0'.663 \sin. (45^\circ n + 64^\circ 42')$
1843.....	$\Delta = + 2'.015 \sin. (15^\circ n + 36^\circ 00') + 1'.775 \sin. (30^\circ n + 218^\circ 05') + 0'.820 \sin. (45^\circ n + 68^\circ 18')$
1844.....	$\Delta = + 2'.032 \sin. (15^\circ n + 34^\circ 35') + 1'.754 \sin. (30^\circ n + 222^\circ 23') + 0'.816 \sin. (45^\circ n + 68^\circ 53')$
1845.....	$\Delta = + 2'.060 \sin. (15^\circ n + 35^\circ 33') + 2'.206 \sin. (30^\circ n + 225^\circ 35') + 0'.900 \sin. (45^\circ n + 61^\circ 20')$

In which  $\Delta$  = the regular solar diurnal variation, and  $n$  the number of hours after midnight.

To show the agreement between these expressions and the corresponding observed quantities, and to exhibit to the eye the character of the diurnal variation, the results have been thrown into curves. The observed bi-hourly means are represented in diagram 2, Sketch 37, by dots, and in no instance do they differ from the computed values by as much as  $0^\circ.8$  or  $0'.3$ . As a specimen of the representation, I add the results for the year 1845:

\* Report on the progress of the U. S. Coast Survey for 1855, Appendix No. 48 and Appendix No. 24 of the report for 1859.

Hour.	Observed value.	Computed value.	C—O.	Hour.	Observed value.	Computed value.	C—O.
<i>h. m.</i>	°	°	°	<i>h. m.</i>	°	°	°
0 19½	528.56	528.99	+ 0.43	12 19½	519.01	519.23	+ 0.22
2 19½	528.44	528.48	+ 0.04	14 19½	519.22	518.96	— 0.26
4 19½	530.76	530.26	— 0.50	16 19½	525.25	525.18	— 0.07
6 19½	534.66	535.11	+ 0.45	18 19½	529.08	529.15	+ 0.07
8 19½	536.39	535.97	— 0.42	20 19½	529.07	529.07	0.00
10 19½	527.77	528.18	+ 0.41	22 19½	528.70	528.86	+ 0.16

The average probable error of any single representation by the formula is  $\pm 0^{\circ}.22$ , or  $\pm 0'.10$ .

By means of the preceding formulæ the following values were computed: 1. The time when the north end of the magnet reached its extreme eastern position, or, in other words, the epoch of the eastern elongation. 2. The corresponding maximum scale reading, or, more properly, the corresponding minimum of western declination. 3. The time of the occurrence of the western elongation; and, 4. The corresponding maximum reading of western declination. In the last two columns the difference of the scale readings, or the amplitude of eastern and western elongation, is made out in scale divisions, and also in minutes of arc. The inequality of this amplitude next requires our attention.

For—	Epoch of eastern deflection.	Corresponding scale reading.	Epoch of western deflection	Corresponding scale reading.	Amplitude.	
	<i>h. m.</i>	°	<i>h. m.</i>	°	°	'
1840.....	7 26 a. m.	595.67	1 34 p. m.	575.71	19.96	9.08
1841.....	7 49	577.96	1 49	569.21	17.75	8.06
1842.....	7 36	571.24	1 37	553.96	17.28	7.83
1843.....	7 40	569.54	1 24	553.06	16.48	7.46
1844.....	7 32	556.50	1 18	539.99	16.51	7.51
1845.....	7 34	536.65	1 16	517.81	18.84	8.53
Mean.....	7 36 a. m. ± 3		1 30 p. m. ± 4			

The inequality constituting the ten or eleven year period is plainly exhibited in the last two columns of the above table, the progression in the numbers being quite regular. The year 1843 is clearly indicated as the year of the minimum range of the diurnal fluctuation, but whether the period is one nearer to ten or to eleven years cannot be decided from the Girard College observations, since they do not embrace a year of maximum amplitude. The epoch of the minimum, however, can be determined with more precision. For this purpose only, the values in the last column are represented by the formula,

$$A = 9'.08 - 1'.14 (t - 1840.5) + 0'.201 (t - 1840.5)^2,$$

deduced by the method of least squares, and the quantities come out as follows:

Year.	Observed amplitude.	Computed by formula.	Difference	Year.	Observed amplitude.	Computed by formula.	Difference.
1840.5.....	9'.08	9'.08	0'.00	1843.5.....	7'.46	7'.47	— 0'.01
1841.5.....	8'.06	8'.14	— 0'.08	1844.5.....	7'.51	7'.74	— 0'.23
1842.5.....	7'.83.	7'.60	+ 0'.23	1845.5.....	8'.53	8'.41	+ 0'.12

Probable error of any single amplitude,  $\pm 0'.11$ .

That portion of the ten or eleven year period which results from the preceding discussion of the differential observations of the magnetic declination, free from the effect of the disturbances, as far as the latter can be eliminated, is shown graphically in diagram 1, Sketch No. 37.

The month of May, in the year 1843, is indicated by the formula as the epoch of the minimum amplitude.

We now proceed to the discussion of the disturbances as far as they bear on the decennial inequality, taking in also some collateral results.

The total number of observations for changes of declination recorded and discussed amounts to 24,566; of these, 2,357 were separated as disturbances differing eight scale divisions or more from their respective normals, leaving 22,209 observations, from which the preceding results were deduced. There is one disturbed observation in every 10.4 observations.

The discussion of the disturbances divides itself into two parts, that of the number and that of the amount of the larger deflections.

Owing to partial incompleteness in the number of observing months in some years, it became necessary to fill out the number for the annual inequality from the results of the complete years. Their number for each month in the complete years is given in the following table, the numbers for 1844 having first been divided by two, in order to make the hourly observations comparable with the bi-hourly in the years 1841 and 1842:

Month.	1841.	1842.	1844.	Mean.	Ratio.
January .....	33	44	5	27	0.75
February .....	25	26	5	19	0.53
March .....	26	24	24	25	0.70
April .....	25	31	39	32	0.89
May .....	33	14	17	21	0.58
June.....	31	30	7	23	0.64
July.....	30	40	15	28	0.78
August.....	49	64	44	52	1.45
September .....	57	60	31	49	1.36
October .....	94	86	53	78	2.17
November .....	81	22	42	48	1.33
December .....	55	5	26	29	0.82
Sum .....	539	446	308	431	12.00
Mean .....				36	1.00

The last column contains the ratio of the mean monthly value to the mean annual value. By means of these ratios, and using the observed monthly values in each defective year, the numbers in the following table were filled up, all the deduced values being indicated by brackets. As in the preceding table, the values refer or were made to refer to bi-hourly observations.

*Table showing the number of disturbances in each month of the years 1840 to 1845.*

Month.	1840.	1841.	1842.	1843.	1844.	1845.	Mean.	Ratio.
January .....	(30)	33	44	(17)	5	19	25	0.77
February .....	(21)	25	26	(12)	5	13	17	0.52
March .....	(28)	26	24	(16)	24	14	22	0.68
April .....	(36)	25	31	21	39	24	29	0.91
May .....	(24)	33	14	15	17	11	19	0.58
June .....	8	31	30	12	7	12	17	0.53
July .....	44	30	40	20	15	(17)	28	0.86
August .....	40	49	64	80	44	(32)	51	1.59
September .....	56	57	60	27	31	(30)	44	1.36
October .....	94	94	86	16	53	(48)	68	2.12
November .....	19	81	22	8	42	(28)	35	1.08
December .....	83	55	5	4	26	(18)	32	1.00
Sum .....	344	539	446	230	308	91	387	12.00
Corrected sum and mean .....	483	-----	-----	275	-----	264	32	1.00

The ratios in the last column show the annual inequality in the distribution of the disturbances. The principal maximum occurs in October,\* the secondary in April; the two minima, nearly of equal amount, occur in the months of February and June. The progression of the numbers is regular.

If we separate the numbers in accordance with westerly and easterly deflections we obtain the following table, deduced as in the former case. It may be remarked that on account of the separate ratios used for the interpolation of the western and eastern deflections, their sum in any one month does not give the corresponding number in the above table exactly, only the yearly sums having been preserved; and the same is true in regard to the table, showing the amount of the disturbances. Interpolated values, as before, are enclosed between brackets.

\* At Toronto this maximum occurred in September; the first minimum is likewise one month earlier at this station than at Philadelphia.

Month.	1840.		1841.		1842.		1843.		1844.		1845.		Sums.		Ratios.	
	W.	E.	W.	E.	W.	E.	W.	E.	W.	E.	W.	E.	W.	E.	W.	E.
January .....	(36)	(2)	25	8	35	9	(22)	(7)	2	3	10	9	130	38	1.27	0.42
February .....	(17)	(3)	9	16	17	9	(13)	(9)	3	2	11	2	70	41	0.70	0.46
March .....	(23)	(5)	11	15	17	7	(15)	(6)	10	14	9	5	85	52	0.83	0.57
April .....	(27)	(5)	10	15	14	17	7	14	25	14	15	7	98	72	0.95	0.80
May .....	(17)	(4)	18	15	8	6	7	8	4	13	3	8	57	54	0.55	0.60
June .....	3	5	15	16	17	13	2	10	3	4	5	7	45	55	0.44	0.61
July .....	17	27	5	25	14	26	11	9	6	9	(7)	(11)	60	107	0.58	1.18
August .....	20	20	18	31	55	9	67	13	25	19	(20)	(11)	205	103	2.00	1.14
September .....	36	20	14	43	11	49	6	21	18	13	(11)	(21)	96	167	0.92	1.86
October .....	68	26	31	60	17	69	6	10	23	30	(15)	(30)	163	225	1.58	2.50
November .....	11	8	41	40	11	11	5	3	16	26	(15)	(14)	99	102	0.96	1.12
December .....	77	6	21	31	1	4	2	2	12	14	(8)	(10)	124	67	1.21	0.74
Sum .....	232	112	224	315	217	229	113	90	147	161	53	38	1232	1083	12.00	12.00
Corrected mean .....	352	131	.....	.....	.....	.....	163	112	.....	.....	129	135	.....	.....	.....	.....
Total .....	483		539		446		275		308		264		2315		.....	

The ratios show a general correspondence in the number of westerly and easterly deflections; the westerly deflections seem to occur most frequently in August, while the easterly predominate in October; the secondary maximum of either series is in April. The minima remain nearly as before, one minimum of eastern deflection occurring in January.

With respect to the whole number of westerly and easterly deflections, we deduce the proportional sums from the following table:

Year.	W.	E.	Sum.	
1840.....	352	131	483	Weight $\frac{1}{4}$ .
1841.....	224	315	539	
1842.....	217	229	446	
1843.....	163	112	275	Weight $\frac{1}{2}$ .
1844.....	147	161	308	
1845.....	129	135	264	Weight $\frac{1}{4}$ .
Sum .....	1232	1083	2315	.....
Proportional sums by weight.	937	912	.....	.....

On account of the incompleteness of the record in the years 1840, 1843, and 1845, the number of eastern and western disturbances relative to the total number cannot be ascertained with accuracy. They are about equal in the record. At Toronto the eastern predominate over the western in the proportion of 1. 17 to 1 (for the years 1841 to 1848,) and nearly to the same extent for each year, taken separately.

The numbers in the column headed "sum" do not indicate the law of the eleven year period as plainly and systematically as they did the investigation of the diurnal amplitude; yet giving half weight, on account of the want of record, to the sums for 1840 and 1845, the minimum number falls in the year 1843. More consistent results would, no doubt, have been obtained if the year 1845 had been complete.

If we distribute the disturbances (1,942 in number for the even hours) according to their respective hours of occurrence, the following table results from observations between 1840 and 1845:

Add 19½ m.	W.	E.	Sum.	RATIOS.		Add 19½ m.	W.	E.	Sum.	RATIOS.	
				W.	E.					W.	E.
<i>Hours.</i>						<i>Hours.</i>					
0	67	95	162	0.82	1.20	Noon.	93	57	150	1.13	0.71
2	97	92	189 <sup>o</sup>	1.18	1.16	14	79	54 <sup>o</sup>	133 <sup>o</sup>	0.95	0.67 <sup>o</sup>
4	89	79	168	1.08	0.96	16	88	60	148	1.07	0.78
6	110 <sup>o</sup>	63	173	1.35 <sup>o</sup>	0.80	18	72	71	143	0.87	0.90
8	105	56	161	1.29	0.70	20	34 <sup>o</sup>	133 <sup>o</sup>	167	0.40 <sup>o</sup>	1.66 <sup>o</sup>
10	107	71	178	1.32	0.88	22	45	125	170	0.54	1.58

Maxima and minima values are distinguished by an asterisk.

The numbers in each vertical column show a regular progression; and the number of disturbances, irrespective of their direction, have a minimum at 2 p.m. and a maximum at 2 a.m.\* The principal contrast is between the hours of the day and the hours of the night; in the former case the numbers being below, but in the latter above the mean value. This is in close correspondence with the Toronto results. The most striking result of the above table is, that the westerly disturbances have their minimum precisely at the hour (8 p.m.) when the easterly have their maximum value; and the exact coincidence of this result with that deduced by General Sabine for Toronto is not less remarkable. For the westerly disturbances, the hours 6 a.m., (maximum,) and 8 p.m., (minimum,) and for the easterly disturbances the hours 2 p.m., (minimum,) and 8 p.m., (maximum,) are specially contrasted. These results also agree with those found at Toronto; and the accordance with that station even goes so far as to exhibit the secondary minimum of eastern disturbances at 8 a.m. In connection with this subject it may be here stated that the same distinguished magnetist found a singular mutual relation to subsist between the phenomena at Toronto and Point Barrow, on the shores of the Arctic sea—the laws of the easterly deflection at one station being found to correspond for the same local hours with those of the westerly deflections at the other station, and *vice versa*. This contrast holds good for Philadelphia as well as for Toronto.

We now pass to the consideration of the amount of deflections caused by the disturbances, classifying the same according to years, months, and hours:

*Aggregate values of the disturbances and mean values in the different years.*

Year.	Aggregate values.	Same corrected to 12 months.	Number.	Average value of a disturbance.	Same in minutes of arc.	Same at Toronto for comparison.
	<i>d.</i>	<i>d.</i>		<i>d.</i>		
1840	5140.0 (7 months.)	7155.5	483	14.8	6.70	
1841	7844.4	7844.4	539	14.6	6.61	6.34
1842	6019.1	6019.1	446	13.5	6.11	5.90
1843	2465.7 (9 months.)	2932.2	275	10.7	4.85	5.62
1844	4227.3	4227.3	308	13.7	6.21	6.49
1845	1138.6 (6 months.)	3521.4	264	13.3	6.02	5.84

<sup>o</sup> At Toronto the respective hours are 2 p. m. and 22 p. m.

The table includes only the series of bi-hourly observations, the reduction of the numbers from incomplete years to the correct sum for the whole year being effected by means of ratios, as in the discussion of the number of disturbances. For comparison the average value of a disturbance at Toronto is added. It must be remarked that the amount of deviation from the normal, constituting a disturbance, was nearly but not quite the same at Toronto as at Philadelphia, so that the ratios of the corresponding numbers in the last two columns should be compared.

The eleven year period is well marked in the aggregate value of the disturbances as well as in their average value in the different years; and the year 1843 is decidedly indicated as the minimum. To find a more precise value for the epoch of the minimum, the formula

$$\delta = 7'.09 - 0'.930 (t - 1840.5) + 0'.149 (t - 1840.5)^2$$

has been constructed, which represents the observed values as follows:

Year.	Observed amount.	Computed amount.	Difference.	Year.	Observed amount.	Computed amount.	Difference.
1840. 5.....	6'. 70	7'. 09	+0'. 39	1843. 5.....	4'. 85	5'. 64	+0'. 79
1841. 5.....	6'. 61	6'. 31	-0'. 30	1844. 5.....	6'. 21	5'. 75	-0'. 46
1842. 5.....	6'. 11	5'. 83	-0'. 28	1845. 5.....	6'. 02	6'. 16	+0'. 14

The first and last value have only half weight. According to the formula, the minimum took place in August, 1843. (See diagram 3, sketch No. 37.)

As the resulting epoch from the differential observations with the declinometer, we find the month of June, 1843, by giving double weight to the result deduced from the inequality of the diurnal amplitude.

Separating into western and eastern disturbances, we find—

Year.	West deflections.			East deflections.		
	Aggregate value.	n.	Average value.	Aggregate value.	n.	Average value.
1840.....	<i>d.</i> 5064. 8	352	6. 52	<i>d.</i> 2090. 7	131	7. 20
1841.....	2935. 5	224	5. 93	4908. 9	315	7. 67
1842.....	2645. 9	217	5. 53	3373. 2	229	6. 70
1843.....	1741. 6	163	4. 85	1190. 6	112	4. 85
1844.....	2019. 7	147	6. 21	2207. 6	161	6. 21
1845.....	1489. 2	129	5. 25	2032. 3	135	6. 84

From which it appears that the easterly values preponderate over the westerly in the ratio of 1.14 to 1. The ratio from the Toronto observations between 1844 and 1848 is 1.28 to 1.

The following table shows the aggregate amount of disturbances in each month of the different years, or the annual inequality of the aggregate disturbances.



Month.	1840.	1841.	1842.	1843.	1844.	1845.	Mean.	Ratio.
	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	
January .....	(418.4)	423.6	525.9	(171.0)	45.3	269.2	318.9	0.72
February .....	(323.0)	402.3	310.1	(131.9)	99.7	160.1	237.8	0.54
March .....	(400.5)	327.9	264.4	(163.6)	430.0	167.4	223.3	0.66
April .....	(544.6)	294.7	481.1	281.7	601.5	289.7	415.6	0.94
May .....	(329.0)	442.8	184.4	206.8	205.5	111.0	246.6	0.56
June .....	83.1*	355.5	353.1	133.9	50.4	141.2	186.2	0.42
July .....	668.8*	416.8	546.8	271.5	168.3	(220.4)	384.1	0.87
August .....	618.6	823.1	873.5	953.9	552.6	(434.2)	709.3	1.61
September .....	853.5	1242.7	779.9	301.5	448.6	(484.1)	685.0	1.56
October .....	1319.1	1376.2	1253.2	195.0	668.1	(639.3)	908.5	2.06
November .....	314.6	1054.2	339.3	87.1	591.1	(387.4)	462.3	1.06
December .....	1222.3	684.6	47.4	34.3	366.2	(217.4)	438.7	1.00
Sum .....	7155.5	7844.4	6019.1	2932.2	4227.3	3521.4	5283.3	12.00

\* The differences of the disturbed readings from their respective normals, during the month of June and part of July, 1840, were first converted from the old scale into equivalent new scale values.

The last column of ratios of the aggregate value of the disturbances of each month to the mean of all corresponds very closely to the analogous ratios deduced in a preceding table for the number of disturbances, giving the law in reference to the number and amount of disturbances in a year as the same, or nearly so. The maximum amount of disturbances occurs in October, (at Toronto in September,) the minimum amount in June, (the same at Toronto;) the secondary maximum occurs in April, (as at Toronto), and the secondary minimum in February, but at Toronto in January, from comparison with the years 1843, 1844, 1845.

The next tables give the aggregate monthly values in the six years, separated into west and east deflections:

*West deflections.*

Month.	1840.	1841.	1842.	1843.	1844.	1845.	Mean.	Ratio.
	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	
January .....	(495.5)	308.4	444.8	(170.4)	23.8	161.6	267.4	1.21
February .....	(238.0)	147.2	217.1	(82.0)	28.0	69.9	130.4	0.59
March .....	(268.7)	127.2	168.5	(99.5)	172.8	117.5	162.4	0.73
April .....	(432.2)	97.9	216.9	98.9	370.1	171.0	229.5	1.04
May .....	(212.8)	229.5	84.4	109.7	43.5	8.3	114.7	0.52
June .....	30.9	170.4	194.2	21.7	12.6	65.9	82.6	0.37
July .....	186.7	51.1	140.5	153.3	28.9	(42.9)	100.6	0.46
August .....	275.9	229.4	791.3	809.7	304.5	(247.5)	431.2	1.25
September .....	495.3	257.8	116.7	65.2	249.3	(123.5)	217.9	0.99
October .....	1019.9	422.5	172.5	74.4	340.3	(185.5)	369.2	1.67
November .....	178.4	586.9	159.6	39.1	267.1	(196.9)	238.0	1.09
December .....	1210.5	308.2	9.4	17.7	178.8	(96.7)	303.9	1.38
Sum .....	5064.8	2935.5	2645.9	1741.6	2019.7	1489.2	2647.8	12.00

*East deflections.*

Months.	1840.	1841.	1842.	1843.	1844.	1845.	Mean.	Ratio.
	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	
January .....	(27.9)	115.2	141.1	(22.7)	21.5	107.6	72.7	0.33
February .....	(55.7)	255.1	93.0	(38.5)	71.7	90.2	100.7	0.46
March .....	(81.8)	200.7	95.9	(53.4)	257.2	49.9	123.2	0.56
April .....	(116.7)	196.8	264.2	182.8	231.4	118.7	185.1	0.84
May .....	(66.2)	213.3	100.0	97.1	162.0	102.7	123.6	0.56
June .....	52.2	185.1	158.9	112.2	37.8	75.3	103.6	0.47
July .....	482.1	365.7	406.3	118.2	139.4	(177.5)	231.5	1.29
August .....	342.7	594.7	152.2	144.2	242.1	(194.8)	279.4	1.28
September .....	358.2	984.9	653.2	226.3	199.3	(358.3)	466.7	2.12
October .....	299.2	953.7	1080.7	120.6	327.8	(453.0)	539.2	2.46
November .....	136.2	467.3	179.7	48.0	324.0	(187.6)	223.8	1.02
December .....	71.8	376.4	38.0	16.6	167.4	(116.6)	134.4	0.61
Sum .....	2090.7	4908.9	3373.2	1190.6	2207.6	2032.2	2633.9	12.00

NOTE.—Maxima in September (mean of August and October) and April; minima in June and January, as at Toronto.

The following table gives the aggregate values of the disturbances distributed into the different hours of the day, as deduced from bi-hourly observations made from 1840 to 1845:

Philadelphia hour, (+19½ m.)	AGGREGATE VALUES OF WESTERN DEFLECTIONS, EASTERN DEFLECTIONS, AND SUM.			MEAN AGGREGATE VALUES FOR ONE YEAR.			RATIOS.		
	W.	E.	Sum.	W.	E.	Sum.	W.	E.	Both combined.
<i>h.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>	<i>d.</i>			
0	897.4	1438.5	2335.9	149.6	239.8	389.4	0.83	1.24	1.04
2	1259.7	1278.2	2537.9	209.9	213.0	422.9	1.16	1.10	1.13
4	1255.5	1075.5	2331.0	209.2	179.3	388.5	1.16	0.92	1.04
6	1591.7	773.6	2365.3	263.6	128.9	392.5	1.46	0.67	1.06
8	1512.4	769.9	2282.3	252.1	128.3	380.4	1.39	0.67	1.02
10	1315.2	901.9	2217.1	219.2	150.3	369.5	1.22	0.77	0.99
Noon .....	1114.8	733.2	1848.0	185.8	122.2	308.0	1.03	0.63	0.83
14	1056.4	735.0	1791.4	176.1	122.5	298.6	0.98	0.63	0.80
16	1063.1	825.8	1888.9	178.0	137.6	315.6	0.99	0.72	0.85
18	902.1	965.2	1867.3	150.3	160.9	311.2	0.84	0.89	0.84
20	408.9	2175.4	2584.3	68.2	362.6	430.8	0.38	1.88	1.15
22	610.4	2180.3	2790.7	101.7	363.4	465.1	0.56	1.88	1.25
Sum .....	12982.6	13852.5	26835.1	2163.7	2308.8	4472.5	12.00	12.00	12.00
Mean .....				180.3	192.4	372.7			

If we compare these ratios with the corresponding numbers in the preceding tables showing the bi-hourly distribution in regard to the number of disturbances, we find, irrespective of the directions of the deflections, the 2 p. m. minimum preserved; the maximum occurs at 10 p. m. At Toronto, from a five years' hourly series, commencing with 1844, these hours are respectively 1 p. m. and 9 p. m. At Philadelphia, as at Toronto, the ratios are nearly invariable from 10 a. m. to 6 p. m., being then below unity; and again from 8 p. m. to 8 a. m., when they are above unity.

The easterly maximum and the westerly minimum at 8 p. m., appear again as a decided feature, and in general the respective ratios exhibiting the diurnal distribution of the disturbances, both in an easterly and westerly direction, show almost a perfect correspondence in regard to both number and amount.

The next table exhibits the excess of westerly disturbance over easterly (the sign — indicating a defect, or excess of easterly over westerly) in the aggregate values of the five-year series, and in the last column the mean effect of the same at each even hour is given as obtained by dividing the aggregate differential value of the preceding column by the actual number of days of observation during the whole period. The last column exhibits, therefore, the mean diurnal disturbance variation. The number of days is very nearly 1,500.

Philadelphia mean time.	Excess of westerly over easterly values.	Diurnal variation caused by the larger disturbances.		For comparison: Disturbance variation at Toronto, 1843-44-45, (at even hours.)	Philadelphia mean time.	Excess of westerly over easterly values.	Diurnal variation caused by the larger disturbances.		For comparison: Disturbance variation at Toronto, 1843-44-45, (at even hours.)
		In scale divisions.	In minutes of arc.				In scale divisions.	In minutes of arc.	
<i>h. m.</i>	<i>d.</i>	<i>d.</i>	<i>'</i>	<i>'</i>	<i>h. m.</i>	<i>d.</i>	<i>d.</i>	<i>'</i>	<i>'</i>
0 19½	-541.1	-0.36	-0.15	-0.35	Noon. 19½	+381.6	+0.25	+0.11	+0.09
2 19½	-18.5	-0.01	-0.01	-0.20	14. 19½	+321.4	+0.21	+0.10	+0.04
4 19½	+180.0	+0.12	+0.05	-0.03	16. 19½	+242.3	+0.16	+0.07	+0.03
6 19½	+208.1	+0.54	+0.24	+0.02	18. 19½	-63.1	-0.04	-0.02	-0.16
8 19½	+742.5	+0.50	+0.22	+0.10	20. 19½	-1766.5	-1.18	-0.53	-0.56
10 19½	+413.3	+0.28	+0.13	+0.06	22. 19½	-1569.9	-1.05	-0.47	-0.75

The law governing the disturbances during a solar day is clearly shown, and systematic in character. If we plot the disturbance curve on the same scale, or actually superpose it on the curves of the regular diurnal variation, (diagram 2, sketch No. 37,) the difference would hardly show to the eye. The diagram (No. 4) showing the disturbance variation has, therefore, been plotted on a larger scale.

The curve has but one maximum and one minimum; its most prominent feature is the easterly deflection at 8 o'clock (+ 19½ *m.*) p. m., (at Toronto it is at 9 p. m.) At that hour the maximum deflection amounts to 32" of arc, and to 45" at Toronto. The greatest westerly deflection occurs at 6 *h.* (+ 19½ *m.*) a. m., and amounts to but 14"; the Toronto hour is 8 a. m. with 6", and from a five years' series of observation with 31" of deflection.

The range of the disturbance variation equals 46"\*. The disturbance amplitude, as well as the regular variation amplitude, is greater at Toronto than at Philadelphia, the occurrence of the maximum and minimum disturbance deflection seeming to be about one hour earlier at the latter station. From three in the morning till five in the afternoon, the mean effect of the disturbances is to deflect the north end of the magnet to the west, and during the remaining hours (principally at night) to the east. The westerly and easterly disturbance deflections during a day balance within 0".02.

The annual inequality in the amplitude of the diurnal disturbance variation might be satisfactorily shown by the proper combination of the results for consecutive years, comparing each two-year series successively; but owing to the small amount of the amplitude itself, and the incomplete or partly interrupted series of observations in the years 1840, 1843, and 1845, it was thought best to restrict the present discussion to the mean disturbance variation.

It is my intention to continue the discussion of the observations made at the Girard College observatory.

\*At Toronto 51", and from a five years' series 83".

After the above was written, No. 1,185\* of the *Astronomische Nachrichten* came to hand, containing Prof. R. Wolf's interesting results on the close connection of the variation in frequency of the solar spots, and the corresponding inequality in the amplitude of the diurnal variation of the declination. He deduces for Munich the formula  $\beta = 6'.273 + 0'.051 \alpha$ —in which  $\alpha$  is a relative number, expressive of the frequency of the solar spots directly derived from observation, and  $\beta$  the amplitude of the diurnal variation. He finds a very close correspondence between the computed and observed values of  $\beta$ , and gives in a table Dr. Lamont's and his own results between the years 1835 and 1850. He also reaffirms his former value for the average length of the solar spot period, viz, 11.11 years  $\pm$  0.04 years, the limits of variation being 8 and 16 years. This period is deduced from observations of maxima and minima since 1626.

For Philadelphia we have  $\beta = 7'.080 + 0'.039 \alpha$ , representing the observed amplitudes as follows:

Year.	$\alpha$ (from solar spot observations.)	$\beta$ derived from $\alpha$ .	Observed amplitude, or $\beta$ .	Difference observed and computed $\beta$ .	Year.	$\alpha$ (from solar spot observations.)	$\beta$ derived from $\alpha$ .	Observed amplitude, or $\beta$ .	Difference observed and computed $\beta$ .
1840.....	51.8	9'.10	9'.08	— 0'.02	1843.....	8.4	7'.41	7'.46	+ 0'.05
1841.....	29.5	8'.23	8'.06	— 0'.17	1844.....	12.2	7'.55	7'.51	— 0'.04
1842.....	19.2	7'.83	7'.83	0'.00	1845.....	32.4	8'.34	8'.53	+ 0'.19

The correspondence between the observed diurnal amplitude and the same derived from observations of the solar spots is further exhibited by diagram 5, Sketch No. 37, the heavy line representing the magnetic, the other the solar, amplitude curve. The dotted curve is from the Toronto magnetic observations, merely multiplied by  $\frac{8}{9}$  to reduce (approximately) to the Philadelphia scale. The next maximum amplitude, according to the solar spot observations, would be in 1848, amounting to 11'.00; and the whole range of the inequality in the amplitude of the diurnal motion would, therefore, be  $11'.00 - 7'.46 = 3'.54$ . The last quantity, it must be observed, is slightly variable with each period; thus, according to the solar spot observations, the year 1837 was a maximum, amplitude 11'.41; and the year 1856 a minimum, amplitude 7'.24, the difference being 4'.17.

It is much to be desired that this interesting branch of physical inquiry should be further studied, as it forms one of the links connecting terrestrial with cosmical phenomena.

\* For former communication by Prof. Wolf, see Nos 839, 1,043, 1,091, 1,132, 1,160, and 1,181, *ibid.*

## APPENDIX No. 23.

*Results reported from the observations made by Assistant Charles A. Schott, for magnetic declination, dip, and horizontal intensity, in Sections I and II, and Canada, 1859.*

No.	Locality.	Date.	Latitude.	Longitude.	Declination West.	Dip North.	Horizontal intensity.	Total intensity.
		1859.	° ' "	° ' "	° ' "	° ' "		
1	Beacon Hill, Gloucester, Mass.....	July 8.....	42 36.4	70 38.4	12 03	74 45.6	3.645	13.86
2	Thompson, Cape Ann.....	9.....	42 36.7	70 43.5	11 09	74 30.4	3.674	13.75
3	Rockport, Cape Ann.....	11.....	42 39.6	70 36.3	11 37	75 05.9	3.529	13.72
4*	Annisquam, Cape Ann.....	11.....	42 39.4	70 40.3	.....	74 56.1	3.589	13.81
5	Ipswich, Mass.....	12.....	42 40.8	70 49.8	11 14	74 37.3	3.598	13.57
6	Plum Island, Newburyport.....	13.....	42 48.0	70 48.5	10 58	74 52.9	3.528	13.53
7	Kittery Point, Portsmouth.....	14.....	43 04.8	70 42.7	11 15	75 04.2	3.496	13.57
8†	Bowdoin Hill, Portland.....	15.....	43 38.8	70 16.2	12 20	.....	3.456	.....
9	Quebec, Canada.....	18 & 19.	46 48.4	71 14.5	16 17	77 17.5	2.991	13.60
10‡	Montreal, Canada.....	20.....	45 30.5	73 34.9	.....	76 51.4	3.111	13.68
11	Rutland, Vt.....	21.....	43 36	72 55	9 49	75 19.8	3.484	13.68
12	Deerfield, Mass.....	23.....	42 33	72 36	9 25	74 35.3	3.617	13.61
13	Chesterfield, Mass.....	25.....	42 24	72 51	8 54	74 21.2	3.667	13.60
14	Springfield, Mass.....	26.....	42 06	72 32	8 39	74 14.9	3.691	13.60
15§	Hartford, Conn.....	27.....	41 46	72 40	.....	74 07.4	3.716	13.58
16	Coast Survey Office, Washington, D. C.....	29 & 30.	38 53.1	77 00.9	.....	71 24.4	4.306 4.308	13.51

\* Owing to a considerable disturbance at the time of occupation the result for declination has been rejected.

† The dip at Portland, 74° 56' .7, seems to be too small, probably owing to a disturbance at the time. The total intensity was left blank accordingly.

‡ The declination seems to have been affected by a considerable disturbance at the time, and the result, 12° 21', had better not be used.

§ The declination seems to be affected by a disturbance, the value, 7° 17', being too small.

|| Occupied for intensity June 22 and 23, 1859, and July 30, 1859; for dip, June 23 and July 29. Mean date for dip and intensity, July 11.

## APPENDIX No. 24.

*Report of Assistant Charles A. Schott on the latest results of the discussion of the secular change of the magnetic declination, accompanied by tables showing the declination (variation of the needle) for every tenth year from the date of the earliest reliable observation, for twenty-six stations on the Atlantic, Gulf, and Pacific coasts of the United States.*

COMPUTING DIVISION, COAST SURVEY OFFICE,

November 4, 1859.

DEAR SIR: In accordance with the Superintendent's letter of January 21, 1859, I have prepared a set of tables for practical use, giving the secular change of the magnetic declination, and showing for every tenth year, from the date of the earliest reliable observations to the present time, the magnetic declination (commonly called the variation of the magnetic needle) for stations on or near the northeastern coast of the United States, and also for some stations on our southern and western coasts—as derived from my several discussions of the secular change, in which have been included the latest data in possession of the Coast Survey. For the eastern and southern coasts the following papers may be referred to: Coast Survey Report for 1855, Appendix No. 48, pp. 306–337; Coast Survey Report for 1858, Appendix No. 25, pp. 192–195; and Appendix No. 26, pp. 195–197. For the western coast, Coast Survey Report for 1856, Appendix No. 31, pp. 228–235, may be consulted.

In general, the secular change of the declination appears to be of a periodic character, but

in no instance has a whole cycle been completed on either coast. Its length, therefore, remains necessarily in a great measure uncertain, and the tentative analytical process so far followed has for its main object the proper representation of all reliable observations made at any one station, so as to furnish the means of interpolation, and also to enable us to calculate the magnetic declination for any required place and date within the limits of the discussion. In the investigation of 1855 a linear function was used in the discussion, which does not involve the duration of the period, and on this account the results were, in regard to time, of rather limited extent.—(See remark on p. 337 of Report for 1855.)

For the Western Coast stations, I still prefer to retain this form of the discussion. Subsequently, by means of the knowledge gained in that discussion, an attempt was made to substitute a circular function, directly involving a period or periods, the length of which, as well as all other numerical co-efficients in the formula for the secular change, has been determined by applying the method of least squares. The use of a circular function—commenced in 1858 with two stations—is now extended to eighteen, within the limits stated above, and it has also been applied to some stations in Canada, the southern coast of the United States, and Central America, in order to furnish material for the generalization of the law, so far as ascertained, in reference to epochs and rate of change. A secondary period within the first was traced at several stations, its length, however, being much more variable and uncertain was found fluctuating between one-half and one-fifth of the primary period, while its amplitude was on the average fifteen times smaller than that of the primary wave for stations forming group 1, or within the geographical limits of Portland, Burlington, and Williamsburg. This smaller amplitude was found nearly constant, and equal to  $0^{\circ}.4$ .

To make the present paper more complete, it contains also the record of all observations used in the discussion not heretofore published in the Coast Survey reports.

As long as the cause producing the secular change remains altogether unknown, it is not safe to trust too far to the continuation of the law thus empirically derived; and in the following tables no value, deduced by the formula, has been inserted antecedent to the first observation by more than ten years. The tabular values may, therefore, be regarded in the light of a strict interpolation between actual observations; and since the analytical treatment will equalize and remove, in a measure, accidental errors of observation, they may be considered as certainly more trustworthy than any single observation, particularly in cases where the number of observations available for the discussion exceeds half a dozen, properly distributed in relation to time. The probable error of any single representation will be found in the second table. For all ordinary use by the surveyor (or navigator) the tabular values are sufficiently precise; when greater accuracy is required, the annual inequality of the declination and the diurnal variation for the time required must be taken into account. The former correction will probably not exceed, in any case, one minute, and the latter may amount in summer, in *maximo*, to minus or plus six minutes, and in winter to minus or plus three minutes—numbers which were derived from Prof. Bache's discussion of the Philadelphia observations. The table will also answer for intermediate places, for which they furnish the necessary data of interpolation.

It is proper to state that the present formulæ should be considered as liable to future changes and improvements depending on the accumulation of additional observations; and it is hardly necessary to state that their number also may hereafter be considerably increased by the accession of new material. The utility of a publication of tables showing the declination for

every tenth year was suggested by Mr. T. B. Brooks. In the numerical calculations, I was assisted by Mr. G. Rumpf, of the computing division.

*Formulae expressing the secular change of the magnetic declination (commonly called variation of the magnetic needle) used for calculating the tabular values.*

*Group I.—Stations between Portland, Me., and Williamsburg, Va.*—A positive sign of D indicated west declination, a negative sign east declination:  $n$  equals the number of years (and fraction of a year) from 1830, positive for years after and negative for years before this epoch. Longitudes are reckoned from Greenwich.

No.	Locality.	Latitude.	Longitude.	
1	Burlington, Vt.....	44 27	73 10	$D = + 11.55 - 4.10 \cos (1.30 n + 36) + 0.21 \cos (7.2 n + 290.)$
2	Portland, Me.....	43 39	70 16	$D = + 10.70 - 2.63 \cos (1.33 n + 87.)$
3	Portsmouth, N. H.....	43 05	70 43	$D = + 10.90 - 2.45 \cos (1.37 n + 72.)$
4	Rutland, Vt.....	43 36	72 55	$D = + 9.69 - 3.66 \cos (1.5 n + 45.)$
5	Cambridge, Mass.....	42 23	71 07	$D = + 9.65 - 2.78 \cos (1.30 n + 71) + 0.22 \cos (2.7 n + 220.)$
6	Newburyport, Mass.....	42 48	70 49	$D = + 9.55 - 2.56 \cos (1.4 n + 78.)$
7	Boston.....	42 20	71 02	$D = + 9.16 - 2.55 \cos (1.39 n + 76) + 0.22 \cos (3.6 n + 222.)$
8	Providence, R. I.....	41 50	71 24	$D = + 9.11 - 2.99 \cos (1.45 n + 58) + 0.19 \cos (7.2 n + 246.)$
9	Hartford, Conn.....	41 46	72 40	$D = + 8.60 - 3.59 \cos (1.25 n + 45.)$
10	New Haven, Conn.....	41 17	72 55	$D = + 8.13 - 3.49 \cos (1.33 n + 39.)$
11	Albany, N. Y.....	42 39	73 43	$D = + 7.65 - 2.74 \cos (1.42 n + 62.)$
12	Oxford, N. Y.....	42 27	75 42	$D = + 6.55 - 3.69 \cos (1.3 n + 40.)$
13	New York.....	40 43	74 00	$D = + 6.47 - 2.32 \cos (1.6 n + 55.)$
14	Philadelphia.....	39 58	75 10	$D = + 5.37 - 3.44 \cos (1.6 n + 39.)$
15	Hatborough, Penn.....	40 07	75 08	$D = + 5.23 - 3.28 \cos (1.54 n + 47) + 0.22 \cos (4.1 n + 347.)$
16	Baltimore.....	39 16	76 35	$D = + 2.70 - 2.25 \cos (1.5 n + 49.)$
17	Washington, D. C.....	38 53	77 00	$D = + 2.42 - 2.0 \cos (1.5 n + 49.)$
18	Williamsburg, Va.....	37 15	76 40	$D = + 2.22 - 2.6 \cos (1.5 n + 23.)$

The following table contains the number ( $n$ ) of observations (single or combined) upon which each formula is based; the probable error ( $\epsilon_0$ ) of an observation, expressed in minutes, as a measure of the degree of accuracy with which the observations are represented; the epoch of the last minimum of west declination, (or of maximum east declination,) together with the least west declination, (greatest east,) and lastly the annual variation for the years 1840, 1850, and 1860, expressed in minutes. The positive sign expresses west declination increasing, (east diminishing.)

Locality.	$n$ .	$\epsilon_0$ .	Epoch of minimum west declination.	Least west declination.	ANNUAL CHANGE.		
					Variation for 1840.	Variation for 1850.	Variation for 1860.
Burlington, Vt.....	9	$\pm 5$	1813	+ 7.4	+ 4.1	+ 3.4	+ 4.5
Portland, Me.....	5	14	1765	+ 8.1	+ 3.6	+ 3.4	+ 3.0
Portsmouth, N. H.....	4	10	1777	+ 7.7	+ 3.5	+ 3.5	+ 3.2
Rutland, Vt.....	4	18	1800	+ 6.2	+ 4.9	+ 5.5	+ 5.7
Cambridge, Mass.....	22	12	1782	+ 6.9	+ 4.3	+ 4.3	.....
Newburyport, Mass.....	4	12	1774	+ 7.0	+ 3.7	+ 3.6	+ 3.3
Boston.....	8	10	1782	+ 6.7	+ 4.5	+ 4.3	+ 3.7
Providence, R. I.....	30	5	1779	+ 6.1	+ 5.3	+ 3.8	+ 3.0
Hartford, Conn.....	6	14	1794	+ 5.0	+ 4.0	+ 4.4	+ 4.6
New Haven, Conn.....	14	10	1801	+ 4.6	+ 3.8	+ 4.4	+ 4.7
Albany, N. Y.....	10	3	1787	+ 4.9	+ 3.9	+ 4.0	+ 3.9
Oxford, N. Y.....	10	11	1799	+ 3.0	+ 4.0	+ 4.6	+ 4.9
New York.....	13	13	1795	+ 4.1	+ 3.7	+ 3.9	+ 3.8
Philadelphia.....	11	16	1805	+ 1.9	+ 4.7	+ 5.3	+ 5.4
Hatborough, Penn.....	18	5	1796	+ 1.8	+ 4.2	+ 4.3	+ 4.4
Baltimore.....	3	13	1798	+ 0.5	+ 3.2	+ 3.4	+ 3.4
Washington, D. C.....	6	8	1798	+ 0.4	+ 2.8	+ 3.1	+ 3.1
Williamsburg, Va.....	3	15	1815	- 0.4	+ 2.4	+ 3.2	+ 3.7

Table of magnetic declinations for eighteen stations, forming group 1, on or near the northeastern coast of the United States, between the years 1680 and 1860. West declination is indicated by a plus sign, east declination by a minus sign, and is expressed in degrees and fractions of a degree.

Year.	Burlington, Vt.	Portland, Me.	Portsmouth, N. H.	Rutland, Vt.	Cambridge, Mass.	Newburyport, Mass.	Boston.	Providence, R. I.	Hartford, Conn.	New Haven, Conn.	Albany, N. Y.	Oxford, N. Y.	New York.	Philadelphia.	Hatboro', Penn.	Baltimore.	Washington, D. C.	Williamsburg, Va.
1680	.	.	.	.	.	.	.	.	.	.	.	.	+	8.8	+	8.5	.	.
1690	.	.	.	.	.	.	.	.	.	.	.	.	8.7	.	8.3	.	.	+4.8
1700	.	.	.	.	+9.9	.	+9.7	.	.	.	.	.	8.5	+8.8	7.9	.	.	+4.8
1710	.	.	.	.	9.4	.	9.0	+10.4	.	.	.	.	8.0	8.4	7.5	.	.	.
1720	.	.	.	.	8.8	.	8.3	9.5	.	.	.	.	7.6	7.9	7.0	.	.	.
1730	.	.	.	.	8.4	.	7.8	8.9	.	.	.	.	7.0	7.1	6.3	.	.	.
1740	.	.	.	.	7.9	.	7.4	8.3	.	.	.	.	6.4	6.3	5.6	.	.	.
1750	.	.	.	.	7.5	.	7.2	7.7	.	.	.	.	5.8	5.3	4.7	.	.	.
1760	.	+8.1	.	.	7.2	.	7.0	6.9	.	+6.1	.	.	5.2	4.4	3.8	.	.	.
1770	.	8.1	+7.8	.	7.0	+7.0	6.8	6.3	.	5.5	.	.	4.7	3.5	2.9	.	.	+1.2
1780	.	8.3	7.7	.	6.9	7.0	6.8	6.1	+5.2	5.0	.	.	4.4	2.8	2.2	.	.	0.7
1790	+7.8	8.5	7.9	+6.3	6.9	7.2	6.8	6.3	5.0	4.8	.	+3.0	4.2	2.2	1.8	.	.	+0.2
1800	7.5	8.9	8.1	6.2	7.1	7.5	7.0	6.4	5.0	4.6	.	3.0	4.2	2.0	1.8	.	+0.4	-0.2
1810	7.3	9.4	8.5	6.3	7.5	7.9	7.3	6.5	5.2	4.7	+5.4	3.1	4.3	1.9	2.1	+0.6	0.5	0.4
1820	7.6	10.0	8.9	6.7	8.0	8.4	7.8	6.8	5.6	5.0	5.8	3.4	4.7	2.2	2.6	0.8	0.8	0.4
1830	8.30	10.6	9.4	7.3	8.58	9.0	8.41	7.46	6.1	5.42	6.3	3.82	5.16	2.70	3.20	1.2	1.1	-0.2
1840	9.07	11.2	10.0	8.1	9.28	9.5	9.13	8.38	6.7	5.98	7.0	4.43	5.73	3.41	3.80	1.7	1.5	+0.1
1850	9.69	11.8	10.6	8.9	10.0	10.3	9.88	9.14	7.4	6.71	7.7	5.15	6.37	4.25	4.61	2.4	2.0	0.6
1860	+10.30	+12.3	+11.2	+9.9	+....	+10.8	+10.56	+9.68	+8.1	+7.46	+8.3	+5.95	+7.01	+5.19	+5.32	+2.9	+2.6	+1.2

NOTE.—At Cambridge, Mass., the observations after 1855 require further examination. At Williamsburg the values between 1790 and 1770 were not considered sufficiently reliable for insertion. The expression for Baltimore depends for length of period and time of minimum on the Washington formula.

The total number of observations upon which the tabular values and the formula are based is 180; the average number for any one station is 10; and the average probable error of any single representation is  $\pm 11'$ .

If we arrange the stations geographically, we find that at the eastern stations the minimum (west) declination occurred earlier than at the more western and southern stations; thus, from six stations, between Portland and Providence, it occurred about the year 1777 in the Connecticut and Hudson valleys, and along the sea-coast as far south as Washington; the year of the minimum does not differ much from 1797; Williamsburg, in Virginia, gives 1815. The transition, as we pass from the New England States, is somewhat abrupt, but too well marked to be accidental. Extending the investigation further north, I find for Quebec, Canada, the year of the minimum 1769; going further west, we find that at Toronto it must have occurred before the year 1842; and at York Fort, Hudson Bay, I find the year 1842, (as already ascertained by Gen'l Sabine, after the receipt of Capt. Blakiston's observations of 1857.) This latter station is nearly halfway across the continent; and if we proceed to the Western Coast, we find that the eastern declination there has not yet reached its maximum, (equivalent to a western minimum,) but it is highly probable that it will reach it before the close of the present century. The present reverse, or western motion of the isogonic lines in our eastern States, which commenced about the year 1777, will gradually be communicated to the more westerly stations, and will, it is highly probable, be participated in on our Western Coast before or at the close of the present century, the direction of the motion in this latter locality being at present still to the eastward and southward, though with a diminishing rate.—(See p. 235 of Coast Survey Report of 1856.)



The following equations, constructed for the two northernmost stations, may be added here:  
 York Fort, Hudson Bay,  $D = + 5^{\circ}.1 - 14^{\circ}.2 \cos (1^{\circ}.6 n + 340^{\circ}).$

Quebec, Canada,  $D = + 12.84 - 3.7 \cos (1.6 n + 97^{\circ}).$

The second group comprises the stations on the southern portion of the Atlantic Coast and Gulf Coast, only three in number, to which have been added some stations located further south.

*Group II.—Southern stations.*

No.	Locality.	Latitude.	Longitude.	Magnetic declination.
1	Charleston, S. C.....	32 45	79 51	$D = - 2.12 - 2.02 \cos (1.55 n + 56^{\circ}).$
2	Savannah, Ga.....	32 05	81 05	$D = - 2.95 - 1.24 \cos (1.5 n + 20^{\circ}).$
3	Mobile, Ala.....	30 41	88 02	$D = - 6.5 - 0.77 \cos (1.6 n + 16^{\circ}).$

Locality.	n.	e.	Epoch of maximum east declination.	Maximum of east declination.	Annual change.		
					1840.	1850.	1860.
Charleston, S. C.....	5	$\pm 9$	1794	$- 4.1$	+ 3.1	+ 3.2	+ 3.2
Savannah, Ga.....	4	12	1817	$- 4.2$	+ 1.1	+ 1.5	+ 1.8
Mobile, Ala.....	6	12	1820	$- 7.3$	+ 0.7	+ 0.9	+ 1.1

Proceeding in a southerly direction, the next station discussed outside of the boundaries of the United States is Havana, Cuba, latitude  $23^{\circ} 09'$ , longitude  $82^{\circ} 22'$ , for which place I found  $D = - 4^{\circ}.82 - 1^{\circ}.45 \cos (1.3 n + 26^{\circ})$  with 1810 as the year of maximum east declination.

The values collected for Jamaica were not discussed, but the 9 values I was able to obtain will be found in the appended record. For Panama, New Granada, lat.  $+ 8^{\circ} 57'$ , long.  $79^{\circ} 29'$ , the southernmost station discussed, I find  $D = - 6^{\circ}.9 - 1^{\circ}.04 \cos (1.2 n + 74^{\circ})$ , an equation satisfying the observations, but not considered as preferable to the following expression:  $D = - 5^{\circ}.57 - 2^{\circ}.21 \cos (1^{\circ}.2 n + 34^{\circ})$ , which supposes the maximum to occur in 1802.

Going westward and northward, I found for Vera Cruz, Mexico, lat.  $19^{\circ} 12'$ , long.  $96^{\circ} 09'$ ,  $D = - 4^{\circ}.2 - 5^{\circ}.04 \cos (1^{\circ}.1 n + 7^{\circ})$  with the maximum east declination in 1824.

The following table has been calculated from the preceding equations:

Year.	Charleston, S. C.	Savannah, Ga.	Mobile, Ala.
1770.....	$- 3.7$		
1780.....	$- 4.0$		
1790.....	$- 4.1$		
1800.....	$- 4.1$	$- 4.1$	$- 7.1$
1810.....	$- 4.0$	$- 4.2$	$- 7.2$
1820.....	$- 3.6$	$- 4.2$	$- 7.3$
1830.....	$- 3.2$	$- 4.1$	$- 7.2$
1840.....	$- 2.8$	$- 4.0$	$- 7.1$
1850.....	$- 2.2$	$- 3.7$	$- 7.0$
1860.....	$- 1.7$	$- 3.5$	$- 6.8$

The following formulæ for stations on the Western Coast between San Diego and Cape Disappointment, forming group 3, have been copied from page 234 of the Report for 1856:

No.	Locality.	Latitude.	Longitude.	Magnetic declination.
		° ' "	° ' "	°
1	San Diego .....	32 42	117 13	$D = -12.17 - 0.019 n + 0.00018 n^2$ .
2	Monterey .....	36 38	121 54	$D = -14.19 - 0.050 n + 0.00047 n^2$ .
3	San Francisco .....	37 48	122 27	$D = -15.14 - 0.028 n + 0.00025 n^2$ .
4	Cape Mendocino .....	40 25	124 22	$D = -16.29 - 0.029 n$ .
5	Cape Disappointment .....	46 17	124 02	$D = -19.65 - 0.019 n$ .

The total number of observations used for the construction of the above formulæ is 21, the greatest number for any one station being 6, the least 3; the average probable error of any single representation is  $\pm 12'$ . The annual change (increasing east declination) may be taken the same for all stations, viz:

In 1840 .....	— 1.6
In 1850 .....	— 1.2
In 1860 .....	— 0.8

Years.	San Diego.	Monterey.	San Francisco.	Cape Mendocino.	Cape Disappointment.
	°	°	°	°	°
1790 .....	— 11.1	— 11.4	— 13.6	— 15.1	— 18.9
1800 .....	11.4	12.3	14.1	15.4	19.1
1810 .....	11.7	13.0	14.5	15.7	19.3
1820 .....	12.0	13.6	14.8	16.0	19.5
1830 .....	12.2	14.2	15.1	16.3	19.7
1840 .....	12.3	14.6	15.4	16.6	19.8
1850 .....	12.5	15.0	15.6	16.9	20.0
1860 .....	— 12.6	— 15.3	— 15.8	— 17.2	— 20.2

The next station discussed, south of California, is San Blas, Mexico, lat.  $21^{\circ} 32'$  north, long.  $105^{\circ} 16'$  west of Greenwich, which gave the following expression.—(See p. 234, Coast Survey Report of 1856.)

$$D = -8^{\circ}.63 - 0.042 n - 0.00031 n^2,$$

which equation, when compared with those above, shows a reversal in the sign of the co-efficient of  $n^2$ , or an opposite curvature. The annual easterly increase at San Blas in 1850, according to the above formulæ was 3.3 per annum. This station, however, is already within the area of the peculiar form of the isogonic lines, which position may possibly render an immediate comparison impracticable. The station Sitka, in Russian America, is the next place, north of Washington Territory, discussed. I find for it the approximate formula:

$$D = -28^{\circ}.12 - 0.0607 n - 0.00025 n^2.$$

It depends for its latest declination (1858) on the tabular value assigned by Mr. Evans on his late map of the lines of equal magnetic variation reduced to 1858.

*Record of all observed declinations made use of in the above paper, not heretofore published in the United States Coast Survey Reports.*

The following record containing only additional observations, we have to consult the preceding reports of 1854,\* '55, '56, and '58, if we desire to collect all results which may have been used at any one station. The stations are arranged geographically, commencing with the northern and eastern stations, and concluding with the stations on the Western Coast.  $D =$  observed declination.

*York Fort, Hudson bay.*—(From the proceedings of the Royal Society of London, for January, 1858, by Maj. Gen. Sabine.)

1725.....	$D = 19^{\circ} 00'$	W.; Captain Middleton.
1787.....	5 00	W.; Hansteen's map.
1819. Sep.	6 00	E.; Sir J. Franklin.
1843. July	9 25	E.; Capt. Lefroy.
1857. Aug.	7 37	E.; Capt. Blakiston.

*Quebec, Canada.*

1649.....	$D = 16^{\circ} 00'$	W.; P. Bressau, Hansteen's Erdmag's. Barlow Cycl. Met.
1686.....	15 30	W.; De Hayes " " " "
1810.....	11 00	W.; Becquerel, Traité du magnetisme.
1814.....	11 50	W.; Kent; Becquerel, Traité du magnetisme.
1831.....	13 38	W.; Bayfield; " " " "
1842.....	14 12	W.; Capt. Lefroy.
1859. July	16 17	W.; Chas. A. Schott, Assistant United States Coast Survey.

*Burlington, Vt.*—(See former observations in 1855 report, pp. 326, 337.)

1837.....	$D = 8^{\circ} 45'$	W.; Prof. Benedict.
1840.....	9 42	W.; J. Johnson; Thompson's History of Vermont.
1845. June	9 22	W.; D. J. Locke; Smithsonian Cont. to Knowledge, Vol. III, 1852.

*Portland, Me.*

1763.....	$D = 7^{\circ} 45'$	W.; J. Winthrop, Sill's Journal XXXIV, 1838, Prof. Loomis's collection.
1775.....	8 30	W.; J. F. De Barre's Atlantic Neptune, London, 1781.
1845. June	11 28	W.; Dr. J. Locke, Smithsonian Cont. to Knowl., Vol. III, 1852.
1859. July	12 20	W.; Chas. A. Schott, Assistant U. S. Coast Survey. (See also Coast Survey Report of 1856, p. 215.)

*Portsmouth, N. H.*

1771.....	$D = 7^{\circ} 46'$	W.; Holland; Sill's Journal XXXIV, 1838; Prof. Loomis's collection.
1771.....	7 48	W.; Holland.
1775.....	7 45	W.; J. F. De Barre's Atlantic Neptune.
1859. July	11 15	W.; Chas. A. Schott, Assistant U. S. Coast Survey. (See also Coast Survey Report of 1856, p. 215.)

*Rutland, Vt.*

1789. Apr.	$D = 7^{\circ} 03'$	W.; Dr. Williams; Sill's Journal, XVI, 1829.
1810. May	6 04	W.; " " "

\* The table of the declinations in that report is reprinted and enlarged in the report of 1855.

1811. Sept.  $D = 6^{\circ} 01' W.$ ; Dr. Williams; Sill's Journal, XVI, 1859.  
 1859. July 9 49 W.; Chas. A. Schott, Assistant U. S. Coast Survey.  
*Cambridge, Mass.*—(See pp. 317, 318 of Coast Survey Report of 1855; also Coast Survey Report of 1856, p. 222.)  
 1845. June  $D = 9^{\circ} 32' W.$ ; Dr. J. Locke; Smithsonian Cont. to Knowl., Vol. III, 1852.  
 1855. May 10 54.6 W.; W. C. Bond, (in a letter to Superintendent of Coast Survey.)  
 1856. May 10 50.3 W.; " " " " "  
 1856. July 10 06 W.; Karl Friesach, Imp. Academy of Sciences, Vienna, Vol. XXIX, 1858.

NOTE.—More recent observations still require examination.

*Newburyport, Mass.*

1775. ....  $D = 6^{\circ} 45' W.$ ; J. F. W. De Barre's Atlantic Neptune.  
 1781. .... 7 18 W.; Dr. Williams; Sill's Journal, XXXIV, 1838, Professor Loomis's collection.  
 1859. July 10 58 W.; Chas. A. Schott, Assistant United States Coast Survey.  
 (See also Coast Survey Report, 1856, p. 215.)

*Boston, Mass.*

(See Coast Survey Report, 1855, pp. 316, 317, 337.)

*Providence, R. I.*

(See Coast Survey Report, 1855, pp. 307, 308, 309, 337.)

*Hartford, Conn.*

- |            |   |   |
|------------|---|---|
| 1786. .... | $D = 5^{\circ} 25' W.$ ; Dr. Williams;  | } Professor Loomis' collection in Sill's Journal, Vol. XXXIV, 1838. |
| 1810. .... | 4 46 W.; Asher Miller;  |   |
| 1824. .... | 5 45 W.; N. Goodwin;  |   |
| 1828. .... | 6 03 W.; N. Goodwin;  |   |
| 1829. .... | 6 03 W.; N. Goodwin;  |   |
| 1859. July | 8 04 W.; an interpolated value from observations at Springfield and New Haven in 1859 and 1855. |   |

*New Haven, Conn.*

(See Coast Survey Report, 1855, pp. 319, 320, 337.)

*Albany, New York.*

1847. Nov.  $D = 7^{\circ} 35' W.$ ; Regent's Report, (geological survey.)  
 1856. Sept. 8 35 W.; Karl Friesach, Imperial Academy of Sciences, Vienna, Vol. XXIX, 1858.

(See also Coast Survey Report, 1855, pp. 328, 337; and Coast Survey Report, 1858, p. 191.)

*Oxford, New York.*—The following observations, marked E. B. W. C., are from a letter of Mr.

E. B. W. Call to the Superintendent of Coast Survey, December 22, 1858:

- 1792-95.  $D = 3^{\circ} 00' W.$ ; E. B. W. C.  
 1817. .... 3 00 W.; E. B. W. C.  
 1828. July 4 30 W.; E. B. W. C.  
 1834. Oct. 3 52 W.; Regent's report; Sill's Journal, XXXIV, 1838.  
 1836. Oct. 4 09 W.; Regent's report; Sill's Journal, XXXIV, 1838.  
 1838. July 4 30 W.; Regent's report; observed at Guilford.  
 1849. Nov. 5 11 W.; E. B. W. C.

1857. Apr. =  $5^{\circ} 44'$  W.; E. B. W. C.

1858. Feb.     5   47 W.; E. B. W. C.

1858. Dec.     5   50 W.; E. B. W. C.

*New York.*

(See Coast Survey Report of 1855, pp. 320, 321, 333, and 337; also Coast Survey Report, 1856, p. 217.)

*Philadelphia.*

(See Coast Survey Report of 1855, pp. 313, 314, and 337.)

*Hatboro', Pa.*

(See Coast Survey Report of 1858, pp. 192, 193, 194, and 195.)

*Baltimore, Md.*

1808. .... D =  $0^{\circ} 10'$  to  $15'$  W.; D. Byrnes, Vol. XVIII, 1830, Sill's Journal.

(See also Coast Survey Report, 1856, pp. 219, 227; also Coast Survey Report, 1858, p. 191, Washington, D. C.)

*Washington, D. C.*

(See Coast Survey Report, 1858, pp. 195, 196, 197.)

*Williamsburg, Va.*

1694. .... D =  $5^{\circ} 00'$  W.; Sill's Journal, Vol. XXXIV, 1838, Prof. Loomis' collection.

1780. ....     0   50 W.; Sill's Journal, Vol. XXXIV, 1838, Prof. Loomis' collection.

1809. ....     0   33 E.; Sill's Journal, Vol. XXXIV, 1838, Prof. Loomis' collection.

1856. Aug.     1   04 W.; deduced from observations at Petersburg, Old Point Comfort, and Norfolk.

*Charleston, S. C.*

1857. Apr., D =  $1^{\circ} 56'$  E.; derived from observations at Savannah in 1852 and 1857.

(See Coast Survey Report, 1855, pp. 322, 323.)

*Savannah, Ga.*

1817. .... D =  $4^{\circ} 00'$  E.; Becquerel, *Traité du magnetisme*.

1838. ....     5   05 E.; Sill's Journal, XXXIX, 1840.

1839. ....     3   31 E.; Sill's Journal, XXXIX, 1840.

(See also Coast Survey Report, 1856, p. 220, and Coast Survey Report, 1858, p. 192.)

*Mobile, Ala.*

(See Coast Survey Report, 1855, p. 323; also Coast Survey Report, 1858, p. 192.)

*Havana, Cuba.*

(See Coast Survey Report, 1855, p. 324.)

1857. January, D =  $5^{\circ} 15'$  E.; Karl Friesach, Imperial Academy of Sciences, Vienna, Vol. XXIX, 1858.

*Jamaica, West Indies.*

1732. .... D =  $6^{\circ}$  to  $6^{\circ} 5'$  E.; J. Harris, at Black river in March and April, Phil. Trans., 1733.

1789-1793      $6^{\circ} 50'$  E.; J. Leard, map of Port Royal.

1791-1792     6   45 E.; J. Leard, map of Port Royal.

1819. ....     4   50 E.; De Mackau, *Becquerel's traité du magnetisme*, Paris, 1846.

1821. ....     4   50 E.; De Mayne, *Becquerel's traité du magnetisme*, Paris, 1846.

1822. ....	4	54 E.; Owen, Becquerel's <i>Traité du Magnetisme</i> , Paris, 1846.
1832. ....	5	13 E.; Foster, Becquerel's <i>Traité du Magnetisme</i> , Paris, 1846.
1833? ....	4	40 E.; from a map.
1840? ....	4	00 E.; General Sabine's isogonic map of the Atlantic Ocean.
1857. Mar.	3	40 E.; Karl Friesach, Imperial Academy of Sciences, Vienna, vol. XXIX, 1858.

*Panama, New Granada.*

1775. Nov., D = 7° 49' E.;	Encycl. Brit.
1791. Dec.	7 49 E.; Encycl. Brit.
1802. ....	8 00 E.; Encycl. Brit.
1822. ....	7 00 E.; Hall, Becquerel's <i>Traité du Magnetisme</i> .
1837. ....	7 02 E.; Sir E. Belcher.
1849. ....	6 55 E.; Major Emory, (Mexican boundary survey.)

(See also Coast Survey Report, 1856, p. 223.)

*Vera Cruz, Mexico.*

1726-27. D = 2° 15' E.;	J. Harris, Phil. Trans. R. S., anno 1728.
1769. ....	6 40 E.; Ency. Brit., 7th edition, 1842.
1769. Mar.	6 28 E.; Ency. Brit.
1776. ....	7 30 E.; Don Ulloa, Ency. Brit.
1815. ....	10 37 E.; Malony, Ency. Brit.
1819. Apr.	9 16 E.; Wise, Ency. Brit.

(See also Coast Survey Report, 1856, p. 214.)

*San Diego, Monterey, San Francisco, and Cape Mendocino, Cal., and for Cape Disappointment, Washington Territory.*

(See Coast Survey Report, 1856, pp. 228 to 235.)

*Sitka, Russian America.*

1804. .... D = 26° 45' E.;	Lissiansky,	} Becquerel's <i>Traité du Magnetisme</i> .
1824. ....	27 30 E.; Kotzebue,	
1829. ....	28 19 E.; Erman,	
1858. ....	30 00 E.; from Evans' map of isogonic lines for 1858.	

Yours, very respectfully,

CHAS. A. SCHOTT,

*Assistant Coast Survey, in charge C. D.*

Capt. W. R. PALMER, *T. E.*

*Assistant Coast Survey, in charge of office.*

## APPENDIX No. 25.

*Gulf Stream explorations.—Third memoir: Distribution of temperature in the water of the Florida channel and straits: By A. D. Bache, Supt. U. S. Coast Survey. (Communicated, by authority of the Treasury Department, to the American Association for the Advancement of Science.)*

The results of the explorations of the Gulf Stream in the survey of the coast have been communicated to the Association from time to time, as phenomena of peculiar interest have been developed.

The original plan of these explorations having been carefully studied, and having proved successful, has steadily been adhered to. The more recent observations have been directed to that part of the stream, between Havana and Cape Florida, known as the channel and strait of Florida. I have now to present four sections, showing the depth and temperature in this most important region of the Gulf Stream. These results are from the observations of Commander B. F. Sands and Lieut. Comg. T. A. Craven, U. S. N., assistants in the Coast Survey, whose names have already been mentioned before the Association in connection with explorations of the Gulf Stream, and furnish a sufficient guarantee that the results have all the reliability which care, experience, and zealous labor could give them.

Section No. 1, (Sketch No. 35,) from Cape Florida to Bemini, was run by Lieut. Comg. Craven in May, 1855; Section No. 4 by Commander Sands in May, 1858; and Sections Nos. 2 and 3 by Lieut. Comg. Craven in April and May of the present year, 1859.

Sections 2, 3, and 4 are perpendicular to the direction of the stream at distances of about fifty, one hundred, and two hundred miles from Cape Florida. The lines of sections are shown upon the chart marked A. The Florida strait is funnel-shaped, being about ninety miles wide at Havana and about forty-five miles wide at Cape Florida, the narrowest part.

*Form of bottom.*

The area of the water way and the form of the bottom are represented on diagrams 7, 8, 9, and 10, (Sketch No. 35.) The Arabic numerals at the top represent distances from the Florida coast (the keys) in miles, and the numbers below them the positions at which observations were made. The numbers at the left hand represent the depth in fathoms.

Commencing at the Cape Florida section, it will be seen that there is a rapid descent of the bottom to the Havana section, from three hundred and fifty fathoms to eight hundred fathoms, or twenty-seven hundred feet in a distance of two hundred miles. The most shallow, as well as the narrowest part of the stream, is, therefore, at Cape Florida. The deepest water follows the coast of Cuba and the Grand banks, the depth being eight hundred fathoms at a distance of only five miles from Havana, nearly four hundred fathoms within five miles of Salt Key bank, and three hundred fathoms close to the island of Bemini. The descent from the Florida side is for the most part gradual, but from the opposite side abrupt. This effect seems to have been produced by the action of the sub-current in wearing a deeper channel upon the concave side of the stream. At Havana there is an abrupt descent of nearly a mile within five miles of the shore, while on the side of the Tortugas and Key West the water is comparatively shallow and the descent gradual. This fact goes to confirm the conclusion that the stronger current

of the Gulf Stream makes the circuit of the Gulf of Mexico; since, if it impinged directly upon the islands of Key West and the Tortugas, we should find its effects in the wearing of a deeper channel on that side.

#### TEMPERATURES.

##### *Change of temperature with depth.*

In a former communication the law of change of temperature with depth was discussed, and types of the curves representing the law were given for different parts of the stream. These curves were all merely modifications of a more general form. Thus, the cold water between the Gulf Stream and the coast gave one form, the axis of the stream another, and the water beyond the axis a third form, while in the Strait of Florida a fourth was developed. It would be natural to expect, in the course of many years' explorations by different individuals, with different instruments, not even of the same class, that general phenomena of this character should present some contradictions and some inexplicable results.

Experience, however, has confirmed the first conclusions and the constancy of the phenomena. It is not difficult, having the curve representing the temperatures at any position from the surface to the depth of several hundred fathoms, to determine, from the temperatures alone, in what part of the stream they were taken.

##### *Temperature in a direction perpendicular to the stream.*

Diagrams 2, 3, 4, and 5 (Sketch No. 35) show the changes of temperature for the same depth in each of the sections, and diagrams 7, 8, 9, and 10 the depth for the same temperature.

##### *Bands of warm and cool water.*

In the section from Cape Florida to Bemini the division of the stream into bands is plainly exhibited, though more faintly than in the northern sections, and the form of the bottom in this section shows also elevations and depressions corresponding to the divisions. In the sections south of Cape Florida all traces of the bands seem to disappear, as well as the ridges of the bottom. The bands, therefore, seem to have their origin near Cape Florida; and the conclusion stated some years ago as the probable one is strengthened, that they are caused by the ridges and valleys of the bottom parallel to the general course of the stream, and along which the stream and counter-stream have their course.

##### *The Cold Wall.*

The Cold Wall, as an exception to the remark made above in reference to the bands, is traced as far as the Tortugas, and is plainly shown in all the sections with more or less distinctness. In the Sombrero key section (No. 3) it is strongly marked at depths ranging from seventy to a hundred fathoms, while in all the sections the warm water at the surface overflows the Cold Wall and reaches quite to the shore.

Diagram No. 6 represents the comparative curves of the Cold Wall in different sections of the Gulf Stream, including those in the Straits of Florida. The figures at the top show the distances of the cold wall from the shore in the different sections, and the numbers on the left the degrees of temperature. The curves are drawn for different depths in the several sections, as shown in the notes at the bottom of the diagram. The dotted curves, *g*, *h*, *i*, *k*, represent the Cold Wall in the four sections under consideration.



*Longitudinal sections.*

It has been found very difficult to deduce any satisfactory law for the decrease of surface temperature along the axis of the stream, owing to the variability of the temperature of the waters of the regions from whence the Gulf Stream is supplied. Two modes of investigating the subject have been pursued; one, by following the stream from the Gulf of Mexico, and making hourly observations of the temperature of the water, and the other by comparing the mean temperatures of the various sections with each other and with the temperature of the Gulf of Mexico. In the first method the vessel must be allowed to drift with the current of the stream, a difficult condition except in the best weather, even for a day, and to float along thus for hundreds of miles would rarely be practicable. Any motion communicated by sails or by steam must carry the vessel beyond the water in which she commenced her voyage, and the lateral overflow carries the water constantly from the axis towards the edges of the stream. In the comparison of mean temperatures of the different sections the fact has been established that the temperature of the water of the stream at any point may be higher than at a point nearer the source, and hence vessels in running along the stream may, and generally do, pass through water not of a constantly diminishing temperature, but from cool to warm, and the reverse. This is to be explained mainly, though not entirely, by the variability of temperature at the source.

By taking the mean temperature of any one section and going back to the date of the departure of the waters from the Gulf of Mexico as determined by the velocity of the stream, and comparing the temperatures observed with the temperatures of the Gulf waters, it was supposed that a solution of the question might be obtained. The temperatures were taken from the most authentic meteorological records of the Gulf for a series of years, and those periods sought which corresponded to the dates desired. The uncertainty of the temperatures of the waters of the Gulf of Mexico, as obtained from air temperatures taken here and there along its shores, rendered the results unsatisfactory. Enough seems to have been determined, however, to show that the surface temperature of the Gulf Stream along its course is variable; that a vessel sailing along the axis at a more rapid rate than the motion of the stream will pass through water of higher and lower temperature, depending generally upon two conditions, viz: the distance from the Gulf of Mexico, and the temperature of the Gulf at the time the water entered the straits of Florida; and further, that the latter cause is the predominating one in the parts of the Gulf Stream adjacent to the Atlantic coast, where the current is rapid.

The influence of the form of the bottom in forcing the cold counter current of the bottom upward has been adverted to, and the fact appears to be well established in the cross sections, where the ridges and valleys parallel to the direction of the stream separate it into bands of warmer and cooler water, and this conclusion, as has just been stated, is strengthened by the fact that the bands and ridges simultaneously disappear south of Cape Florida. This phenomenon is moreover strikingly exhibited in the longitudinal section of the bottom in connection with the lower temperatures.

The shallowness of the stream in the Strait of Florida, connected with the fact that the bottom falls off rapidly to the north and south, afforded an excellent opportunity for testing this question. If the cold water of the under polar current follows the bottom it should appear in the shallow part of the strait, and here the warm water of the surface and the cold water of the bottom would approach each other. Diagram No. 1 shows the curves of  $40^{\circ}$ ,

45°, and 50° (bottom temperatures) along the deepest part of the stream, commencing at Sandy Hook and running as far as the Tortugas. All these curves rise with the bottom and pass over the ridge which divides the bed of the Atlantic from that of the Gulf of Mexico, and again fall with the slope of the bottom towards the Gulf. In the narrowest part of the strait, where the depth is three hundred and fifty fathoms, the temperature, from the surface to the bottom, ranges between 80° and 40°.

*On the effects of pressure on Saxton's Deep-sea thermometer.*

In the explorations of the Gulf Stream the temperatures below one hundred fathoms have mostly been determined by Saxton's metallic thermometer, and although the results have been consistent amongst themselves, and have agreed well with the indications of other thermometers, yet it was thought advisable to determine the effect of pressure by direct experiment.

Saxton's thermometer consists essentially of a compound ribbon of silver and platinum, fused and pressed together by rollers. This ribbon is wound in a spiral form, one end of the spiral being firmly fastened to an interior solid axis, and the other left free. Upon the free end is placed an index arm, which moves over a circular graduated scale, carrying with it a friction hand or indicator, which is left at the extreme point of the arc reached by the true index. The instrument is enclosed in a case, to which the water is freely admitted. A variation of temperature is immediately noticed, as the effect is to give a rotary motion to the index.

The experiments to determine the effect of pressure were made at my request by Mr. J. M. Batchelder, with means devised by Mr. Thomas Davison at the Novelty Iron Works. The following description of the apparatus employed is given by the last named gentleman.

"The gauge (Sketch No. 35) consists of a brass cylinder H about eight inches long, into which a steel plunger is fitted, the upper part of the plunger at A being .70 of an inch in diameter, and the lower at B about .786, so that the difference in area of the ends is equal to one-tenth of a square inch. The cylinder is bored out a little larger than the plunger, except for about a fourth of an inch near each end, at C and D, where both are accurately fitted. To the branch E a pipe connects, communicating with the hydraulic cylinder, and leading the water into the centre of the gauge, which it reaches after passing through the chamber F, filled with sponge to prevent any impurities in the water from reaching the plunger. The upper end of the plunger connects by a wire W to a spring, as shown in the sketch at G, so constructed as to indicate pressure from 0 to 450 pounds, the spring being so strong that 450 pounds produce a movement of the plunger equal to three-eighths of an inch. It is evident that, as the difference in area of the ends of the plunger is one-tenth of an inch, one hundred pounds pressure from the water on this surface, as indicated by the balance, would equal a pressure of water of 1,000 pounds per inch, or a pressure ten times as great as that indicated by the balance throughout its scale. The only difficulty in the use of the gauge is that of fitting the plunger to the cylinder, so that, while it is perfectly free to move, it is also water-tight. This difficulty, however, has been overcome, and much advantage was also derived from Mr. Batchelder's suggestion for supplying the wear of the plunger and cylinder by depositing brass on the plunger through the galvanic process."

Connected with this gauge by a pipe is a strong wrought-iron cylinder sixteen inches long by four inches in diameter, in which the thermometer was placed, the opening being firmly closed by a screw plug. This second cylinder was immersed in a tub of water for the purpose

of regulating the temperature. The thermometer once placed in the cylinder is not again removed, the index being read by means of a mirror until the observations are completed.

By the use of this apparatus the effect of pressure up to 4,000 pounds per square inch was observed upon two thermometers, and the results are given below. The observations were made to indicate the effects of 500, 1,000, 1,500, 2,000, 2,500 pounds pressure, &c. Seven series of experiments were made with thermometer No. 5, and five series with No. 10. The mean results show that a pressure of 1,000 pounds per square inch has no effect upon the thermometer; at 1,500 pounds the effect is less than one degree; and from 1,500 to 4,000 pounds per square inch the effect is to diminish the readings, the maximum effect being seven degrees.

The diagram (Sketch No. 35) exhibits the law of diminution by increase of pressure, and the depth corresponding to different pressures. The correction to be applied varies with the depth. For thermometer No. 5 it is only four-tenths of a degree Fahrenheit at the depth of 600 fathoms. For thermometer No. 10 it is one degree at the same depth. At 1,500 fathoms the corrections are respectively five and a half and seven degrees.

Nearly all the temperatures observed in the Gulf Stream have been taken at depths less than 600 fathoms.

*Table showing differences of readings of Saxton's thermometer, under pressure and free from pressure.*

THERMOMETER No. 5.

Number of series.	PRESSURE IN POUNDS.					
	1,500.	2,000.	2,500.	3,000.	3,500.	4,000.
1.....	0	0	0	0	0	0
2.....	1.6	0.00	3.75	0.00	0.00	0.00
3.....	0.	1.00	2.	2.8	4.5	5.5
4.....	0.	1.00	2.25	3.75	4.75	5.7
5.....	0.	0.5	0.5	2.0	3.6	5.5
6.....	0.	1.75	2.25	3.5	5.0	6.5
7.....	0.	1.25	2.25	3.75	6.0	6.5
Means.....	0.3	1.1	2.1	3.2	4.5	5.6

THERMOMETER No. 10.

Number of series.	PRESSURE IN POUNDS.					
	1,500.	2,000.	2,500.	3,000.	3,500.	4,000.
1.....	0	0	0	0	0	0
2.....	0.00	2.00	3.25	4.5	6.25	8.25
3.....	2.00	1.00	3.5	4.5	6.00	7.25
4.....	0.75	2.00	3.0	3.25	5.5	6.5
5.....	1.75	2.00	3.5	4.75	5.5	7.25
Means.....	0.75	1.75	1.75	3.75	5.0	6.75
Means.....	1.00	1.75	3.00	4.25	5.6	7.25

## APPENDIX No. 26.

*Report of Assistant Henry Mitchell on the physical surveys of New York harbor and the coast of Long Island, with descriptions of apparatus for observing currents, &c.*

Boston, September 30, 1859.

SIR: I have the honor to inform you that the field-work comprehended in your plan for the physical survey of New York harbor has been completed by the operations of the past season.

At the commencement of this work it was quite impossible to foresee the form it would ultimately assume, the questions to which it would give rise, or the investigations to which it would lead. Neither the precise character of the observations to be made, nor the extent to which they should be carried, could be estimated in an undertaking in many respects quite novel and without precedent.

Certain changes in the forms of shoals and channels had been revealed by the comparison of the early surveys with those of more recent date, and the questions arose—To what causes are these changes due? and—To what end do they progress? What are the natural forces which build in one direction shoals and beaches, while opening elsewhere new channels, or wearing away the shores? These were the problems for the solution of which the physical survey was instituted.

The general plan of this work, to which you first directed my attention, has been adhered to throughout; since your subsequent instructions have referred to the limits of each season's work, rather than to the character of it. By this plan we have been required to observe, and make note of, every natural operation, whether of tides, currents, winds or waves; in fine, to compile for a certain period a complete physical history of these elements from a systematic course of inquiry.

The field over which our observations have spread includes not only the harbor proper, but its approaches in all directions, extending up the Hudson river to Fort Washington, into Long Island sound as far as Execution light, through the kills, over the bar, and sixty miles out to sea. Throughout this field the periods, velocities, and paths of the various currents are determined, as are also the experiences of the tide waves (both from the sound and the ocean) in the different channels and avenues which they traverse. The disturbing effects of winds and freshets, the appearance of rips and eddies, together with general meteorological phenomena, have all been noted carefully.

The whole number of tidal and current stations which we have occupied exceeds one hundred and fifty, and at these the observations number many thousands. Many of the tidal stations were occupied one or more entire lunations, and at some of the current stations the observations were continued in unbroken series of half-hourly records for seven, nine, and fourteen days. The aggregate amount of time spent on the field-work has not exceeded twelve months.

Rough computations of our observations were made in the intervals between the working seasons, and these acquainted us with the progress we were making, and pointed out the direction which succeeding inquiries should take. From the results of our labors we gained at each step confidence and encouragement. What appeared at first a tangled skein of accidental or inconstant causes, we ultimately recognized as orderly and harmonious relations; and, our

methods of observing improving steadily, the work advanced to its close at a pace constantly accelerated.

The observations of the past season were confined to no special locality, but were made at various points where previous operations were incomplete or required connecting links.

Our field-work commenced the first of June, and the quiet weather which prevailed during this month was improved for the occupation of the more exposed stations—those near shallow portions of the bar and along the outside coast. We had designed to occupy a station which, should, if possible, lie quite beyond the reach of the New York harbor drift, and enable us to determine whether any oceanic current sweeps into the great bay formed by the coasts of Long Island and New Jersey. For this purpose we anchored, in thirty fathoms water, nearly sixty miles east-southeast of Sandy Hook, where, during a period of fifteen hours, we measured the currents at the surface, and at depths of twenty-three and one hundred and fifty feet, besides a few determinations of the mean motion for the entire depth. At this station, nearly forty miles from the nearest land, we found regular tidal currents, nearly as strong as those observed at the light-ship the previous season. No oceanic current could be detected, but the augmentation of the ebb current, caused by the drainage of the land waters, was very appreciable. The velocities of the currents are not so regular at this station, from the fact that the depth of the moving water stratum is variable, at one time extending to the bed of the sea, at another reaching but a short distance below the surface. The directions of the flood and ebb drifts were found to be respectively west-southwest and east by south; which, making due allowance for the disturbing effects of the land waters, would indicate that the tide-wave has here a westerly motion. The land waters of which we have spoken are doubtless the combined drainage from New York harbor and the various inlets; for, extending our observations along the south shore of Long Island, we found that they outlive the tidal currents, and establish themselves as a constant coastwise stream along the eastern portion of Fire Island beach.

The stations outside of the bar were eleven in number, at which above seventeen hundred observations were recorded, and of these more than five hundred were made at points below the surface.

The greater part of our season's work lay in the lower bay or in the vicinity of the bar, where there remained some localities unexamined and others at which previous examinations had given discordant results.

From the computations which followed the field-work of 1858, it appeared that where observations were sufficiently numerous the causes of a certain class of shoals were immediately deducible from the data obtained. It was ascertained, on making a composition of the currents at each station, with the assumption that they are to be regarded as forces acting simultaneously, that the resultants take directions towards the shoals as focal points; making it evident that the sand which forms these shoals is gradually swept together from the neighboring channels. Simple as the dynamics of this natural process may be, its form can only be developed from the most accurate determinations of the elements. The resultant, for instance, may be a very small quantity from a station at which the adverse currents are very violent. In a case like this, the slightest error of observation, or even the selection of an unsuitable period, may give us a false result and lead us entirely astray. If the observations are not sufficiently frequent, they may fail to give the exact durations of certain phases of the currents; or if the positions

of the stations are not closely determined, errors enter into the directions of the forces. Again: if the observations are not continued long enough to eliminate the diurnal inequalities, an undue weight will be given to some of the elements which enter into the problem. At the commencement of the past season, forewarned of these difficulties, I placed in the hands of my observers printed rules for their guidance, and required of each person a strict conformity to them. Twenty-one stations were occupied in the portion of the work to which I have just referred, and at these the aggregate number of observations reaches nearly five thousand, of which above eighteen hundred are from points below the surface. At these stations the observations were usually kept up in unbroken series of twenty-five hours each.

A more suitable period for observations of so exact a character could scarcely have been chosen; our operations were rarely suspended by bad weather, and few delays of any kind occurred.

In making observations upon bars and shoals, the disturbing effects of strong winds cannot be disregarded; for it not unfrequently happens that they change the direction of the current, or wholly reverse its course. In districts of shallow water the waves created by the winds have a motion of translation whose effect upon the log is very great; and although the observer is able to distinguish this sudden and uncertain motion from that of the more steady current, he cannot introduce a correction for it. Where the sea is deep, the impulses it receives from the winds result in simple undulations, giving to the log no horizontal motion whatever, so that, even when the swell is very heavy, accurate current observations are possible. As far as our experience has gone, we have never observed in the waves any power of transportation where the depth of water exceeds three fathoms.

Above the Narrows there were eight stations occupied—three in the main channel of the harbor, two in the Hudson, and three in the East river. At these there were recorded over seventeen hundred observations, of which above eight hundred were made upon the sub-currents.

The stations in the harbor, as well as those in the Hudson river, were designed to furnish us with additional data relative to a class of remarkable counter-currents discovered the previous season. The former observations had established the fact that along the main channel the currents of the lowest water stratum maintain velocities and directions quite at variance with those near the surface. It, however, remained to be proved whether the phenomena observed were continuous from station to station or mere local conditions; and if their continuity could be shown, the exact limits of their domain were to be ascertained. The information now in our hands affords, I am convinced, a full and faithful exhibit of these points.

The three stations in the East river lie in positions which the previous work had shown to be important, as embracing the terminus of the Hell Gate interference current. At one of these stations, which lies in the deep basin westward of the point of Blackwell's island, some curious conditions of the sub-currents manifested themselves. Here the axis of the ebb (westerly) drift was observed to lie about twenty feet below the surface throughout the entire duration of this current; in other words, the current is stronger at this depth than at any other point above or below. There are resemblances between this phenomenon and those already referred to as appearing in the main channel of the harbor, but I am doubtful whether we can class them together. In the discussion of our results, we propose to group the currents of the upper harbor according to tidal hours obtained from the self-registering gauge at Governor's

island, and those of the lower harbor and its approaches, according to tidal observations made simultaneously by some of our own party at Sandy Hook.

The closing work upon the physical survey of New York harbor, which we have briefly described, did not occupy us during the entire season, and there proved to be ample time for the other operations directed by your instructions, viz: inquiries into the physical conditions of the bays and inlets along the south shore of Long Island.

Glancing at a chart of our coast, one may see on the south shore of the island of Nantucket a series of small ponds separated from the sea by narrow reaches of sand. On Martha's Vineyard the same features may be observed along the outer shore, except that here the larger basins or lagoons have occasional outlets through the strips of sand beach. Further to the westward, upon the coast of Long Island, appear similar basins, so extensive as almost to form inland seas with outlets of considerable depth, through which vessels may pass. Here are fully established the forms which may be distinguished as the leading characteristics of the Atlantic coast to the southward, and of the entire Gulf shore. From the past history of the sandy portion of our sea-coast, it appears that the outlets to which we have referred are never permanent, but continually shift their positions, either by gradual encroachments and recessions of the sand reaches, or by suddenly closing up at one point and breaking away at another. The design of our study was to ascertain, if possible, the causes which maintain these extended sandy reaches, and the agencies which create the channels through them. In this undertaking, the line of stations, to which reference was made in the former part of this report, extending along the coast, at intervals of from five to twelve miles from Coney island to a point twenty-five miles east of Fire Island light, gave us all the requisite data for a complete knowledge of the shore currents; and we added to these series of current observations at Fire island, Crow Gut, and Rockaway inlets, besides others from stations in the Great South bay. By half-hourly records at gauges temporarily erected, the form of the tide wave as it enters Fire Island inlet was compared with that observed at Sandy Hook on the one hand, and that at the eastern extremity of the Great South bay upon the other. At some of the outside stations we threw over sinking articles, hoping to find them again upon some portion of the beach, and thus be able to determine the direction of the movements on the bottom of the sea. The first class of articles we tried were balls made of cement, with corks enclosed, giving them what we supposed to be the requisite specific gravity. On a former occasion these cement balls were used quite successfully along the shores of Sandy Hook, but we now found them to fail entirely on this coast, where the currents are more feeble. We subsequently had recourse to the large skimmer shell (*mastra solidissima*) which we collected from the shores, and marked with drills. Some of these, cast over in three fathoms water off Oak Beach, travelled eastward, and crossing Fire Island inlet, were swept on shore four miles to the eastward of their place of deposit. In the performance of this journey they were occupied over two weeks, during a prevalence of easterly winds. Of three hundred shells cast into the sea, one hundred were recovered—a much larger proportion than we could possibly have expected to find among the shifting sands and the miscellaneous stranded articles upon these beaches. The easterly preponderance in the movements of the currents along the bed of the sea, which the journey of these shells revealed, corresponds with the results from previous observations of the surface drifts.

As our inquiries proceeded, it became evident that the currents, powerful though they may be to scour channels and form the ocean bed, cannot alone effect the peculiar changes which are observed to take place in the beaches, but that the waves take a part, not insignificant, in

these operations. In the shallow waters along these alluvial shores the waves, driving in from the ocean, acquire violent horizontal movements, and dash along the beach with a force in comparison with which the strongest currents are quite impotent. In order that we might the better understand and determine the precise action of the waves and the relation of their office to that of the current, we made a very careful examination of the conditions in miniature forms of bays and inlets, where the limited field of observations afforded us a comprehensive view of the natural activities at work. The results of this examination have already been laid before you with such conclusions from them as were immediately obvious.

In the course of this and former reports I have referred repeatedly to the observations of currents at different depths, and it has occurred to me that some description of the apparatus in use should here be given, in order that the reliability of the results should be established.

#### *Descriptions of Apparatus.*

For observations upon the surface currents we use a "tube-log," which is simply a tin cylinder four inches in diameter and six feet long. This tube is partially filled with water, so as to sink nearly its whole length and maintain an upright position; and a graduated line being attached, the observations are made as with an ordinary ship's log. We have found that a log of less draught than this is liable to be affected by the wind.

When we desire to obtain the mean motion of a stratum of greater depth, we use twenty-four foot tubes, and in some cases those as long as forty-eight feet.

If the velocity of the current in the lowest water stratum is desired, we take the following course: Two copper globes of equal dimensions are connected by wire rope of the smallest possible size compatible with the strength required. One of these globes, being filled with water, is allowed to sink the whole length of the connecting line, while the other, being empty, or only partially loaded, swims at the surface of the sea. To the upper globe the log line is secured. The velocity with which the globes, thus connected, will move, is a mean of the rates at which the upper and lower water strata are flowing; and if simultaneous observations are made with this apparatus and the surface log, before described, we are furnished with the means of obtaining by calculation the velocity of the lowest stratum. This method may be employed where the water is not so deep as to give to the connecting wire rope an extent of surface which, exposed to the current, may require consideration in the problem.

The instruments I have described thus far are similar to those which have been used in determining the discharge of canals in Europe. In the application of these to inquiries on a larger scale, I have found it necessary to make certain modifications of them to insure accuracy.

It not unfrequently occurs that the velocity of the surface drift is many times greater than that of the lower stratum, or holds altogether a reverse direction, so that the motion of the globes is quite at variance with that of the surface log. In a case like this, the graduated line secured to the globes is borne away by the surface current, and the observer is deceived. The full extent of this difficulty will be appreciated when it is considered that the line of which I have spoken is necessarily of considerable size, the strength of six men being sometimes required to draw in the globes. I propose to obviate this difficulty by the following arrangement: Within the upper globe, made of wood in this case, a reel is placed, upon which a small log-line, passing in at an aperture at the pole, is wound by a crank from without. The extremity of this log-line is secured to a third globe, which swims freely upon the surface of the sea. When making an observation, the log-line is wound up until the floating globes are



brought together; then, at a signal, the reel is loosened; and now, if the surface and sub currents differ in velocity, the free globe separates from the others, and the observer notices the number of divisions of the log-line drawn out in thirty seconds. In this experiment the apparatus is in nowise connected with the vessel, but the observer follows in a boat until the trial is completed. Figure 1 (Sketch No. 40) shows the relative position of these globes during the course of the observations. In this figure A and B are the connected globes, while C is the free float. The weight of the globe B causes the swimming globe A to sink nearly to its pole, and the free float C is loaded so as to sink about the same distance. The graduated line, which measures the separation of the floating globes, may be seen, one end fastened to a ring upon the free float C, the other passing in at the pole of the globe A. Figure 2 is an enlarged representation of the globe A, opened so as to show the reel within. The water, which enters the globe freely, acts as a check, preventing this reel from acquiring an undue momentum with any sudden jerk of the line caused by the waves. In this figure may be seen the position of the crank by which the reel is wound; this crank is, of course, removed after the floating globes are drawn together. Upon the outside of the globe containing the reel every ten degrees are marked that the observer may note in his record the amount submerged. In the reduction of these observations the extent of the wetted surfaces of the two connected globes must be considered, since, in the case of a difference of velocity between the upper and lower strata, the effective areas of the surfaces exposed to the two streams enter into the problem. In all positions the effective surface which a globe wholly immersed presents to the current is a great circle. The velocity attained by the connected globes is a *simple mean* of the velocities of the superficial and lower strata when the effective surfaces are *equal*; and when these surfaces are *unequal*, the *mean by weight*. If  $x$  = velocity at surface,  $y$  = velocity at lowest point; then with equal surfaces we obtain velocity of globes =  $\frac{1}{2}(x + y)$ . If the effective surfaces opposed to the drifts (portions of great circles) are unequal, and their areas be represented by  $a$  and  $b$ , we have the velocity of globes =  $\frac{1}{a + b}(ax + by)$ . This expression represents the immediate result obtained by the original manner of using the globes if the vessel be at anchor; but, in our modification, the result of our experiment is the difference between the motion of the free and that of the connected globes, or  $x - \frac{1}{a + b}(ax + by)$ . The extent of the wetted surface of the free globe will not affect the result, but it is convenient to have this globe of the same size as the others so as not to be greatly affected by winds.

If the paths of the surface and sub-currents do not lie in the same vertical plane, the connected globes take an intermediate course, with velocity =  $\frac{1}{a + b} \sqrt{\{ (ax \sin. \beta_1 + by \sin. \beta_2)^2 + (ax \cos. \beta_1 + by \cos. \beta_2)^2 \}}$ , and  $\tan \theta$  (angle of direction) =  $\frac{ax \sin. \beta_1 + by \sin. \beta_2}{ax \cos. \beta_1 + by \cos. \beta_2}$  when  $\beta_1$  and  $\beta_2$  represent the respective angles of direction of the upper and lower drifts.

When observations are to be made at sea, where there is a great depth of water, a further modification of the apparatus is necessary. In place of the two connected globes in the foregoing description, a hempen line is used, (perhaps two inches in diameter,) terminating in a wooden pole above and a leaden cylinder below, the former serving to float the shaft, while the latter sinks and straightens the line, and the reel is transferred to the free globe. (See Fig. 3, Sketch No. 40.) The apparatus, thus modified, will serve to exhibit the difference between the

surface drift and the mean velocity of a stratum of water whose depth equals the length of the shaft immersed. If we know the surface velocity we may readily obtain the velocity of the lowest point reached, *if we suppose the change of velocity from point to point to be uniform*, by subtracting the surface rate from twice the mean velocity. This supposition is not always correct, and must be tested by the following experiment: The log-line having been unfastened, the pole is passed through a copper globe, and the line drawn up until the globe can be secured at a point which will occupy a middle position of the wetted surface on again letting the shaft sink as far as it may.—(See Fig. 4, Sketch No. 40.) Upon a new trial, if the velocity observed is still the same, we may conclude that our supposition is correct; if not, we may, by shifting the position of the globe again and again, making at each remove an observation and record, or by using simultaneously several such shafts, calculate approximately the conditions of the sub-currents and the curve at which our deep shaft hangs. The globes which we have used measure two feet in diameter.

Before closing this rapid sketch of our devices for obtaining the data required by your instructions, I would refer briefly to a new form given to a pile used in securing a tide-gauge at Fire island, and which, I think, possesses some peculiar advantages for use upon sandy coasts where there is a heavy sea. This pile is of oak, or other heavy and strong wood, and is so cut that the lower portion of it, for a space of six or eight feet, presents the appearance of a number of inverted frustrums of cones, placed one above another—the series terminating in a sharp and heavy shoeing. As a whole, it is required to have a greater weight than the sand and water it is intended to displace. On working this pile into the sand, by swaying it to and fro, in the usual manner, each cone, as it sinks, acts upon the sand *above* and *below*, as at once a lever and a wedge, giving to the whole a continual downward thrust. In the same way the waves, instead of tearing it up, cause it to work deeper and deeper, and thus the lateral oscillation of the sea is converted into vertical motion, and brought to our aid. Of course this downward tendency of the pile can be easily checked if too great for our purposes. As my description of this pile is not altogether clear, I annex a diagram, (Sketch No. 40,) which will require no explanation.

Very respectfully, yours,

HENRY MITCHELL,  
*Assistant Coast Survey.*

Professor A. D. BACHE,  
*Superintendent Coast Survey.*

---

## APPENDIX No. 27.

*Report to the Superintendent by Assistant L. F. Pourtales, in charge of the field and office work relating to tidal observations.*

COAST SURVEY OFFICE, October 1, 1859.

SIR: I have the honor to submit the following report on the field and office work performed by the tidal party under my charge during the past year:

FIELD-WORK.—The permanent stations at which the tides are observed for a long period of years are the same as mentioned in former reports, viz: Boston, New York, Old Point Comfort, Va., Charleston, S. C., and Fort Clinch, Fla., on the Atlantic coast; and San Diego, San

Francisco, and Astoria, on the Pacific coast. The following table will show the date at which the series of observations began at each of those stations, and the number of years over which it consequently extends up to this date.

Station.	Kind of gauge.	Date of beginning of series.	Length of series up to October 1, 1859.
			years. mths.
Boston.....	Staff.....	June 1, 1847.....	12 4
New York.....	S. R.....	December 12, 1852.....	6 10
Old Point Comfort.....	Box.....	May 3, 1845, to August 31, 1852.....	
Old Point Comfort.....	S. R.....	September 1, 1852.....	14 6
Charleston, (Castle Pinckney).....	Box.....	December 20, 1850, to April 22, 1855.....	
Charleston, (Castle Pinckney).....	S. R.....	July 16, 1855, to December 10, 1855.....	
Charleston, (custom-house wharf).....	S. R.....	February 1, 1856.....	9 9
Fort Clinch.....	S. R.....	February 20, 1856.....	3 7
San Diego.....	Staff.....	July 6, 1853, to September 20 1853.....	
San Diego.....	S. R.....	September 22, 1853.....	6 3
San Francisco.....	S. R.....	June 14, 1853.....	6 4
Astoria.....	S. R.....	July 11, 1853.....	6 3

The stations have, during the past year, given generally good results. The station at Fort Clinch has, however, suffered an interruption by the sickness and subsequent sudden leaving of the observer, and the inexperience of the person he had left in charge. The stations on the Western Coast, under the supervision of Lieut. G. H. Elliot, U. S. Engineers, have continued to give very satisfactory results.

The temporary stations were not numerous. The tide-gauge at the Washington navy yard is still kept up. Owing to the frequent changes of the officers in the ordnance department of the yard, it was found more advantageous to have the gauge attended to by Mr. Walker, of this division of the office.

The stations mentioned in last year's report as having been established by Mr. Würdemann at Charlotte harbor, Egmont key, and Cedar keys, have, together with the one at Tortugas, afforded very satisfactory results. The series being extended over more than a year, the gauges will shortly be transferred to new stations at and to the westward of St. Mark's. Mr. Würdemann has suffered greatly from sickness superinduced by exposure, and was obliged to leave that section at the approach of warm weather, without detriment, however, to the observations, thanks to the careful training he had given to the observers. On his way north, Mr. Würdemann visited the tide-gauges at Fort Clinch, Charleston, and Old Point Comfort.

The self-registering tide-gauge established at Warrenton navy yard, Pensacola, Fla., by the kindness of S. T. Abert, esq., civil engineer of the yard, gives very good results, and will supply a useful link in the chain of stations which it is intended to establish successively along our shores on the Gulf of Mexico.

Good self-registering observations were obtained at Benicia, Cal., under the direction of the hydrographic party of Commander J. Alden, U. S. N., Assistant Coast Survey.

A list of the observations received during the year is herewith presented. It contains, as usual, only those which were made under the direction of this division of the office, and not those made by hydrographic parties for the reduction of their soundings.

*List of tidal observations received during the year ending September 30, 1859.*

Section.	Name of station.	Name of observer.	Kind of gauge.	Stations, permanent or temporary.	TIME OF OCCUPATION.		Total day.	Remarks.
					From—	To—		
I	Boston Dry Dock, Mass.	T. E. Ready.....	Staff.....	Permanent.....	Oct. 1, 1858	Sept. 30, 1859	365	Obs'ns made at Brooklyn during the cold weather. Only day observations during the summer.
II	Governor's Island, N. Y.	R. T. Bassett.....	S. R.....	do.....	Oct. 1, 1858	Dec. 30, 1858	91	
	Do.....	do.....	do.....	do.....	April 7, 1859	Sept. 30, 1859	177	
	Brooklyn, N. Y.....	do.....	Box.....	do.....	Oct. 1, 1858	Sept. 30, 1859	365	
	Dobb's Ferry, N. Y....	W. H. Roberts.....	Staff.....	Temporary.....	July 23, 1858	July 31, 1858	9	
	Verplank's Point, N. Y.	J. G. Rotche.....	do.....	do.....	July 22, 1858	Aug. 3, 1858	13	
	Do.....	do.....	do.....	do.....	Sept. 10, 1858	Sept. 14, 1858	5	
	Cold Spring, N. Y.....	do.....	do.....	do.....	Sept. 11, 1858	Sept. 14, 1858	4	
	Poughkeepsie, N. Y....	do.....	do.....	do.....	July 22, 1858	Aug. 1, 1858	11	
	Tivoli, N. Y.....	G. R. Martin.....	do.....	do.....	July 22, 1858	Aug. 1, 1858	11	
	Stuyvesant, N. Y.....	D. B. Jenks.....	do.....	do.....	July 22, 1858	July 31, 1858	10	
	Castleton, N. Y.....	do.....	do.....	do.....	July 22, 1858	Aug. 2, 1858	12	
	Greenbush, N. Y.....	do.....	do.....	do.....	July 22, 1858	July 31, 1858	10	
III	Old Point Comfort, Va.	M. C. King.....	S. R.....	Permanent.....	Oct. 1, 1858	Sept. 30, 1859	365	
	Wash. Navy Yard, D. C.	Off. Ordnance Dept.	do.....	Temporary.....	Oct. 1, 1858	Jan. 8, 1859	160	
	Do.....	S. Walker.....	do.....	do.....	Feb. 10, 1859	Sept. 30, 1859	232	
V	Charleston, S. C.....	W. R. Herron.....	do.....	Permanent.....	Oct. 1, 1858	Sept. 30, 1859	365	
VI	Fort Clinch, Fla.....	F. A. Rehner.....	do.....	do.....	Oct. 1, 1858	Dec. 14, 1858	21	
	Do.....	J. A. Walker.....	do.....	do.....	Dec. 14, 1858	Sept. 30, 1859	261	
	Tortugas, Fla.....	H. Benners.....	do.....	Temporary.....	Aug. 1, 1858	Sept. 1, 1859	396	
	Charlotte Harbor, Fla..	G. W. Maslin.....	do.....	do.....	Aug. 3, 1858	Aug. 2, 1859	365	
	Egmont Key, Fla.....	C. Keyser.....	do.....	do.....	Aug. 23, 1858	Aug. 31, 1859	375	
VII	Cedar Keys, Fla.....	A. Steele.....	do.....	do.....	Aug. 11, 1858	Sept. 1, 1859	366	
	Do.....	G. Crockett.....	Staff.....	do.....	Dec. 27, 1858	Jan. 6, 1859	11	
	Warrington Navy Yard, Fla.	S. T. Abert.....	S. B.....	do.....	Nov. 20, 1858	Aug. 18, 1859	266	
X	San Diego, Cal.....	A. Cassidy.....	do.....	Permanent.....	Aug. 1, 1858	July 31, 1859	365	
	Fort Point, Cal.....	H. E. Unrlandt.....	do.....	do.....	Aug. 1, 1858	July 31, 1859	365	
	Benicia, Cal.....	Louis Nelson.....	do.....	Temporary.....	June 25, 1858	Oct. 21, 1858	98	
XI	Astoria, Oregon.....	Louis Wilson.....	do.....	Permanent.....	Aug. 1, 1858	July 31, 1859	365	

OFFICE-WORK.—The following persons have been permanently employed during the year: R. S. Avery, S. Walker, J. Downes, M. Thomas, and S. D. Pendleton; and the following temporarily for longer or shorter periods during the intervals of their duties in the field or in other departments of the office: Lieut. J. P. Roy, U. S. A.; Sub-Assistant C. Fendall; James Gilliss, R. E. Evans, O. Hinrichs, J. Donegan, A. W. King, and T. C. Bowie.

Mr. Avery has continued the discussion of the Boston tidal observations. Having computed a set of co-efficients from a period of observations extending over nine years, he has compared the times of high water computed by means of them with the observed times for the whole period of twelve years over which the series extend. The differences between the computed and observed times came out generally quite small.

The readings of the sheets of the self-registering tide-gauges were made by Mr. Walker, who has also had charge of the correspondence with the observers, of the examination of the observations returned by them, and of the tide-gauge at the Washington navy yard. This combination of duties has been very useful, as by reading the sheets no defects in them could escape him, and the remedy could be pointed out more intelligibly from the experience gained in managing a tide-gauge himself.

The ordinary reductions of tidal observations were made chiefly by S. D. Pendleton, and part of the year by contract, by A. W. King; also, occasionally, by Lieut. J. P. Roy, and J.

Gilliss, R. E. Evans, O. Hinrichs, and T. C. Bowie. They thus keep but little behind the receipt of the observations. The whole sets of reductions of the permanent stations on the Western Coast were revised by Mr. Walker.

The graphical decompositions of the tides observed simultaneously at the four stations Cape Florida, Indian key, Key West, and Tortugas, have continued to be made and the results to be reduced and compared by Mr. Downes, with the assistance for part of the time of Messrs. Fendall and Evans. This discussion is now nearly completed, and some progress has also been made in the decomposition of the observations at the next stations—Tortugas, Charlotte harbor, Egmont key, and Cedar keys. The daily inequality was deduced from a part of the ordinary reductions of the above stations by Mr. Gilliss.

The meteorological observations made at the tidal stations of the Western Coast have continued to be tabulated by M. Thomas, who has also read off some of the self-registering sheets from Florida, and plotted the result preparatory to decomposition, besides copying and miscellaneous work.

Very respectfully, your obedient servant,

L. F. POURTALES,

*Assistant U. S. Coast Survey, in charge of Tidal Division.*

Prof. A. D. BACHE, LL.D.,

*Superintendent U. S. Coast Survey.*

## APPENDIX No. 28.

*Circulars found in current bottles thrown from the surveying steamer Corwin in 1857 and 1859, in the vicinity of the Florida reef.*

### U. S. COAST SURVEY.

#### TO SHOW THE SET OF CURRENT.

This bottle was thrown overboard in the Gulf Stream.

Lat.  $24^{\circ} 21' 00''$  N. Date: Midnight, March 28, 1857.

Long.  $81^{\circ} 56' 00''$  W. Wind west.

From surveying steamer *Corwin*.

Lieut. Comd'g T. AUG. CRAVEN, *U. S. N.*

The finder will confer a favor by forwarding this paper to A. D. Bache, Superintendent U. S. Coast Survey, Washington, D. C.

*Record below the date and place where found.*

Found on the beach about twenty miles south of Cape Cañaveral light-house on the 1st of May, 1859.

MILLS O. BURNHAM,

*Light-keeper, Cape Cañaveral, Fla.*

*Particulars of six other cards of the same form from surveying steamer Corwin.*

When thrown over.	Latitude N.	Longitude W.	Direction of wind.	By whom returned.	Endorsements made by the finder.
May 2, 1859.....	° ' " 25 00 27	° ' " 79 44 15	North; light.....	Mills O. Burnham....	Found June 2, 1859, about five miles south of Cape Cañaveral light-house.
Do.....	25 00 27	79 44 15	North; moderate ..	.....do .....	Found June 18, 1859, about four miles south of Cape Cañaveral light-house.
April 30, 1859.....	23 31 30.4	80 45 13.05	From W.NW.; light.	Pedro Antonio Eborá.	Found May 7, 1859, at Cruz del Padre, twenty-one miles N.N.E. of Cardenas, north coast of Cuba.
Do.....	24 22 07	80 53 08	From south; light..	W. S. Harris.....	Found June 2, 1859, twenty and a half miles south of Cape Cañaveral light-house.
May 2, 1859.....	25 01 11	79 45 13	.....	.....do .....	Found June 2, 1859, twenty miles south of Cape Cañaveral light-house.
Do.....	25 01 11	79 45 13	Northwest.....	.....do .....	Found June 10, 1859, nine miles south of Cape Cañaveral light-house.

## APPENDIX No. 29.

*Extracts from a report by Lieut. Comg. C. M. Fauntleroy, U. S. N., Assistant in the Coast Survey, relative to commercial advantages afforded by the upper waters of Port Royal sound, S. C.*

UNITED STATES SURVEYING SCHOONER VARINA,

*Colleton river, S. C., May 21, 1859.*

SIR: \* \* \* The hydrographic work was commenced at Pinckney's island, connecting with the survey of Lieut. Comg. Maffitt, in 1855. That survey shows that the bar of the Chechessee river affords twenty feet at mean low water, with a mean rise and fall of 6.6 feet. The depth increases in passing upward, and vessels that enter Port Royal sound will find in the Colleton river at the Neck, and at its confluence with the Chechessee, a capacious, completely protected, and easily accessible anchorage, in from four to seven fathoms water.

\* \* \* \* \*

Colleton Neck, Foot Point, or Victoria Bluff, as it has been more recently called, is only eleven miles from the Charleston and Savannah railroad, and, by reason of the fact before stated, offers a very eligible site for purposes of trade and commerce. In the event of blockade of the southern coast by a naval power this point could be easily made a sure protection to the inland commerce passing between Charleston and Savannah.

The bluff is considerably higher than the adjacent island, and is said to be healthy. The approach from Broad river is used by steamers continually, and might be improved so as to enable vessels of fifteen feet draught to pass. At present I think it safe to say that but ten or twelve feet at mean low water can be carried through. So soon as I can obtain the requisite tidal observations the soundings will be reduced and a chart sent to the office.

Very respectfully, your obedient servant,

CHAS. M. FAUNTLEROY,

*Lieut. Comg. U. S. N., Assistant Coast Survey.*

Professor A. D. BACHE,

*Superintendent Coast Survey.*

## APPENDIX No. 30.

*Letter to the Secretary of the Treasury, reporting the completion of the survey of Sapelo sound, Ga., and communicating extracts from a report by Lieut. Comg. C. M. Fauntleroy, U. S. N., Assistant Coast Survey, relative to its commercial facilities as a harbor.*

COAST SURVEY OFFICE, *May 24, 1859.*

SIR: I have the honor to report the completion of the field-work and hydrography requisite for a chart of Sapelo sound and river, including the bar and approaches, from a limit ten miles seaward of the entrance. The soundings in the vicinity of the bar were made by the party of Lieut. Comg. C. M. Fauntleroy, U. S. N., assistant Coast Survey, who closed the operations there at the end of April.

I append some remarks made in the report of that officer, bearing on the commercial advantages of Sapelo sound as a harbor, and suggestions in reference to buoys and beacons for aiding vessels to enter it:

"This harbor derives its importance commercially from its ease of access and from the good depth of water in its main approach. Sixteen feet at mean low water may be carried throughout to safe anchorage inside of the entrance. As a cut-off connecting with it affords a convenient and safe inland passage for traders bound south coastwise during the winter season, this entrance is preferred to the more difficult entrance at Doboy. While the soundings were in progress in March and April, more than fifty schooners and steamers (chiefly the former class) passed into Sapelo sound and through Mud river.

"At present the channel over the bar is marked by two buoys. The inner one ('No 3') should be at once removed and replaced at the extreme northeast point of the shoal designated as 'Consort shoal.'

"There is both a swash and a beach channel here, and vessels drawing from five to eight feet of water may enter the harbor against northwesterners—a facility uncommon on our Atlantic seaboard.

"Upon a rough comparison (before plotting the soundings) with the survey made by Lieutenant Glynn, U. S. N., in 1841, there appears to have been little or no change since, either as to depth or in the direction of the main channel-way.

"Masters of vessels, if not well acquainted, avail themselves of daylight for entering at Sapelo. It would be of important service to the coasting trade if two small beacon lights were established, instead of the two beacons now on the point of St. Catharine's island, as such an arrangement would prevent confusion with the Doboy light. The schooner 'Blooming Youth,' lost off Sapelo entrance in March, could have made the harbor in safety with such guides as those now proposed."

Regarding the aids for navigation recommended by Lieut. Comg. Fauntleroy as of general interest to masters of vessels engaged in the coasting trade, I would respectfully request that a copy of this communication may be transmitted to the Light-house Board.

Very respectfully, yours,

A. D. BACHE, *Superintendent.*

HON. HOWELL COBB,

*Secretary of the Treasury.*

## APPENDIX No. 31.

*Extracts from reports made by Sub-Assistants F. W. Dorr and Charles Ferguson, describing the topographical and other features of Charlotte harbor, Florida.*

BOSTON, *March 29, 1859.*

SIR: \* \* \* The work of the season was resumed on the western half of Sanibel island at a point where its breadth is about two miles and a quarter. From thence the island runs in a W.N.W. direction five miles and a half, and gradually narrows as it approaches Blind Pass. The inside shore is very irregular and broken by large lagoons, which connect with each other by narrow tortuous channels. On the outside a fine sloping beach, composed of sand and shells, is washed by the waters of the Gulf of Mexico. The interior of the island is open prairie, bearing only scattered clumps of palmettoes. Mangrove, buttonwood, &c., are found fringing the shores of the lagoons, and this growth occasionally attains a breadth of a quarter of a mile.

The entrance to Blind Pass, as the channel which separates Sanibel from Captiva island is called, is almost entirely blocked up from the inside by extensive shoals, which are dry, or nearly so, at ordinary low water. On the southern side of these shoals are eight small keys, called the Lawrence keys. They are scarcely anything more than clumps of mangrove. Blind Pass is merely a boat channel; for although the passage is deep in some places, the bars both on the inside and outside preclude the possibility of carrying through a vessel of any draught of water.

Captiva island overlaps Sanibel island at Blind Pass for a distance of a mile and a half, and from that opening stretches in a N.N.W. direction upwards of ten miles to Captiva Pass. This island, or key proper, scarcely averages a quarter of a mile in width. I say the key proper, as two other keys of some size, completely separated from it, have hitherto been supposed to join it; all three being comprised under the name of Captiva island.

Captiva, like Sanibel island, has a regularly curving beach of sand and shells on the outside, while the inside shore is skirted with mangrove, and is very ragged. Extensive flats, too, make off eastward from most of the prominent points of land on the inside.

Captiva Pass, the opening between Captiva and La Costa islands, is about five hundred yards wide. Vessels drawing not more than five feet of water can pass through; yet the channel is somewhat intricate. \* \* \* \* \*

Yours, very respectfully,

F. W. DORR, *Sub-Assistant.*

Prof. A. D. BACHE,  
*Superintendent U. S. Coast Survey.*

WASHINGTON, D. C., *April 8, 1859.*

DEAR SIR: \* \* \* \* \* *Boca Grande*, the pass between La Costa and Gasparilla islands, is the proper entrance to Charlotte harbor. It contains at low tide fifteen feet of water, and inside the bay has three or four fathoms. Vessels can carry eighteen feet some fifteen or twenty miles beyond the northern extremity of Pine island.



La Costa island is similar in character to Captiva island, as described in the report of Sub-Assistant Dorr.

Pine island forms the eastern side of Charlotte harbor, or what may be more correctly termed the Charlotte harbor approach. It is about ten miles in length and three in width. A pine barren runs through the centre nearly its entire length, and its western shore is lined with a belt of keys and islands. Lagoons break the western side and run in towards the interior of Pine island.

This island is remarkable as having been a favorite burial place of the aborigines. There are several huge mounds on the keys along the shore. The largest are at "Brown's" station, a small fishing ranch on Pine island, (nearly opposite the middle of La Costa,) where some are found sixty and eighty feet high and four hundred yards in circumference. Here also may be seen the remains of a canal which has passed at a former period quite across the island. Its site is now so overgrown with mangrove, pine, and palmetto that the trace is barely discernible.

\* \* \* \* \*

Very respectfully, yours,

CHARLES FERGUSON,  
*Sub-Assistant.*

Prof. A. D. BACHE,  
*Superintendent U. S. Coast Survey.*

## APPENDIX No. 32.

*Extracts from the report of Assistant S. A. Gilbert, descriptive of the coast of Texas intervening between Matagorda bay and Corpus Christi.*

ZANESVILLE, O., August 23, 1859.

SIR: \* \* \* \* \*

*Espiritu Santo bay* is about fifteen miles long, northeast and southwest, by about five miles in width. It communicates with the Gulf of Mexico through two small bayous at the northeast end, and connects also with Matagorda bay at Pass Cavallo. Through one of the bayous (McHenry's) the State authorities of Texas have caused a channel to be opened affording a depth of four and a half feet at average high water, and the digging of a channel of ten feet from the bayou into Pass Cavallo, to form a harbor or dock for steamers and other sea-going vessels, has been undertaken by private enterprize. The town of Saluria is situated at the east end of this bayou. Throughout the bay there is an average depth of seven feet, the bottom being generally soft mud and shells, except in one locality, known as the "Middle Ground," which is sand, and a portion of which is usually bare at low water. The shores are low and marshy on all sides. Along the northwest shore is a range of marsh islands, approaching towards the cluster designated as the "First chain," which divides *Espiritu Santo* from San Antonio bay. Through these also the State has opened a channel to the depth of four and a half feet, but flats are forming rapidly at both ends, and constant attention will be required to keep it open.

*San Antonio bay* is of an irregular and somewhat triangular shape, the greatest length being, from north to south, about twenty miles, and the width ranging from four to eighteen miles.

It has no direct communication with the Gulf of Mexico, and is, therefore, but little affected by the Gulf tides. Frequently the water is made fresh by the discharge from the Guadalupe river, which enters at its northeast end, and it is almost always muddy. The average depth of the south half of the bay is about six and a half feet, with soft mud bottom, except in the vicinity of the oyster shell reefs, of which there are many. One of them, "Panther Point reef," extending through the middle of the bay, north and south, about fifteen miles, is awash in some places and in others has five feet of water over it. In approaching the mouths of the river, the water of the bay shallows, and the bottom becomes very soft, and is covered with eel-grass and other sea-weeds. The State, in the spring of 1858, opened a channel of four and a half feet from the southern mouth of the Guadalupe to a like depth in the bay, which was found at the distance of a mile, but it is now much obstructed by drift logs. Without the use of artificial means, the average depth of water into either mouth of the river would not be more than eighteen inches.

The shores of San Antonio bay are varied in character. Along its south and east sides are the low marshy shores of the islands, (Matagorda island and others,) which are the resort of immense numbers of water fowl. Thousands of swans, geese, brant, and ducks of several varieties, cover the waters and prairie of this region during January, February, and March; and in all seasons the pelican, cranes of perhaps every variety, the snipe, and other shore birds, are found in countless numbers. Oysters are plenty, and also redfish and trout, when the water is not too fresh.

Near the north end, on the east side of the bay, the prairie of Matagorda island comes to the shore in a bluff twenty feet high, along which (for several miles) are scattered clusters of oak and hackberry trees. This locality, known as "Long Motts," contains fifteen or twenty houses.

The northwest shore is the delta of the Guadalupe, a low alluvial formation, scarcely raised above the level of the adjacent waters, and covered with a dense growth of cane-grass, jungle, and forest trees. On the west shore the elevated prairie also comes to the bay in a bluff or bank of twenty feet, and is likewise dotted over with the houses of settlers, and with oak and hackberry trees. The soil is fertile, the range for stock excellent, and the locality is said to be very healthy. At one place on this side a singular range of sand hills, known as the "Sand Mounds," approaches the shore. The highest peak is about seventy-five feet above the bay. The mounds are covered with bushes, and the valleys between them filled with trees, so that, at a distance of five or six miles, the whole presents the appearance of a forest of live-oak or similar timber, forming a marked feature in that otherwise level prairie region. Deer, wolves, and wild turkeys are plenty, and rattlesnakes and other reptiles numerous. In the direction towards Lamar, a distance of about thirty miles, there is now but one dwelling, and hence the wild game has not been much disturbed.

*Mission bay* is a small, shallow sheet of water cut off from the head of San Antonio bay, on the east side, by the delta of the Guadalupe river, and having not over eighteen inches of water into or through it. A small bayou, entering on its east side, drains Green lake, which is a small sheet of fresh water lying some miles further up the delta.

*Hines bay*, on the west side of the delta, is of the same character, but is larger, being about three and a half miles in diameter and shaped like a horse-shoe. It is also deeper than Mission bay, affording about three feet of water to its head. On the north side is the swamp of the

delta, but on the south a prairie bluff twenty feet high bounds the shore, and here, within space of three miles, some twenty or thirty houses form what is called "Crescent Village."

San Antonio bay is divided from Mezquit bay by a chain of islands known as the "Second chain," and by an oyster shell reef, designated as "Ayre's reef," through which a four-foot channel has been opened by the State. The small islands composing the Second chain are mostly covered with *lignum vitæ* and mezquit bushes, from six to eight feet high, and in these the smaller varieties of crane have their building place. The bushes are covered with nests, and thronged with cranes all spring and summer, there being no similar resort for a hundred miles either way along the coast.

*Mezquit bay* is about five miles long, northwest and southeast, and about three miles wide, with an average depth of four feet throughout, and soft muddy bottom. It has direct communication with the Gulf of Mexico through Cedar bayou, into the north end of which there is but one foot of water, through the bayou about ten feet, and at the Gulf outlet, or south end, about four and a half feet. Its length is three miles, and average width about a hundred and sixty yards. The oysters of this bay are noted as being the best on the coast. Fish are abundant, and to be had at all seasons of the year.

The shores of Mezquit bay are marshy, except on the northwest side, near which lie two islands, with oyster shell ridges, ranging from five to fifteen feet in height, and covered with chaparral. It is separated from Aransas bay by the cluster of islands called the "Third chain" and by two oyster shell reefs. Through these the State has opened a channel of four feet.

*Aransas bay* is about twenty miles long from N.E. to S.W., and of an average width of about six miles. About five miles from the north end lies an oyster shell reef, called "Long reef," which extends across the bay, from St. Joseph's island to Lamar. This is bare in several places, forming islands much subject to change in outline and extent by the action of the waves during the prevalence of the summer winds. There are several channels through the reef, two of which are nearly a quarter of a mile wide, with six feet water; and that is about the average depth of the bay north of the reef. South of Long reef the bay is open and free from obstructions, with an average depth of ten to twelve feet, and soft, muddy bottom, excepting near the shell reefs and shores. The beach is composed of hard sand, and the bottom, out to a depth of five feet, is of the same character, except in a locality about eight miles from Lamar, where it is rocky, a remarkable bed of natural concrete being developed there. At the bluff the formation is six feet in thickness above the surface of the water, and appears to extend about ten feet below it. I have no knowledge of any similar formation along the coast, except in the high prairie back of Copano bay, near the mouth of the Aransas river, the bed there being entirely above the level of the bay; and in Laguna Madre, about thirty miles southward of Corpus Christi bay, in which instance the formation is said to be wholly below the water level. The rock in question has been used in building walls and chimneys at St. Mary's. While in place it is soft and easily cut, but after exposure to the atmosphere it becomes as hard as ordinary limestone. The color is a dirty white, and the fracture irregular. From the point at which the rock occurs a sand-flat ranges northward along the northwest shore of the bay, covered to a depth of five or six feet with "turtle grass." Large numbers of green turtle are caught here, and shipped to New Orleans during the spring and summer. There are occasional beds of oysters throughout the bay, and an abundance of fish of all the varieties that inhabit the Gulf.

Aransas bay connects with the Gulf of Mexico through Aransas Pass, which is said to be subject to changes in depth at the bar and in the channel. During last winter and spring there was an average of more than eight and a half feet over the bar at low water, as we were informed by the pilot. At the close of the working season in June arrangements were in progress for running a line of steamers from the bay to New Orleans or Mobile. The communication with Corpus Christi bay is through a narrow and crooked channel between islands and mud flats for about five miles, called Corpus Christi bayou. Its natural depth is about four feet, but a channel to admit vessels drawing six feet has been opened by a private company.

The entrance to Copano bay, between Live Oak Point and Lamar, is over a mile in width. Lap reef, much of which is bare, lies at the west side of the entrance, but there is a channel nine feet deep leading through it into Copano bay. This entrance forms what is known as "Lamar harbor," a space of about six miles in area, over much of which there is a depth of twelve feet water, with soft bottom. The harbor is sheltered either by reefs that are nearly or quite bare, or by land, on all sides.

The shores of Aransas bay are low on the south and east. On the north a chain of small islands divides it from St. Charles bay; and on the northwest side stretches Live Oak peninsula, with its high sand bluffs and hills, some of which are fifty or sixty feet high, and covered with a scattered growth of live-oak and other trees, and an undergrowth of many kinds of bushes and vines. The Mustang grape, a native of the soil, and from which is made a very fine flavored wine, grows here in abundance. Fresh water is plenty, but the range for cattle on the peninsula is not good. There are at present but four families living on it, within an area of fifty square miles.

The town of Lamar lies between the outlets of St. Charles and Copano bays. *St. Charles bay* is about nine miles long north and south, by about a mile in average width. A narrow, crooked channel affords about two and a half feet of water into it, but after the main part of the bay is reached the depth increases to four, and in some places as much as eight feet. Cavasso creek, coming in about six miles up, on the west side, and Salt creek, at the head of the bay, are merely drains for the rain water which falls on the adjacent prairie. In the dry season their beds are filled with salt water from the bay. The shores of the bay are mostly marshy, but at many points the marsh is interrupted by prairie bluff of eight feet or more in height. Along the east side stands a body of wood known as "The Black Jacks." The soil there is sandy, and the general surface marked by numerous hills, as at the Sand Mounds, at Lamar, and on Live Oak peninsula, and by fresh water springs and ponds. In all other localities within my knowledge along the coast of Texas there is no fresh water below the surface except immediately along the Gulf shore, on sandy islands. In many other places I have dug, but always found the water salt, as in the Gulf.

*Copano bay* is about fifteen miles long from northeast to southwest, and about seven miles wide. It is divided nearly across the middle by an oyster shell reef called "Copano reef," around the south end of which passes a channel of nine feet at an average stage of water, and that depth may be carried to the head of the bay during the ordinary summer tides. There are other obstructions to navigation throughout the bay to be developed in the progress of the hydrographic work. Copano creek empties into the northeast end of the bay; Mission river through Refugio Mission bay, on the northwest side; and Aransas river at the western angle of the bay. All these are inconsiderable streams, there being no more than one foot of water leading into them from the bay. The shores are mostly high, and along the north and west

shores, except near Mission or Refugio bay, the prairie fronts the water-line as a bluff, rising from fifteen to thirty feet high. That portion between the Aransas and Mission rivers is wooded; the rest is prairie, with occasional spots of timber in view. The southeast shore of Copano bay is formed by Live Oak peninsula, and is marshy along the water-line, but a short distance back rise the high sand ridges and prairie that characterize these localities. The two towns, Copano and St. Mary's, the former one of the earliest settlements made in this part of Texas, lie on the northwest side of the bay, and are still but small villages.

The land seems to be valued only for grazing, although sea-island cotton and corn have been successfully cultivated in small tracts.

*Puerto bay* is a small arm extending from the southwest corner of Copano bay, about five miles in a southwest direction. The entrance to it is shallow, and the depth inside is only four or five feet. The shores are generally low and marshy. A small creek, which is merely a surface drain, discharges at the head of the bay.

*Refugio bay* is about three miles across in either direction, and is very shallow.

The climate of this part of the coast of Texas is generally considered very healthy, and the quarter is frequently resorted to by persons who have become sickly from residence on the alluvial bottoms along the rivers. The temperature during January and February of the past winter averaged about 56° Fahrenheit, the lowest being 28° for a few hours only towards the close of a "norther," which lasted three days. During March and April it was about 70°; and for May and June, which are said to be the hottest months of the year, the average was 84°. The highest temperature recorded was 91° on the 27th of May.

There is almost a constant breeze from the Gulf day and night after the middle of April.

\* \* \* \* \*

Respectfully, your obedient servant,

SAM'L A. GILBERT,  
*Assistant U. S. Coast Survey.*

Prof. A. D. BACHE,

*Superintendent U. S. Coast Survey.*

## APPENDIX No. 33.

*Tables for projecting maps of large extent, arranged by J. E. Hilgard, Assistant U. S. C. S.*

These tables are based upon a polyconic development of the earth's surface, which supposes each parallel of latitude to be represented on a plane by the development of a cone having the parallel for its base and its vertex in the point where a tangent to the parallel intersects the earth's axis. The degrees on the parallel preserve their true length, and the general distortion of area is less than in any other geometrical mode of representing a given portion of the earth's surface.

Denoting by  $a$  the equatorial radius of the spheroid,  $e$  the eccentricity, then the normal to any point on the parallel of latitude  $L$ , produced to the minor axis, is

$$N = \frac{a}{(1 - e^2 \sin^2 L)^{\frac{1}{2}}}.$$

The radius of curvature in the meridian is

$$R_m = \frac{a(1-e^2)}{(1-e^2 \sin^2 L)^{3/2}}$$

The radius of the parallel,  $R_p = N \cos L$ .

The radius of the developed parallel, or the side of the tangent cone,  $r = N \cot L$ .

Designating by  $n$  any arc of the parallel, or difference of longitude to be developed, and by  $\theta$  the corresponding angle subtended by the developed parallel at the vertex of the cone, then the length of the given arc will be  $n R_p = n N \cos L$ , and also

$$\theta r = \theta N \cot L \quad \text{whence } \theta = n \sin L.$$

To determine the rectangular co-ordinates  $x$  and  $y$  for projecting from the middle meridian the points of intersection of the meridians and parallels, we have simply, the developed parallels being arcs of circles,

$$x = r \sin \theta, \quad y = r \text{ versin } \theta.$$

Table I gives the length, in metres, of one degree of latitude and longitude for each degree of latitude from  $0^\circ$  to  $54^\circ$ ; also the radii of the developed parallels which may be used to describe the parallels by means of beam compasses when the scale permits. It also gives the values of  $\theta$  for  $10^\circ$  of longitude, by means of which the tables may readily be extended.

Table II gives the co-ordinates for thirty degrees of longitude on each parallel from latitude  $1^\circ$  to  $54^\circ$ . The numbers correspond to the actual dimensions of the earth in metres, and are to be divided by the proper number for any desired scale.

In order to project a map by the aid of these tables draw a straight line as middle meridian of the map, on which space off the required degrees of latitude by the values given in Table I. Through the points so marked construct lines perpendicular to the meridian and parallel with each other, which will be tangents to the parallels of latitude at their intersections with the middle meridian.

On these tangents lay off from the middle meridian, for each required longitude, the corresponding  $x$  from the tables, and off-set  $y$  perpendicular to it, towards the pole. Through the points so found draw continuous curves for the parallels and meridians.

The tables are based on the following constants, being Bessel's latest, and those used in the Coast Survey:

Equatorial radius of the earth.....	$a = 6\,377\,397$ metres, $\log. = 6.80464346$
Polar radii of the earth.....	$b = 6\,356\,079$ " " = 6.80318928
Square of the eccentricity $\frac{a^2 - b^2}{a^2}$ ....	$e^2 = 0.00667437$ " " = 7.8244104

TABLE I.

*Length in metres of one degree of latitude and longitude, values of the corresponding radii of the developed parallel, and angles at each pole for ten degrees of longitude.*

Lat.	1° of latitude.	1° of longitude.	Radius of parallel.	$\theta$ for 10° of long.
	<i>Metres.</i>	<i>Metres.</i>	<i>Metres.</i>	° ' "
0	110 563.7	111 306.6	Infinite.	0 00 00.0
1	110 564.0	111 289.7	365 361 200	0 10 28.3
2	110 565.0	111 239.2	182 625 500	0 20 56.4
3	110 566.7	111 155.0	121 689 100	0 31 24.1
4	110 569.0	111 037.3	91 202 500	0 41 51.2
5	110 572.0	110 885.8	72 895 830	0 52 17.6
6	110 575.8	110 700.9	60 679 100	1 02 43.0
7	110 580.1	110 482.4	51 942 300	1 13 07.3
8	110 585.1	110 230.5	45 380 470	1 23 30.2
9	110 590.8	109 945.2	40 268 590	1 33 51.6
10	110 597.0	109 626.6	36 171 660	1 44 11.3
11	110 604.0	109 274.9	32 812 850	1 54 29.1
12	110 611.6	108 890.0	30 007 630	2 04 44.8
13	110 619.7	108 472.1	27 628 210	2 14 58.2
14	110 628.5	108 021.4	25 583 340	2 25 09.2
15	110 637.9	107 538.0	23 806 090	2 35 17.5
16	110 647.8	107 022.0	22 246 270	2 45 22.9
17	110 658.4	106 473.4	20 865 480	2 55 25.4
18	110 669.4	105 892.6	19 633 870	3 05 24.6
19	110 681.1	105 279.7	18 527 860	3 15 20.5
20	110 693.3	104 634.8	17 528 600	3 25 12.7
21	110 706.0	103 958.2	16 620 820	3 35 01.3
22	110 719.2	103 250.0	15 792 110	3 44 45.8
23	110 732.9	102 510.5	15 031 865	3 54 26.3
24	110 747.1	101 739.8	14 331 780	4 04 02.5
25	110 761.7	100 938.2	13 684 530	4 13 34.3
26	110 776.7	100 105.9	13 083 990	4 23 01.4
27	110 792.2	99 243.2	12 524 960	4 32 23.7
28	110 808.1	98 350.2	12 002 960	4 41 41.0
29	110 824.4	97 427.4	11 524 770	4 50 53.1
30	110 841.0	96 474.8	11 055 200	5 00 00.0
31	110 858.0	95 492.9	10 623 179	5 09 01.4
32	110 875.2	94 481.9	10 215 570	5 17 57.1
33	110 892.8	93 442.1	9 830 067	5 26 47.0
34	110 910.7	92 373.8	9 464 760	5 35 31.0
35	110 928.8	91 277.3	9 117 882	5 44 08.8
36	110 947.2	90 152.9	8 787 972	5 52 40.3
37	110 965.8	89 001.0	8 473 340	6 01 05.3
38	110 984.6	87 821.9	8 173 042	6 09 23.8
39	111 003.5	86 616.0	7 885 875	6 17 35.5
40	111 022.6	85 383.6	7 610 788	6 25 40.4
41	111 041.8	84 125.1	7 346 915	6 33 38.1
42	111 061.1	82 840.8	7 093 423	6 41 28.7

TABLE I.

*Length in metres of one degree of latitude and longitude, &c.—Continued.*

Lat.	1° of latitude.	1° of longitude.	Radius of parallel.	$\theta$ for 10° of long.
°	<i>Metres.</i>	<i>Metres.</i>	<i>Metres.</i>	° ' "
43	111 080.5	81 531.1	6 849 560	6 49 11.9
44	111 100.0	80 196.5	6 614 648	6 56 47.7
45	111 119.4	78 837.3	6 388 064	7 04 15.8
46	111 138.9	77 453.9	6 169 244	7 11 36.2
47	111 158.4	76 046.8	5 957 663	7 18 48.7
48	111 177.8	74 616.3	5 752 845	7 25 53.2
49	111 197.2	73 162.9	5 554 355	7 32 49.6
50	111 216.4	71 687.0	5 361 781	7 39 37.6
51	111 235.6	70 189.1	5 174 752	7 46 17.3
52	111 254.6	68 669.6	4 992 925	7 52 48.4
53	111 273.4	67 129.0	4 815 973	7 59 10.9
54	111 292.1	65 567.7	4 643 603	8 05 24.6



TABLE II.

*Co-ordinates of curvature.*

Longitude.	Latitude 1°.		Latitude 2°.	
	x.	y.	x.	y.
1°	111290	17	111239	34
2	222580	68	222478	135
3	333869	153	333717	305
4	445149	271	444956	542
5	556448	424	556196	847
6	667738	610	667434	1220
7	779028	829	778672	1660
8	890317	1085	889910	2168
9	1001606	1373	1001148	2744
10	1112895	1695	1112386	3388
11	1224185	2051	1223622	4099
12	1335474	2441	1334859	4878
13	1446762	2864	1446094	5725
14	1558052	3322	1557330	6640
15	1669340	3814	1668565	7623
16	1780628	4339	1779799	8673
17	1891917	4898	1891033	9791
18	2003205	5492	2002266	10971
19	2114493	6119	2113493	12230
20	2225781	6780	2224729	13551
21	2337068	7475	2335960	14940
22	2448356	8204	2447189	16397
23	2559643	8966	2558419	17921
24	2670930	9763	2669646	19514
25	2782216	10593	2780873	21174
26	2893503	11458	2892099	22901
27	3004789	12356	3003323	24697
28	3116075	13388	3114547	26560
29	3227360	14254	3225770	28492
30	3338645	15254	3336991	30490

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 3°.		Latitude 4°.	
	x.	y.	x.	y.
1°	111155	51	111037	68
2	222310	203	222074	270
3	333465	457	333111	608
4	444619	812	444149	1081
5	555774	1269	555183	1690
6	666927	1828	666218	2433
7	778080	2488	777251	3312
8	889232	3249	888284	4326
9	1000384	4112	999315	5475
10	1111535	5077	1110345	6759
11	1222685	6143	1221373	8179
12	1333834	7310	1332400	9733
13	1444982	8579	1443424	11423
14	1556128	9950	1554446	13248
15	1667273	11422	1665467	15208
16	1778417	12996	1776483	17303
17	1889560	14671	1887498	19534
18	2000701	16448	1998510	21899
19	2111840	18326	2109520	24400
20	2222977	20306	2220526	27036
21	2334113	22388	2331528	29807
22	2445246	24570	2442527	32713
23	2556378	26854	2553523	35754
24	2667508	29240	2664515	38931
25	2778635	31728	2775502	42242
26	2889760	34316	2886486	45689
27	3000883	37007	2997466	49271
28	3112002	39799	3108441	52988
29	3223120	42692	3219411	56839
30	3334234	45687	3330377	60827

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 5°.		Latitude 6°.	
	x.	y.	x.	y.
1°	110886	84	110701	101
2	221771	337	221401	404
3	332656	759	332101	909
4	443541	1349	442800	1616
5	554424	2108	553497	2524
6	665306	3036	664192	3635
7	776186	4132	774885	4948
8	887065	5397	885576	6463
9	997941	6831	996263	8179
10	1108815	8433	1106947	10098
11	1219687	10205	1217628	12218
12	1330556	12144	1328304	14541
13	1441422	14253	1438976	17065
14	1552284	16529	1549644	19791
15	1663144	18975	1660306	22719
16	1773998	21589	1770963	25849
17	1884849	24372	1881614	29181
18	1995696	27323	1992268	32714
19	2106537	30444	2102896	36450
20	2217375	33732	2213529	40386
21	2328206	37190	2324162	44527
22	2439034	40815	2434768	48868
23	2549856	44610	2545377	53411
24	2660670	48573	2655974	58155
25	2771479	52704	2766566	63101
26	2882284	57005	2877148	68250
27	2993080	61473	2987719	73599
28	3103868	66111	3098282	79151
29	3214646	70916	3208828	84904
30	3325421	75891	3319368	90859

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 7°.		Latitude 8°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	110482	118	110230	134
2	220964	470	220460	536
3	331446	1057	330689	1205
4	441924	1880	440914	2142
5	552402	2937	551139	3347
6	662876	4230	661359	4817
7	773348	5757	771576	6560
8	883817	7520	881789	8568
9	994281	9517	991996	10844
10	1104741	11751	1102196	13388
11	1215196	14216	1212391	16198
12	1325644	16919	1322578	19277
13	1436087	19856	1432757	22623
14	1546525	23028	1542929	26237
15	1656954	26435	1653090	30119
16	1767377	30077	1763243	34268
17	1877793	33954	1873387	38685
18	1988199	38065	1983515	43369
19	2098596	42412	2093635	48321
20	2208983	46992	2203742	53540
21	2319360	51809	2313835	59027
22	2429728	56859	2423920	64781
23	2540085	62145	2533983	70802
24	2650428	67665	2644033	77091
25	2760760	73420	2754069	83647
26	2871080	79409	2864087	90470
27	2981388	85633	2974089	97561
28	3091680	92092	3084076	104918
29	3201959	98786	3194041	112544
30	3312233	105713	3303988	120435

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 9°.		Latitude 10°.	
	x.	y.	x.	y.
1°	109945	150	109626	166
2	219889	400	219252	664
3	329832	1351	328875	1495
4	439771	2401	438495	2658
5	549709	3752	548112	4153
6	659642	5403	657723	5980
7	769569	7354	767329	8140
8	879492	9605	876927	10631
9	986517	12157	986517	13455
10	1096098	15009	1096098	16612
11	1209215	18160	1205669	20099
12	1319106	21611	1315229	23919
13	1428987	25363	1424777	28071
14	1538857	29414	1534311	32555
15	1648716	33766	1643833	37372
16	1758564	38417	1753340	42519
17	1868397	43369	1862826	47999
18	1978215	48620	1972299	53811
19	2088022	54171	2081754	59954
20	2197811	60022	2191188	66429
21	2307582	66172	2300603	73236
22	2417340	72622	2409997	80374
23	2527077	79372	2519369	87844
24	2636797	86422	2628718	95646
25	2746496	93771	2738043	103778
26	2856174	101419	2847344	112242
27	2965832	109367	2956614	121037
28	3075467	117614	3065860	130163
29	3185080	126161	3175080	139621
30	3294668	135007	3284269	149409

TABLE II.  
*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 11°..		Latitude 12°..	
	x.	y.	x.	y.
1°	109275	182	108890	198
2	218548	728	217778	790
3	327819	1638	326663	1778
4	437086	2911	435545	3161
5	546349	4549	544420	4939
6	655605	6550	653288	7112
7	764855	8914	762148	9680
8	874095	11644	870997	12643
9	983326	14737	979836	16001
10	1092546	18195	1088661	19755
11	1201754	22014	1197471	23902
12	1310948	26198	1306266	28445
13	1420129	30745	1415045	33383
14	1529293	35657	1523804	38715
15	1638441	40932	1632543	44442
16	1747571	46569	1741261	50562
17	1856678	52571	1849955	57079
18	1965769	58936	1958626	63989
19	2074836	65664	2067270	71293
20	2183880	72754	2175886	78991
21	2292900	80210	2284476	87085
22	2401894	88027	2393035	95571
23	2510864	96208	2501563	104453
24	2619804	104752	2610057	113727
25	2728715	113657	2718517	123395
26	2837593	122925	2826940	133456
27	2946444	132556	2935326	143911
28	3055262	142550	3043675	154759
29	3164047	152906	3151984	166000
30	3272794	163624	3260251	177635

TABLE II.

*Co-ordinates of curvature*—Continued.

Longitude.	Latitude 13°.		Latitude 14°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	108472	213	108021	228
2	216942	852	216040	913
3	325409	1916	324055	2052
4	433871	3407	432065	3649
5	542326	5323	540067	5701
6	650773	7665	648059	8209
7	759209	10433	756040	11174
8	867634	13627	864007	14594
9	976047	17246	971959	18470
10	1084443	21291	1077893	22802
11	1192822	25761	1187808	27589
12	1301185	30657	1295703	32832
13	1409526	35979	1403574	38531
14	1517846	41725	1511419	44685
15	1626141	47897	1619238	51294
16	1734413	54494	1727028	58359
17	1842658	61516	1834787	65878
18	1950873	68963	1942514	73853
19	2059060	76835	2050206	82282
20	2167214	85131	2157862	91166
21	2275334	93852	2265478	100504
22	2383421	102998	2373055	110297
23	2491470	112568	2480589	120554
24	2599481	122562	2588079	131245
25	2707451	132980	2695523	142400
26	2815380	143821	2802919	154008
27	2923265	155086	2910264	166069
28	3031106	166775	3017558	178584
29	3138899	178888	3124798	191551
30	3246644	191423	3231982	204972

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude	Latitude 15°		Latitude 16°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	107538	243	107022	257
2	215073	972	214041	1030
3	322604	2186	321055	2317
4	430128	3886	428061	4119
5	537644	6072	535058	6435
6	645148	8743	642042	9267
7	752641	11901	749012	12613
8	860116	15543	855963	16473
9	967575	19671	962896	20849
10	1075013	24285	1069806	25738
11	1182430	29383	1176691	31142
12	1289823	34967	1283549	37059
13	1397190	41036	1390377	43491
14	1504527	47590	1497173	50437
15	1611835	54629	1603935	57896
16	1719109	62152	1710659	65869
17	1826348	70160	1817344	74355
18	1933550	78652	1923987	83355
19	2040712	87629	2030584	92867
20	2147834	97089	2137136	102892
21	2254911	107033	2243639	113430
22	2361942	117461	2350089	124480
23	2468925	128372	2456484	136041
24	2576858	139766	2562823	148115
25	2682738	151643	2669102	160698
26	2789563	164003	2775319	173795
27	2896332	176846	2881473	187403
28	3003041	190170	2987559	201520
29	3109688	203976	3093577	216147
30	3216273	218265	3199523	231285



TABLE II.  
*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 17°.		Latitude 18°.	
	<i>x.</i>	<i>y.</i>	<i>x</i>	<i>y.</i>
1°	106473	272	105892	286
2	212944	1087	211781	1142
3	319408	2445	317664	2570
4	425864	4316	423538	4569
5	532309	6791	529399	7139
6	638741	9779	635245	10279
7	745155	13310	741072	13991
8	851551	17384	846879	18273
9	957924	22001	952660	23126
10	1064272	27160	1058413	28549
11	1170592	32862	1164136	34542
12	1276882	39107	1269825	41106
13	1383139	45893	1375477	48239
14	1489360	53222	1481089	55943
15	1595541	61093	1586657	64216
16	1701682	69506	1692181	73057
17	1807778	78460	1797654	82469
18	1913827	87955	1903075	92448
19	2019826	97992	2008441	102997
20	2125773	108569	2113748	114113
21	2231664	119687	2218993	125797
22	2337498	131345	2324175	138048
23	2443270	143543	2429288	150867
24	2548979	156280	2534332	164252
25	2654621	169556	2639301	178204
26	2760194	183372	2744194	192722
27	2865695	197726	2849006	207804
28	2971122	212619	2953736	223453
29	3076471	228048	3058380	239666
30	3181741	244016	3162935	256443

TABLE II.  
*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 19°.		Latitude 20°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	105279	299	104634	312
2	210554	1196	209264	1249
3	315824	2692	313888	2811
4	421083	4786	418500	4997
5	526328	7478	523096	7867
6	631556	10767	627674	11242
7	736764	14655	732230	15301
8	841948	19140	836760	19984
9	947105	24224	941260	25290
10	1052231	29904	1045727	31221
11	1157323	36182	1150156	37775
12	1262378	43056	1254544	44952
13	1367393	50528	1358887	52755
14	1472362	58595	1463182	61176
15	1577285	67259	1567426	70221
16	1682156	76520	1671612	79889
17	1786973	86376	1775740	90178
18	1891733	96828	1879804	101089
19	1996431	107875	1983801	112620
20	2101066	119516	2087728	124772
21	2205630	131752	2191581	137545
22	2310126	144582	2295355	150937
23	2414545	158005	2399047	164949
24	2518888	172022	2502653	179579
25	2623149	186631	2606172	194827
26	2727326	201833	2709596	210693
27	2831414	217625	2812925	227176
28	2935410	234009	2916152	244275
29	3039312	250985	3019276	261991
30	3143116	268550	3122293	280322

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 21°.		Latitude 22°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	103958	325	103249	337
2	207911	1300	206494	1350
3	311856	2926	309730	3038
4	415790	5201	412953	5400
5	519706	8127	516158	8437
6	623603	11703	619341	12149
7	727475	15928	722498	16536
8	831319	20803	825623	21597
9	935130	26327	928714	27332
10	1038905	32501	1031765	33740
11	1142639	39323	1134771	40823
12	1246327	46794	1237729	48579
13	1349968	54915	1340634	57008
14	1453556	63682	1443482	66110
15	1557087	73097	1546268	75883
16	1660556	83160	1648989	86329
17	1763962	93869	1751638	97446
18	1867297	105226	1854214	109233
19	1970560	117228	1956708	121695
20	2073746	129876	2059120	134820
21	2176855	143169	2161446	148617
22	2279871	157107	2263676	163083
23	2382802	171689	2365815	178216
24	2485639	186914	2467844	194019
25	2588378	202782	2569772	210487
26	2691017	219294	2671591	227621
27	2793550	236445	2773294	245421
28	2895973	254239	2874881	263885
29	2998285	272672	2976343	283013
30	3100478	291745	3077677	302805

TABLE II.  
*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 23°.		Latitude 24°.	
	x.	y.	x.	y.
1°	102510	348	101737	361
2	205014	1398	203472	1444
3	307510	3146	305196	3250
4	409991	5592	406905	5777
5	512453	8737	508592	9027
6	614893	12581	610254	12999
7	717301	17124	711885	17691
8	819677	22365	818481	23106
9	922016	28304	915036	29241
10	1024310	34938	1016543	36097
11	1126558	42274	1118003	43673
12	1228753	50305	1219404	51970
13	1330892	59033	1320740	60986
14	1432968	68457	1422013	70721
15	1534977	78577	1523217	81175
16	1636915	89393	1624339	92347
17	1738777	100903	1725381	104237
18	1840559	113108	1826337	116844
19	1942254	126006	1927200	130166
20	2043860	139598	2027967	144205
21	2145370	153882	2128631	158959
22	2246779	168859	2229188	174431
23	2348086	184526	2329632	190608
24	2449282	200885	2429959	207503
25	2550365	217932	2530164	225108
26	2651329	235669	2630241	243425
27	2752169	254094	2730186	262452
28	2852883	273205	2829993	282187
29	2953462	293004	2929657	302631
30	3053906	313488	3029174	323781

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 25°.		Latitude 26°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	100938	372	100105	383
2	201869	1489	200204	1532
3	302790	3350	300291	3446
4	403694	5956	400361	6127
5	504577	9305	500407	9573
6	605432	13399	600424	13784
7	706253	18237	700406	18760
8	807037	23818	800347	24501
9	907777	30142	900241	31007
10	1008467	37209	1000083	38277
11	1109102	45019	1099866	46310
12	1209677	53571	1199583	55107
13	1310187	62864	1299232	64666
14	1410624	72899	1398804	74988
15	1510986	83673	1498296	86070
16	1611266	95189	1597697	97914
17	1711456	107443	1697006	110518
18	1811555	120436	1796215	123882
19	1911554	134168	1895320	138004
20	2011450	148636	1994313	152884
21	2111235	163840	2093191	168521
22	2210908	179781	2191946	184914
23	2310458	196456	2290571	202061
24	2409884	213865	2389063	219963
25	2509178	232007	2487415	238619
26	2608336	250880	2585622	258026
27	2707352	270485	2683677	278184
28	2806220	290819	2781575	299092
29	2904936	311882	2879310	320749
30	3003493	333672	2976877	343150

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 27°.		Latitude 28°.	
	x.	y.	x.	y.
1°	99242	393	98349	403
2	198478	1573	196692	1612
3	297702	3538	295021	3626
4	396907	6290	393330	6446
5	496086	9828	491614	10072
6	595235	14152	589864	14503
7	694346	19260	688074	19738
8	793414	25155	786238	25778
9	892431	31835	884350	32623
10	991392	39298	982402	40271
11	1090293	47545	1080388	48722
12	1189124	56576	1178302	57976
13	1287881	66389	1276136	68031
14	1386556	76985	1373886	78888
15	1485145	88362	1471542	90546
16	1583640	100520	1569100	103003
17	1682036	113458	1666552	116259
18	1780326	127175	1763893	130313
19	1878505	141672	1861115	145165
20	1976565	156944	1958212	160812
21	2074502	172994	2055178	177255
22	2172308	189819	2152005	194492
23	2269978	207419	2248689	212521
24	2367505	225791	2345221	231342
25	2464884	244937	2441596	250953
26	2562108	264853	2537807	271354
27	2659172	285539	2633848	292541
28	2756067	306993	2729711	314516
29	2852791	329214	2825392	337275
30	2949335	352201	2920883	360817

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 29°.		Latitude 30°.	
	<i>z.</i>	<i>y.</i>	<i>z.</i>	<i>y.</i>
1°	97426	412	96474	421
2	194845	1649	192940	1684
3	292250	3709	289391	3788
4	389635	6594	385821	6735
5	486991	10303	482221	10522
6	584313	14836	578585	15151
7	681593	20192	674904	20620
8	778924	26370	771172	26930
9	875999	33372	867381	34080
10	973111	41194	963524	42068
11	1070153	49839	1059594	50896
12	1167120	69305	1155583	60562
13	1264003	69590	1251484	71064
14	1360795	80695	1347290	82404
15	1457490	92619	1442994	94579
16	1554080	105360	1538587	107588
17	1650559	118918	1634063	121432
18	1746920	133292	1729415	136108
19	1843156	148481	1824635	151615
20	1939260	164484	1919715	167953
21	2035225	181300	2014650	185120
22	2131044	198925	2109432	203115
23	2226710	217362	2204053	221936
24	2322218	236608	2298506	241583
25	2417558	256661	2392784	262052
26	2512727	277520	2486879	283345
27	2607715	299183	2580786	305456
28	2702516	321649	2674496	328387
29	2797124	344918	2768001	352152
30	2891531	368985	2861297	376694

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 31°.		Latitude 32°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	95491	429	94480	437
2	190975	1717	188953	1748
3	286444	3862	283410	3932
4	381889	6866	377842	6990
5	477304	10728	472241	10921
6	572680	15447	566601	15725
7	668010	21024	660911	21402
8	763285	27457	755166	27950
9	858499	34747	849355	35370
10	953644	42891	943472	43661
11	1048712	51891	1037509	52822
12	1143694	61744	1131456	62853
13	1238584	72452	1225308	73751
14	1333375	84012	1319054	85517
15	1428057	96423	1412687	98150
16	1522625	109685	1506199	111648
17	1617069	123797	1599583	126011
18	1711382	138757	1692829	141237
19	1805557	154564	1785932	157324
20	1899587	171217	1878880	174272
21	1993463	188715	1971669	192078
22	2087177	207056	2064289	210742
23	2180723	226238	2156733	230263
24	2274093	246261	2248991	250637
25	2367279	267122	2341058	271863
26	2460273	288819	2432923	293940
27	2553070	311352	2524579	316866
28	2645660	334719	2616020	340638
29	2738036	358916	2707241	365256
30	2830192	383943	2798228	390715



TABLE II.  
*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 33°.		Latitude 34°.	
	<i>z.</i>	<i>y.</i>	<i>z.</i>	<i>y.</i>
1°	93441	444	92373	451
2	186873	1776	184736	1803
3	280288	3997	277082	4057
4	373678	7105	369401	7211
5	467034	11101	461685	11267
6	560349	15984	553926	16223
7	653612	21754	646113	22079
8	746817	28410	738240	28835
9	839954	35952	830295	36488
10	933014	44378	922272	45041
11	1025991	53689	1014160	54491
12	1118875	63884	1105953	64837
13	1211658	74960	1197640	76079
14	1304331	86919	1289213	88214
15	1396887	99757	1380663	101243
16	1489317	113475	1471982	115163
17	1581611	128071	1563160	129975
18	1673763	143544	1654189	145675
19	1765763	159893	1745061	162263
20	1857605	177113	1835766	179738
21	1949278	195206	1926297	198096
22	2040775	214171	2016644	217337
23	2132087	234004	2106800	237459
24	2223208	254704	2196754	258460
25	2314126	276270	2286499	280338
26	2404836	298699	2376026	303091
27	2495329	321989	2465328	326717
28	2585597	346138	2554394	351212
29	2675630	371144	2643217	376576
30	2765423	397009	2731788	402806

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 35°.		Latitude 36°.	
	x.	y.	x.	y.
1°	91276	457	90151	462
2	182542	1827	180293	1830
3	273791	4112	270416	4161
4	365011	7309	360510	7398
5	456196	11419	450567	11558
6	547334	16443	540576	16642
7	638418	22378	630528	22649
8	729438	29225	720414	29579
9	820384	36982	810224	37430
10	911249	45650	899949	46202
11	1002022	55226	989579	55895
12	1092695	65711	1079104	66506
13	1183258	77104	1168517	78035
14	1273703	89402	1257806	90480
15	1364019	102605	1346963	103842
16	1454200	116711	1435979	118117
17	1544234	131720	1524842	133304
18	1634114	147628	1613546	149402
19	1723830	164437	1702080	166409
20	1813373	182142	1790434	184324
21	1902735	200741	1878600	203144
22	1991905	220237	1966569	222868
23	2080877	240623	2054330	243492
24	2169640	261899	2141876	265017
25	2258185	284062	2229196	287438
26	2346503	307110	2316281	310754
27	2434588	331042	2403123	334961
28	2522428	355854	2489711	360059
29	2610014	381544	2576038	386043
30	2697341	408110	2662093	412912

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 37°.		Latitude 38°.	
	x.	y.	x.	y.
10	88999	467	87820	472
2	177989	1869	175630	1887
3	266959	4206	263420	4246
4	355899	7477	351180	7548
5	444800	11681	438899	11793
6	533653	16821	526567	16980
7	622446	22893	614174	23109
8	711171	29897	701710	30179
9	799817	37833	789166	38189
10	888374	46699	876530	47138
11	976834	56495	963793	57026
12	1065184	67219	1050945	67850
13	1153421	78870	1137976	79611
14	1241529	91449	1224875	92306
15	1329499	104952	1311633	105934
16	1417322	119377	1398239	120493
17	1504990	134725	1484684	135982
18	1592491	150993	1570957	152400
19	1679817	168179	1657049	169742
20	1766957	186281	1742950	188010
21	1853902	205297	1828650	207199
22	1940643	225225	1914138	227308
23	2027170	246064	1999405	248334
24	2113472	267810	2084442	270275
25	2199543	290461	2169237	293129
26	2285370	314015	2253782	316893
27	2370945	338470	2338068	341564
28	2456258	363822	2422083	367138
29	2541301	390068	2506819	393615
30	2626063	417207	2589264	420989

TABLE II.

*Co-ordinates of curvature*—Continued.

Longitude.	Latitude 39°.		Latitude 40°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	86614	476	85382	479
2	173218	1903	170753	1916
3	259801	4281	256103	4310
4	346352	7610	341420	7662
5	432862	11889	426695	11971
6	519320	17118	511915	17236
7	605715	23297	597071	23456
8	692037	30424	682153	30632
9	778275	38499	767147	38762
10	864419	47520	852045	47845
11	950460	57487	936837	57879
12	1036385	68399	1021510	68865
13	1122186	80254	1106055	80799
14	1207851	93050	1190461	93681
15	1293371	106787	1274717	107509
16	1378733	121462	1358813	122282
17	1463931	137073	1442738	137997
18	1548951	153620	1526481	154653
19	1633784	171099	1610031	172247
20	1718421	189509	1693379	190777
21	1802850	208848	1776514	210241
22	1887062	229112	1859426	230637
23	1970045	250301	1942103	251961
24	2054791	272410	2024537	274212
25	2138290	295439	2106714	297386
26	2221530	319382	2188627	321481
27	2304504	344239	2270264	346492
28	2387197	370005	2351617	372418
29	2469603	396678	2432673	399256
30	2551712	424258	2513422	427000

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 41°.		Latitude 42°.	
	<i>z.</i>	<i>y.</i>	<i>z.</i>	<i>y.</i>
1°	84123	481	82839	484
2	168235	1926	165666	1935
3	252326	4334	248471	4353
4	336382	7705	331243	7738
5	420395	12038	413969	12090
6	504353	17332	496638	17407
7	588245	23587	579240	23690
8	672060	30803	661762	30936
9	755786	38978	744195	39146
10	839414	48111	826526	48317
11	922931	58200	908744	58451
12	1006327	69246	990839	69541
13	1089591	81246	1072798	81593
14	1172713	94198	1154610	94600
15	1255680	108101	1236266	108561
16	1338484	122953	1317753	123475
17	1421111	138753	1399060	139339
18	1503552	155497	1480176	156152
19	1585796	173184	1561090	173911
20	1667833	191812	1641791	192614
21	1749651	211378	1722270	212258
22	1831238	231880	1802512	232840
23	1912587	253314	1882509	254358
24	1993684	275679	1962249	276809
25	2074520	298970	2041721	300189
26	2155084	323186	2120915	324496
27	2235366	348322	2199820	349727
28	2315354	374376	2278425	375877
29	2395038	401344	2356718	402943
30	2474408	429223	2434691	430921

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 43°.		Latitude 44°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	81529	485	80194	486
2	163047	1941	160377	1944
3	244541	4367	240536	4375
4	326001	7762	320660	7777
5	407415	12127	400737	12150
6	488771	17461	480754	17494
7	570058	23763	560702	23807
8	651264	31032	640566	31089
9	732378	39267	720337	39339
10	813387	48466	800001	48556
11	894282	58630	879549	58737
12	975050	69755	958967	69883
13	1055680	81841	1038243	81990
14	1136160	94887	1117367	95058
15	1216479	108889	1196327	109084
16	1296627	123846	1275112	124066
17	1376590	139756	1353708	140002
18	1456357	156616	1432106	156890
19	1535920	174425	1510294	174727
20	1615264	193180	1588258	193511
21	1694380	212877	1665990	213238
22	1773254	233516	1743477	233907
23	1851878	255091	1820708	255514
24	1930240	277602	1897670	278055
25	2008328	301042	1974355	301527
26	2086132	325410	2050748	325928
27	2163640	350703	2126840	351253
28	2240841	376917	2202620	377498
29	2317726	404048	2278076	404661
30	2394281	432092	2353197	432736

TABLE II.

*Co-ordinates of Curvature—Continued.*

Longitude.	Latitude 45°.		Latitude 46°.	
	x.	y.	x.	y.
1°	78835	486	77452	486
2	157659	1946	154892	1945
3	236458	4378	232307	4375
4	315221	7782	309685	7778
5	393936	12158	387015	12152
6	472591	17505	464284	17495
7	551175	23823	541480	23809
8	629674	31109	618590	31091
9	708078	39364	695603	39341
10	786373	48586	772506	48557
11	864549	58774	849287	58738
12	942594	69925	925935	69882
13	1020495	82039	1002437	81987
14	1098239	95113	1078780	95052
15	1175817	109145	1154953	109074
16	1253215	124134	1230945	124053
17	1330423	140077	1306742	139982
18	1407428	156972	1382334	156863
19	1484219	174816	1457707	174691
20	1560784	193605	1532851	193465
21	1637111	213339	1607754	213180
22	1713189	234013	1682402	233834
23	1789006	255624	1756786	255423
24	1864550	278169	1830893	277945
25	1939811	301645	1904711	301395
26	2014775	326048	1978228	325770
27	2089434	351373	2051435	351067
28	2163773	377619	2124317	377280
29	2237784	404780	2196866	404406
30	2311449	432852	2269067	432441

TABLE II.

*Co-ordinates of Curvature—Continued.*

Longitude.	Latitude 47°.		Latitude 48°.	
	z.	y.	z.	y.
10	76045	485	74614	484
2	152077	1941	149216	1935
3	228085	4368	223792	4354
4	304055	7764	298331	7741
5	379976	12130	372820	12093
6	455835	17464	447246	17411
7	531619	23766	521597	23695
8	607317	31035	595860	30942
9	682916	39270	670022	39151
10	758404	48469	744073	48322
11	833768	58631	817997	58452
12	908997	69754	891784	69541
13	984077	81836	965421	81584
14	1058997	94876	1038896	94584
15	1133745	108871	1112197	108534
16	1208307	123819	1185309	123434
17	1282673	139717	1258223	139281
18	1356830	156563	1330925	156072
19	1430766	174354	1403403	173805
20	1504467	193088	1475645	192476
21	1577926	212761	1547639	212083
22	1651126	233370	1619372	232622
23	1724058	254912	1690833	254090
24	1796708	277382	1762009	276482
25	1869066	300779	1832889	299796
26	1941119	325097	1903461	324027
27	2012856	350332	1973712	349172
28	2084265	376481	2043631	375225
29	2155335	403540	2113207	402183
30	2226052	431504	2182427	430042



TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 49°.		Latitude 50°.	
	x.	y.	x.	y.
1°	73161	482	71685	479
2	146309	1927	143357	1917
3	219432	4336	215003	4312
4	292516	7708	286611	7666
5	365550	12042	358168	11976
6	438521	17338	429661	17243
7	511415	23594	501077	23465
8	584220	30810	572403	30641
9	656925	38985	643627	38771
10	729515	48116	714736	47851
11	801979	58203	785718	57882
12	874303	69243	856558	68861
13	946476	81235	927246	80786
14	1018485	94177	997768	93655
15	1090317	108065	1068111	107465
16	1161969	122899	1138264	122215
17	1233401	138676	1208213	137902
18	1304628	155392	1277946	154522
19	1375629	173044	1347451	172073
20	1446391	191631	1416715	190552
21	1516902	211147	1485725	209955
22	1587150	231591	1554471	230279
23	1657123	252958	1622938	251520
24	1726808	275246	1691115	273675
25	1796193	298449	1758990	296739
26	1865267	322564	1826550	320709
27	1934017	347587	1893784	345580
28	2002432	373513	1960680	371347
29	2070500	400338	2027224	398006
30	2138207	428058	2093407	425553

TABLE II.

*Co-ordinates of curvature—Continued.*

Longitude.	Latitude 51°.		Latitude 52°.	
	x.	y.	x.	y.
1°	70186	476	68667	472
2	140360	1904	137322	1888
3	210510	4284	205950	4249
4	280618	7614	274541	7653
5	350676	11896	343078	11801
6	420671	17126	411549	16990
7	490586	23307	479946	23120
8	560411	30434	548249	30192
9	630133	38510	616451	38202
10	699742	47530	684534	47146
11	769219	57490	752487	57030
12	838555	68398	820300	67845
13	907736	80240	887956	79592
14	976753	93020	955446	92273
15	1045588	106733	1022753	105873
16	1114230	121382	1089866	120401
17	1182670	136963	1156777	135850
18	1250890	153465	1223466	152219
19	1318880	170893	1289926	169504
20	1386627	189240	1356139	187699
21	1454119	208503	1422095	206904
22	1521346	228686	1487785	226818
23	1588290	249775	1553192	247726
24	1654943	271771	1618307	269540
25	1721292	294670	1683114	292242
26	1787322	318465	1747603	315836
27	1853027	343153	1811762	340312
28	1918390	368730	1875577	365669
29	1983398	395193	1939040	391900
30	2048043	422532	2002133	418984

TABLE II.

*Co-ordinates of curvature*—Continued.

Longitude.	Latitude 53°.		Latitude 54°.	
	<i>x.</i>	<i>y.</i>	<i>x.</i>	<i>y.</i>
1°	67127	468	65567	463
2	134241	1871	131117	1851
3	201329	4210	196645	4165
4	268378	7483	262131	7404
5	335375	11692	327566	11567
6	402304	16832	392937	16654
7	469157	22906	458226	22664
8	535920	29911	523427	29595
9	602576	37845	588521	37445
10	669119	46707	653500	46212
11	735530	56498	718347	55899
12	801798	67215	783052	66497
13	867910	78850	847602	78010
14	933854	91407	911980	90431
15	999614	104880	976178	103765
16	1065180	119274	1040184	118002
17	1130540	134578	1103977	133140
18	1195684	150791	1167554	149178
19	1260594	167908	1230894	166110
20	1325260	185930	1293993	183936
21	1389665	204853	1356834	202650
22	1453800	224670	1419401	222250
23	1517653	245381	1481688	242732
24	1581213	266977	1543671	264092
25	1644465	289457	1605360	286323
26	1707398	312820	1666725	309430
27	1769999	337055	1727754	333393
28	1832256	362163	1788440	358218
29	1894155	388131	1848761	383897
30	1955688	414965	1908730	410425

## APPENDIX No. 34.

*Description of an apparatus devised by Assistant W. P. Trowbridge, and of the method of applying it in determining ocean depths and obtaining specimens of bottom.—(Sketch No. 40.)*

U. S. COAST SURVEY OFFICE, April 6, 1859.

DEAR SIR: In my report to you of May 31, 1858, I had the honor of presenting the results of an investigation of the laws of descent of heavy bodies in the ocean, under the conditions required in deep-sea sounding.

The object of that investigation was to ascertain and develop fully the causes of failure and error in deep soundings, and to devise a more certain and reliable mode of measuring the depth of the ocean in the off-shore hydrography of the Coast Survey, and especially in the swift current of the Gulf Stream.

I have now to present for your further consideration a sounding apparatus based upon the developments given in my former report, and the result of further study and experiments on the subject.

The distinguishing feature of the method herein described, though exceedingly simple in its application, has never before been proposed, inasmuch as its necessity could hardly have been felt without a careful analysis of the circumstances of descent of the sounding lead and line. In the method of sounding heretofore employed, the influence of the friction of the water upon the line, or "endwise resistance," as it is called by Prof. Airy, was known to exist, but the amount of this endwise resistance in pounds, and its ultimate effects at great depths, had not been determined. It was supposed that by making use of a weight of thirty or forty pounds and a small fishing line, this resistance would be reduced to an inappreciable amount, or at least that its effect in retarding the descent of the lead would not be sufficient to destroy confidence in the results.

It appears, however, from the investigations referred to, that a weight, such as is ordinarily used in sounding, will be practically held in suspension at no very great depth, even when the line used is the smallest that will sustain the weight with safety in the air; and, in confirmation of this conclusion, the fact is well established that, notwithstanding repeated experiments made by the most skilful officers and with the utmost care, the bottom of the ocean has never been reached in its deepest parts; and even where the bottom has been attained, and specimens brought to the surface, the uncertainties of the results have given good grounds for controversy with regard to the depth.

These failures and uncertainties do not arise from the magnitude of the distance to be measured, nor from the impenetrability of the fluid through which the lead has to pass. Distances infinitely great and infinitely small in the universe, above and around us, have been measured with precision, and the unexplored depths of the ocean are occupied by a medium freely and equally penetrable at all depths. Yet, in this field—a field daily traversed by the commerce of the world—a distance of a few miles only has baffled all attempts to measure it.

The difficulty lies in the simple cause stated above, viz: the "endwise resistance," or friction upon the sounding line, which prevents the lead from going to the bottom where the depth is great.

The apparatus which I have devised is designed to avoid this friction upon the line, while at the same time the line is not dispensed with, but is made use of as in the ordinary mode.

Before describing this apparatus, I will briefly refer to some of the results given in my previous report on this subject.

The rate of descent of an iron globe or sphere, as the simplest geometrical form, was first determined when falling freely in the ocean, and it was found that a sphere will attain a certain maximum velocity within twenty-five feet of the surface, which velocity will be kept up without sensible increase or diminution to the bottom.

For a 32-pound iron shot this uniform velocity is about sixteen feet per second.

The conditions of descent when a small line is attached to the sphere and drawn down with it were then discussed, the line being uncoiled from a reel on the deck of the vessel, and drawn down by the weight of the sphere. The friction of this line in the water causes a remarkable change in the rate of descent. Nearly the same maximum velocity at starting is obtained, but the velocity becomes rapidly reduced until the sphere becomes suspended nearly motionless in the water.

Taking the simple case of a 32-pound shot attached to a small fishing line, the shot attains its maximum velocity of sixteen feet per second within twenty-five feet of the surface; but before a hundred fathoms of the line is drawn into the water this velocity is reduced to eight feet per second—a diminution of half the velocity from the friction of one hundred fathoms of line.

At five hundred fathoms the velocity is again reduced half, or to four feet per second; and at three thousand, to about one foot per second; *whereas at this depth, if there is no line attached, the shot will fall with its original velocity of sixteen feet per second undiminished.* Below this depth we may determine in the same way the circumstances in the two cases; the shot falling freely still retains its uniform velocity of sixteen feet per second at four, five, and six thousand fathoms depth; while with the line attached, at five thousand fathoms the velocity is reduced to a few inches per second, and at six thousand fathoms the descent is not perceptible under ordinary circumstances.

The time of descent becomes an important element also in practice. In the two cases given the shot falling freely will descend to the depth of three thousand fathoms in twenty minutes, and to the depth of six thousand fathoms in forty minutes; while, with the line attached, it will require two hours to descend three thousand fathoms, and eight hours to descend six thousand fathoms.

These effects were shown to be due to the friction alone; the amount of which in pounds was determined for different cases in which different forms of weight and different sizes of lines were used; and the entire inapplicability of the ordinary mode of sounding for great depths, and even for ordinary depths, where the object is to obtain a correct knowledge of the depths, was demonstrated.

Methods have been proposed in which a line is dispensed with by detaching a float at the bottom when the plummet strikes, and watching for the return of the float to the surface; but this is impracticable, as there is no material applicable, within our knowledge, that will float to the surface from the bottom of the sea, on account of the great pressure which condenses the bulk, so as to render bodies specifically lighter than water at the surface heavier than water at even moderate depths. A line must therefore be used to bring back to the surface, any machine by which the depth may be registered in the descent, and the motion of this line in an extended form in the water must be avoided.

The apparatus which I have devised is designed to secure this object by attaching to the sinker a tube or case in which the sounding line is compactly coiled, and from which it will be

discharged freely, thus causing the plummet to carry down the *coil*, while one end of the line is held fast at the surface; the line being uncoiled from the descending sinker, in the manner that a spider falling from a height gives out a thread in his descent by which he retains communication with the point above to which the thread is attached. The motion of the line in an extended form through the water being thus avoided, all the conditions of free descent are secured, and the plummet will descend to the greatest depths with a rapid and uniform velocity.

The depth is ascertained in the manner heretofore known as Massey's method, by a helix or curved blade, which is caused to revolve by the motion of the apparatus through the water. Instead of Massey's Indicator, however, which from its faulty construction does not give accurate results, I have adapted Saxton's Current Metre, a much more delicate instrument, to this purpose.

A specimen tube is also used, differing somewhat from those now in use in construction, but not in its essential points.

The lower end of the line is attached to the register and to the specimen box, which weigh together only two or three pounds; and as the line is hauled in from the bottom it brings up the register and specimen box, leaving the plummet and attached case at the bottom.

The details of construction are shown in the accompanying drawings and description of the apparatus.

Besides overcoming the principal difficulty in sounding, there are other important advantages secured by this arrangement which simplify rather than complicate the problem. These are as follows:

*First.* There is no strain upon the line in the descent, except from its own weight, no matter to what depth or with what velocity the plummet may descend. It is possible, therefore, to employ a very small line; a single thread of silk may, in fact, be extended to the bottom of the ocean. This permits of the use of a line which may be coiled compactly within a small space, the strength of the line being made just sufficient to insure its being hauled in with safety, bringing up at the same time the specimen box and the register. The strain brought upon it in hauling in will depend upon the velocity of the upward motion, which may be regulated accordingly.

*Secondly.* A *rapid* and *uniform* descent being secured, the indications of a revolving register will be reliable when attached to this plummet, while in the present mode of sounding the slow motion of descent at great depths renders such a mode of registering the depth uncertain and unreliable.

*Thirdly.* There being no strain upon the line in the descent, and the motion being *uniform*, it is practicable to determine the depth by the time of descent, making use of a small insulated wire as a sounding line, and determining the instant that the weight strikes the bottom by an electrical signal transmitted through the line. An apparatus was devised as long since as the year 1845, for ascertaining the moment when the weight strikes the bottom by electricity, but in the mode of sounding heretofore employed no particular advantage would result from this, while the danger of breaking the electric continuity is very great, owing to the strain brought upon the line in the descent; and the plummet as now used descends with such a varying velocity that even with the time of descent given no calculation will give the depth. The method has, therefore, never been put in practice. Whereas, in the method proposed, there is no strain upon the line in its descent, and the plummet will fall through each successive

hundred fathoms in the same time; *the time of descent will thus furnish a simple means of calculating the depth.* In this process it will not be necessary to recover the line, and the time required to sound the ocean at any point need only be that required for the plummet to sink to the bottom, moving with any velocity which may be desired.

I have made many experiments on the best method of coiling the line so as to secure its uncoiling with certainty, and without the possibility of a strain upon the line or the occurrence of a kink. I have also given much attention to the quality and size of the line to be used. Upon these points the practical working of the apparatus in a certain degree depends, but being merely mechanical questions they are easily settled. They are fully discussed in the description which accompanies the drawings.

The importance of the problem which is thus sought to be solved, in connection with the survey of the coast, has never been questioned; a knowledge of the configuration of the bottom of the sea adjacent to the coast is necessary to the solution of many questions of importance to navigation and to science, and especially that of the ruling feature of the Atlantic Coast, the Gulf Stream; but besides these considerations the question has become one of great public interest in connection with the laying of submarine telegraphs, the risks of such enterprises being diminished in proportion to the accuracy with which the depth of the sea is known at every point of any proposed line, and the ultimate practicability of such operations across the Atlantic being yet to be demonstrated by new and more accurate soundings.

#### *Description.*

The accompanying plate (Sketch No. 39) represents the instrument as at first constructed. Some slight modifications have since been made in the mode of attaching the register, but without affecting the general design.

Fig. 1 represents the plummet as it appears in its descent.

T, the tube or case containing the coiled line.

W, the leaden or iron weight inserted in the bottom of the tube.

C, the conical cap.

R, the register in its place upon the cap.

L, the line.

Fig. 1 *a* represents a longitudinal section of the tube, weight, and cap, showing the mode of coiling the line in balls, and the small specimen box *s* passing through the hollow weight.

Fig. 2 represents the register on a larger scale.

*h h*, the helices or blades.

*r r*, the register wheels.

*g g*, the locks for gearing and ungearing the wheels.

Fig. 2 *a* represents the plan or horizontal view of the register, it being constructed so as to offer the least resistance in passing through the water.

Fig. 3 shows the detailed construction of the register wheels and the helices.

From Fig. 1, it will be seen that the form of the apparatus admits of rapid motion through the water. The weight is conical and elongated and the register presents the edges only of brass plates to the water, and the line being uncoiled and discharged from the tube there is no

retarding force to the descent from the line itself. Any desired velocity of descent may be given to the plummet by increasing or decreasing the weight *W*.

Fig 1 *a* shows the method of coiling the line.

There are various modes of doing this which are in common practice in twine and cotton factories; that which is here exhibited is the method of coiling in balls, all the balls exhibited in the tube being formed of one unbroken line, the line drawing out from the centre of each, until it is all drawn from the tube. The machinery for winding these balls is very simple.

The essential points in the coiling are to coil the line in as compact a space as possible, so as to insure certainty of discharge without danger of kinking. Two other modes of coiling are now under consideration, either of which may be better than the method by balls. One is to wind upon a spindle, and the other to lay the line in a sort of compound coil, directly in the tube. All these methods are now practiced in the factories on a large scale for winding twine and cotton.

The line used should be about five hundredths of an inch in diameter, and as strong as it can be made of that size. A braided line of Holland flax or silk of five hundredths of an inch in diameter may be made to bear a strain of forty or fifty pounds, which is abundantly strong for the purpose, as the weight and case are left at the bottom, the register and specimen tube only being brought up.

#### *Tube.*

The tube may be made of tin in sections of eighteen inches in length, with stove-pipe joints and bayonet fastenings. The object of this is to adapt the length of the tube readily to the amount of line which it is to contain. A tube four inches in diameter will contain nearly a mile of line to each foot of the tube.

#### *Sinker and specimen tube.*

The sinker is made of cast iron or lead of any desired weight, depending upon the desired velocity of descent. A weight of twenty-five pounds has been adopted.

The sinker is conical and is inserted into the lower end of the tube containing the line and fastened to this tube by screws or by a bayonet joint and fastening. The weight has a conical hole or cavity through its entire length, through which the small specimen tube passes in the manner shown in the drawing.

The specimen tube is a tube of thin brass passing through the weight and attached to the lower end of the line within the large tube. This specimen tube is fitted with a valve opening upwards in the bottom, which closes when the tube is drawn up, thus retaining the mud which is forced into the tube when the weight strikes bottom. The specimen tube fits loosely in the bottom of the weight so that it may be easily drawn out as the line is hauled in.

#### *Cap.*

The cap is used for two purposes: to contract the upper end of the tube containing the line so that the line cannot rise in bulk out of the tube, and for supporting the register. It is formed in the shape of the frustum of a cone, cut away on one side as well as open at the top, so as to allow the line to be discharged freely. A flat strap is fastened to the top of the frustum nearly in the line of the axis of the tube, and upon this strap the register is set, as shown in the drawing; the register is kept in its place by loose collars.



*Register.*

The apparatus for measuring the depth consists of a helix or curved blade attached to a vertical axis, and wheels gearing into an endless screw upon this axis. The revolutions of the helix, caused by the motion through the water, are communicated to the wheels, which are graduated so as to indicate the number of revolutions of the helix.

Two registers are attached to one plummet by attaching them together in the manner shown in figure 2, by means of brass plates. The blades are made to turn in opposite directions, and will operate as checks upon each other, and also counteract the effect of any rotary motion in the plummet.

The construction of the blades and wheels and the mode of gearing them with the endless screw are shown in figure 3. The wheels are differential wheels; that is, they are concentric, one of them having one hundred teeth and the other one hundred and one teeth. The cross bar (*b*) has a slight motion, carrying with it the wheels; this motion is governed by a spring *s*. To gear the wheels the cross bar is pressed towards the endless screw until the teeth gear with that screw and the bar is there locked, as shown in figure 2 at *gg*. The revolution of the blades will now cause both wheels to turn, and after one hundred revolutions the wheels will be found separated by one tooth or one division. The differences thus measure hundreds of revolutions. In the register from which the drawings were made, the blades revolve once in two feet; one hundred revolutions will therefore correspond to two hundred feet, or one division of the scale of the register to thirty-three fathoms.

When the register is hauled up, the arms at *gg*, figure 2, drop, and the springs cause the wheels to ungear and fly back, where they are held motionless by a projecting point at *n*, figure 3. The arms are made to drop by means of a small wire, which is attached to the cap, as shown at (*u*,) figure 1. This wire is fastened to, or hooks over the ends of the arms, and when the register is drawn off, the arms fall.

*Mode of attaching the line to the register and specimen tube.*

Before the line is put into the tube it is attached to the specimen tube at a point four or five feet from the end of the line, the spare end is passed through the tube, and when the balls are all put in the tube the extreme end of the line coming out at top is attached to the register, after taking a few turns around the top of the strap, the register being in its place.

The line is thus attached to the specimen tube and register only, and not to the large tube or weight.

When the plummet strikes the bottom a part of the line will remain in the tube coiled; by hauling in the line this part will, however, be uncoiled, and on coming to the bottom of the coil the specimen tube will be drawn up through the large tube, and after the specimen tube comes out the register will be drawn off the strap, and thus the large tube and weight will be disengaged from the line, specimen tube, and register, and by continuing to haul in, the register and specimen tube will be brought to the surface. The plummet on striking will, under most circumstances, remain sticking in the mud in an upright position.

Very respectfully, your obedient servant,

W. P. TROWBRIDGE,  
*Assistant Coast Survey.*

A. D. BACHE, LL.D.,  
*Superintendent U. S. Coast Survey.*

## APPENDIX No. 35.

*Extracts from letters of J. M. Batchelder, esq., stating the results of trials made with Hunt's tide-metre at Charlestown navy yard, Mass.*

Boston, August 30, 1859.

SIR: \* \* \* Below are given the results of eighty observations made with the pressure tide-metre when the bag, tube, and guage were filled with air. The mean differences and error are also shown, but it is probable that the actual error is less than the result given in the column so designated, as the greatest difference occurred when the surface of the water was agitated, and the least when it was most calm.

To determine the effect produced by the escape of air, the bag was fully distended, and immersed to the depth of thirteen feet, and the position of the index noted. The instrument was then taken up and one-half of the air allowed to escape from the bag, but on being again immersed to the same depth the index remained as before.

No observations were made with reference to temperature, as the change of volume of the air from this cause would be very slight as compared with the distended and half-filled bag.

\* \* \* \*

*Result of trials made with the pressure tide-meter at Charlestown navy yard in August, 1859.*

Depth of immersion in feet.	1	2	3	4	5	6	7	8	Maximum.	Minimum.	Mean.
Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.	Feet.
0	2.92	2.97	2.87	2.90	2.90	3.06	2.92	2.90	3.06	2.87	2.93
1	3.87	4.02	3.96	3.96	3.87	4.03	3.96	3.98	4.02	3.87	3.96
2	4.83	5.00	4.94	4.99	4.95	5.00	5.00	4.95	5.00	4.83	4.96
3	5.86	5.90	5.87	5.87	5.93	5.93	5.90	5.88	5.93	5.86	5.89
4	6.87	6.97	6.86	6.97	6.97	7.00	6.97	6.99	7.00	6.86	6.95
5	7.85	7.85	7.86	7.85	7.80	7.92	7.87	7.80	7.92	7.80	7.85
6	8.87	8.82	8.91	8.82	8.78	8.86	8.93	8.86	8.93	8.78	8.86
7	9.83	9.80	9.87	9.75	9.83	9.86	9.75	9.75	9.87	9.75	9.80
8	10.87	10.89	10.90	10.83	10.83	10.90	10.83	10.83	10.90	10.83	10.86
9	11.90	11.94	11.91	11.91	11.91	11.99	11.90	11.86	11.99	11.86	11.91
10	12.80	12.92	12.87	12.87	12.87	12.87	12.84	12.84	12.92	12.80	12.86

Bag filled with air.

From the first mark (0) on the tube to the bottom of the air-vessel three feet.

*Mean of eighty observations given above.*

Feet.	Difference. Feet.	Error. Feet.
2.93		
3.96	1.03	.03 +
4.96	1.00	.00
5.89	.93	.07 —
6.95	1.06	.06 +
7.85	.90	.10 —
8.86	1.01	.01 +
9.80	.94	.06 —
10.86	1.06	.06 +
11.91	1.05	.05 +
12.86	.95	.05 —

SEPTEMBER 17, 1859.

\* \* \* Notes are here appended of further trials of the pressure tide-meter, made at your request, the instrument being filled with pure water.

It will be noticed that in the column headed "mean" we have on the third line 4.02 feet, and when the water is ..... 7.00 "

11.02 " higher,

as in the tenth line.

The intermediate observations would be equally accurate if the dial-plate of each instrument was graduated by marking the position of the index at each successive tenth of a foot immersed, beginning with a depth of not less than three or four feet. The bag, when in use, should always be at this depth below low-water mark.

The differences noted at the same depth of immersion (column nine) are mainly due to oscillation of the water, and in a very slight degree to friction of the index gear.

*Trials made at Charlestown navy yard in September, 1859.*

Diff. of depth of immersion in feet.	Observations 1.	Observations 2.	Observations 3.	Observations 4.	Observations 5.	Maximum.	Minimum.	Difference.	Mean.
<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>	<i>Feet.</i>
0	2.50	2.50	2.50	2.45	2.50	2.50	2.45	.05	2.49
1	3.00	3.10	3.08	3.00	3.00	3.10	3.00	.10	3.04*
2	4.05	4.05	4.05	3.98	3.97	4.05	3.97	.08	4.02
3	4.80	4.80	4.80	4.73	4.65	4.80	4.65	.15	4.75
4	5.65	5.70	5.69	5.58	5.55	5.70	5.55	.15	5.62
5	6.40	6.38	6.37	6.38	6.35	6.40	6.35	.05	6.38
6	7.60	7.62	7.56	7.60	7.50	7.62	7.50	.12	7.58
7	8.75	8.78	8.60	8.68	8.70	8.78	8.60	.18	8.70
8	10.02	10.02	9.90	9.83	9.90	10.02	9.83	.19	9.93
9	11.05	11.05	11.00	11.00	11.00	11.05	11.00	.05	11.02
10	12.05	11.95	11.95	12.05	12.00	12.05	11.95	.10	12.00
	12.00	12.10	12.08	12.00	12.00	12.10	12.00	.....	12.04 }

\* The figures on the last line are obtained by adding nine feet to those on the second.

To determine fully the practical value of this apparatus I think it should be set up with one of the common gauges, and the indications of each observed and compared daily for one or two months. \* \* \*

Very respectfully, your obedient servant,

J. M. BATCHELDER.

Prof. A. D. BACHE,

*Superintendent United States Coast Survey.*

## APPENDIX No. 36.

*Letter of the Secretary of the Treasury relative to placing the Coast Survey steamer Active under the authority of Brevet Lieut. General Scott.*

TREASURY DEPARTMENT, September 16, 1859.

SIR: I have to inform you that, by direction of the President, the Coast Survey steamer "Active" has been placed under the authority of Brevet Lieutenant General Winfield Scott, United States army, and Commander James Alden, U. S. N., has been instructed by this department, under date of the 15th instant, to obey all orders emanating from him.

Very respectfully, your obedient servant,

HOWELL COBB,  
*Secretary of the Treasury.*

Prof. A. D. BACHE,  
*Superintendent Coast Survey.*

## APPENDIX No. 37.

*Letter of Captain John Pope, U. S. N., commandant at Portsmouth navy yard, addressed to Lieut. Comg. Alex'r Murray, U. S. N., Assistant Coast Survey, on the occasion of service rendered by the C. S. steamer Bibb.*

U. S. NAVY YARD, Portsmouth, N. H., October 1, 1859.

SIR: Your promptness in answering a request to tow the United States ship Cumberland from the lower harbor to this navy yard on the 3d ultimo calls forth my acknowledgment and thanks, and I trust that your action will be approved by the Superintendent of the Coast Survey. Had you not rendered the assistance you did in towing up the Cumberland that vessel would have been detained by head winds five or six days in the lower harbor.

Very respectfully, your obedient servant,

JOHN POPE,  
*Commandant.*

Lieut. Comg. A. MURRAY,  
*Coast Surveying Steamer Bibb.*

## APPENDIX No. 38.

*Letter addressed to the Superintendent by Captain D. G. Farragut, U. S. N., on visiting Beaufort river, South Carolina, with the United States steamship Brooklyn.*

UNITED STATES SLOOP-OF-WAR BROOKLYN,  
*Beaufort Roads, South Carolina, February 17, 1859.*

SIR: Permit me thus to acknowledge the great service I have received from the Coast Survey, through the kindness of Mr. C. O. Boutelle, chief of the party encamped at Land's End, mouth

of Beaufort river, South Carolina, who volunteered his services, and handsomely piloted this ship up to within four and a half miles of the town of Beaufort and down again; and continued to extend every assistance and courtesy in his power during our stay in these waters.

Very respectfully, your obedient servant,

D. G. FARRAGUT,  
*Captain United States Navy.*

Professor A. D. BACHE,  
*Superintendent Coast Survey, Washington city.*

---

### APPENDIX No. 39.

*Letters addressed to Lieutenants T. A. Craven and J. N. Maffitt, U. S. N., on their detachment from the Coast Survey.*

COAST SURVEY OFFICE, *June 18, 1859.*

DEAR SIR: I feel too deeply indebted for the sympathy and hearty co-operation manifested by you while attached to the Coast Survey to permit the occasion which returns you to general duty in the naval service to pass without expressing my sense of the value of your labors. Apart from the devotion shown as one of the naval assistants, it is natural to suppose that your early experience in the work gave enhanced interest to your later efforts, and I cannot but regard the long period of your co-operation in the survey as one of the happy incidents of my superintendence.

The large share which you have contributed to the hydrographic results of the Coast Survey would alone permanently associate your name with that national work. Those with whom you have acted will have also in memory the ready spirit for co-operation, the uniform courtesy, and the qualities of head and heart that never fail in contributing to success.

Receive, my dear sir, the assurance that my kind wishes will ever accompany you to whatever field of duty you may be called in the range of your profession.

Yours, respectfully and truly,

A. D. BACHE,  
*Superintendent U. S Coast Survey.*

Lieut. Comg. T. A. M. CRAVEN,  
*United States Navy.*

---

COAST SURVEY OFFICE, *June 17, 1859.*

DEAR SIR: I cannot permit the occasion to pass which severs your connection with the Coast Survey without expressing my deep sense of the value of your services while associated in that work. Where so many are employed, relative merits and special efficiency can be perceived and appreciated only by one charged with the general superintendence; and in that light it is now a pleasure to say that your labors in the prosecution of the hydrography must ever rank in my estimation as of the highest order. Your career during the extended period of your service, and since your recent assignment to Coast Survey duty, was marked by that

rare aptitude and intelligence in regard to the work which *assist* in planning, and by perseverance which left nothing to be desired in reference to the time of its execution. A comparison shows that in hydrographic results your efforts have been seldom if ever excelled by those of any other officer. The high estimation in which I have regarded them would be weakened by specification in addressing one so fully qualified for the widest range of duty in the naval profession. As nothing has occurred throughout the long period of your connection with the Coast Survey to stay the increasing regard won by your even courtesy and manly bearing, my regret in taking leave of you is the greater. I shall ever recur to your name as one of the most efficient of naval assistants of the Coast Survey with feelings of pride and pleasure.

Yours, respectfully,

A. D. BACHE,  
*Superintendent U. S. Coast Survey.*

Lieut. Comg. J. N. MAFFITT,  
*United States Navy.*

## APPENDIX No. 40.

*Aids to navigation recommended in reports made to the Superintendent by Assistants of the Coast Survey.*

Sec.	Object.	By whom recommended.	Date of report, &c.
I.	Buoy on Huzzey's Rock, south of Fletcher's Neck, Wood island, Me.	Lieut. Comg. Alex. Murray, U. S. N....	Referred to the Light-house Board Oct. 15, 1859. (Appendix No. 41.)
I.	Buoy to mark the extremity of a sand spit near Fletcher's Neck, Wood island, Me.	.....do.....	Referred to the Light-house Board Oct. 15, 1859. (Appendix No. 41.)
I.	Buoy to mark the position of Cashe's Ledge, off the coast of Mass.	.....do.....	Referred to the Light-house Board Sept. 15, 1859.
V.	Buoys to mark the Bird Key and Cow Pen channels, St. Helena sound, S. C.	Lieut. Comg. J. N. Maffitt, U. S. N....	Referred to the Light-house Board May 26, 1859. (Appendix No. 42.)
V.	Buoys in the East channel, Port Royal sound, S. C.	Lieut. Comg. C. M. Fauntleroy, U. S. N.	Referred to the Light-house Board July 8, 1859. (Appendix No. 43.)

## APPENDIX No. 41.

*Letter to the Secretary of the Treasury, communicating recommendations from Lieut. Comg. Alexander Murray, U. S. N., Assistant Coast Survey, for buoys in the vicinity of Fletcher's Neck, coast of Maine.*

PHILADELPHIA, October 15, 1859.

SIR: I have the honor to communicate the following extract from a letter addressed to me, under date of October 9, by Lieut. Comg. Alexander Murray, U. S. N., Assistant Coast Survey, and would respectfully request that a copy be furnished to the Light-house Board:

"In the place indicated on the enclosed sketch (coast of Maine) there is a rock whose position has been determined by this party. It is called *Huzzey's Rock*; and being very sharp, with three and four fathoms of water about it, and contiguous to 'Wood Island harbor,' is dangerous. I recommend that a buoy be placed near it.

"Between 'Nigger island' and 'Fletcher's Neck signal,' near the spot indicated by *red ink sand shoal-marks*, is the end of a *spit*. This is in the harbor, and should be marked with a *red buoy*, as, entering through the west channel, it would be on the *starboard hand*."

Very respectfully, yours,

A. D. BACHE,  
*Superintendent U. S. Coast Survey.*

HON. HOWELL COBB,  
*Secretary of the Treasury.*

---

### APPENDIX No. 42.

*Letter to the Secretary of the Treasury, communicating a recommendation from Lieut. Comg. J. N. Maffitt, U. S. N., Assistant in the Coast Survey, for placing buoys in St. Helena sound, S. C.*

COAST SURVEY OFFICE, May 26, 1859.

SIR: I have the honor to present for the consideration of the Light-house Board the following extract from a communication addressed to me by Lieut. Comg. J. N. Maffitt, U. S. N., Assistant Coast Survey, under date of May 25:

"For the convenience of steamers in passing through the South Edisto river into St. Helena sound, S. C., two second class buoys should be placed in what is called the Bird Key and Cow Pen channel. These would enable steamers to pass with a great saving in distance, and in comparatively smooth water while the wind is blowing fresh.

"The commanders of the steamers 'Edisto' and 'Everglade' have felt the necessity for these aids in navigation, and would willingly furnish the use of their boats for establishing the buoys in their places."

The positions of the desired buoys are marked 3 and 4 on the enclosed tracing.

Very respectfully, yours,

A. D. BACHE, *Superintendent.*

HON. HOWELL COBB,  
*Secretary of the Treasury.*

---

### APPENDIX No. 43.

*Letter to the Secretary of the Treasury, communicating the recommendation of Lieut. Comg. C. M. Fauntleroy, U. S. N., Assistant Coast Survey, for buoys to mark the East channel into Port Royal sound, S. C.*

CAMBRIDGE, MASSACHUSETTS, July 8, 1859.

SIR: In reporting the completion of soundings by the hydrographic party in the several channels of Port Royal entrance, S. C., Lieut. Comg. C. M. Fauntleroy, U. S. N., Assistant Coast Survey, suggests that the East channel passage should be buoyed out as soon as practicable.

The recommendation being based upon the results of his examinations, as shown by the hydrographic sheet, I would respectfully request that a copy of this communication may be transmitted to the Light-house Board.

Very respectfully, yours,

A. D. BACHE, *Superintendent.*

HON. HOWELL COBB,  
*Secretary of the Treasury.*

## INDEX TO SKETCHES AND DIAGRAMS.

---

- 1.—A. Progress sketch, Section I, (primary triangulation.)
- 2.—A *bis*. Progress sketch, Section I, (secondary triangulation, topography, and hydrography.)
- 3.— Seacoast of Maine, from Kennebec entrance to Portland.
- 4.— Portland harbor.
- 5.— Lynn harbor, Mass.
- 6.— Muskeget channel, (new edition.)
- 7.—B. Progress sketch, Section II.
- 8.— Hempstead harbor, Long Island Sound.
- 9.—C. Progress sketch, Section III.
- 10.— Chesapeake bay (sheet No. 4) from Potomac river to Pocomoke sound.
- 11.— Chesapeake bay (sheet No. 5) from Pocomoke sound to York river entrance.
- 12.— Chesapeake bay (sheet No. 6) from York river entrance to Cape Henry.
- 13.— Patuxent river, Md.
- 14.— St. Mary's river, Md.
- 15.—D. Progress sketch, Section IV.
- 16.—E. Progress sketch, Section V.
- 17.— Bull's bay, S. C., (new edition.)
- 18.— Port Royal entrance and approaches, S. C.
- 19.— Sapelo sound and approaches, Ga.
- 20.—F. Progress sketch, Section VI.
- 21.—F *bis*. Progress sketch, Section VI, (Florida reefs and keys.)
- 22.— Florida reefs and keys from Newfound harbor key to Boca Grande key.
- 23.—G. Progress sketch, Section VII.
- 24\*.— Cedar keys, (new edition.)
- 25.— St. George's sound, Fla., (eastern part.)
- 26.—H. Progress sketch, Section VIII.
- 27.— The Rigolets, La.
- 28.—I. Progress sketch, Section IX.
- 29.— Coast of Texas and Matagorda bay.
- 30.—J. Progress sketch, Section X, (lower part.) ✓
- 31.—J *bis*. Progress sketch, Section X, (upper part.)
- 32.— San Pedro harbor, Cal. ✓
- 33.— Crescent City harbor, Cal.
- 34.—K. Progress sketch, Section XI.
- 35.— Diagrams illustrating the distribution of temperature in the Florida straits.
- 36.— Sketch showing general progress in the survey of the Atlantic, Gulf, and Pacific coasts.
- 37.— Diagrams illustrating the results of magnetic observations at Girard College, Philadelphia.
- 38.— Lines of equal magnetic variation for the year 1858.
- 39.— Trowbridge's apparatus for deep-sea soundings.
- 40.— Mitchell's apparatus for measuring currents and improved pile for sea structures.

\* Omitted.



**National Oceanic and Atmospheric Administration**  
**Annual Report of the Superintendent of the**  
**Coast Survey**

**Please Note:**

This project currently includes the imaging of the full text of each volume up to the “List of Sketches” (maps) at the end. Future online links, by the National Ocean Service, located on the Historical Map and Chart Project webpage (<http://historicals.ncd.noaa.gov/historicals/histmap.asp>) will includes these images.

NOAA Central Library  
1315 East-West Highway  
Silver Spring, Maryland 20910